


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SEP 30 1988

F. M. Ytreberg

(Applicant)

Secy/Treasurer

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Pacific Press Publishing Association
Current Address: P.O. Box 7000 Boise, Id. 83707
2. Accompanied by: Terry Threewit
Address: Same
Relationship to Permit Holder: Engineering/Maintenance Superintendent
3. Source: Groundwater tributary to —

Permit No. 63-10636

Phone No. 465-2500

EXAM. DATE: 6-12-90


Phone No. Same

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
DEC 02 1993

PERMIT 63-10636 INIT L.W. 9
T. K. S. Q/Q
P/D 3N 2W 13 NWSW
SCALE
PHOTO ID.

Pacific Press Publishing

Point of diversion

Storage area (small Lake)


RECEIVED
OCT 2 1993

T3N 2W

63-10636

14 13
23 24

13 24



R2W

~~R3W~~

NAMPA QUADRANGLE
IDAHO
7.5-MINUTE SERIES (ORTHOPHOTOGRAPHIC)

PERMIT 63-10636 INIT L.W.
T. R. S. Q/Q
P/D 3N 2W 13 NWSW
SCALE _____
PHOTO ID. _____

63-10636

Point
of
diversion

Storage
P/U

T3N R2W

DEC 02 1993

63-10636



Picture of well + pump with a
6" open discharge line into holding
pond. Picture taken looking south.

RECEIVED
DEC 02 1993

63-10636



Picture of storage dam located
in maintenance shed next to pump.
Dam is 6' high with reservoir capacity
of approx. 41.5 a.f.

MICROFILMED
DEC 02 1993

63-10636



Picture of Storage pond for
Aesthetic use. Picture taken looking
South east.

MICRO MED
DEC 02 1993

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10636 *13P*

PACIFIC PRESS PUBLISHING
ASSOCIATION

P.O. BOX 7000

BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: NWSW Sec 13 T 03N
R 02W

Use: AESTHETIC STORAGE
(41.50 AF)

DIVERSION TO STORAGE (.400
CFS)

Date Filed: May 27, 1988

In: T03N R02W S13 SWNW SENW
NWSW S14 SENE

27.0 ACRES TOTAL

63-10647

J.F. WATSON FARMS

P.O. BOX 278

PARMA, ID 83660

Source: GROUNDWATER

Diversion Pt: SESE Sec 35 T 04N R
05W

Use: IRRIGATION (1.600 CFS)

Date Filed: June 9, 1988

In: T03N R05W S02 Lot 1 (NENE)
Lot 2 (NWNE) T04N R05W S35

-SESE

80.0 ACRES TOTAL

63-10648

BROKAW, ORVILLE E.

BROKAW, LUCILLE

9000 E. KUNA RD.

KUNA, ID 83634

Source: GROUNDWATER

Diversion Pt: SENE Sec 26 T 04N
R 05W

Use: IRRIGATION (1.100 CFS)

Date Filed: June 13, 1988

In: T04N R05W S26 SWNE SENE

55.0 ACRES TOTAL

63-10649

GIPSON, ROY N.

KLEIN, GEORGE M.

2504 AIRPORT AVE.

CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NENE Sec 10 T 02N
R 03W

Use: IRRIGATION (.880 CFS)

Date Filed: June 13, 1988

In: T02N R03W S10 NENE NWNE

44.0 ACRES TOTAL

63-10650

PHILLIPS, CHARLES L.

PHILLIPS, JR., FRANK W.

7830 N. STAR RD.

MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt: NWNE Sec 16 T 04N
R 02W

Use: STOCKWATER (.200 CFS)

Date Filed: June 15, 1988

In: T04N R02W S16 NWNE SWNE
NENW NWNW SWNW SENW
NWSE

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before JULY 25, 1988.

R. KEITH HIGGINSON

Director

July 7, 14, 1988

RECEIVED
JUL 15 1988

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

July 7, 14, 1988

Debra Martin del Campo
Subscribed and sworn to before me this

14th

day of July

19 88

FILED

SEP 30 1988

Jeanne Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10636

Priority: May 27, 1988

Maximum Diversion Rate: 0.40 CFS
Maximum Diversion Volume: 41.5 AF

This is to certify, that PACIFIC PRESS PUBLISHING ASSN
PO BOX 7000
BOISE ID 83707

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 27, 1988; and
has submitted Proof of Beneficial Use on June 8, 1989. An examination indicates
that the works have a diversion capacity of 1.320 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
AESTHETIC STORAGE	01/01 to 12/31		41.5 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.40 CFS	
	Totals	0.40 CFS	41.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 13, Township 03N, Range 02W
CANYON County

PLACE OF USE: AESTHETIC STORAGE

TWN RGE SEC

03N 02W 13 NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of NOVEMBER, 1993.

Acting for R. Keith Higginson, Director

DEC 02 1993

RECEIVED

JUN 08 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE**Department of Water Resources**

For Office Use Only

Fee Received 100.00Date 6/18/89Receipt # C007309Receipt by R. YoungReviewed by 7/2/89Sent to region 2

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10636Name(s) of Permit Holder: Pacific Press Publishing AssociationPost Office Address: PO Box 7000Boise ID 83707Telephone No. (208) 465-2500Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark Asthetic ☒Diversion to Storage ☒Total rate and/or volume for which proof is submitted .40 cfs or 41.5 acre-feetShow the date water was first diverted and beneficially used under this permit: August 18, 1988Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ NoFee enclosed \$ \$100
(See License Examination Fee Schedule)Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Terry Threewit

(Name)

(208) 465-2500

(Telephone Number)

1350 N. Kings Road, Nampa, ID 83687

(Address)

MICROFILMED

JUL 18 1989

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6-5-89

Date

F. M. Ytreberg Association/Secretary/Treasurer

Signature of Permit Holder (and title, if appropriate)

RECEIVED
MAY 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-10636

Department of Water Resources
Western Regional Office

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant PACIFIC PRESS PUBLISHING ASSOCIATION Phone 465-2500

Post office address P. O. Box 7000 Boise, ID 83707

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of NW 1/4 of SW 1/4, Govt. Lot _____

Sec. 13 Township 3N Range 2W B.M. Canyon County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .40 for Diversion to purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) Storage

Amount 41.5 for Aesthetic * purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) Storage

Amount .40 for Irrigation from purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum) Storage

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .40 and/or (b) 41.5*
cubic feet per second acre feet per annum

* Telecon between
Terry Threewit &
D. Tuthill 6/9/88

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Submerged pump with open discharge into
pond, pumping from pond for sprinkler irrigation

b. Height of storage dam 6*
12 feet; active reservoir capacity 41.5 acre-feet; total
reservoir capacity 41.5 acre-feet; period of year when water will be diverted to storage:
1/1 to 12/31 inclusive.

c. Proposed well diameter is 12 inches; proposed depth of well is 260 feet. (Existing well)

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

1 years (minimum 1 year).

RECEIVED

SEP 30 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2W	13							9	1			X ← Aesthetic Use 22 Storage						26
3N	2W	14				1													1

Total number of acres to be irrigated 27

* Per telecon with Terry Threewit, by DRT, 6/9/88

10. Describe any other water rights used for the same purposes as described above. Nampa-Meridian Irrigation District #1729 & 1727AXX; 63-10400 is permit covering existing system.

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: See Attached document

For information contact: Terry Threewit

Engineering/Maintenance Superintendent

SEP 30 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SEP 30 1988

F. M. Ytreberg

(Applicant)

Secy/Treasurer

Received by SL Date 5/27/88 Time 11:30 Preliminary check by DET
Fee \$ 45⁰⁰ Received by SL # W000265 Date 5/27/88 *Receipt prepared 5/31/88 but fee paid 5/27*
Publication prepared by GG Date 6-29-88 Published in Press-Tribune
Publication approved SL Date 7/12/88
7/6 & 7/13/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10636, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Witness my hand this 3rd day of August, 1988.

[Signature]
Director

RECEIVED

SEP 30 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 17, 1993

PACIFIC PRESS PUBLISHING ASSN
PO BOX 7000
BOISE ID 83707

RE: WATER RIGHT NO. 63-10636

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MICROFILMED

DEC 02 1993

WR0749NP
No. L63-10636

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/10/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	PACIFIC PRESS PUBLISHING ASSN PO BOX 7000 BOISE ID 83707 (208) 465-2500	05/27/1988	AESTHETIC STORAGE DIVERSION TO STORAGE	01-01 12-31 01-01 12-31	0.40 CFS	41.5 AFA
TOTAL DIVERSION:					0.40 CFS	41.5 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 1.32 CFS

Point(s) of Diversion: T03N R02W S13 NW SW

Place of use Legal Description for: AESTHETIC STORAGE

NE				NW				SW				SE											
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac	
03N	02W	13	:					:					:					:					:

Pou County: CANYON

Other Rights: NAMPA-MERIDIAN IRR. DIST., 63-10400.

Other Water Rights Listing Overlapping Place(s) of use:
63-10400

Dates:	App. Received:	05/27/1988	Priority Date:	05/27/1988
	Proof Due Date:	08/01/1989	Proof Made Date:	06/08/1989
	Exam Made Date:	06/12/1990	Exam Sent to S.O.:	06/12/1990
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 11/10/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 63-10636

Date 11-10-93

Brenda Chapman

	Yes	No	
NAME	___	<u>✓</u>	Or Address Change?
PRIORITY DATE	___	<u>✓</u>	Advance? _____ Memo to Advance _____
	___	<u>✓</u>	Order to Reinstate Needed?
	___	<u>✓</u>	Incorrect Fee for rate recommended?
SOURCE	___	<u>✓</u>	Changes? Clarification of Originally Intended source _____
	___	<u>✓</u>	Notice of Intent to Void - Source change.
P/D	___	<u>✓</u>	Amendment Needed? _____
	___	<u>✓</u>	Overlap(s) _____
P/U	___	<u>✓</u>	Amendment Needed? _____
	___	<u>✓</u>	Overlap(s) _____
TOTAL CFS	<u>NA</u>		Disagree/Measurement <u>THEORETICAL</u>
	___		Theoretical $(8.8 \times .70 \times 20 \text{ HP})$
	___		$70 + 2.31 \times 10 \text{ PSI} = 1.32$
	<u>✓</u>		Capacity <u>1.32</u>
			Allowable Amount: <u>.40 per permit</u>
TOTAL VOLUME	___	<u>✓</u>	Disagree with Examiner's Calculations?
			<u>41.5 per permit</u>
	___	<u>✓</u>	Flow limit: <u>.40</u> x 365 x 1.9835 = <u>289.5</u>
			Season _____
USES	___	<u>✓</u>	Change(s) in Nature of Use? _____
	___	<u>✓</u>	Amendment Needed? _____
REMARKS	___	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	___	<u>✓</u>	Special Overlap <u>NAMPA MERIDIAN IRR DIST</u>
	___	<u>✓</u>	Other _____
CONDITIONS	___	<u>✓</u>	Measuring/Locking Devices
	___	<u>✓</u>	W/Master Control
	___	<u>✓</u>	Irrigation Overlap <u>5-27-88</u> Water Dist App Rec'd
	___	<u>✓</u>	Water Quality <u>6-12-90</u> Exam Made
COMMENTS:			

RECOMMENDED	CFS	DIV VOL
<u>DIV TO STOR</u>	<u>.40</u>	<u>41.5</u>
<u>BEST STOR</u>	<u> </u>	<u> </u>

LICENSE ✓
AMEND
2ND AMEND

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

Department of Water Resources
63-10636

A. GENERAL INFORMATION


1. Owner: Pacific Press Publishing Association Permit No. 63-10636
Current Address: P.O. Box 7000 Boise, Id. 83707 Phone No. 465-2500
2. Accompanied by: Terry Threewit EXAM. DATE: 6-12-90
Address: Same Phone No. Same
Relationship to Permit Holder: Engineering/Maintenance Superintendent
3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
DEC 02 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well & pump supplies water to a storage lake (through open discharge) for Aesthetic use, (the water is later diverted from the lake for irrigation of approx. 27 acres of land; However this irrigation is covered under another permit), #63-10900.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Unknown	20	Unknown	Unknown	6"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	13	3N	2W	Canyon	Maps / on site inspection

6. Place(s) of Use:

Indicate Method of Determination Same

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2W	13									J								

Do not use this space

DEC 02 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

lift = 60' from well report

psi = 0 open discharge

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\text{Theor. Cals.} = \frac{HP (8.8) (Eff)}{\text{lift} + (2.3 \times \text{psi})} = \frac{20 (8.8) (.7)}{60 + 2.3 (0)} = 2.05 \text{ cfs}$$

Static Level

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Aesthetic Storage = 41.5 A.F.A.

MICROFILMED
 DEC 02 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlaps

limit to 0.4 cfs diversion to storage
and 41.5 AFA for Aesthetic storage

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Diversion to Storage	1-1	12-31	0.40 cfs	-
Aesthetic Storage	1-1	12-31	-	41.5 AFA
Totals:			0.4 cfs	41.5 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Larry L. Waters

JFW
2/25/91


Signature

Larry L. Waters

Certification Date

Field Report Preparation Date

8-15-90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

DEC 02 1993

17
PERMIT 63-10636 INIT LMA 9
T. R. S. Q/Q
P/D 3N 2W 13 NW/4SW
SCALE
PHOTO ID.

15
8.6

Pacific
Press
Publishing

0 2 1993

T3N 2W

T2999

104

2 1
23 30

3212

3 65

T27

2 6.5

3 108

13

14

5 2.0

2.0

R2W

~~R3W~~

NAMPA QUADRANGLE

IDAHO

7.5-MINUTE SERIES (ORTHOPHOTOGRAPHIC)

32' 30"

539

300,000 FEET 540

11

PERMIT 63-10636 INET 1.64
T. 1. S. 0/0
R. 103N 2W 12 NWSW
PHOTO ID.

Tennille

PACIFIC

2594

Water

er

AIRPORT

MITCHELL
FIELD

HAPP

19

DEC 1993

63-10636



Picture of well + pump with a
6" open discharge line into holding
pond. Picture taken looking south.

RECEIVED

DEC 02 1993

63-10636



Picture of storage dam located
in maintenance shed next to pump.
Dam is 6' high with reservoir capacity
of approx. 41.5 af.

MICROFILMED
DEC 02 1993

63-10636



Picture of Storage pond for
Aesthetic use. Picture taken looking
South east.

MICROFILMED
DEC 02 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

TYPEWRITER OR
BALLPOINT PEN

1. WELL OWNER Name <u>Pacific Press</u> Address <u>Nampa</u> Owner's Permit No. <u>63-10400</u>	7. WATER LEVEL Department of Water Resources Static water level <u>60</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ Describe artesian or temperature zones below																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>300 +</u></td> <td></td> <td><u>3</u></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>300 +</u>		<u>3</u>																																		
Discharge G.P.M.	Pumping Level	Hours Pumped																																							
<u>300 +</u>		<u>3</u>																																							
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Bore Diam.</th> <th>Depth From</th> <th>To</th> <th>Material</th> <th>Water Yield</th> </tr> </thead> <tbody> <tr> <td><u>21"</u></td> <td><u>0</u></td> <td><u>10</u></td> <td><u>Overburden</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>10</u></td> <td><u>45</u></td> <td><u>Loam</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>45</u></td> <td><u>80</u></td> <td><u>Gravel</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>80</u></td> <td><u>150</u></td> <td><u>Sand with clay streaks</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>150</u></td> <td><u>170</u></td> <td><u>Clay with sand streaks</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>170</u></td> <td><u>255</u></td> <td><u>Sand</u></td> <td><u>X</u></td> </tr> <tr> <td></td> <td><u>255</u></td> <td><u>266</u></td> <td><u>Clay (Tan)</u></td> <td><u>X</u></td> </tr> </tbody> </table>	Bore Diam.	Depth From	To	Material	Water Yield	<u>21"</u>	<u>0</u>	<u>10</u>	<u>Overburden</u>	<u>X</u>		<u>10</u>	<u>45</u>	<u>Loam</u>	<u>X</u>		<u>45</u>	<u>80</u>	<u>Gravel</u>	<u>X</u>		<u>80</u>	<u>150</u>	<u>Sand with clay streaks</u>	<u>X</u>		<u>150</u>	<u>170</u>	<u>Clay with sand streaks</u>	<u>X</u>		<u>170</u>	<u>255</u>	<u>Sand</u>	<u>X</u>		<u>255</u>	<u>266</u>	<u>Clay (Tan)</u>	<u>X</u>
Bore Diam.	Depth From	To	Material	Water Yield																																					
<u>21"</u>	<u>0</u>	<u>10</u>	<u>Overburden</u>	<u>X</u>																																					
	<u>10</u>	<u>45</u>	<u>Loam</u>	<u>X</u>																																					
	<u>45</u>	<u>80</u>	<u>Gravel</u>	<u>X</u>																																					
	<u>80</u>	<u>150</u>	<u>Sand with clay streaks</u>	<u>X</u>																																					
	<u>150</u>	<u>170</u>	<u>Clay with sand streaks</u>	<u>X</u>																																					
	<u>170</u>	<u>255</u>	<u>Sand</u>	<u>X</u>																																					
	<u>255</u>	<u>266</u>	<u>Clay (Tan)</u>	<u>X</u>																																					
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other <u>Hand</u>	10. Work started <u>4/29/82</u> Finished <u>2/25/82</u>																																								
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>12</u> inches</td> <td><u>0</u> feet</td> <td><u>190</u> feet</td> </tr> <tr> <td><u>250</u> inches</td> <td><u>12</u> inches</td> <td><u>265</u> feet</td> <td><u>266</u> feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ from _____ To _____ perforations _____ feet _____ feet perforations _____ feet _____ feet perforations _____ feet _____ feet Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Ross Mass Saffin Screen</u> Type <u>Slotted Screen</u> Model No. _____ Diameter <u>12</u> Slot size <u>1/8</u> Set from <u>190</u> feet to <u>265</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>3/4 in</u> Placed from <u>20'</u> feet to <u>266</u> feet Surface seal depth <u>20'</u> Material used in seal: ☒ Cement grout ☐ Bentonite ☐ Pudding clay ☐ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☒ Threaded ☐ Welded ☐ Solvent ☐ Weld ☐ Cemented between strata Describe access port <u>1" Plug</u>	Thickness	Diameter	From	To	<u>250</u> inches	<u>12</u> inches	<u>0</u> feet	<u>190</u> feet	<u>250</u> inches	<u>12</u> inches	<u>265</u> feet	<u>266</u> feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Holbrook Drilling</u> Firm No. <u>132</u> Address <u>Caldwell, ID</u> Date <u>2/25/82</u> Signed by (Firm Official) <u>[Signature]</u> and <u>[Signature]</u>																												
Thickness	Diameter	From	To																																						
<u>250</u> inches	<u>12</u> inches	<u>0</u> feet	<u>190</u> feet																																						
<u>250</u> inches	<u>12</u> inches	<u>265</u> feet	<u>266</u> feet																																						
6. LOCATION OF WELL Sketch map location of well <u>WILKINSON RD</u> Section Name _____ <u>JUL 18 1989</u> Lot No. _____ Block No. _____ <u>[Signature]</u>																																									

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10636

Date: 6-21-1989

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
Y _____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
Y 1. well log in file
_____ 2. drilling permit *Well started before permit was necessary*
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: *Proof acceptable*

_____ Priority Calculation:
_____ Date proof received June 1
_____ Date proof due _____
_____ No. of days late _____
_____ Priority date _____
NEW PRIORITY DATE _____

MICROFILMED

JUL 18 1989

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

138287
May 31, 1989

PACIFIC PRESS PUBLISHING ASSN.
P.O. BOX 7000
BOISE, ID 83707

PROOF DUE NOTICE

RE: PERMIT NO. 63-10636

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 02 1993

One File

RECEIVED
AUG 10 1988

Department of Water Resources
Western Regional Office

ORGANIZED 1904

Nampa & Meridian Irrigation District

1503 FIRST STREET SOUTH NAMPA, IDAHO 83651-4395

Phones: Area Code 208

OFFICE: Nampa 466-7861
Boise 343-1884

SHOP: Nampa 466-0663
Boise 345-2431

8 August 1988

RECEIVED
AUG 16 1988

BOARD OF DIRECTORS
CHESTER L. HARRINGTON
HENRY L. HARRINGTON
LAWRENCE L. HARRINGTON

1988 OFFICERS
PRESIDENT
CHESTER L. HARRINGTON
VICE PRESIDENT
HENRY L. HARRINGTON
DISTRICT MANAGER
RICHARD W. HAUMANN
SECRETARY
& DISTRICT MANAGER
CHARLES F. RINGERT
ASSISTANT SECRETARY
DAREN A. COOK

ATTORNEYS
RINGERT, CLARK,
HARRINGTON, REED,
CHRISTENSEN &
KAUFMAN
BOISE
ENGINEERS
McCAPPER & TULLER, INC.
BOISE

Dave Tutthill
Department of Water Resources
Western Region
2735 Airport Way
Boise, Idaho 83705

Dear Mr. Tutthill:

The property of the Pacific Press Publishing Association has water rights appurtenant to their land which is delivered out of Nampa & Meridian Irrigation District's system to their reservoir along with Schuller's water right. The application number 63-10636 for aesthetic storage will cause water table problems if 1120.5 acre feet of storage is left in their reservoir year around.

Sincerely,


Richard W. Haumann

Richard W. Haumann
District Manager

pc: Each Director
Secretary of the Board
W. F. Ringert
File

RWH:jj

Department of Water Resources



APPROXIMATE IRRIGABLE ACRES
RIVER FLOW RIGHTS — 23,000
BOISE PROJECT RIGHTS — 40,000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 8, 1988

PACIFIC PRESS PUBLISHING ASSOCIATION
P.O. BOX 7000
BOISE, ID 83707

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10636

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct you attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use that must be submitted when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

MICROFILMED

SEP 30 1988

The following applications have been filed to appropriate the public waters of the State of Idaho:

PACIFIC PRESS PUBLISHING ASSOCIATION

P.O. BOX 7000
BOISE, ID 83707
Source: GROUNDWATER
Diversion Pt: NWSW Sec 13 T 03N R 02W

Use: AESTHETIC STORAGE
(41.50 AF)
DIVERSION TO STORAGE (.400 CFS)

Date Filed: May 27, 1988
In: T03N R02W S13 SWNW SENW
NWSW S14 SENE
27.0 ACRES TOTAL

63-10647
J.F. WATSON FARMS
P.O. BOX 278
PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt: SESE Sec 35 T 04N R 05W

Use: IRRIGATION (1,400 CFS)
Date Filed: June 9, 1988
In: T03N R05W S02 Lot 1 (NENE)
Lot 2 (NWNE) T04N R05W S02 SESE

63-10648
6.4 ACRES TOTAL

OKAM, ORVILLE E.
LUCILLE
E. 1000 RD.
IDAHO

Source: GROUNDWATER
Diversion Pt: SESE Sec 24 T 04N R 05W
Use: IRRIGATION (1,100 CFS)
Date Filed: June 13, 1988
In: T04N R05W S10 NENE NWNE

44.0 ACRES TOTAL

GIPSON, ROY M.
KLEIN, GUYMON M.
2800 KIDPOIN AVE
CALDWELL, IDAHO
Source: GROUNDWATER
Diversion Pt: NENE Sec 06 T 02N R 05W

Use: IRRIGATION (1,000 CFS)
Date Filed: June 13, 1988
In: T04N R05W S10 NENE NWNE
44.0 ACRES TOTAL

63-10649
PHILLIPS, CHARLES L.
PHILLIPS, JR., FRANK W.
200 N. STAR RD.
MERIDIAN, ID 83642

Source: GROUNDWATER
Diversion Pt: NWNE Sec 06 T 02N R 05W
Use: STOCKWATER (1,000 CFS)
Date Filed: June 15, 1988
In: T04N R02W S14 NWNE NENE
NENE NWNE SENE NWNE
SENE

The permits will be subject to all prior water rights. Permits must be filed with the Director, Dept. of Water Resources, Boise, Idaho, 83708 on or before July 12th, 1991.
R. KEITH HIGGINS

Department of Water Resources
Western Division

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper
Two times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
July 7, 14, 1988

Debra Martin del Campo
Subscribed and sworn to before me this
14th day of July
19 88

Janna Lusk
Notary Public, Residing at Nampa, Idaho

SEP 30 1988

MY COMMISSION EXPIRES
JULY 12th, 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

JUNE 29, 1988

Press-Tribune
P.O. Box 9399
Nampa, ID 83642

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 25, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED

SEP 30 1988

63-10636

PACIFIC PRESS PUBLISHING ASSOCIATION
P.O. BOX 7000
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: NWSW Sec 13 T 03N R 02W

Use: AESTHETIC STORAGE (41.50 AF)
DIVERSION TO STORAGE (.400 CFS)

Date Filed: 5/27/1988

In:	T03N R02W S13	SWNW	SENW	NWSW
	S14	SENE		

27.0 ACRES TOTAL

SEP 30 1988



Department of Water Resources
Western Regional Office

PACIFIC PRESS PUBLISHING ASSOCIATION

May 26, 1988

State of Idaho
Department of Water Resources
2735 Airport Way
Boise, ID 83705

Subject: Additional Water Allocation Request

Dear Sir:

When Pacific Press Publishing Association made the move to Idaho, we selected a parcel of land in Nampa which encompassed Sugar Beet Lake. This lake is fed by irrigation water. It is used for irrigation of our property and that of one down stream neighbor. The lake adds much to the appearance of our facility. Since the lake was seasonal due to dependence on surface irrigation water, we applied for and received temporary approval to divert groundwater for aesthetics and to supplement surface irrigation. Reference Water Right No. 63-10400.

During initial construction the lake was redefined somewhat. After we were settled in to the building and the needs of getting back into production satisfied, attention was again turned to the lake. The bottom was cleaned up and the banks were more fully defined. The inlets, outlets and overflows were made permanent. Then in the spring of 1987 the lake was permanently filled and stocked with fish as permitted by the Department of Fish and Game. A well was drilled under the previously mentioned application, and a pump installed to guarantee water throughout the winter months when surface water is not available.

During the winter of 1987-1988 we were able to get some seepage data which indicates we are losing about 180 GPM back to ground water. See the attached Study on Seepage Loss from Sugar Beet Lake.

We initially installed a 200 GPM pump in our well. Our studies have indicated that this is not enough to make up for seepage and evaporation in the summer months. We are going to install a larger pump so we can draw up to our current maximum allocation, 0.97 cfs. We are requesting with this application an additional .40 cfs to offset what we are losing through seepage.


RECEIVED

SEP 30 1988

With the lake already stocked, it is too late to consider lining it. The cost of sealing with Bentonite is prohibitive. Therefore, we are submitting this application to compensate for seepage loss.

If you have any further questions, or need additional information, please contact Terry Threewit, Engineering and Maintenance Superintendent.

Regards,


F. M. Ytreberg
Secretary-Treasurer
Pacific Press Publishing Assn.

Attachment

RECEIVED

SEP 30 1988

Pacific Press Publishing Association Corporate Officers

E. M. Stiles - President

F. M. Ytreberg - Secretary-Treasurer



SEP 30 1988

Study on Seepage Loss from Sugar Beet Lake

Conditions:

Lake surface area at normal water level: approximately 8.3 acres or 361,548 sq. ft.

Lake surface approximately 80% frozen over.

Means of measurement: Stake driven into lake bottom marked in 1" increments.
(Reference only - not representative of actual depth)

<u>Date</u>	<u>Water Level</u>	<u>Interval</u>	<u>Change</u>	<u>Average Daily Change</u>	<u>Well Pump Status</u>
12-21-87	49 3/4"				turned off
12-28-87	41 1/2"	7	8 1/4"	1.18"	
12-30-87	39 1/4"	2	2 1/4"	1.13"	turned on
01-05-88	42 1/2"	6	3 1/4"	.54"	
01-11-88	45 1/2"	6	3 "	.50"	
01-15-88	47 1/2"	4	2 "	.50"	turned off
01-18-88	44 "	3	3 1/2"	1.17"	
01-22-88	39 1/2"	4	4 1/2"	1.13"	turned on
02-09-88	47 1/2"	16	8 "	.50"	turned off
02-16-88	39 1/2"	7	8 "	1.14"	turned on

At this point the ice cover reduced to less than 50%. Study discontinued.

Total average daily drop: 5.75" with pump off
Combined average: 1.15"
 $1.15" \div 12 = .096'$ per day

Daily: $.096 \times 361548 \text{ sq. ft.} = 34708.6 \text{ cu. ft.}$

Minute: $\frac{34708.6}{1440 \text{ min/day}} = 24.1 \text{ cu. ft. per min.}$

$24.1 \times 7.4805 \text{ gal. per cu. ft.} = 180.3 \text{ GPM}$

RECORDED

SEP 30 1988