

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 3 W

21

P.D.
Place of Use

RECEIVED
SEP 30 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SIMPLON FINANCIAL CORPORATION

James L. Shouse Secretary
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Simplot Financial Corp. Permit No. 63-10625
Current Address: P.O. Box 27, Boise, Idaho 83707 Phone No. _____
2. Accompanied by: Mike Roberts EXAM. DATE: 4-19-91
Address: _____ Phone No. _____
Relationship to Permit Holder: employee
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 03-4566, 03-4576 ☐ Copies Attached
2. Other water rights with same point of diversion: 03-4566, 03-4576 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

RECORDED


AUG 20 1992

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).


T. R. S. Q/Q
P/D 4W 3W 21 5WSE
SCALE

T. R. S. Q/Q
P/D 4W 3W 21 5WSE
SCALE

SCALE



63-10625



#1
Pump located inside
small well house.



#2
Pressure tank located inside
well house.

MICROFILMED
AUG 20 1992

63-10625



#3.
Place of use. Truck
washing facility



#4.
Office building for
Simplot Transportation
located at 323 La 2nd,
Caldwell, Id.

MICROFILMED
AUG 20 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10625

Priority: May 9, 1988

Maximum Diversion Rate:
Maximum Diversion Volume:

0.03 CFS
4.1 AF

This is to certify, that SIMPLOT FINANCIAL CORP

PO BOX 27

BOISE ID 83707

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 9, 1988; and has submitted Proof of Beneficial Use on May 5, 1989. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	01/01 to 12/31	0.03 CFS	4.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 21, Township 04N, Range 03W
CANYON County

PLACE OF USE: INDUSTRIAL

TWN RGE SEC

04N 03W 21

SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
6. Industrial use is for a truck washing and maintenance facility.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29TH day of July, 1992.

NOT RECORDED

AUG 20 1992

Acting for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-10625

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Simplot Financial Corporation Phone (208) 336-2110
Post office address P.O. Box 27, Boise, Idaho 83707
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 21 Township 4N Range 3W B.M. Canyon County; additional
points of diversion if any: N/A
4. Water will be used for the following purposes:
- Amount .03CFS for Industrial purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03CFS and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. Existing well above ground pump
and 1 1/2h.p. motor
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 4" inches; proposed depth of well is 130' feet.
- d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

SEP 30 1985

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Water will be used to wash trucks at our truck maintenance facility, as well as other industrial uses.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	3W	21															IND		

Total number of acres to be irrigated N/A

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Simplot Financial Corporation
- b. Who owns the land to be irrigated or place of use? Simplot Financial Corporation
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Corp. Officers: Pres. -- Don Simplot
- V. Pres. -- Gordon Smith
- Treas. -- Jim Crawford
- Sec. -- Ron Graves

SEP 30 1988

R 3 W

21

P.D
• Place of Use

SEP 30 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

~~SIMPLY~~ FINANCIAL CORPORATION

James A. Ghouse Secretary
(Applicant)

Proposed Priority 5/9/88

Received by JP Date 5-9-88 Time 11:00 A.M. Preliminary check by _____

Fee \$ 30.00 Receipted by JP # W000155 Date 5/9/88

Publication prepared by GG Date 5-11-88 Published in Press-Tribune

Publication approved JP Date 5/16/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10625, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

Witness my hand this 28 day of JUNE, 1988.

Director

SEP 30 1988

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public waters of the State of Idaho:

43-10620

KUENZLI, LARRY
KUENZLI, VICKI
ROUTE 1, BOX 517
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversión Pt: SESENE Sec 10 T

04N R 02W
Use: INDUSTRIAL (.330 CFS)
DOMESTIC (.020 CFS)

Date Filed: April 28, 1988
In: T04N R02W S10 SENE

43-10622

MAUCHER, PAUL E.
MAUCHER, STELLA L.
RT. 1 BOX 114B
MELBA, ID 83641
Source: GROUNDWATER
Diversión Pt: SESW Sec 35 T 01N

R 02W
Use: DOMESTIC (.040 CFS)
IRRIGATION (.120 CFS)

Date Filed: May 5, 1988
In: T01N R02W S35 SESW SESW
4.0 ACRES TOTAL

43-10623

NAITO FARMS INC.
RT. 4 BOX 4171
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: NENW Sec 15 T 02N

R 02W
Use: IRRIGATION (1.600 CFS)
Date Filed: April 27, 1988

In: T02N R02W S15 NENW NWNW
80.0 ACRES TOTAL

43-10624

NAITO FARMS INC.
RT. 4 BOX 4171
NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: SENE Sec 21 T 02N

R 02W
Use: IRRIGATION (1.600 CFS)
Date Filed: April 27, 1988

In: T02N R02W S21 SWNE SENE
80.0 ACRES TOTAL

43-10625

SIMPLIT FINANCIAL CORP.
P.O. BOX 27
BOISE, ID 83707
Source: GROUNDWATER
Diversión Pt: SWSWSE Sec 21 T

04N R 03W
Use: INDUSTRIAL (.030 CFS)
Date Filed: May 9, 1988

In: T04N R03W S21 SWSE

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 6, 1988.

R. KEITH HIGGINSON

Director

May 20, 27, 1988

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

May 20, 27, 1988

Debra Martin del Campo
Subscribed and sworn to before me this

27th

day of

May

1988

Janne Fessk
Notary Public, Residing at Nampa, Idaho

SEP 30 1988

MY COMMISSION EXPIRES
JULY 12th, 1991

July 30, 1992

SIMPLOT FINANCIAL CORP
PO BOX 27
BOISE ID 83707

RE: WATER RIGHT NO. 63-10625

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on
the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

AUG 20 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10625

Date 7-22-92

28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
			<u>.03 cfs (IND)</u>
	<u> </u>	<u>✓</u>	Disagree with Theoretical? <u> </u>
	<u> </u>	<u> </u>	Limited by Capacity? <u>.04 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
			<u>4.1 afa (IND)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u> </u>	Notice of Intent to Void.
P/D			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>IND/Truck maintenance facility</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u>RUB</u>	<u> </u>	Water Quality
			DATES/MISC
			<u> </u> <u> </u> Water Dist.
			<u> </u> <u> </u> App Rec'd
			<u> </u> <u> </u> Exam Made

COMMENTS/MEMOS NEEDED: wastewater drains to city sewer system

License ✓ 10-Day 15-Day Special Correspondence

ok

WR0749NP
No. 163-10625

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/22/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SIMPLOT FINANCIAL CORP PO BOX 27 BOISE ID 83707 (208) 336-2110	05/09/1988	INDUSTRIAL	01-01 12-31	0.03 CFS	4.1 AFA
TOTAL DIVERSION:					0.03 CFS	4.1 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T04N R03W S21 SW SE

Place of use Legal Description for: INDUSTRIAL

				NE				NW				SW				SE							
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
			:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
04N	03W	21	:					:					:					:					:

Pou County: CANYON

Other Water Rights Listing Overlapping Place(s) of use:
63-04566 63-04576

Conditions of Approval:

- R08 - Return flow if discharged to a surface water system shall meet
- Idaho Water Quality Standards.

Remarks: Industrial use is for a truck washing and maintenance facility.

Dates: App. Received: 05/09/1988 Priority Date: 05/09/1988
Proof Due Date: 07/01/1989 Proof Made Date: 05/05/1989
Exam Made Date: 04/19/1991 Exam Sent to S.O.: 01/27/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 07/22/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Simplot Financial Corp. Permit No. 63-10625
Current Address: P.O. Box 27, Bove, Idaho 83707 Phone No. _____
2. Accompanied by: Mike Roberts EXAM. DATE: 4-19-91
Address: _____ Phone No. _____
Relationship to Permit Holder: employee
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 03-4566, 03-4576
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: 03-4566, 03-4576
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

Scale: 1" = _____

AUG 20 1992

2. ☐ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Consists of 6" casing with a 1 1/4" discharge line to a one Hp above ground pump. From the pump a 1" line delivers water to a pressure tank and a 1" line then takes the water by a buried line approx. 535' to a truck washing facility. psi @ 60. Waste water drains to city sewer system.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	1	54C39R15089	Red Jacket	30588 - 1"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	21	4N	3W	Canyon	Ortho photo quad at exam

6. Place(s) of Use:

Indicate Method of Determination exam

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	3W	21															C		

NOT RECORDED

AUG 20 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$Q = \frac{8.8 \times 1 \times .70}{60 + (2.31 \times 50)} = \frac{6.16}{175.5} = .035 \text{ cfs.}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$4.5 \text{ gpm} \times 45 \text{ min} = 202.5 \text{ gal. per wash} \times 550 \text{ per. min.} = 111,375 \text{ gp. min.} \times 12 \text{ min} = 1,336,500 \text{ gpy} \div 325,850 = 4.10 \text{ afa.}$$

$$.035 \times 260 \text{ days} \times 1.9835 = 18.0 \text{ afa.}$$

MISSOURI FILMED

AUG 20 1982

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Martin Walker, manager of the truck washing facility, indicates they washed on the average 550 trucks per month. The volume used was 4.5 gpm for 45 minutes per truck. Dynamic level of well was assumed based on owner's "guesstimate" and other well logs for area around the permit. Truck wash is operated 5 days per week to wash owner's trucks plus some under agree. Caldwell city water can also be used in same system.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1-1	12-31	.03	4.1 afa
Totals:			.03 cfs	4.1 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Melvin T. Schulte
 Signature Melvin T. Schulte
 Certification Date _____
 Field Report Preparation Date 5-29-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


MICROFILMED

AUG 20 1992


T. R. S. Q/Q
P/D 1/31 21 505E
SCALE

P/D 4/7 311 21 503E

SCALE



63-10625



#1

Pump located inside
small well house.




#2

Pressure tank located inside
well house.

RECEIVED
AUG 20 1992

63-10625



#3.

Place of use. Truck
washing facility



#4.

Office building for
Simplat Transportation
located at 323 La 2nd,
Caldwell, Id.

RECORDED

AUG 20 1992

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10625

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 3W, Sec. 21, SW 1/4 SE 1/4 or Lot .

2. Owner: Simplot, 2mancial Corp - Simplot Transportation
Address 323 Lafond, City Caldwell, St Id.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☐ No ☒ Static Water Level: 30-40-guess.
Pressure Gauge: Yes ☒ No ☐ Casing Diameter: 6"
Flowing: Yes ☐ No ☒ Temperature:

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

MICROFILMED
AUG 20 1992

October 30, 1989

SIMPLOT FINANCIAL CORP.
P.O. BOX 27
BOISE, ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10625

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECORDED
NOV 21 1989

October 27, 1989

Simplot Financial Corporation
P. O. Box 27
Boise, ID 83707

Gentlemen:

Re: Permit No. 63-10625

The department received your completed proof of beneficial use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please try to supply the requested information within thirty days. Upon receipt of the well information, the department will continue processing the proof by notifying the region that a field examination is needed.

If you have any questions concerning this matter, feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

MICROFILMED

NOV 21 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10625

Date: 5-25-89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change If yes, prepare a data entry
Y Proof received timely
N/A Reinstated

Source of Water:

Y Surface water
Y Groundwater
1. well log in file - *no microfilm copy*
2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Rate of diversion appropriate for uses
Is rate or volume and fee appropriate?
Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Is a measuring device or access port required?
Has one been installed?
Waiver or modification of measuring device requested

Remarks:

*- A drilling permit may be needed.
see Memo of 10-30-89
Proof acceptable*

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

INTER-DEPARTMENT MEMO — 1

FROM

Rita Flunk

DATE

10-20-1989

TO

File 63-10625

SUBJECT

According to Vic Conrad, this well was drilled in the 1930's or 1940's. This is before either well logs or drilling permits were required.

RECEIVED

NOV 21 1989

Vic Conrad is a business manager for Simplot Financial Corp.

SIGNATURE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by AS
Sent to region 61

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10625

Name(s) of Permit Holder: Simplot Financial Corporation ✓

Post Office Address: P.O. Box 27, Boise, Idaho 83707 ✓

Telephone No. (208)336-2110

Source of Water: Groundwater ✓

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark Industrial

Truck/Vehicle Washing ✓

Total rate and/or volume for which proof is submitted .03 CFS ✓ cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 9/1/88

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Bill Simpson (Name) (208)454-1031 (Telephone Number)

323 LaFond St., Caldwell, Idaho 83605
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5/4/89
Date

Russell L. Haines - Secretary
Signature of Permit Holder (and title, if appropriate)

SIMPLOT FINANCIAL CORPORATION
P.O. BOX 27 / BOISE, IDAHO 83707 / (208) 336-2110 / TELEX: 368432

May 4, 1989

RECEIVED
MAY 05 1989

Department of Water Resources


State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

RE: Permit No. 63-10625

Gentlemen:

Please find enclosed the Proof of Beneficial Use regarding Permit No. 63-10625 duly executed by Simplot Financial Corporation. It is my understanding that because the volume is less than .04 cfs, that no license examination fee is required.

Sincerely,


R. SCOTT PASLEY
Assistant General Counsel

2444v

Enclosure

cc: Jerry Davis (w/enc.)

RECEIVED

NOV 21 1989

SIMPLOT FINANCIAL CORP.
P.O. BOX 27
BOISE, ID 83707

April 30, 1989

138202

PROOF DUE NOTICE
RE: PERMIT NO. 63-10625

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

NOV 21 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 29, 1988

SIMPLOT FINANCIAL CORP.
P.O. BOX 27
BOISE, ID 83707

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10625

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct you attention to the conditions of approval on the final page.


You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use that must be submitted when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures



SEP 30 1988

Form No. 202a
/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY BD DATE 5/10/88 APPLICATION NUMBER 63-10525

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☐ No Field check required
- ☐ Yes ☐ No Field check by _____
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☐ No Critical groundwater area
- ☐ Yes ☐ No Groundwater management area
- ☐ Yes ☐ No Send dam safety information
- ☐ Yes ☐ No Send power requirement letter
- ☐ Yes ☐ No Send fish farm requirement letter
- ☐ Yes ☐ No Power residency affidavit
- ☐ Yes ☐ No Power efficiency form
- ☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested JUN 14 1988

Department of Water Resources

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

END COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest June 6, 1988
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached Approved, DWR
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 63
☐ Yes ☒ No Special conditions of approval or cover letter below.

☐ See below for additional information
Date of priority recommended 5/9/1988
By DWR Date 6/13/88

STATE OFFICE REVIEW

P05, P/KO 09C
By KW ☐ See below for additional information
Date 6/22/88

ADDITIONAL INFORMATION

per item 6a well is existing - condition 46 N/A

63-10625

SIMPLOT FINANCIAL CORP.
P.O. BOX 27
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: SWSWSE Sec 21 T 04N R 03W

Use: INDUSTRIAL (.030 CFS)

Date Filed: 5/09/1988

In: T04N R03W S21 SWSE

RECEIVED

SEP 30 1988