


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.


T3N-R3E

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SEP 30 1988

G. J. Beymer
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe, if applicable



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1	Franklin	5	N/A	Gould	2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

From pump curve & pump installer data

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** TDH 390' Q = 30 gpm



PLACE OF USE
63-10617



PLACE OF USE
63-10617



WELL AND PUMP CONTROL BOX
63-10617




CONTROLS FOR WELL
63-10617

Model 25GS % Caprice Estates

GOULDS PUMPS

METERS FEET





DIMENSIONS AND WEIGHTS

Model	HP	Phase	Stages	Length (inches)			Weight (lbs.)		
				W.E. ^②	Motor	L.O.A. ^③	W.E.	Motor	Total
25GS10412	1	1	7	12.2	11.8	24.0	7	23	30
25GS15412	1½	1	9	14.1	13.6	27.7	8	28	36
25GS15422	1½	1	9	14.1	15.1	29.2	8	31	39
25GS15432.34	1½	3	9	14.1	11.8	25.9	8	23	31
25GS20412	2	1	11	16.0	15.1	31.1	9	30	39
25GS20432.34	2	3	11	16.0	13.6	29.6	9	28	37
25GS30412	3	1	15	19.7	23.5	43.2	11	52	63
25GS30432.34	3	3	15	19.7	20.6	40.3	11	43	54
25GS50412	5	1	25	31.3	29.5	60.8	17	69	86
25GS50432.34	5	3	26	31.3	23.6	54.9	17	53	70

② W.E. = water end or pump without motor.

③ L.O.A. = length of assembly - complete pump - water end and motor.





24 19

25 30

19 20

30 24

J-15

A 82 2 2

402a

T78

A 83

83a

T79

40

61 T76

6.0

A 81

81a

50

2 11.5

25 30

30 31

NOT 2

R.D.

5.2

A 88

403a

1-2 T

IRREVOCABLE
9.11.10
P.D.

30 29

31 32


Caprice Estates

MICROFILMED

APR 23 1980

J-15

NOT TO SCALE



RECEIVED

MAY 13 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$ 50.00Date 5/13/91Receipt No. 0020460Received by J. J. J. J.

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-10617 Telephone No. 376-1696
2. Name(s) of Permit Holder(s): C. F. Beymer
3. Post Office Address: 9390 Ustick #22 Boise, Ida 83704
4. Source of Water: Ground Water
 - a. If ground water, well driller's name: Dennis Phipps Date drilled: 5-30-88
 - b. Pump horsepower: 5 H.P. Pressure (psi): 40 # Dynamic pumping level (ft.): 150'
5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 6 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted _____ cfs 45 GPM acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

C. F. Beymer

Name

376-1696

Telephone No.

9390 Ustick #22Boise, Ida.83704

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

May 9, 1991

Signature (and title if on behalf of a company or organization)

C. F. Beymer

773 00 701

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant C. F. BEYMER Phone 376-1696
Post office address 9390 USTICK No. 22 BOISE, ID 83704

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SE 1/4 of SE 1/4, Govt. Lot _____
Sec. 30 Township 3N Range 3E B.M. ADA County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .11 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .12 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .20 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP FROM WELL INTO PRESSURIZED
TANK AND DISTRIBUTION LINES.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 250 feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

RECEIVED

SEP 5 0 1985

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. D / 6 HOMES
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	3E	30																6	6
																		D	

Total number of acres to be irrigated 6

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: PROPERTY TO BE SUBDIVIDED INTO 6 - 1 ACRE LOTS

110

SEP 30 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

T3N-R3E

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SEP 30 1988

C. J. Byrnes
(Applicant)

Proposed by 4/19/88
Received by AMS Date 4/19/88 Time 9:30 AM Preliminary check by
Fee \$ 30.00 Receipted by AMS # W000116 Date 4/19/88
Publication prepared by GG Date 4/27/88 Published in Idaho Statesman
5/5 & 5/12/88
Publication approved ba Date 5/11/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10617, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 91.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 14th day of June, 1988.

R. Karl Higgins
Director

SEP 30 1988

RECEIVED

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Department of Water Resources
Western Regional Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

63-10614

Browning, John
6901 Emerald No. 209
Boise, ID 83704
Source: Groundwater
Diversion Pt: SENE Sec. 23 T 03N
R 02E
Use: Irrigation (.140 CFS)
Use: Domestic (.170 CFS)
Date Filed: 04/12/1988
In: SENE Sec. 23 T 03N R 02E
for 7.0 Acres

63-10617 / SP

Beymer, C. F.
9390 Ustick No. 22
Boise, ID 83704
Source: Groundwater
Diversion Pt: SESE Sec. 30 T 03N
R 03E
Use: Irrigation (.120 CFS)
Use: Domestic (.110 CFS)
Date Filed: 04/19/1988
In: SESE Sec. 30 T 03N R 03E - for
6.0 Acres

63-10618

Frisch Farms
Rt. 1
Malba, ID 83441
Source: Groundwater
Diversion Pt: SENW Sec. 18 T 01S
R 01W
Use: Irrigation (1,200 CFS)
Date Filed: 04/19/1988
In: SWNW Sec. 18 T 01S R 01W for
35.0 Acres
SENW Sec. 18 T 01S R 01W for 10.0
Acres
NESW Sec. 18 T 01S R 01W for 10.0
Acres
NWSW Sec. 18 T 01S R 01W for 40.0
Acres

TOTAL ACRES: 95.0

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, 2735 Air-
port Way, Boise, Idaho 83705 on or be-
fore May 23, 1988.

R. KEITH HIGGINSON
Director

Pub. May 5, 12, 1988

8450

Deborah Gregory, being duly
sworn, deposes and says: That she is the Principal Clerk of The Idaho
Statesman, a daily newspaper printed and published at Boise, Ada
County, State of Idaho, and having a general circulation therein and
which said newspaper has been continuously and uninterruptedly
published in said County during a period of twelve consecutive months
prior to the first publication of the notice, a copy of which is attached
hereto; that said notice was published in The Idaho Statesman in
conformity with Section 60-108, Idaho Code as amended, for Two (2)
☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of May 5, 1988

and ending with the issue of May 12, 1988

Deborah Gregory

Subscribed and sworn to before me this 12th

day of May, 1988

Paul E. Shaw 12/93
Notary Public for Idaho, Residing at Boise, Idaho

NOT RECORDED

SEP 30 1988

AUG 10 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10617

1. Owner: Caprice Estates LLC c/o Blaine Evans

Phone No. 384-1800

Current Address: 1101 W. River Street, Boise, ID 83702

2. Accompanied by: data furnished by Joe Canning, B & A Engineers EXAM DATE : 8/4/1999

Address: 5505 W. Franklin, Boise, ID 83705

Phone No. 343-3381

Relationship to Permit Holder: Engineers

3. Source: Groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:


[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe size as applicable



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1	Franklin	5	N/A	Gould	2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

From pump curve & pump installer data

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: TDH 390' Q = 30 gpm

E. NARRATIVE/REMARKS/COMMENTS

Well is 253' deep with a submersible turbine, 5 hp pump. The well serves 70 lots for mobile homes. Each lot is approximately 48' x 107' deep. Calculated acreage for irrigation of lawns, gardens and common areas is 5.5 acres. Footprints for homes and other facilities have been subtracted. This subdivision is a redo of an existing facility that was included under both 63-10617 and 63-07304. The applicant did not want this property under the permit 63-07304 because of separate ownerships.

Because of reconstruction, existing irrigated acreage could not be determined. The former owner, C. F. Beymer, claims to have irrigated the property in 1996 from this well and is prepared to provide an affidavit to that affect if necessary. He presently resides in California.

Permit 63-07304 was examined by IDWR on 8-17-87. This permit originally included the land now under 63-10617. The aerial photo and map showing the irrigated acreage at that time was copied from the Department's files as evidence of irrigation at that time.

At this time there are no domestic facilities connected to the well.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.5 \times 5.5 = 24.75$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.07	24.75
Totals:			.07	24.75


2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATIONField Examiner's Name Sheri L. Chapman Date 8/4/1999

Reviewer _____ Date _____







PLACE OF USE
63-10617



PLACE OF USE
63-10617



WELL AND PUMP CONTROL BOX
63-10617




CONTROLS FOR WELL
63-10617

Model 25GS % Caprice Estates

GOULDS PUMPS

METERS FEET




DIMENSIONS AND WEIGHTS

Model	HP	Phase	Stages	Length (inches)			Weight (lbs.)		
				W.E.②	Motor	L.O.A.③	W.E.	Motor	Total
25GS10412	1	1	7	12.2	11.8	24.0	7	23	30
25GS15412	1½	1	9	14.1	13.6	27.7	8	28	36
25GS15422	1½	1	9	14.1	15.1	29.2	8	31	39
25GS15432.34	1½	3	9	14.1	11.8	25.9	8	23	31
25GS20412	2	1	11	16.0	15.1	31.1	9	30	39
25GS20432.34	2	3	11	16.0	13.6	29.6	9	28	37
25GS30412	3	1	15	19.7	23.5	43.2	11	52	63
25GS30432.34	3	3	15	19.7	20.6	40.3	11	43	54
25GS50432.34	5	3	26	31.3	23.6	54.9	17	53	70

② W.E. = water end or pump without motor.

③ L.O.A. = length of assembly - complete pump - water end and motor.



SELECTION CHART

Horsepower Range 1 - 5. Recommended Range 8 - 33 GPM, 60 Hz, 3500 RPM

Pump Model	HP	PSI	Depth to Water in Feet/Ratings in GPM (Gallons per Minute)																											
			20	40	60	80	100	120	140	160	180	200	220	240	260	280	300	340	380	420	460	500	540	580	620	660	700	740		
25GS10	1	0			32.8	30.8	28.6	26.2	23.5	20.0	16.2	11.0																		
		20	31.8	30.0	27.5	25.2	22.0	19.0	15.0	8.0																				
		30	29.6	27.2	25.0	21.6	18.0	14.0																						
		40	27.1	24.9	21.5	17.9	13.9																							
		50	24.3	21.0	17.5	13.0																								
		60	20.0	16.2	11.0																									
Shut-off PSI			82	74	65	56	48	39	30	22	13	4																		
25GS15	1½	0				33.0	31.8	30.3	28.8	26.9	24.8	22.0	19.8	16.5	11.0															
		20		32.6	31.2	29.6	28.0	26.0	23.8	21.0	18.1	14.8	8.0																	
		30	32.5	31.0	29.5	27.6	25.6	23.2	20.9	17.9	14.0																			
		40	30.9	29.4	27.5	25.5	23.1	20.8	17.7	13.6																				
		50	29.0	27.2	25.1	22.9	20.4	17.2	13.0																					
		60	26.9	24.8	22.0	19.8	16.5	11.0																						
Shut-off PSI			111	103	94	85	77	68	59	51	42	33	25	16	7															
25GS20	2	0					33.0	31.8	30.4	29.0	27.4	25.7	22.6	21.5	19.3	15.4														
		20				32.7	31.3	30.0	28.6	26.8	25.0	22.9	20.9	18.3	14.3	9.0														
		30			32.3	31.0	29.6	28.5	26.4	24.5	22.6	20.5	18.0	14.0	8.0															
		40			30.9	29.5	28.2	26.3	24.3	22.4	20.4	17.8	13.6	8.0																
		50		30.5	29.4	28.0	26.0	24.1	22.1	20.0	17.2	13.2																		
		60	30.4	29.0	27.4	25.7	22.6	21.5	19.3	15.4	12.2																			
Shut-off PSI			139	130	121	113	104	95	87	78	69	61	52	43	35	26	17													
25GS30	3	0						33.0	32.2	31.5	30.5	29.6	28.3	27.1	25.8	22.6	19.0	14.0												
		20					32.8	32.0	31.0	30.0	29.0	27.9	26.6	25.0	23.8	21.9	20.0	12.6												
		30				32.6	31.8	30.9	30.0	28.8	27.6	26.5	24.9	23.4	21.6	19.9	15.2	8.0												
		40			32.5	31.7	30.9	29.9	28.8	27.5	26.2	24.7	23.3	21.5	19.9	17.8	11.9													
		50		32.3	31.6	30.8	29.8	28.5	27.3	26.0	24.5	23.0	21.2	19.5	17.4	11.5														
		60	33.0	32.2	31.5	30.5	29.6	28.3	27.1	25.8	24.1	22.6	20.9	19.0	16.9	14.0	10.0													
Shut-off PSI			191	183	174	165	157	148	139	131	122	113	105	96	87	79	70	53	35	18										
25GS50	5	0													33.0	32.5	31.5	30.2	29.0	27.6	26.0	24.2	22.4	20.5	18.3	15.8	11.0			
		20												32.9	32.3	31.8	31.3	30.0	28.8	27.2	25.8	23.9	22.0	20.0	17.8	15.0	11.0			
		30											32.8	32.2	31.8	31.2	30.5	29.3	27.9	26.4	24.8	22.9	21.0	18.9	16.2	13.0	8.0			
		40										32.7	32.1	31.7	31.1	30.4	29.9	28.5	27.1	25.4	23.7	21.9	19.9	17.5	14.5	10.5				
		50									32.6	32.1	31.6	31.0	30.3	29.9	29.2	27.8	26.3	24.5	22.6	21.8	18.7	16.0	12.7					
		60						33.0	32.5	32.0	31.5	30.8	29.8	29.0	28.3	26.9	25.1	23.3	21.5	19.5	17.0	14.0	9.5							
Shut-off PSI								286	277	268	260	251	242	234	225	216	199	182	165	147	130	113	95	78	61	43				

C/O Spruce Estates

8" Well X 253' Deep / Water level 210'
Pumping level @ 30gpm is 240'.

Your Pump is set 245' in Well.

Your S.A.R. Pump will Produce;
30gpm @ 60psi From 240'.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

RECEIVED
DEPARTMENT OF WATER RESOURCES
BALLPOINT PEN

OCT 27 1988
85

1. WELL OWNER

Name Chuck Beymen
Address Boise Id.
Owner's Permit No. 7077 6-3-88-60081

7. WATER LEVEL

Department of Water Resources

Static water level 200 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ OF. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

6-3-10 617

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☒ Pump ☐ Baller ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
40	250	6

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	2	Top Soil		X
	2	12	Clay		X
	12	50	HARD Gravel		X
	50	56	Dry Sand		X
	56	58	Brown Clay		X
	58	114	Gravel	X	
	114	130	SANDY clay		X
	130	200	SANDY Blue Clay	X	
	200	207	Brown Clay		X
	207	253	Coarse SANDY Gravel	X	

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____


WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ _____ ☐ Other _____
Thickness _____ Diameter _____ From _____ To _____
Inches _____ inches _____ feet _____ feet
Inches _____ inches _____ feet _____ feet
Inches _____ inches _____ feet _____ feet
as casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____
☐ Cemented between struts

Work started 5-12-88 finished 5-24-88

LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Ada SE

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.


Firm Name Dennis Phapps Firm No. 332

Address Meridian Id. Date 6-1-88

Signed by (Firm Official) Dennis Phapps

and,

(Operator) _____



A. B. 2
402.0
T78

T78

30

888
403.0
T-2
T

Caprice Estates

31 32

25 30


30 31

MICROFILMED

APR 23 1968

J-15

UNIT TO SCALE





State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

August 5, 1998

R E C E I V E D

PHILIP E. BATT
GOVERNOR

AUG 11 1998

KARL J. DREHER
DIRECTOR

Department of Water Resources

SHERL L CHAPMAN
410 S ORCHARD STE 144
BOISE ID 83705


Re: Permit to Appropriate Water No. 63-10617, License No. 63-07304; Caprice Estates LLC

Dear Sherl:

This letter responds to your letter to me dated June 29, 1998. Proof of beneficial use for permit no. 63-10617 was filed timely in May 1991. Department staff examined the beneficial use on November 18, 1993. The examiner found that the entire beneficial use at the place of use was described by an earlier water right, no. 63-07304, and recommended that permit no. 63-10617 be canceled. I discussed this subject with Scott Campbell in December 1997. Scott stated that Caprice Estates owns a portion of the place of use described by water right no. 63-07304. To avoid a dispute with adjoining landowners whose property is also described as a place of use by water right no. 63-07304, Caprice prefers to relinquish a portion license no. 63-07304, and have his water use described by permit no. 63-10617. I told Scott that because of the intervening period of time since the department's examination and also because IDWR had recommended cancellation, a subsequent field exam should be conducted. Scott told me that you had been retained to do the work.

IDWR will hold the examination recommending cancellation of permit no. 63-10617 for one (1) year so you can complete the exam and submit it to the department. Further delays could result in adherence to the original exam recommendations.

Sincerely,



Gary Spackman

GS:st

C:: Scott Campbell
State Office files 63-10617 and 63-07304

May 17, 1991

C. F. BEYMER
9390 USTICK NO. 22
BOISE, ID 83704

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10617

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUN 03 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-10617

Date 5-15-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
- ☒ Address same as permit? If no, indicate below.
- ☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
- ☒ Ground water source
 - ☒ Drill permit req'd?
 - ☒ Copy in file? Drill permit no. 63-88-W-081
 - 100.00 Amt paid for drilling permit? yes Correct?
 - ☒ Well log in file?

LICENSE EXAMINATION FEE

- yes Required?
- 150.00 Amount submitted?
- yes Correct amount?

MEASURING DEVICE

- no Measuring device or access port required?
- no Installed?
- ☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Acceptable

PRIORITY CALCULATION

LB

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

RECEIVED

AUG 05 1999

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY

Amt. of Fee \$:

Receipt No. N/A

Receipt By: N/A

Date Received: 8-5-99

RECEIVED

AUG 10 1999

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-10617 Telephone No. 384-1800

2. Name(s) of Permit Holder(s): Caprice Estates LLC c/o Blaine Evans

3. Mailing Address: 1101 W. River Street, Boise, ID 83702

4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. 5 / yr. 88

a. Well Driller: Dennis Phipps Drilling Permit Number: 63 - 88 - W - 81

b. **OPTIONAL:**

Pump Horsepower: 5 Pressure (psi): 60 Dynamic pumping level (ft): 390

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): --- Stockwater (No. and type of stock): ---

Irrigation (No. of acres): 5.5 Other: ---

6. Total rate of diversion and/or volume for which proof is submitted: .07 cfs OR 24.75 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes --- or No XX

Has the measuring device been installed?

Yes --- or No XX

Flow Measurement Port: Is a flow measurement port required?

Yes --- or No XX

Has the measurement port been installed?

Yes --- or No XX

8. Fee Enclosed: \$ --- (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: --- Telephone Number: ---

Address: ---

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Caprice Estates LLC
Blaine Evans

(include your title, if on behalf of company or organization)

Blaine Evans H/R

Date: 8-5-99

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

RECEIVED
USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

OCT 27 1988
95

1. WELL OWNER

Name Chuck Beymen
Address Borise Id.
Owner's Permit No. N/A 63-88-4081

7. WATER LEVEL

Department of Water Resources

Static water level 200 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ OF. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>40</u>	<u>250</u>	<u>6</u>

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>253</u> feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port _____

9. LITHOLOGIC LOG


Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	2	Top Soil		X
	2	12	Clay		X
	12	50	Hard Gravel		X
	50	56	Dry Sand		X
	56	98	Brown Clay		X
	98	114	Gravel	X	
	114	130	SANDY clay		X
	130	200	SANDY Blue Clay	X	
	200	207	Brown clay		X
	207	253	Coarse SAND & Gravel	X	

10.

Work started 5-12-88 finished 5-24-88

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Ada

SE 1/4 SE 1/4 Sec. 30, T. 3 N. R. 3 E.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Dennis Phapps Firm No. 332

Address Meridian Id. Date 6-1-88

Signed by (Firm Official) Dennis Phapps

and
(Operator)

C. F. BEYMER
9390 USTICK NO. 22
BOISE, ID 83704

138430
April 30, 1991

PROOF DUE NOTICE

RE: PERMIT NO. 63-10617

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

103 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 29, 1988

C. F. BEYMER
9390 USTICK NO. 22
BOISE, ID 83704

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10617

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct you attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

RECEIVED

SEP 30 1988

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

7/12/77

SLP 5-10R

D. 3N 3E S.30 SESE
400.

Form No. 202a
/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY BD DATE 4/26/88 APPLICATION NUMBER 63-10617

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested JUN 02 1988

RECEIVED

Department of Water Resources

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 5/23/88
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached Approve, DPA
☐ Yes ☒ No Measuring device required
☒ Yes ☒ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 63
☐ Yes ☒ No Special conditions of approval or cover letter below.

Recommend that 3 years be allowed for completion of this system ✓

☐ See below for additional information

Date of priority recommended 4/19/1988
By DM Date 5/27/1988

STATE OFFICE REVIEW

P23 P05, P17 46 26
By KW ☐ See below for additional information
Date 6/13/88

ADDITIONAL INFORMATION

drilling permit has been approved - see below.

Drilling Permit No. 63-88-W-081
Water Permit No. 103-10617
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

EMERGENCY
APPROVED

1. Applicant C. E. BEYMER
2. Address 9390 USTICK NO. 22 BOISE, ID 83704
Telephone 376-1696
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 30, Twp. 3N, Rge. 3E, County ADA,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☒ Domestic ☐ Stockwater ☐ Monitoring
☒ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 8 IN Maximum depth APPROX 250 FT.
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date Nov 5/5/88
7. Well Driller (if known) DENNIS PHIPPS
Address 2068 BENTLEY AVE MERIDIAN
8. Applicant's signature C. E. Beymer SEP 30 1988
Title Owner
Date 4/19/88

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

8. THIS DRILLING PERMIT DOES NOT REPRESENT A RIGHT TO DIVERT AND USE THE WATER OF THE STATE OF IDAHO. PRIOR TO DIVERSION OF WATER, THE WELL OWNER SHALL OBTAIN AN APPROVED APPLICATION FOR PERMIT FROM THE DEPARTMENT.

Dated this 5th day of May, 1988.

Signed

Title

Jan Hunt
Southwestern Region Mgr.

Received by AMS Fee \$100.00 Date 4/19/88

Receipt No. W000116 Construction start extension to _____

Extension approved by _____

INTER-DEPARTMENT MEMO — 1

FROM

Stan Lester & Jan Shute

DATE

5/5/88

TO

File

SUBJECT

Verbal approval given to driller* applicant to drill well. Applicant notified that legal use of water not acceptable until w.r. appl. approved.

Sylvia Phipps*, per phone conv.

FILMED

SEP 30 1988

Stan Lester
SIGNATURE
JS

63-10617

BEYMER, C. F.
9390 USTICK NO. 22
BOISE, ID 83704

Source: GROUNDWATER

Diversion Pt: SESE Sec 30 T 03N R 03E

Use: IRRIGATION (.120 CFS)
DOMESTIC (.110 CFS)

Date Filed: 4/19/1988

In: SESE Sec 30 T 03N R 03E FOR 6.0 ACRES

SEP 30 1988

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

[illegible]