


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

AUG 08 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Oliver Siderer
(Applicant)



~ 2" spill
over headgate
+ 10" water in
ditch with
siphons running

MICROFILMED

OCT 27 1992

60 $\frac{3}{4}$ " siphons } running full with 8" head
15 1" siphons }
 $.013 \text{ cfs} \times 50 = .65 \text{ cfs}$ } per siphon tube
 $.023 \text{ cfs} \times 15 = .35 \text{ cfs}$ } capacity table (attached)



RECEIVED

Form 219
6/86

AUG 28 1998

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 02 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-106011. Owner: W+NOVA AND/OR CLINE J SIDENAP Phone No. 459-7916Current Address: PO BOX 234 CALDWELL ID 836052. Accompanied by: SAME EXAM. DATE: 10-7-88

Address: _____ Phone No. _____

Relationship to Permit Holder: OWNER3. Source: GROUNDWATER tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: WILDER IRRIGATION DISTRICT WATER☐ Copies Attached2. Other water rights with same point of diversion: NONE☐ Copies Attached☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

PLEASE EXPEDITE LICENSING
of this 1988 Exam. See
note on last pg. of
this Exam form.
-SL 1/29/98



Scale: 1" = _____


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
OCT 27 1998



Underkoflers Corner

University of Idaho
Agricultural Experimental Sta

Maple Grove School

Hillcrest Memorial Gardens

CEMENT DITCHES


MICROFILMED
OCT 27 1998

63-10601

J8 3474 01-13


MICROFILMED
OCT 27 1998

63-10601



ATTACHMENT A.

DITCH CROSS SECTION



AREA:

$$\text{SECTION A, } \left(\frac{10.5'}{12} \times \frac{10.5'}{12} \right) / 2 = .38 \text{ sq ft}$$

$$\text{SECTION B } \frac{10.5'}{12} \times 1 = .875 \text{ sq ft}$$

$$\text{SECTION C } \left(\frac{10.5'}{12} \times \frac{10.5'}{12} \right) / 2 = .38 \text{ sq ft}$$

$$\text{TOTAL AREA } 1.64 \text{ sq ft}$$

$$\text{LENGTH OF SECTION } 12. \text{ Ft}$$

$$? \text{ TOTAL Cu Ft } = \underline{\underline{85.97 \text{ Cu Ft}}}$$

$$19.68 \text{ cu ft}$$

TIME TO FILL A 12 Ft SECTION.

51 SEC

$$\frac{85 \text{ Cu. Ft.}}{51 \text{ SEC}} = \underline{\underline{1.68 \text{ CFS}}} \quad (\text{MEASURED FLOW RATE})$$

I don't know what happened here.

Requires a new measurement.

← this unsigned, undated note indicates problem with this worksheet (?).

SEE Attachment B for revised flow recommendation


-SL 1/28/98

MICROFILMED
OCT 27 1998

63-10601

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by Kelly K. Christensen Date 10-7-88

MICROFILMED
OCT 27 1998

P/D

LOOKING WEST



P/4 LOOKING NORTH FROM P/D



MICROFILMED
OCT 27 1998

63-10601

P/4 LOOKING EAST FROM P/D



MICROFILMED
OCT 27 1998

63-10601

STATE OF IDAHO
ID. DEPARTMENT OF WATER RESOURCES
NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

Please print or type. Attach pages with additional information. Instructions are on the back of this page.
Incomplete forms will be returned.

RECEIVED

DEC 09 1998

RECEIVED WATER RESOURCES
WESTERN REGION

DEC 14 1998

Department of Water Resources

1. Water Right Number(s) 63-10601

Adjudication Claim Number(s) _____

2. The following **REQUIRED** information must be submitted with this form.

A. A copy of the most recent DEED, TITLE POLICY, CONTRACT OF SALE, or other legal document indicating your ownership of the property and water rights or claims in question, WITH ATTACHED LEGAL DESCRIPTION.

AND

B. PLAT OF PROPERTY or SURVEY MAP for parcel of ten acres or less. (These are usually on file with the county.)

OR

C. For water rights or adjudication claims involving ten or more irrigated acres, a USDA Farm Service Agency (formerly ASCS) AERIAL PHOTO with irrigated acres outlined and point(s) of diversion clearly marked.

3. Name and Address of Former Owner/Claimant(s) WINDMA SIDENER

2321 AIRPORT AVE
CALDWELL ID 83605

4. New Owner/Claimant(s)

James F. or Treva L. Wilhite

New Mailing Address

Name connector (Check one): ☐ AND, ☒ OR, ☐ AND/OR
16349 Florida Avenue

City, State and ZIP Code

Caldwell, Idaho 83605

New Telephone Number

(208) 459 - 3268

5. Date you acquired the property _____

6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water right(s) or adjudication claim(s). If this applies, describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages.

Number of acres actually irrigated _____ Number and type of stock _____

Diversion rate in CFS _____ Number of homes _____ Other uses _____
cubic feet per second

If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.

7. Signature of New Owner/Claimant(s)

James F. Wilhite
Treva L. Wilhite

Date _____

Date _____

(Corporations or other organizations must submit a list of directors/officers demonstrating authority to sign form.)

8. For Snake River Basin Adjudication Claims: If you are represented by an attorney and you want IDWR to correspond directly with your attorney for all matters related to your claims, please attach a Notice of Appearance completed by your attorney.

MICROFILMED

JAN 11 1999

INSTRUCTIONS

This form has been prepared to assist new owners of property to comply with the requirements of Sections 42-248 and 42-1409(6), Idaho Code. Section 42-248 requires certain property holders to notify the Department of Water Resources (IDWR) of any change in mailing address or ownership of all or part of a water right record on file with IDWR. Section 42-1409(6) provides that new property owners must notify IDWR of any change in ownership of a water right during an adjudication of water rights, and, if a required claim for the water right has not been filed, to file the needed claim.

Separate brochures are available from IDWR describing the adjudication of water rights and the requirement to notify IDWR of changes in ownership. If you would like any of these brochures, or if you have questions about completing this form, please contact your nearest IDWR office or call 1-800-451-4129.

If you need additional space to describe or explain any of the items on the form, please attach additional sheets to the form as you may require.

1. If there are water rights associated with the property, the seller should be able to provide you with the water right or adjudication claim number(s). Please enter these number(s) at Item 1. If you or the seller believe there are water rights for the property but the numbers are unknown, you may wish to call IDWR or come into an office of IDWR for assistance in identifying the water rights for the property in question. If claims for the rights are required, and have not been filed, IDWR will so advise you.
2. The information described at Item 2 is required, since IDWR cannot process the requested change without documentation of ownership. The preferred types of documentation are shown; contact IDWR if you have difficulty obtaining this information. Do not obtain a new survey for purposes of this form before contacting IDWR.
3. Please provide the name and address of the former owner of the water right and/or adjudication claim at Item 3.
4. The name, mailing address, and telephone number of the new owner(s) is entered at Item 4. Please indicate the relationship between multiple owners by using the connector "and", "or" or "and/or". If an "and" is used, all parties must sign this form. If an "and/or" or "or" is used, all parties may sign, however only one of the named parties is required to sign.
5. At Item 5, please provide the date the property in question was acquired. This may be the date of "closing" in the case of a real estate transaction or the date of court order for other types of ownership changes.
6. If the property you have purchased is only a portion of the property owned by the former owner/seller, you may be purchasing only a portion of the total water right held by the seller. This means the water right held by the seller may be "split" to provide your share of the right in question. Be sure to include a description of the portion of the water right you have purchased at Item 6.

Please provide as much detail as possible concerning your water right: include the number of homes, irrigated acreage if more than 1/2 acre is irrigated, type and number of stock if your right is for stockwater, etc. In the absence of information to the contrary, IDWR will assume the intent is to split the rights *proportionately*.

7. The new owner(s) must sign the form in the space(s) provided at Item 7. Corporations and other organizations must submit a list of directors or officers demonstrating the authority of the director or officer to sign the form.
8. There is no filing fee. When complete, you should retain a copy and return the original of the form to the IDWR office nearest you:

IDWR Western Region, 2735 Airport Way, Boise, ID 83705-5082 (208) 334-3194

IDWR Southern Region, 222 Shoshone St. E., Twin Falls, ID 83301-6105 (208) 736-3033

IDWR Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, ID 83814-2615 (208) 769-1450

IDWR Eastern Region, 900 N Skyline Dr., Suite A, Idaho Falls, ID 83402-1718 (208) 525-7161

RECEIVED

WARRANTY DEED

DEC 14 1998

* * * * *

Department of Water Resources

FOR VALUE RECEIVED, WINOMA SIDENER, one and the same person, and formerly WINOMA BIGHAM, a widow, the Grantor, does hereby grant, bargain, sell and convey unto JAMES F. WILHITE and TREVA L. WILHITE, the Grantees, whose current address is 16349 Florida Ave., Caldwell, Idaho, 83605, the following-described real property located in Canyon County, Idaho, to-wit:

All of the Southeast Quarter of the Southwest Quarter of Section 11, Township 3 North, Range 3 West, Boise Meridian.

Together with all and singular the tenements, hereditaments and appurtenances thereunto belonging or in anywise appertaining, including all water and ditch rights and rights of way for water and ditches.

Also claim of water right to ground water as evidenced by IDWR Water Right, Claim No. 63-10601 and No. 63-26352, for irrigation use, and for domestic purposes as appears in the records of Idaho Department of Water Resources.

TO HAVE AND HOLD the said premises, with their appurtenances unto said Grantees, their heirs and assigns forever. And the said Grantor does hereby covenant to and with the said Grantees that she is the owner in fee simple of said premises and that said premises are free from all encumbrances except:

Taxes and assessments of all taxing units not yet due and payable.

Reservations in patents or state grants or in acts authorizing the issuance thereof.

All repayment contracts between any irrigation districts within which the premises are situated and any government or agency.

The bonded debt of all taxing units within which said premises are located.

Restrictions imposed by law, ordinance, or regulation imposed by any governmental entity, department or agency.

Restrictions contained in any covenants of record

WARRANTY DEED - 1

MICROFILMED

JAN 11 1999

RECEIVED

DEC 14 1998

affecting the premises.

Department of Water Resources

All rights of way or easements affecting the premises regardless of how evidenced or acquired and whether the same appear of record or not.

DATED this 10th day of February, 1998.

Winoma Sidener
WINOMA SIDENER, fna
WINOMA BIGHAM

STATE OF IDAHO)
) ss:
County of Canyon)

On this 19th day of February, 1998, before me, a Notary Public for Idaho, personally appeared WINOMA SIDENER, one and the same person, and formerly WINOMA BIGHAM, a widow, known or identified to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that she executed the same.


IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.

Therese M. Rink
Notary Public for Idaho
Residing at Caldwell, Id
My Commission Expires: 7-5-02

WARRANTY DEED - 2

MICROFILMED

JAN 11 1999



State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 63-10601

Priority: April 6, 1988

Maximum Diversion Rate:

0.70 CFS

This is to certify, that CLINE J SIDENER
WIMONA SIDENER

PO BOX 234

CALDWELL ID 83605-0234

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 6, 1988; and has submitted Proof of Beneficial Use on May 4, 1989. An examination indicates that the works have a diversion capacity of 1.000 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.70 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 11, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	03W	11	SESW	35		35

Total number of acres irrigated: 35

CONDITIONS OF APPROVAL AND REMARKS


1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
5. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.
6. This right when combined with all other rights shall provide no more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual maximum diversion volume of 157.5 af at the field headgate for the lands above.

MICROFILMED
OCT 27 1998

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 63-10601

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25th
day of SEPTEMBER, 1998.

Acting for


KARL J. DREHER, Director

FILED
OCT 27 1998

RECEIVED

MAY 01 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received \$100.00
Date 6/28/88
Receipt # W000413
Receipt by JP
Reviewed by _____
Sent to region _____

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10601

Name(s) of Permit Holder: WINOMA AND/OR CLINE J. SIDENAR

Post Office Address: P.O. Box 234 CALDWELL, ID 83605

Telephone No. 459-7916

Source of Water: Well

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 37 (IRRIGATED) acres Other/Remark _____

Total rate and/or volume for which proof is submitted .8 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 6/8/88

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Fee enclosed \$ \$100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Permit Holder
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

AUG 29 1989

6-28-1988
Date

Cline J. Sidenar
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant WIMONA I/O R CLINE J SIDENER Phone 459-7916
Post office address CALDWELL RT. 8, Box 234 CALDWELL, IDAHO 83605
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SE 1/4 of SW 1/4, Govt. Lot _____
Sec. 11 Township 3N Range 3W B.M. CANYON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .80 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .80 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. pump and open discharge
into cement ditch for gravity irrigation
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 10 inches; proposed depth of well is 100 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 yr. years (minimum 1 year).

RECEIVED

AUG 08 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	3W	11												40					40

Total number of acres to be irrigated 40


10. Describe any other water rights used for the same purposes as described above. WILDER IRRIGATION DISTRICT

- Who owns the property at the point of diversion? APPLICANTS
- Who owns the land to be irrigated or place of use? APPLICANTS
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: PROPOSED WELL IS SUPPLEMENTAL WATER TO SURFACE WATER FROM IRRIGATION DISTRICT.

RECEIVED

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

AUG 08 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Alvin J. Liden
(Applicant)

4/6/88
Proposed
Received by SL Date 4/6/88 Time 11:00 a.m. Preliminary check by _____
Fee \$ 45⁰⁰ Received by SL # W000088 Date 4/6/88
Publication prepared by GG Date 4-13-88 Published in Press-Tribune
Publication approved AS Date 5/11/88 4-20/4-27-88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10601, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 14th day of June, 1988.

R. Karl Higgins
Director

RECORDED

AUG 08 1988

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10600

ROBISON FRUIT RANCH, INC.,
Rt. 10, Box 354, Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt: NWSE Sec 15 T 03 N
R 04W

Use: IRRIGATION (2,500 CFS)

Date Filed: April 7, 1988

In: NESW Sec 15 T 03N R 04W
FOR 40.0 ACRES

NWSW Sec 15 T 03N R 04W FOR
40.0 ACRES

NESE Sec 15 T 03N R 04W FOR
25.0 ACRES

NWSE Sec 15 T 03N R 04W FOR
20.0 ACRES

Total acres: 125

63-10601

SIDENER, WIMONA &/or CLINE
J. Rt. 8 Box 234, Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt: SESW Sec 11 T 03N
R 03W

Use: IRRIGATION (.800 CFS)

Date Filed: April 6, 1988

In: SESW Sec 11 T 03N R 03W FOR
40.0 ACRES

63-10602

JOHNSON, GEORGE R., Rt. A
Box 163, Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt: SESW Sec 32 T 03N
R 03W

Use: IRRIGATION (.740 CFS)

Date Filed: March 29, 1988

In: SESW Sec 32 T 03N R 03W FOR
19.0 ACRES

SWSE Sec 32 T 03N R 03W FOR
18.0 ACRES

For a total of 37 acres

63-10603

EGGIMAN, RICHARD &/or
JOHANNA, Rt. 1 Box 141D, Melba,
ID 83641

Source: GROUNDWATER

Diversion Pt: SWSW Sec 15 T 01N
R 02W

Use: IRRIGATION (.030 CFS)

DOMESTIC (.020 CFS)

Date Filed: March 31, 1988

In: SWSW Sec 15 T 01N R 02W
FOR 1.0 ACRES

63-10604

EGGIMANN, RICHARD &/or
JOHANNA, Rt. 1 Box 141D, Melba,
ID 83641

Source: GROUNDWATER

Diversion Pt: SWSW Sec 15 T 01N
R 02W

Use: IRRIGATION (.400 CFS)

COMMERCIAL (.110 CFS)

HEATING (.050 CFS)

COOLING (.050 CFS)

DOMESTIC (.040 CFS)

Date Filed: March 31, 1988

In: SWSW Sec 15 T 01N R 02W
FOR 20.0 ACRES

63-10606

MALSON, THOMAS M. &/or
CONNIE L., 2700 Pascoe Ln.,
Nampa, ID 83651

Source: GROUNDWATER

Diversion Pt: Lot 4 (NWNW) Sec 4
T 02N R 02W

Use: IRRIGATION (.180 CFS)

DOMESTIC (.220 CFS)

Date Filed: April 7, 1988

In: Lot 4 (NWNW) Sec 4 T 02N R
02W FOR 9.0 ACRES

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 on or before May 9, 1988.

R. KEITH HIGGINSON

Director

April 20, 27, 1988

RECEIVED

APR 27 1988

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 20, 27, 1988

Debra Martin del Campo
Subscribed and sworn to before me this
27th day of April
19 88

Jenna Gresh
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991

RECEIVED

AUG 06 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 18, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JAMES F WILHITE
TREVA L WILHITE
16349 FLORIDA AVE
CALDWELL ID 83605

RE: WATER RIGHT 63-10601


Dear Mr. & Mrs. Wilhite:

The Department is in receipt of the correspondence changing ownership of the above referenced water right to you. We have modified our records to reflect this change in ownership and a computer generated report is enclosed.

Just a reminder, because of a law that went into effect July 1, 1996, all water right owners are required to report change of address or ownership to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee to the water right owner. If you have other water rights that haven't had the ownership updated please contact the department as soon as possible.

If you have any questions regarding this matter, please feel free to contact me at (208) 327-7947.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

Enclosure

MICROFILMED
JAN 11 1999

~~This is my Name~~

Winona Sidener.

2321, Airport, ave.

Caldwell Ida. 83605

I-D-W-R

63-10601.

RECEIVED

OCT 13 1998

Department of Water Resources

Kari Lynn

1301, N. Orchard

Bonni Ida

837-06-2237

WR 2 database updated 10.13.98

Ret.

MICROFILMED

OCT 27 1998



IDAHO DEPARTMENT OF WATER RESOURCES

1301 N. Orchard St.
P.O. Box 83720
Boise, ID 83720-0098
(208) 327-7900

RECEIVED
OCT 07 1998
Department of Water Resources

TO

LSO-ATTEMPTED
DELIVERED
EO BOX
CFLW0000





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 30, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CLINE J SIDENER
WIMONA SIDENER
PO BOX 234
CALDWELL ID 83605-0234

RE: WATER RIGHT NO. 63-10601

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.


MICROFILMED

OCT 27 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED
OCT 27 1998

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of **September, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 63-10601

CLINE J SIDENER
WIMONA SIDENER
PO BOX 234
CALDWELL ID 83605-0234


Kari Lynn Townsend
Secretary

MICROFILMED
OCT 27 1998

B/U FIELD EXAM REVIEW

by Cindy Lou

Permit #: 63-10601 Name: Sidenar Date: 9/17/98 3/5/98 ✓ Lots 459-7916

NAME Chng Same ✓ Or Address Change? PO Box 234, Caldwell, 83605 459-7916

SOURCE Clarify source ✓ Prelim. Order to Void - Source change.

P/D Amendment Needed? Addn'l 1/4? Legal 304 SES W ✓ P39
Same 1/4? W32 P36
 Overlap(s) none

P/U Amendment Needed? reduce to 35 acres ✓ same 1/4 P41
 Overlap(s) Wider Irr. Dist.
 (Gov't use special ¶s) *P/D & P/U Amend? P37

RATE Permit/proof fee limits 0.80 / 1.0
Measured Quantity = 1.06-39 cfs Theoretical Quantity = cfs
12' section of ditch in 51 seconds
 (HP) 8.8 x 0.70 x 1.5
30 + (2.31 x 10) = 1.06 cfs
Recommended capacity 0.39 cfs
Recommended rate 0.390.70 cfs

VOLUME Season: (D / 4.5 ✓) 3/15-11/15 ✓ = 246 ✓ days
Calculations: 35 x 4.5 =
35 acres x 4.5 AF/acre = 157.5 AF ✓
0.70
Flow limit: 0.39 cfs x 246 days/yr. x 1.9835 = 190.3 341.6 AF
(R) Recommended volume N/A - Supplemental AF irrigation

USES Same Nature of Use? P46
Amendment Needed?

REMARKS Multiple p/d's in same 1/4? Use W32
0.390.70 / 157.5

CONDITIONS Measuring Device (R43) or Lockable Controlling Works (R02)
Watermaster Control (R04) - WD #
0.39 Irrigation rate/annual volume overlap
0.65 GW irrigation replaces surface water (050) Other, Flowpt.
0.65 GW irrigation supplements surface water (065)
Water Quality
0.65 Other

PRIORITY App Rcd 4/6/88 Due 7/1/89 Rcd 6/28/88
 Receipt# W000413 Fee OK? Yes/No
 Order to Reinstate Needed? Yes/No/None? None Advanced to:
 Priority 4/6/88 Examined 10/7/88 & 9/15/98

COMMENTS: reduce to 35 acres; Supplemental irrigation

USE	CFS	VOLUME
<u>Irr.</u>	<u>0.390.70</u>	<u>N/A</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
TOTAL	<u>0.390.70</u>	<u>N/A</u>

SRBA Overlap None ✓
 Adjustment Memo
 LICENSE ✓
 #1 AMEND: /P38
 #2 AMEND: (R)P42/(C)P47

RECEIVED

SEP 24 1998

MEMO

Department of Water Resources

DATE: 9/19/1998
FROM: Lori Graves
TO: 63-10601
RE: Re-Measurement

On 9/15/1998 I re-measured Jim Wilhite's well, permit 63-10601, per request from Norm Young. Jim routed the water into a 500' stretch of cement ditch. Within this stretch, 50 three-quarter inch siphons and 15 one inch siphons were flowing at the time of the exam. Using manufacturer's siphon tube capacity table, with 8" of head per siphon, a total of 50 inches (1.0 cfs) of ground water was flowing from the siphons. This did not include the fact that while the siphons were all flowing, the water depth in the 500' stretch of ditch was 10 inches deep with two inches flowing over the headgate. Jim's well obviously had the capacity to supply 35 inches of water for the 35 acres found in the original field exam. I recommend permit 63-10601 be licensed at .70 cfs.

NOTE: The permit is in the name of Winoma and/or Cline Sidenar. Jim and/or Treva Wilhite are the current owners. Their mailing address is 16349 Florida Ave., Caldwell, ID 83605. Their phone number is 208-459-3268.

Because of the well's capacity, Jim plans to file a supplemental ground water application for his adjacent 18 acres.

MICROFILMED

OCT 27 1998



~ 2" spill
over headgate
+ 10" water in
ditch with
siphons running

MICROFILMED

OCT 27 1962

6.7 3/4ths" siphons / running full with 8" head
15 1" siphons / $1.5 \times 3 \text{ cfs} \times 50 = .65 \text{ cfs}$ per siphon tube
 $1.5 \times 3 \text{ cfs} \times 15 = .35 \text{ cfs}$ / capacity table (attached)




TOTAL P.01

S. H. T. S. C. A. V. S.

Height Diff. Flow Per Tube in Gallons Per Minute at Given Head H in Inches


Tube Dia. (Inches)	2"	4"	6"	8"
1/2	1.3	1.8	2.2	2.5
3/4	2.9	4.1	5.0	5.8
1	5.1	7.3	9.0	10.5
1-1/4	8.1	11.5	13.7	16.3
1-1/2	11.7	16.5	20.2	23.0
2	20.0	29.0	35.0	41.0
3		44.0	51.0	59.0
4		117.0	142.0	166.0
5		176.0	220.0	255.0
6		260.0	320.0	370.0



H to outlet
and middle
of TUBE



Single Bend



Double Bend



Triple Bend

P. E. N. I. S.

Woven polyethylene fabric laminated on both sides with polyethylene film. Poly-X will not rot and is not affected by acid or alkaline waters.

100' Rolls with Loop

Item	Packaging	Weight	Stock No.	Item	Packaging	Weight	Stock No.
60"	1	186	040790	8' x 6'	6		040700
72"	1	229	040800	9' x 6'	6		040710
84"	1	269	040810	10' x 6'	6		040720
96"	1	308	040820	12' x 6'	6		040730
108"	1	349	040830	14' x 6'	6		040732
				16' x 6'	6		040731

Cut Poly-X Dams with Loop

Item	Packaging	Weight	Stock No.	Item	Packaging	Weight	Stock No.
5' x 4'	6		040650	7' x 7'	6		040740
6' x 4'	6		040610	8' x 7'	6		040750
7' x 4'	6		040620	9' x 7'	6		040760
8' x 5'	6		040621	10' x 7'	6		040770
9' x 5'	6		040622	12' x 7'	6		040780
10' x 5'	6		040640	8' x 8'	6		040781
12' x 5'	6		040650	9' x 8'	6		040991
13' x 5'	6		040660	10' x 8'	6		040761
6' x 6'	6		040670	12' x 8'	6		040771
7' x 6'	6		040671	14' x 8'	6		040784
			040672	8' x 9'	6		040783
			040680	10' x 9'	6		040900
			040690	12' x 9'	6		040772
							040785

MICROFILMED

OCT 27 1998

TOTAL P.01

RECEIVED

RECEIVED

Form 219
6/86

AUG 28 1998

STATE OF IDAHO

FEB 02 1998

WATER RESOURCES
WESTERN REGION

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-106011. Owner: WINOMA AND/OR CLINE J SIDENAP Phone No. 459-7916Current Address: PO BOX 234 CALDWELL ID 836052. Accompanied by: SAME EXAM. DATE: 10-7-88

Address: _____ Phone No. _____

Relationship to Permit Holder: OWNER3. Source: GROUNDWATER tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: WILDER IRRIGATION DISTRICT WATER☐ Copies Attached2. Other water rights with same point of diversion: NONE☐ Copies Attached☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

PLEASE EXPEDITE LICENSING
of this 1988 Exam. See
note on last pg. of
this Exam Form.
-SL 1/29/98



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached

(required for irrigation of 10 acres or more)

MICROFILMED

OCT 27 1998

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM IS A WELL WITH OPEN DISCHARGE INTO A CEMENT DITCH SYSTEM THAT RUNS EAST FROM P/U. THE DITCH THEN RUNS NORTHWEST ALONG THE PHYLLIS CANAL TO IRRIGATE THE LAND IN THE NE PORTION OF THE P/U. TUBE IRRIGATION IS USED TO APPLY WATER TO THE GROUND. NORMAL USE IS APPROX 30 1" TUBES.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	HITACHI	7.5		JACUZZ	4"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	SW	11	3N	3W	CANYON	AERIAL PHOTO. & TOPO

6. Place(s) of Use:

Indicate Method of Determination SAME AS ABOVE

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	3W	11												35					35

Do not use this space MICROFILMED

OCT 27 1998

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
MEASURED VOLUME						
STOP WATCH						

2. Measurements:

VOLUME CALCULATED ON ATTACHMENT A

SEE ATTACHMENT B for REVISOR flow measurement *

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

SEE ATTACHMENT A. & B → allow .39 cfs
for item 2 on Attachment *

2. Alternate Method for Checking Purposes:

See item 1 on Attach. B *

$$\frac{7.5 \times 8.8 \times .8}{30 + (0 \times 23)} = \underline{1.84} \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

60-931-614 pole No 1573

Discharge Pressure: 0 psi x 2.31 = 0 ft (1); Dynamic pumping level: 30 ft (2)

Total Head: (1) + (2) = 30 (3)

Flow rate: 1.64 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 5.6 (5)

Meter Input KW: 3.6 x 7.2 KH x _____ CTR or _____ MULT x _____ PTR x 5 N/ 19 T = 61.82 (6)

Meter Input HP: (6) x 1.34 = 9.14 (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7)

Efficiency: (5)/(7) x 100 = 61 %

Based on
efficiency calc

$$\frac{7.5 \times 8.8 \times .61}{30} = \underline{1.34}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{35 \times 4.5} =$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{.7 \times 246 \times 1.9835} = \underline{340.2 \text{ AFA}}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{157.5 \text{ AFA}}$

2. Volume Calculations for Other Uses:

Revised: $.39 \times 246 \times 1.9835 = \underline{190.3 \text{ AFA}}$

MICROFILMED

OCT 27 1998

* JZ 1/29/98

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THIS PERMIT SUPPLEMENTS WILDER IRRIGATION DISTRICT WATER

FOUND 35 ACRES

MEASURED 1.64 CFS

35 ACRES @ .02 CFS = 0.70 CFS ALLOWABLE

SRBA CLAIM N/A for prop filed after 1987. *

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)	
	From	To			
IRRIGATION	3-15	11-15	0.70 .39	157.5	*
			Totals: 0.70 CFS	157.5 AFA	*

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date


Kelly K. Christensen
Kelly K. Christensen

11-21-88




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

* FL 1/29/98 - owner called Noy & S.O. to inquire about status recently. Noy forwarded request to Reg. Mgr. File has been held in Reg. Mgr.'s "problem exam" file, approval that additional flow meas. was required. However, upon reviewing original examiner's Attach. A, a revised flow meas. was able to be calculated from original data - see my Attachment B. Reg. Mgr. indicated that .39 cfs meas. is acceptable & that licensing process should resume. MICROFILMED OCT 27 1998




0474 01-15



ATTACHMENT A.

DITCH CROSS SECTION



AREA:

$$\text{SECTION A, } \left(\frac{10.5}{12} * \frac{10.5}{12} \right) / 2 = .38 \text{ sq ft}$$

$$\text{SECTION B } \frac{10.5}{12} * 1 = .875 \text{ sq ft}$$

$$\text{SECTION C } \left(\frac{10.5}{12} * \frac{10.5}{12} \right) / 2 = .38 \text{ sq ft}$$

$$\text{TOTAL AREA } 1.64 \text{ sq ft}$$

$$\text{LENGTH OF SECTION } 12. \text{ ft}$$

$$\text{TOTAL CU FT} = \underline{\underline{85.97 \text{ cu ft}}}$$

$$19.68 \text{ cu ft}$$

TIME TO FILL A 12 FT SECTION.

51 SEC

$$\frac{85 \text{ CU. FT.}}{51 \text{ SEC}} = \underline{\underline{1.68 \text{ CFS}}} \quad (\text{MEASURED FLOW RATE})$$

I don't know what happened here.

Requires a new measurement.

← this unsigned, undated note indicates problem with this worksheet (?).

SEE Attachment B for revised flow recommendation

-SL 1/28/98

MICROFILMED
OCT 27 1998

63-10601

Att. Luent B - Flow Calc.

- (1) 4" discharge pipe, expected rate of flow, assume standard $V = 5 \text{ ft/s}$

$$\begin{aligned} Q &= VA = (V)(\pi r^2) \\ &= (5)(\pi)(2\frac{1}{2})^2 \text{ for cfs units} \\ &= .44 \text{ cfs} \end{aligned}$$

- (2) Time of volume meas. from 1988 Exam (see Attachment A)

$$Q = \frac{\text{Volume filled (ft}^3\text{)}}{\text{seconds}} = \text{cfs}$$

$$\begin{aligned} \text{Where Volume} &= \text{Sum of AREAS} \times \text{Length of section filled} \\ &= (.88 + .38 + .38) \text{ ft}^2 \times 12 \text{ ft.} \\ &= 19.68 \text{ ft}^3 \text{ total volume} \end{aligned}$$

$$\text{Where seconds} = 51$$

$$Q = \frac{19.68 \text{ ft}^3}{51 \text{ s}} = .39 \text{ cfs}$$

- (3) Cannot account for "vol = 88 ft³" in Attachment A.

- (4) Appears measurement is more in range of .40 cfs which is okay for supplemental use on 35 acres.

- (5) Recommend .39 cfs per item 3.

MICROFILMED
OCT 27 1998

Steve Lentin
1/28/98
63-10601

State of Idaho
Department of Water Resources
WELL INSPECTION FORM


This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 3N, Rge. 3W,
Sec. 11, Qtr./Qtr. SW/SE/SW or Lot _____
2. Owner WINOMA AND/OR CLINE J. SIDENAR
Address P.O. Box 234, City CALDWELL, State ID
3. Approx. date of well construction 5-12-88
Well Driller SCOTT DRILLING Co.
4. Casing: Diameter 10" Condition GOOD NEW
5. Casing length above land surface 23"
6. Well depth (ft) 186' Flowing NO Temp. _____
Access port NO
7. Condition of piping and valving NEW, GOOD
8. Evidence of well seal NO
9. Shut in pressure or static water level 27'
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments _____

(OVERMICROFILMED

OCT 27 1998

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.




Inspected by Kelly K Christensen Date 10-7-88.


OCT 27 1998

P/D

LOOKING WEST



P/4 LOOKING NORTH FROM P/D



MICROFILMED

OCT 27 1998

63-10601

MICROFILMED

OCT 27 1998

63-10601

P/4 LOOKING EAST FROM P/D



MICROFILMED

OCT 27 1998

63-10601

M E M O R A N D U M

TO: File 63-10601

FROM: Cindy Bird

DATE: August 27, 1998

RE: Returned field examination

Per my discussion today with Gary Spackman, I returned the original field examination to the region because Norm Young has requested a remeasurement.

MICROFILMED

OCT 27 1998

Letley *(SUF)*

MEMORANDUM

TO: FILE NO. 63-10601 (SIDENER)
FROM: NORM YOUNG *NY*
RE: REMEASUREMENT
DATE: March 17, 1998

The buyer (Jim Wilhite) of the land to which this right is appurtenant believes that the well will produce at least 40 inches. Because of the problems evident in the file relative to the measurement during the field exam, I agreed to a remeasurement prior to issuing the license.

Wilhite will call when the pump is going to be operated this season.

MICROFILMED

OCT 27 1998

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WIMONA SIDENER	04/06/1988	IRRIGATION	03/15 11/15	0.390 CFS	
C	CLINE J SIDENER PO BOX 234 CALDWELL ID 83605-0234 (208) 459-7916					
TOTAL DIVERSION:					0.390 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.390 CFS

Point(s) of Diversion: T03N R03W S11 SESW CANYON County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE															
T	F	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03N	03W	11	:																							:	35.0
																								TOTAL ACRES	35.0		

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):
63-10601

Other Water Rights Listing Overlapping Place(s) of use:
63-10601

Conditions of Approval:

- 065 - The right holder shall use the full allotment of appurtenant
 - surface water rights in conjunction with groundwater diverted
 - under this right and shall only divert groundwater under this
 - right when water from the appurtenant surface water rights cannot
 - be delivered to the right holder.
- 079 - This right shall not be used if the surface water right(s)
 - appurtenant to the place of use is sold, transferred, leased or
 - used on any other place of use.
- ~~0079~~ - This right when combined with all other rights shall provide no
 - more than 4.5 afa per acre at the field headgate for irrigation
 - of the lands above.

Remarks: GEN This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual diversion volume of 157.5 af at the field headgate for the lands above.

Dates: App. Received: 04/06/1988 Priority Date: 04/06/1988
 Proof Due Date: 07/01/1989 Proof Made Date: 06/28/1988
 Exam Made Date: 10/07/1988 Exam Sent to S.O.: 01/29/1998
 Licensed Date:

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM									
		NE		NW		SW		SE		NE		NW		SW		SE											
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac										
L6310601	T03N R03W S11	GROUNDWATER																									
	:					:					:							35	:			:	35				
A6300166A	BOISE RIVE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6300167A	BOISE RIVE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6300179A	BOISE RIVE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6300224	BOISE RIVE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6300225	BOISE RIVE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6300294	BOISE RIVE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6300295	BOISE RIVE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6300371	BOISE RIVE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6302275	WILSON SLO	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6302276	MASON CREE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6302294	FIVE MILE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
6302388	BOISE RIVE	:								:										:						:	
A6302388	BOISE RIVE	:								:										:						:	
6302529	GROUNDWATE	:								:										:						:	
A6302529	GROUNDWATE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
6302669	GROUNDWATE	:	40		40					:										:						:	80
A6302669A	GROUNDWATE	:	07		40					:										:						:	47
6302749	GROUNDWATE	:					40			:										:						:	40
A6302749	GROUNDWATE	:					40			:										:						:	40
6302763	GROUNDWATE	:								:										:			40			:	40
A6302763	GROUNDWATE	:								:										:			30			:	30
6302767	GROUNDWATE	:								:				20						:						:	20
A6302767	GROUNDWATE	:								:										:				20		:	20
6302891	WILSON SLO	:								:										:						:	
A6302891	WILSON SLO	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6302891A	WILSON SLO	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6303614A	BOISE RIVE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6303618A	BOISE RIVE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6305199	GROUNDWATE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6305200	GROUNDWATE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6305219	INDIAN CRE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6305237	INDIAN CRE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6305255	INDIAN CRE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6305262A	BOISE RIVE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6309109	GROUNDWATE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
6310601	GROUNDWATE	:								:										:	40					:	40
A6310601	GROUNDWATE	:								:										:	37					:	37
6311451	GROUNDWATE	:								:			18							:						:	18
6311620	GROUNDWATE	:								:										:			38			:	74
6311642	GROUNDWATE	:								:										:					36	:	74
M6311642	GROUNDWATE	:								:										:						:	74
6312014	GROUNDWATE	:								:										:						:	2
A6321731	FIVE MILE	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A6321739	ELIJAH DRA	:	40		40		40		40	:	40		40		40		10		10	:	40		40		40	:	540
A633018121	BOISE RIVE	:								:										:						:	
--86 MAP--	C27Q-X 55	:	36		40		40		28	:	37		37		37		34		39	:	37		36		38	:	587

FROM

Jan Thunte

DATE

5/1/89

TO

Rita Fleck


SUBJECT

Proof for 63-10601

The Tidenais were in today, where proof due
 notice & some papers. After a while I found
 where they had submitted proof already on
 6/28/88 (see copy attached). I couldn't find the
 file here anywhere & it looks like proof & fee
 were taken, put in file, field exam conducted
 & original never sent. I'm still looking for
 the file, but in the meantime, the proof needs
 to be processed. Call me if this is unclear. Thanks,
 Jan

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.**RECEIVED**
JAN 13 1989

1. WELL OWNER Name <u>Cline J. Sidenor</u> Address <u>RL 8 Box 234 Caldwell</u> Owner's Permit No. <u>63-88-W-052</u>	7. WATER LEVEL Static water level <u>27</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality <u>Good</u> Describe artesian or temperature zones below.																																																																																																										
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1" style="width:100%"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td><u>360</u></td><td><u>40 in 120</u></td><td><u>1</u></td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>360</u>	<u>40 in 120</u>	<u>1</u>																																																																																																				
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																									
<u>360</u>	<u>40 in 120</u>	<u>1</u>																																																																																																									
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>10</td><td>0</td><td>2</td><td>clay</td><td></td><td>✓</td></tr><tr><td></td><td>2</td><td>18</td><td>Sandy clay</td><td></td><td>✓</td></tr><tr><td></td><td>18</td><td>42</td><td>gravel - Sand</td><td></td><td>✓</td></tr><tr><td></td><td>42</td><td>60</td><td>gravel - Sand</td><td></td><td>✓</td></tr><tr><td></td><td>60</td><td>80</td><td>Sandy clay</td><td></td><td>✓</td></tr><tr><td></td><td>80</td><td>87</td><td>Sand</td><td>✓</td><td></td></tr><tr><td></td><td>87</td><td>120</td><td>Sandy clay</td><td>✓</td><td></td></tr><tr><td></td><td>120</td><td>135</td><td>clay - Sandy</td><td>✓</td><td></td></tr><tr><td></td><td>135</td><td>140</td><td>Brown clay</td><td></td><td>✓</td></tr><tr><td></td><td>140</td><td>150</td><td>Sand</td><td>✓</td><td></td></tr><tr><td></td><td>150</td><td>155</td><td>clay</td><td></td><td>✓</td></tr><tr><td></td><td>155</td><td>165</td><td>Sandy clay</td><td></td><td>✓</td></tr><tr><td></td><td>165</td><td>170</td><td>Sand</td><td>✓</td><td></td></tr><tr><td></td><td>170</td><td>175</td><td>Sand</td><td>✓</td><td></td></tr><tr><td></td><td>175</td><td>180</td><td>Sandy clay</td><td></td><td>✓</td></tr><tr><td></td><td>180</td><td>186</td><td>Sand</td><td>✓</td><td></td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	10	0	2	clay		✓		2	18	Sandy clay		✓		18	42	gravel - Sand		✓		42	60	gravel - Sand		✓		60	80	Sandy clay		✓		80	87	Sand	✓			87	120	Sandy clay	✓			120	135	clay - Sandy	✓			135	140	Brown clay		✓		140	150	Sand	✓			150	155	clay		✓		155	165	Sandy clay		✓		165	170	Sand	✓			170	175	Sand	✓			175	180	Sandy clay		✓		180	186	Sand	✓	
Bore Diam.	Depth		Material	Water																																																																																																							
	From	To		Yes	No																																																																																																						
10	0	2	clay		✓																																																																																																						
	2	18	Sandy clay		✓																																																																																																						
	18	42	gravel - Sand		✓																																																																																																						
	42	60	gravel - Sand		✓																																																																																																						
	60	80	Sandy clay		✓																																																																																																						
	80	87	Sand	✓																																																																																																							
	87	120	Sandy clay	✓																																																																																																							
	120	135	clay - Sandy	✓																																																																																																							
	135	140	Brown clay		✓																																																																																																						
	140	150	Sand	✓																																																																																																							
	150	155	clay		✓																																																																																																						
	155	165	Sandy clay		✓																																																																																																						
	165	170	Sand	✓																																																																																																							
	170	175	Sand	✓																																																																																																							
	175	180	Sandy clay		✓																																																																																																						
	180	186	Sand	✓																																																																																																							
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	RECEIVED JAN 13 1989 Department of Water Resources Western Regional Office																																																																																																										
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="0" style="width:100%"><tr><td>Thickness</td><td>Diameter</td><td>From</td><td>To</td></tr><tr><td><u>.250</u> inches</td><td><u>10</u> inches</td><td>+ <u>1</u> feet</td><td><u>140</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="0" style="width:100%"><tr><td>Number</td><td>From</td><td>To</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>COOK</u> Type <u>Telescope</u> <u>8"</u> Model No. <u>304</u> Diameter <u>8"</u> Slot size <u>.25</u> Set from <u>155</u> feet to <u>165</u> feet Diameter <u>8"</u> Slot size <u>.20</u> Set from <u>140</u> feet to <u>150</u> feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port <u>Sanfon Seal</u>	Thickness	Diameter	From	To	<u>.250</u> inches	<u>10</u> inches	+ <u>1</u> feet	<u>140</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	10. Work started <u>5-6-88</u> finished <u>5-12-88</u>																																																																										
Thickness	Diameter	From	To																																																																																																								
<u>.250</u> inches	<u>10</u> inches	+ <u>1</u> feet	<u>140</u> feet																																																																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																								
Number	From	To																																																																																																									
_____ perforations	_____ feet	_____ feet																																																																																																									
_____ perforations	_____ feet	_____ feet																																																																																																									
_____ perforations	_____ feet	_____ feet																																																																																																									
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>CHAYEN</u> <u>SE 1/4 SW 1/4 Sec. 11, T. 3, N. 3 R. 3 W.</u>	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. SCOTT DRILLING CO. Firm Name <u>5412 LAKE AVE.</u> Firm No. <u>327</u> Address <u>CALDWELL, ID 83605</u> Date _____ Signed by (Firm Official) <u>James A. Scott</u> and (Operator) <u>Jim A. Scott</u>																																																																																																										

CLINE J. SIDENER
WIMONA SIDENER
RT. 8 BOX 234
CALDWELL, ID 83605

April 30, 1989

138 189

PROOF DUE NOTICE

RE: PERMIT NO. 63-10601

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

AUG 29 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

June 21, 1988

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

RE: Permit No. 63-10601

Wimona &/or Cline J. Sidener
Rt. 8, Box 234
Caldwell, ID 83605

Dear Permit Holder(s):

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the Department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use that must be submitted when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Allocation Section

GS:sc
Enclosures

MICROFILMED

AUG 08 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

APRIL 13, 1988

Idaho Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 9, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

AUG 08 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before

R. KEITH HIGGINSON, Dir.

Published 04/20 & 04/28/88.

AUG 15 1988

63-10601

Wimona &/or Cline J. Sidener
Rt. 8 Box 234
Caldwell, ID 83605

Source: GROUNDWATER

Tributary:

Diversion Pt: SESW Sec 11 T 03N R 03W

Use: IRRIGATION (.800 CFS)

Date Filed: 4/06/1988

In: SESW Sec 11 T 03N R 03W FOR 40.0 ACRES

RECEIVED

AUG 08 1988