


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robison Fruit Ranch Inc.
By Stanley Robison pres.
 (Applicant)

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have
been filed to appropriate the public
waters of the State of Idaho: **AP**

63-10600 ✓

ROBISON FRUIT RANCH, INC.,
Rt. 10, Box 354, Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt: NWSE Sec 15 T 03 N
R 04W

Use: IRRIGATION (2.500 CFS)

Date Filed: April 7, 1988

In: NESW Sec 15 T 03N R 04W
FOR 40.0 ACRES

NWSW Sec 15 T 03N R 04W FOR
40.0 ACRES

NESE Sec 15 T 03N R 04W FOR
25.0 ACRES

NWSE Sec 15 T 03N R 04W FOR
20.0 ACRES

Total acres: 125

63-10601

SIDENER, WIMONA &/or CLINE
J. Rt. 8 Box 234, Caldwell, ID 83605

Source: GROUNDWATER

Diversion Pt: SESW Sec 11 T 03N
R 03W

Use: IRRIGATION (.800 CFS)

Date Filed: April 6, 1988

In: SESW Sec 11 T 03N R 03W FOR
40.0 ACRES

63-10602

JOHNSON, GEORGE R., Rt. A
Box 163, Caldwell, ID 83605

Source: GROUNDWATER

Diversion Pt: SESW Sec 32 T 03N
R 03W

Use: IRRIGATION (.740 CFS)

Date Filed: March 29, 1988

In: SESW Sec 32 T 03N R 03W FOR
19.0 ACRES

SWSE Sec 32 T 03N R 03W FOR
18.0 ACRES

For a total of 37 acres

63-10603

EGGIMAN, RICHARD &/or
JOHANNA, Rt. 1 Box 141D, Melba,
ID 83641

Source: GROUNDWATER

Diversion Pt: SWSW Sec 15 T 01N
R 02W

Use: IRRIGATION (.030 CFS)

DOMESTIC (.020 CFS)

Date Filed: March 31, 1988

In: SWSW Sec 15 T 01N R 02W
FOR 1.0 ACRES

63-10604

EGGIMANN, RICHARD &/or
JOHANNA, Rt. 1 Box 141D, Melba,
ID 83641

Source: GROUNDWATER

Diversion Pt: SWSW Sec 15 T 01N
R 02W

Use: IRRIGATION (.400 CFS)

COMMERCIAL (.110 CFS)

HEATING (.050 CFS)

COOLING (.050 CFS)

DOMESTIC (.040 CFS)

Date Filed: March 31, 1988

In: SWSW Sec 15 T 01N R 02W
FOR 20.0 ACRES

63-10606

MALSON, THOMAS M. &/or
CONNIE L., 2700 Pascoe Ln.,
Nampa, ID 83651

Source: GROUNDWATER

Diversion Pt: Lot 4 (NWNW) Sec 4
T 02N R 02W

Use: IRRIGATION (.180 CFS)

DOMESTIC (.220 CFS)

Date Filed: April 7, 1988

In: Lot 4 (NWNW) Sec 4 T 02N R
02W FOR 9.0 ACRES

63-10607

TAGGERT, DONALD E. &/or
MARKE E. &/or TERRY L., Rt. 4
Box 4223, Nampa, ID 83651

Source: GROUNDWATER

Diversion Pt: SENE Sec 31 T 02N
R 02W

Use: IRRIGATION (3.200 CFS)

Date Filed: April 11, 1988

In: SESE Sec 30 T 02N R 02W FOR
40.0 ACRES

NENE Sec 31 T 02N R 02W for
40.0 ACRES

NENW Sec 32 T 02N R 02W FOR
40.0 ACRES

NWNW Sec 32 T 02N R 02W FOR
40.0 ACRES

For a total of 160 acres

63-10608

WATERFOWL IMPROVEMENT
ASSOC., INC., P.O. Box 2773,
Boise, ID 83701

Source: UNNAMED DRAIN

Tributary: BOISE RIVER

Diversion Pt: Lot 5 (NWNW) Sec 2
T 04N R 04W

Use: IRRIGATION STORAGE

(6.000 AF)

IRRIGATION FROM STORAGE

(6.000 AF)

WILDLIFE STORAGE (6.000

AF)

WILDLIFE FROM STORAGE

(6.000 AF)

Date Filed: April 4, 1988

In: NWNW Sec 2 T 04N R 04W FOR
2.0 ACRES

63-10611

SSI LAND & CATTLE CO., 2615 E.
Cleveland Blvd., Caldwell, ID
83605

Source: GROUNDWATER

Diversion Pt: SWNE Sec 31 T 05N
R 05W

Use: IRRIGATION (6.200 CFS)

Date Filed: March 31, 1988

In: NESE Sec 30 T 05N R 05W FOR
35.0 ACRES

NWSE Sec 30 T 05N R 05W FOR
40.0 ACRES

SWSE Sec 30 T 05N R 05W FOR
40.0 ACRES

SESE Sec 30 T 05N R 05W FOR
40.0 ACRES

NENE Sec 31 T 05N R 05W FOR
40.0 ACRES

NWNE Sec 31 T 05N R 05W FOR
40.0 ACRES

SWNE Sec 31 T 05N R 05W FOR
40.0 ACRES

For a total of 200 acres

RECEIVED
APR 27 1988

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times
in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

April 20, 27, 1988

Debra Martin del Campo
Subscribed and sworn to before me this 27th
day of April
19 88

MICROFILMED

AUG 08 1988

Janna Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 7 1993
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-10600
1. Owner: Stanley Robison Phone No. (208) 459-2269
Current Address: 15591 Sunnyslope Road, Caldwell Idaho 83645 Jan^{DB}
2. Accompanied by: Cecil A. Thomas, P.E. EXAM. DATE: June 20, 1990
Address: Box 868 Homedale, Idaho 83628 Phone No. (208) 357-3206
Relationship to Permit Holder: Certified Water Rights Examiner
3. Source: Groundwater tributary to TVA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: Wilder Irrigation District rights
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

R4

MARSING QU
IDAH

7.5 MINUTE SERIES (


3W4W section 15

515

516

47' 30"

GREENLEAF 5 MI.
3.3 MI. TO DAHO 19 230 000 FEET 519



63-10600




View from the north
east corner of the prop.



View of the south end
of the property.

62-10600



View of well: Pump
SYSTEM.



View of the system
in use.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1990
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10600

1. Owner: Stanley Robison

Phone No. (208) 459-2269

Current Address: 15591 Sunnyslope Road, Caldwell, Idaho 83605

2. Accompanied by: Cecil A. Thomas, P.E.

EXAM. DATE: June 20, 1990

Address: Box 868 Homedale, Idaho 83628

Phone No. (208) 337-3206

Relationship to Permit Holder: Certified Water Rights examiner.

3. Source: Groundwater tributary to Snake River

E. OVERLAP REVIEW

1. Other water rights with same place of use: Wilder Irrigation District rights.

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 1/4 mile.


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.


☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

S C S Map of Section 15, 3N, 4W
and vicinity




Copy of U S G S Marsing Quad
7½ minute in 3N,4W, Idaho

7.5 M



PERMIT NO. 63-10600



Robison Fruit Co. Well in
Section 15, T.3 N, R 4 W.

MICROFILMED

OCT 19 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10600

Priority: April 7, 1988

Maximum Diversion Rate: 0.82 CFS
Maximum Diversion Volume: 398.5 AF

This is to certify, that ROBISON FRUIT RANCH INC
C/O STANLEY ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 7, 1988; and
has submitted Proof of Beneficial Use on June 28, 1990. An examination indicates
that the works have a diversion capacity of .820 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.82 CFS	398.5 AF

LOCATION OF POINT(S) OF DIVERSION: NWSE , Sec. 15, Township 03N, Range 04W
CANYON County

<u>PLACE OF USE:</u> IRRIGATION					
<u>TWN RGE SEC</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 04W 15	NENW 10	NWNW 40	SESW 30		
	NESE 5	NWSE 10	SWSE 30		
	SESE 15				140

Total number of acres irrigated: 140

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. This right is limited to the irrigation of 125 acres in the place

MICROFILMED

DEC 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10600

CONDITIONS/REMARKS:

of use described above in a single irrigation season.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of NOVEMBER, 1992.


Acting for R. Keith Higginson, Director

DEC 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant ROBISON FRUIT RANCH, INC. Phone 459-7987 or 459-2269
Post office address RT. 10, Box 354, CARNOWELL, ID 83605
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 15 Township 3N Range 4W B.M. CANYON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2.5 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.5 CFS and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 75 HP PUMP WITH SPRINKLER SYSTEM.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 16" inches; proposed depth of well is 500 feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

APPROVED

AUG 08 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	4W	15									40	40			25	20			125

Total number of acres to be irrigated 125

10. Describe any other water rights used for the same purposes as described above. WILDER
IRRIGATION DISTRICT.


11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: STANLEY ROBINSON, PRES., EARL ROBINSON, VICE-PRES,
RICHARD KINCHELOE, SEC. TREAS., SAME ADDRESS
AS ON APPLICATION. THIS IS A SUPPLEMENTAL WELL.
NOTE: A WELL DRILLING PERMIT WILL BE MAILED IN PRIOR
TO THIS WELL BEING DRILLED.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robison Fruit Ranch Inc.
By Stanley Robison pres
 (Applicant)

4/7/88

Proposed

Received by [Signature] Date 4/7/88 Time 10:59 Preliminary check by _____
Fee \$ 85.00 Receipted by [Signature] # W000090 Date 4/7/88
Publication prepared by GG Date 4-13-88 Published in Press-Tribune
Publication approved [Signature] Date 5/11/88 4/20 - 4/27/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10600, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 14th day of June, 1988.

[Signature]
Director

RECORDED

AUG 08 1988



Department of Natural Resources
Washington Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times
in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
April 20, 27, 1988

Debra Martin del Campo
Subscribed and sworn to before me this
27th day of April
1988

MICROFILM

AUG 08 1988

Janna Lusk
Notary Public, Residing at Nampa, Idaho
MY COMMISSION EXPIRES
JULY 12th, 1991

01-14-93

This Field Report is
included for reference
only. Exam was done
in error since a Certified
examiner conducted an
exam & submitted it
with the proof of B/V.
Right was licensed prior
to receiving Dept. Exam.

CS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Pump operating today. Water is used for supplemental water for irrigation of orchards and other crops in Section 15, Township 3 North and 4 West. Pipes 8" and 6" diameter carry flow to sprinkler heads to water tracts in Section 15 as shown on the SCS and the USGS maps. System can be served by water from well, Deep flat Towland land, or both it now occurring. Supplemental groundwater is very desirable to avoid extreme losses to expropriation which could occur during droughts, and for early and late demands and other times when surface supplies are inadequate.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
03 n-04w150001	GE	75	CLJ312507	LANE installed in 1988	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NW	SE	15	3n	4w	Canyon	Canyon County SCS photo

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3n	4w	15					10	46						30	5	10	30	15	146
</																			

Note: Considerably more acreage served by the applicant can be readily tied into this pump. see SCS map

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flowmeter	Rotor	Crownland	11139			May 23 1990

2. Measurements:

Rotor was installed with the rotor axle installed at the prescribed depth into the 8" pipe at which average velocity has been found to occur, (one inch for an 8" pipe).

Theoretical: $\frac{75 \times 8.8 \times 20}{150 \times (2.30 \times 10)} = \frac{462}{285} = 1.60 \text{ cfs}$. * note: this would be max output. Pump is throttled down.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

The meter read 37; equivalent to 370 gallons a minute or .82 cfs or 41 inches.

2. Alternate Method for Checking Purposes:

Pump was Throttled at the time of measurement because full output was not needed.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 140 \times 4.5 = 630 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .82 \times 245 \times 1.9835 = 398.5 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 398.5 \text{ AFA}$

2. Volume Calculations for Other Uses:

Application is being made for supplemental water for 140 acres.

The instillation could fill a demand for nearly a full supply for all of the acreage but that need would be rare. Assuming 75 inches were pumped for 150 days, Volume would be 446 acre feet for a relatively dry year with a low supply from surface water.

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Water is used to supplement surface rights and demand is greater on years of low supply in Weirder Irrigation District. Demand could reach 125" inches in drought situation. Peak demand would not affect ground water supply noticeably.

The supply from the pump also serves as a year round fire protection.

WR #'s 63-7859 & 63-08076 do not overlap with this permit because they are both domestic uses and come from different Ad's.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	May 1	Sept 30	.82 cfs	398.5 AFA
Totals:			.82 cfs	398.5 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

Dave Arany
Dave Arany

7-09-92

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

R4

3W4u

section 15

MARSING QU
IDAH

7.5 MINUTE SERIES (

515

516


47' 30"

GREENLEAF 5 MI.
3.3 MI. TO DAHO 19

230 000 FEET

519





PERMIT 63-10600 INIT JSF
T. R. S. Q/Q
D/D 30 40 15 AWSE
SCALE _____
PHOTO ID. _____

T28

62-0600




View from the north
east corner of the prop.



View of the south end
of the property.

62-10660



View of well's Pump
SYSTEM.



View of the system
in use.

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10600

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 4w, Sec. 15, NW 1/4 SE 1/4 or Lot _____.

2. Owner: Robison Fruit Ranch

Address Rt. 10 Box 354,, City Caldwell, St. Ida

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port:	Yes ☒ No _____	Static Water Level:	<u>50'</u>
Pressure Gauge:	Yes ☒ No _____	Casing Diameter:	<u>12"</u>
Flowing:	Yes _____ No ☒	Temperature:	_____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 2, 1992

ROBISON FRUIT RANCH INC
C/O STANLEY ROBISON
15591 SUNNY SLOPE RD
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-10600

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

DEC 09 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10600

Date 11-02-92

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Certified Exam _____
	☒	☐	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? _____
	☐	☒	<u>125 x .02 = 2.5 / .82 cfs (IRR)</u>
	☒	☐	Disagree with Theoretical? <u>75 x 3.8 x .7 = 2.53</u>
	☐	☒	Limited by Capacity? <u>.82 cfs 47' + (2.31 x 50)</u> (measured)
TOTAL VOLUME	☐	☒	Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
	☐	☒	<u>3-15 to 11-15</u> Standard Irr. Season _____
	☐	☒	<u>Same Per Permit</u> Season Recommended _____
	☒	☐	Disagree with Examiner's Calculations? _____
	☐	☒	<u>125 x 4.5 = 562.5 > 398.5 afa (IRR)</u>
	☐	☒	Limited by Flow? <u>.82 x 245 x 1.9835 = 398.5</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D	☐	☒	Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U	☐	☐	Verify with Map _____
	☐	☐	Amendment Needed? _____
	☐	☐	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☒	☐	Other PPO/ <u>125 acres within 140 acre PU</u>
CONDITIONS	☐	☒	Measuring Device _____ DATES/MISC _____
	☐	☒	W/Master Control _____ Water Dist. _____
	<u>R32</u>	☐	Overlap _____ App Rec'd _____
	☐	☒	Water Quality _____ Exam Made _____
COMMENTS/MEMOS NEEDED:	<u>Reduced rate</u>		
	<u>Estimated dynamic level + average IRR psi</u>		
License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence _____			

DATE: 11/04/92
PAGE: 1

Stage: LICENSE

Audit: 11/04/92 SKAGGS

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM			
		Lt		Ac		Lt		Ac		Lt		Ac		Lt		Ac					
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac						
L6310600	T03N R04W S15 GROUNDWATER																				
	:							10	40						30		05	10	30	15	140
6302388	BOISE RIVE :																				
A6302388	BOISE RIVE :																				
6308428	GROUNDWATE :							40	40	40	40										160
6308473	GROUNDWATE :													40							40
A6308473	GROUNDWATE :													40							40
6310600	GROUNDWATE :											40	40				25	20			125
6311147	GROUNDWATE :																				2
6311179	GROUNDWATE :																		02		2
6311660	GROUNDWATE :				30																65
6311829	GROUNDWATE :		40																		40
M6311829	GROUNDWATE :		40																		40
A6321072	SPRINGS :																				8
--86 MAP--	C27Q-X 54 :	37	39	40	41	39	37	30	40	41	36	37	36	40	39	37	42				611
--86 MAP--	C73Q-X 54 :	37	38	39	40	37	36	29	39	39	36	37	40	40	39	42	40				608

< 125 w/in 140 described >

September 25, 1990

Robison Fruit Ranch, Inc.
5591 Sunny Slope Road
Caldwell, ID 83605

Dear Mr. Robison:

Re: Permit No. ⁶³⁻¹⁰⁶⁰⁰ ~~63-16000~~

This office acknowledges receipt of the proof of beneficial use form and beneficial use field report.

The next step is for the department to review and prepare the permit for licensing. I cannot tell you when this will be accomplished due to the backlog of pending licenses.

If you have any questions, please contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: region

MICROFILMED
OCT 19 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10600

Date: 8-6-90

General Considerations:

OK Name same as permit
OK Signature the same as permit holder
OK Address change _____ If yes, prepare a data entry
✓ Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
✓ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

✓ Rate of diversion appropriate for uses
_____ Is rate or volume and fee appropriate?
✓ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

OK Yes Is a measuring device or access port required?
OK No Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Field Report Included

Flow measurement required

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	_____
NEW PRIORITY DATE	_____	_____

8-10-4-90
SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Address Change

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10600

1. Owner: Stanley Robison

Phone No. (208) 459-2269

Current Address: 15591 Sunnyslope Road, Caldwell, Idaho 83605

2. Accompanied by: Cecil A. Thomas, P.E.

EXAM. DATE: June 20, 1990

Address: Box 868 Homedale, Idaho 83628

Phone No. (208) 337-3206

Relationship to Permit Holder: Certified Water Rights examiner.

3. Source: Groundwater tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: Wilder Irrigation District rights.

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
OCT 19 1990

*Sizes of pipes
as shown*

Scale: 1" = 1/4 mile.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Pump operating today. Water is used for supplemental water for irrigation of orchards and other crops in Section 15, Township 3 North and 4 West. Pipes 8" and 6" diameter carry flow to sprinkler heads to water tracts in Section 15 as shown on the S C S AND THE U S G S maps. System can be served by water from the well, Deer Flat Lowline Canal, or both as is now occurring. Supplemental ground water is very desirable to avoid extreme losses to expensive trees which could occur during droughts, and for early and late demands and other times when surface supplies are inadequate. ☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
03N-04W-15DBC1	GE	75	CLJ312507	Lane installed in 1988	

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NW	SE	15	3N	4W	Canyon	Canyon County SCS photo

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	4W	15					10	40					30	5	10	30	15		140
			Note: Considerably more acreage owned by the applicant can be readily tied into this pump. See SCS map.																

MICROFILMED

OCT 19 1980

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flowmeter	Rotor	Grainland	11139			May 23 1990

2. Measurements:

Rotor was installed with the rotor axle installed at the prescribed depth into the 8" pipe at which average velocity has been found to occur, (one inch for an 8" pipe).

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

The meter read 37 equivalent to 370 gallons per minute, or 0.82 cfs or 41 miners inches.

2. Alternate Method for Checking Purposes:

Pump was throttled at the time of measurement because full output was not needed.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

(Application is being made for supplemental water for 140 acres. The installation could fill a de-

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ mand for nearly a full supply for all of

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835$ the acreage but that need would

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ be rare. Assuming 75 inches were pumped for 150 days,

2. Volume Calculations for Other Uses: Volume would be 446 acre feet for a relatively dry year with a low supply from surface water.

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Water is used to supplement surface rights and demand is greater on years of low supply in Wilder Irrigation District. Demand could reach 125 inches in drought situations. Peak demand would not affect ground water supply noticeably.

The supply from the pump also serves as a year round fire protection.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
As much as 125 inches for 150 days during extreme drought. (May 1 to September 30)				

Totals: 744 acre feet for extreme drought.

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name Cecil A. Thomas

Signature Cecil A. Thomas

Certification Date _____

Field Report Preparation Date June 27, 1990



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


MICROFILMED
OCT 19 1990

S C S Map of Section 15, 3N, 4W
and vicinity



7½ minute in 3N,4W, Idaho

7.5 N



OCT 19 1990

PERMIT NO. 63-10600



Robison Fruit Co. Well in
Section 15, T.3 N, R 4 W.

MICROFILMED

OCT 19 1990

RECEIVED
JUN 28 1990

Field report included

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed 8-1-86-90

Sent to region _____

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10600

Name(s) of Permit Holder: Stanley Robison

Post Office Address 15591 Sunny Slope Road, Caldwell, Idaho 83605

Telephone No. (208) 459-2269

Source of Water: Well tributary to Snake River

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation and fire protection (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted 2.5 cfs cfs 600 acre-feet

Show the date water was first diverted and beneficially used under this permit: June 20, 1988

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Richard Kincheloe
(Name)

00119 1990
(Telephone Number)

20521 Pear Lane, Caldwell, Idaho 83605
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

12/27/89

Signature of Permit Holder (and title, if appropriate)

Richard Kincheloe for Stanley Robison

138690
April 30, 1990

ROBISON FRUIT RANCH INC.
RT. 10 BOX 354
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-10600

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

OCT 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-10600
Name(s) of Permit Holder(s): Robison Fruit Ranch, Inc
Post Office Address: Box 354 Ranch
Caldwell, Idaho 83605 TEL. 459-2269

☒ I hereby certify that construction of diversion works for the above referenced permit began on 5/30/88 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is
not an acceptable reason.

6/23/88
Date

Stanley Robison
Signature of Permit Holder

ROBINSON 1700 1st REACH, INC

Rt 10 Box 304

CALDWELL, IDAHO 83605

MICROFILMED

OCT 19 1990



IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.USE TYPEWRITER OR
BALLPOINT PEN**RECEIVED**
JUL 18 1988**1. WELL OWNER**Name Robison Fruit Ranch

Rt. #10 - Box 354

Address Caldwell, ID 83605Owner's Permit No. 63-10600**7. WATER LEVEL**

Department of Water Resources

Static water level 57 feet below land surface.Flowing? ☐ Yes ☐ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.

1000

Pumping Level

150'

Hours Pumped

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☐
- Rotary
- ☐
- Air
- ☐
- Hydraulic
- ☒
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTIONCasing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>16</u> inches	<u>+2</u> feet	<u>239</u> feet
<u>250</u> inches	<u>16</u> inches	<u>299</u> feet	<u>309</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches


Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☐ NoManufacturer's name Roscoe MossType Wirewrap Model No. _____Diameter 16 Slot size 040 Set from 239 feet to 299 feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8 MinusPlaced from 18 feet to 309 feetSurface seal depth 18 Material used in seal: ☐ Cement grout☐ Bentonite ☒ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld☐ Cemented between strataDescribe access port 2"**9. LITHOLOGIC LOG**

Bore Diam.	Depth		Material	Water Yes No
	From	To		
28"	0	10	Topsoil	
	10	12	Gravel	
	12	20	Sand and Caleche	
	20	34	Brown Clay(soft)w/Sandy Stks.	
	34	65	Brown Clay	
	65	85	Coarse Sand & Gravel	
	85	89	Coarse Sand & Gravel-Cemented	
	89	93	Brown Clay	
	93	113	Blue Clay	
	113	137	Dark Brn. Clay	
	137	143	" " " & Blu Clay mxd.	
	143	148	Dark Brn. Clay	
	148	153	Blue Clay	
	153	183	" " & Drk Brn. Clay Mixd.	
	183	193	Blue Clay	
	193	196	Blu Clay-Fine Sand & Cinders	
	196	203	Blu & Drk. Brn. Clay Mxd.	
	203	210	Blue Clay	
	210	213	Blue Clay w/some sand	
	213	218	" " "	
	218	223	Blue Clay	
	223	243	Blue Clay & Sand	
	243	303	Blue Sand-Fine to coarse	
	303	308	Blue Clay-Some Sand	
	308	383	Blue Clay	
	383	403	Blue Clay-Sme. Drk. Brn. Clay	

10.Work started 5/30/88 finished 6/3/88**6. LOCATION OF WELL**Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

County _____ Canyon _____

NW ¼ SE ¼ Sec. 15, T. 3N N/S, R. 4W E/W.**11. DRILLERS CERTIFICATION**I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Pete Cope Drilling Co., Inc.

Firm Name _____ Firm No. 2136505 West Chinden Blvd.Address Meridian, ID Date June 6, 1988Signed by (Firm Official) Pete Cope, P.E.

and

(Operator) Joseph Jones



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

June 21, 1988

RE: Permit No. 63-10600

Robison Fruit Ranch, Inc.
Rt. 10, Box 354
Caldwell, ID 83605

Dear Permit Holders:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the Department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Allocation Section

GS:sc
Enclosures

RECEIVED
AUG 08 1988

Drilling Permit. 63-PP-W-088
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED

MAY 25 1988

(Authorizing Construction of a Well)*

Department of Water Resources

1. Applicant ROBISON FRUIT RANCH, INC. Phone No: 459-7870R
2. Address RT. 10, BOX 354, CHANDWELL, ID 459-2269

83605

☒ Well Owner () Well Operator () Other, specify _____

3. APPLICATION FOR PERMIT HAS BEEN FILED
Water right permit no. 63-14600; Injection well permit no. _____

4. Proposed well location 1/4NW 1/4SE 1/4, or Gov't lot No. _____,
Sec. 15, Twp. 3N, Rge. 4W, County CANYON,
Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

() Domestic () Stockwater () Monitoring

☒ Irrigation () Industrial () Municipal

() Injection () Other, Specify _____

6. Well construction information:

☒ New well () Deepen () Replace

Proposed surface diameter 16" Proposed depth 500'

Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

7. Anticipated construction start date 5-25-88

8. Well Driller (if known) Pete Pope # 213

Address Meridian

Date 5-18-88 Applicant's signature Stanley Robison

Title Mgr.

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

1. This drilling permit does not represent a right to divert and use the water of the State of Idaho. Prior to diversion of water, the well owner shall obtain an approved application for permit from the Dept. 18th day of May, 1988.

Signed

Title

Jan Thun
for Western Regional Mgr.

Received by

Fee

100.00

Date

5/18/88

Receipt No.

W000219

Construction start date

5/25/88

Construction start extension to

AUG 20 1988

Extension approved by

P.D. 3N 4W S.15 NWSE
P.V. 3N 4W S.15 NESW (40)
NWSE (40)
NESE (25)
NWSE (20)

Form No. 202a
1/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY BS DATE 4/12/88 APPLICATION NUMBER 63-10600

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- No ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
No ☐ Overlapping point of diversion
☐ Yes ☐ No Field check required
Field check by _____
☐ Yes ☐ No Field report attached
☐ Yes ☐ No Critical groundwater area
☐ Yes ☐ No Groundwater management area
☐ Yes ☐ No Send dam safety information
☐ Yes ☐ No Send power requirement letter
☐ Yes ☐ No Send fish farm requirement letter
☐ Yes ☐ No Power residency affidavit
☐ Yes ☐ No Power efficiency form
☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

RECEIVED
AUG 11 1988

RECEIVED
MAY 18 1988

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

Department of Water Resources

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

END COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 5/9/88
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached Approve, Dnr
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below. _____

26A, OIC Recommend that 2 years be allowed for completion of this project.

☐ See below for additional information

Date of priority recommended 4/1/1988
By Dnr Date 5/10/1988

STATE OFFICE REVIEW 123, 103, 117 46 26 OIG

☐ See below for additional information
By KW Date 5/17/88

ADDITIONAL INFORMATION

63-10600

Reels

ROBISON FRUIT RANCH, INC.
RT. 10, BOX 354
CALDWELL, ID 83605

Source: GROUNDWATER

Tributary:

Diversion Pt: NWSE Sec 15 T 03N R 04W

Use: IRRIGATION (2.500 CFS)

Date Filed: 4/07/1988

In: NESW Sec 15 T 03N R 04W FOR 40.0 ACRES
NWSW Sec 15 T 03N R 04W FOR 40.0 ACRES
NESE Sec 15 T 03N R 04W FOR 25.0 ACRES
NWSE Sec 15 T 03N R 04W FOR 20.0 ACRES
Total acres: 125

RECORDED

AUG 08 1988