

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RGE. 2E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

L.L. Mack
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 19 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10588

1. Owner: GEORGE MACK, HOMECREST MOBILE LOTS

Phone No. 344-8461

Current Address: 3170 CATALINA LANE, BOISE, IDAHO 83705

2. Accompanied by: BUD EMERSON

EXAM. DATE: JUNE 7, 1990

Address: 815 SO. CURTIS 83705 BOISE, ID

Phone No. 342-7845

Relationship to Permit Holder: MANAGER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-03112

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 200'

APR 15 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

PERMIT 63-10588

HOME CREST

MOBILOTS


815 So. Curtis

Rd. 915



PERMIT 63-10588

MM - Master Meter
CO - Sewer Clean out
C - Cable TV - 18 inch
T - Telephone - 18 inch
G - Gas Line - 18-30 inches
E - Electric - 3 foot
W - Water - 4 foot
S - Sewer - 5 foot



1.8 MI. TO U.S. 20 & 26 116° 15' 43' 37' 30"

PERMIT 63-10588 INIT CWJ

R. S. Q/Q

P/D 3N 2E 18 NE SE

SCALE

PHOTO ID. X-58

0.9 MI. T
BOISE (STAT

710 000
FEET

2.7 MI. TO U.S. 20, 26 & 30
BOISE (STATE CAPITOL) 4 MI.

1.6 MI. TO U.S. 20, 26 & 30

1.6 MI. TO U.S. 20, 26 & 30
BOISE (STATE CAPITOL) 5.5 MI

FILMED
APR 15 1991

PERMIT 63-10588

PHOTO #1

6-INCH WELL EQUIPPED WITH 3 HP SUBMERSIBLE
PUMP TO SUPPLY IRRIGATION WATER FOR
HOMECREST MOBILOTS.



APR 15 1991

PHOTO #2

VIEW OF OFFICE - LOOKING WEST FROM CURTIS R.




PERMIT 63-16588

PHOTO #3

A TYPICAL MODICLOT IRRIGATED LOT — AVERAGE
AREA 1500 FT.²



IRRIGATION AROUND THE OFFICE — ALL SYSTEM
HOSE-SPRINKLER SYSTEMS. PHOTO #4



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10588

Priority: March 23, 1988

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.07 CFS
15.3 AF

This is to certify, that GEORGE L. MACK
MARIA E. MACK

3170 CATALINA LANE
BOISE, ID 837050000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 23, 1988; and has submitted Proof of Beneficial Use on April 13, 1989. An examination indicates that the works have a diversion capacity of .150 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.07 CFS	15.3 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 18, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	18	NESE	3.4		3.4

Total number of acres irrigated: 3.4

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

APR 15 1991

State of Idaho
Department of Water Resources

PAGE 2

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10588

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27th
day of March, 1991.

David R. Tuttle
for R. Keith Higginson, Director

MICROFILMED
APR 15 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant GEORGE L. & /OR MARIA E. MACK Phone 343-7361
Post office address 3170 CATALINA LANE, BOISE, ID 83705
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 18 Township 3N Range 2E B.M. ADA County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .16 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .16 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WELL w/ PUMP FOR
SPRINKLER IRRIGATION

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 60 feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

SEP 30 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	18													8				8

Total number of acres to be irrigated 8

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANTS

b. Who owns the land to be irrigated or place of use? APPLICANTS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: _____

SEP 30 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T6E. 34E

TWP.
34N
R. 6E
PT. OF
QU.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

L. L. Mack
(Applicant)

Proposed Priority 3/23/88

Received by [Signature] Date 3/23/88 Time 1:45 Preliminary check by _____

Fee \$ 30.00 Receipted by [Signature] # W000051 Date 3/23/88

Publication prepared by GG Date 3-30-88 Published in Idaho Statesman

Publication approved [Signature] Date 4/19/88 4-7 & 4/13/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10588, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 18th day of May, 1988.

[Signature]
Director

RECEIVED

SEP 30 1988

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

104.39

Account Name Idaho Department of Water Resources (Western)			Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID		Zip 83705
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1988 April 7, 14	
Identification Applications for Water Rights			Estimated Inches	Real Inches
1 Number of Affidavits Requested				Legal Number #8171

RECEIVED
APR 15 1988

STATE OF IDAHO)

) ss.

Department of Water Resources
Western Regional Office

COUNTY OF ADA)

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10540

STAFFORD, HERSHEL V. and/or
NORENE
7708 Stirrup
Boise, ID 83709
Source: Groundwater
Date Filed: 09/22/1987
Diversion Pt.: SESE Sec. 36 T 03N R 01E
Use: Irrigation (0.030 CFS)
Use: Domestic (0.020 CFS)
In: SESE Sec. 36 T 03N R 01E for 1 acres

63-10587

WATSON, ROBERT L.
871 S. Five Mile
Boise, ID 83709
Source: Groundwater
Date Filed: 03/23/1988
Diversion Pt.: NESE Sec. 15 T 03N R 01E
Use: Irrigation (0.2 CFS)
In: NESE Sec. 15 T 03N R 01E for 10 acres

63-10588

MACK, GEORGE L. and/or
MARIA E.
3170 Catalina Ln.
Boise, ID 83505
Source: Groundwater
Date Filed: 03/23/1988
Diversion Pt.: NESE Sec. 18 T 03N R 02E
Use: Irrigation (0.160 CFS)
In: NESE Sec. 18 T 03N R 02E for 8 acres

63-10589

McFADDEN, VEDA J. and/or
BERNARD
950 N. Black Cat Rd.
Meridian, ID 83642
Source: Groundwater
Date Filed: 03/23/1988
Diversion Pt.: SWNW Sec. 10 T 03N R 01W
Use: Irrigation (0.8 CFS)
In: SWNW Sec. 10 T 03N R 01W for 40 acres

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before April 25, 1988.

R. KEITH HIGGINSON
Director

Pub. Apr. 7, 14, 1988

8171

Deborah Gregory, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of April 7, 19 88

and ending with the issue of April 14, 19 88

Subscribed and sworn to before me this 14th

day of April, 1988

Linda E. Plow
Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED

SEP 30 1988

April 2, 1991

GEORGE L. MACK
MARIA E. MACK
3170 CATALINA LANE
BOISE, ID 837050000

RE: WATER RIGHT NO. 63-10588

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
FILMED

APR 15 1991

March 13, 1991

GEORGE L. MACK
MARIA E. MACK
3170 CATALINA LANE
BOISE, ID 837050000

RE: WATER RIGHT NO. 63-10588

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

APR 15 1991

LICENSE REVIEW CHECKLIST

Permit No. 63-10588

Name/Address change? ok ☒

Priority date Advance? yes no ☒
Memo to advance no ☒

Total cfs Order to reinstate needed? yes no ☒

Limited by fee ok

Total volume Limited by capacity no

Capacity Limited by flow no

Chart checked for AF rate/ac 4.5 ☒
Actual measurement checked no ☒
Theoretical checked no ☒
If greater than permit, check for other rts $\frac{3 \times 8.8 \times .8}{26 + (2.31 \times 50)} = .149$

Source Changed? yes no ☒
If so, is memo needed to clarify? no ☒

P/D Verify with map no ☒ permit no ☒
More than one per 4.5 Remember remark no ☒
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart no ☒

P/U Verify with map no ☒ permit no ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 4.5 ☒
Description of non-irrig uses no ☒
Special overlap condition no ☒

Conditions -	Dates/Misc. -
Measuring device <u>no</u> ☒	Water Dist <u>no</u> ☒
W.Master control <u>no</u> ☒	App Rec'd <u>no</u> ☒
Overlap <u>432</u>	Proof Rec'd <u>no</u> ☒
Water quality <u>no</u> ☒	
Other <u>no</u> ☒	

CHECK FOR ADJ. CLAIM Needed according to proof filed no ☒
Filed - needs amended no ☒
Add'l fee required no ☒
Not filed - no ☒
Not needed yes ☒ proof made 1989

Comments/Changes to Examiner's Recommendation no ☒

License no ☒ 10-day no ☒ APR 15 1991

Back of field report signed? no ☒
Reviewer S. Curran Date 4/24/91 Review time 6 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10588
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

~~NONE~~ ☐ Copies of any Amendments/Orders with conditions of approval

YES Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

~~NONE~~ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index CWS 6/4/90 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index CWS 6/4/90 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: WATER CO.

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☐ Fully completed and signed Field Report Form

☐ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed Edifton W. Johnson 6/8/90 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JFW 1/27/91 (Initial and date)

Exam Reviewed by Manager of Regional Office Dnr 2/14/91 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 2-15-91 (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 19 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10588

1. Owner: GEORGE MACK, HOMECREST MOBILE LOTS

Phone No. 344-8461

Current Address: 3170 CATALINA LANE, BOISE, IDAHO 83705

2. Accompanied by: BUD EMERSON

EXAM. DATE: JUNE 7, 1990

Address: 815 SO. CURTIS 83705 BOISE, ID

Phone No. 342-7845

Relationship to Permit Holder: MANAGER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-03112

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 200'

MICROFILMED

APR 15 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6-INCH WELL EQUIPPED WITH A 3 HP SUBMERSIBLE PUMP
PROVIDES WATER BY PRESSURE TANK SYSTEM FOR LAWN IRRIGATION
OF 93 TRAILER HOUSE LOTS AND A MAW OFFICE LAWN. PRESSURE
RANGES FROM 40-60 PSI AND WATERING IS BY INDIVIDUAL HOSE
SPRINKLERS ON EACH YARD. WATER FOR OTHER DOMESTIC USE
IS PROVIDED FROM THE MUNICIPAL SUPPLY.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL	STA RITE	3	40P414025	SUBMERSIBLE	DISCHARGE - 1 1/2 INCH

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion: PHOTO #1

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
WELL			NE	SE	18	3N	2E	ADA	ORTHO PHOTO MAP

6. Place(s) of Use: PHOTOS #2, #3, #4 Indicate Method of Determination SAME AS ITEM 5

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	18													3.4				3.4 ac.

APR 15 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: NONE

2. Alternate Method for Checking Purposes:

HORSE POWER EQUATION: $\frac{3 \times 8.8 \times .7}{2.5 + (2.31 \times 40)} = 0.16 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: $3.4 \text{ A} \times .02 \text{ cfs/A} = .07 \text{ cfs}$

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.4 \times 4.5 = 15.3 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .07 \times 245 \times 1.9835 = 34.0 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 15.3 \text{ AFA}$

2. Volume Calculations for Other Uses:

MICROFILMED

APR 15 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THE MUNICIPAL WATER SUPPLY IS USED FOR EVERYTHING EXCEPT IRRIGATION OF LAWNS AND TREES, 63-03112.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	0.07 CFS	15.3 AFA
Totals:			0.07 CFS	15.3 AFA

2. Recommended Amendments NONE

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name CLIFTON W. JOHNSON
Signature Clifton W. Johnson
Certification Date _____
Field Report Preparation Date JUNE 8, 1990



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SC
2/24/91

MICROFILMED

APR 15 1991


PERMIT 63-10588

HOME CREST

MOBILOTS


815 So. Curtis

Rd 915



PERMIT 63-10588

MM - Motion Motion
CO - Sewer Clean out
C - Cable TV - 18 inch
T - Telephone - 18 inch
G - Gas Line - 18-30 inches
E - Electric - 3 foot
W - Water - 4 foot
S - Sewer - 5 foot



PERMIT 63-10588 -

PHOTO #1


6-INCH WELL EQUIPPED WITH 3 HP SUBMERSIBLE
PUMP TO SUPPLY IRRIGATION WATER FOR
HOMECREST MOBILE LOTS.



APR 15 1991

PHOTO #2

VIEW OF OFFICE - LOOKING WEST FROM CURTIS R.



PERMIT 63-10588


PHOTO #3

A TYPICAL MODICLOT IRRIGATED LOT — AVERAGE
AREA 1500 FT.²



PHOTO #4

IRRIGATION AROUND THE OFFICE — ALL SYSTEM
HOSE-SPRINKLER SYSTEMS.



Department of Water Resources

WELL INSPECTION FORM

6/7/90

If well is associated with water right, provide WR# 63-10588

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____ 1/4 ____ 1/4 or Lot____.

2. Owner: GEORGE MACK

Address____, City____, St____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☐ No ☒
Pressure Gauge: Yes ☒ No ☐
Flowing: (OFF AND ON) Yes ☒ No ☐

Static Water Level: 19 FT.
Casing Diameter: 6-INCH
Temperature: 57°

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: CLIFTON JOHNSON

PUMPI STARITE MODEL 40P 4/4025 50 gpm @ 50 psi

OPERATE 40-60 PSI

LMED

APR 15 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10588

Date: 4/14/89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
 Y 1. well log in file
 Y 2. drilling permit
 Y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
 Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
Y Waiver or modification of measuring device requested

Remarks:

Proof acceptable

NA

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 21
03/86

REC-11
APR 13 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 50.00
Date 4/13/89
Receipt # 606317
Receipt by K. King
Reviewed by AS
Sent to region 25

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10588-

Name(s) of Permit Holder: George L. & Maria E. Mack dba Homecrest Mobile lots

Post Office Address: 3170 Catalina Lane

Boise Idaho 83705 Telephone No. 344-8461

Source of Water: Ground Water (well)

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation Eight (8) (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .16 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 5-1-88

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Albert Emerson, Pack Manager 342-7845
(Name) (Telephone Number)

815 South Curtis Road Boise Idaho 83705
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-11-89
Date

M. E. Mack
Signature of Permit Holder (and title, if appropriate)

MAY 15 1989

MICROFILMED

RECEIVED

APR 13 1989

Rita I. Fleck

Dear Rita:

Department of Water Resources

We are sorry that we are slow getting this information to you. Grant Klingler and I have both been out of the state for three months.

We are surely glad to have this application being processed.

Thanks so much. Enclosed is a check for the fee.

Leigh Chantrill

P.S. Give my best regards to Keith Higginson and Norman Young

MICROFILMED

MAY 15 1989

GEORGE L. MACK
MARIA E. MACK
3170 CATALINA LN.
BOISE, ID 837050000

March 31, 1989

138100

PROOF DUE NOTICE

RE: PERMIT NO. 63-10588

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAY 15 1989

PH

and
(Operator) *Chuck Klavin*

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

May 23, 1988

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

RE: Permit No. 63-10588

George L. &/or Maria E. Mack
3170 Catalina Lane
Boise, ID 83705

Dear Permit Holder(s):

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the final page. Also enclosed is a copy of the approved drilling permit submitted in connection with this water right.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the Department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use that must be submitted when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Allocation Section

GS:sc

Enclosures


RECEIVED

SEP 30 1988

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*



Department of Water Resources
Western Regional Office

1. Applicant Homecrest Mobile Home Court

2. Address _____

() Well Owner () Well Operator () Other, specify _____

3. Water right permit no. _____; Injection well permit no. _____

4. Proposed well location 1/4 NE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 18, Twp. 3N, Rge. 2E, County Ada,
Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

() Domestic () Stockwater () Monitoring
(X) Irrigation () Industrial () Municipal
() Injection () Other, Specify _____

6. Well construction information:

(X) New well () Deepen () Replace
Proposed surface diameter 6" Proposed depth 100'

Anticipated bottom hole temperature:

(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

7. Anticipated construction start date March

8. Well Driller (if known) Davis Well Drilling - Chuck Davis #101

Address 415 N. Pitt Lane Nampa Idaho 83651

Date 3-23-88 Applicant's signature Garrett M Davis

Title Owner Davis Well Drilling
RECEIVED

* After other pre-requisite approvals have been obtained.

SEP 30 1988

ACTION OF IDWR

(X) Approved () Denied

63-88-2-059

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 18th day of May, 1988
SIGNED J. Glen Sator
SEP 30 1988
Title Chief, Oper Bur

Received by [Signature] Fee \$100.00 Date 3/28/88
Receipt No. W000064 Construction start date _____
Construction start extension to _____
Extension approved by _____

orm No. 202a
/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY SD DATE 3/28/88 APPLICATION NUMBER 63-10588
63 -

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☐ No Field check required
Field check by _____
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☐ No Critical groundwater area
- ☐ Yes ☐ No Groundwater management area
- ☐ Yes ☐ No Send dam safety information
- ☐ Yes ☐ No Send power requirement letter
- ☐ Yes ☐ No Send fish farm requirement letter
- ☐ Yes ☐ No Power residency affidavit
- ☐ Yes ☐ No Power efficiency form
- ☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested MAY 09 1988

RECEIVED

Department of Water Resources

PROCESSING

☒ Yes ☐ No In form for advertising
☒ Yes ☐ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 4/29/88
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 63
☐ Yes ☒ No Special conditions of approval or cover letter below. _____

☒ See below for additional information

Date of priority recommended 3/23/1988

By DER Date 5/5/88

STATE OFFICE REVIEW

46

423, 405, 416

By KW

☐ See below for additional information

Date 5/11/88

ADDITIONAL INFORMATION

Process drilling permit

63-10588

MACK, GEORGE L. &/or MARIA E.

3170 CATALINA LN., BOISE, ID 83705

Source: GROUNDWATER

Diversion Pt: NESE Sec 18 T 03N R 02E

Use: IRRIGATION (0.160 CFS)

Date Filed: 03/23/1988

In: NESE Sec 18 T 03N R 02E FOR 8 ACRES

RECEIVED

SEP 30 1988

3/83

IDENT. NO. 63-10588

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT DATA ENTRY LOG

[illegible]