


13. M
to

place of use, section number,

DEC 8 1988



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Todd Norton
(Applicant)
Stacy

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 63-16057

1. Owner: GLEN CLAYTON Phone No. 888-2592
Current Address: 2160 E. LAKE HAZEL ROAD, MERIDIAN, IDAHO 83642
2. Accompanied by: SAME AS ABOVE EXAM. DATE: JUNE 8, 1990
Address: _____ Phone No. _____
Relationship to Permit Holder: SAMS
3. Source: TEN MILE DRAIN tributary to FIFTEEN MILE CREEK

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE NAMPA - MERIDIAN IRRIGATION DIST.

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 200'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).


RECEIVED

FEB 01 1993

Handwritten notes on the left margin, possibly describing the survey area or data.


FEB 01 1905

RECEIVED



Antarctic Survey





PERMIT 63-10582 INIT CWS
T. R. S. Q/Q
P/D 3N 1E 29 SWSE
SCALE X-50

RECEIVED
FEB 01 1993

P/U

P/D

T. 3 N.
T. 2 N.

30"

PERMIT 63-10582

PHOTO #1

2 HP MOTOR AND CENTRIFUGAL PUMP DIVERTING
WATER FROM TENMILE CREEK FOR IRRIGATION.



CIPOLLETTI WEIR WITH 1-FOOT CREST MEASURING FLOW
USED FOR IRRIGATION THROUGH GATED PIPE, G.H. 0.38 FT. PHOTO #2



FEB 01 1993

RECEIVED
FEB 01 1993

PERMIT 63-10582

PHOTO #3

P/U ON ALFALFA FIELD - VIEW LOOKING NORTH FROM
NEAR END OF SUPPLY LINE FROM PUMP.



Microfilm

FEB 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10582

Priority: March 3, 1988

Maximum Diversion Rate: 0.37 CFS
Maximum Diversion Volume: 82.2 AF

This is to certify, that TODD CLAYTON
GLEN CLAYTON

2160 E LAKE HAZEL
MERIDIAN ID 836420000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 3, 1988; and has submitted Proof of Beneficial Use on April 6, 1989. An examination indicates that the works have a diversion capacity of 1.200 cfs of water from:

TEN MILE CREEK tributary to BOISE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.36 CFS	81.9 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.3 AF
	Totals	0.37 CFS	82.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 29, Township 03N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01E	29	SWSE	18.2		18.2

Total number of acres irrigated: 18.2

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

Priority 1/27

FEB 01 1992

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 63-10582

CONDITIONS/REMARKS:

5. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
8. Stockwater use is for 25 horses and range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of DECEMBER, 1992.

Acting for  Director

RECEIVED
FEB 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant TODD & DR GLEN CLAYTON Phone 888-2592
Post office address 2160 E. LAKE HAZEL, MERIDIAN, ID 83642
2. Source of water supply TEN MILE CK. which is a tributary of BOISE RIVER
3. Location of point of diversion is _____ ¼ of SW ¼ of SE ¼, Govt. Lot _____
Sec. 29 Township 3N Range 1E B.M. ADA County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .50 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for STOCKWATER purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .52 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PORTABLE PUMP w/GATED
PIPE FOIL IRRIGATION.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECEIVED

DEC 08 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. 25-30 HD
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1E	29															25		25
																	5		

Total number of acres to be irrigated 25

10. Describe any other water rights used for the same purposes as described above. NAMPA-MERIDIAN IRRIGATION DISTRICT.


- Who owns the property at the point of diversion? APPLICANTS
- Who owns the land to be irrigated or place of use? APPLICANTS
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

DEC 08 1988

13. M
to

Place of use, section number,



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Todd Clayton
(Applicant)
St. E. Clayton

Proposed 3/3/88

Received by RL Date 3-3-88 Time 11:00 am Preliminary check by _____

Fee \$ 45.00 Received by LR # W000016 Date 3/3/88

Publication prepared by GG Date 3-9-88 Published in The Idaho Statesman

Publication approved LR Date 3/29/88 3/17 & 3/24/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10582, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Water shall not be diverted under this permit until a written agreement with the irrigation district or canal company serving the area containing the point of diversion is filed with the Department of Water Resources providing for the coordination of the permit use with the irrigation district or canal company operation.

A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water.

Use of water under this permit is subject to control by the watermaster of State Water District No. 63, Boise River.

This permit does not authorize the installation of a permanent diversion structure without prior approval of the irrigation district or canal company.

Witness my hand this 3rd day of October, 1988.

Director

DEC 08 1988

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

42.19

Account Name Idaho Dept. of Water Resources (Western)			Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID		Zip 83705
Ordered By Judy Pense	P.O. Number	Rate nt	Run Dates 1988 March 17, 24	
Identification Water Right: 63-10575 & 63-10582			Estimated Inches	Real Inches
☐ Number of Affidavits Requested				Legal Number #7975

RECEIVED
MARCH 24 1988

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Deborah Gregory, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2)

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of March 17, 19 88

and ending with the issue of March 24, 19 88

Deborah Gregory

Subscribed and sworn to before me this 24th

day of March, 19 88

DEC 08 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10575

U.S. West Newretractor Group, Inc.
3350 161 St. Ave.
Bellevue, WA 98008

Source: Groundwater

Diversion Pt: NWNE Sec. 33 T 04N R 01E

Use: Domestic (0.020 CFS)

Date Filed: 02/29/1988

In: NWNE Sec. 33 T 04N R 01E

63-10582 ✓

Clayton, Todd &/or Glen

2160 E. Lake Hazel
Meridian, ID 83442

Source: Ten Mile Creek Trib. to
Boise River

Diversion Pt: SWSE Sec. 29 T 03N R 01E

Use: Irrigation (0.5 CFS)

Use: Stockwater (0.020 CFS)

Date Filed: 03/03/1988

In: SWSE Sec. 29 T 03N R 01E for
25 Acres

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before April 4, 1988.

R. KEITH HIGGINSON
Director

Pub. March 17, 24, 1988

Kim E. Plaw 12/83

13
FA 99-232 HC

Recorded at Request of _____ I-17687
at _____ M. Fee Paid \$ _____
by _____ Dep. Book _____ Page _____ Ref.: _____
Mail tax notice to _____ Address 330 Murray Ave., Camarillo, CA 93010

RECEIVED
SEP 29 1995

Department _____

WARRANTY DEED

LYNN BRINTON ASAY and SUZANNE WILLIAMS ASAY, husband and wife grantor
of Boise, County of _____, State of ~~UTAH~~ Idaho hereby
CONVEY and WARRANT to _____ Idaho

SECURITY DEVELOPMENT CORPORATION, a Utah Corporation

of Camarillo, State of California grantee
TEN AND NO/100 and Other Good and Valuable Considerations ----- DOLLARS,

the following described tract of land in ADA County,
State of ~~UTAH~~ Idaho

SEE EXHIBIT "A" ATTACHED HERETO AND BY THIS REFERENCE IS MADE A PART HEREOF.

95064972

FIRST AMERICAN TITLE CO.
ADA CO. RECORDER
J. DAVID NAVARRO
BOISE ID

'95 SEP 8 PM 4 03
FEE 6.00 RECEIVED
RECORDED AT REQUEST OF

WITNESS, the hand of said grantor, this 31st day of
August, A. D. 19 95.

Signed in the Presence of


Lynn Brinton Asay
LYNN BRINTON ASAY
Suzanne Williams Asay
SUZANNE WILLIAMS ASAY

STATE OF UTAH,
County of IRON


ss.

On the 31st day of August, A. D. 1995
personally appeared before me

LYNN BRINTON ASAY and SUZANNE WILLIAMS ASAY, husband and wife
the signers of the within instrument, who duly acknowledged to me that they executed the
same.



[Signature]
Notary Public.
Residing in Cedar City, Utah



March 28, 1998

Form 7101, Warranty Deed - Gen. Printing, Inc. - (801) 277-3430

EXHIBIT "A"

PARCEL A: Part the Southwest Quarter of the Southeast Quarter of Section 29, Township 3 North, Range 1 East, of the Boise Meridian, Ada County, Idaho, described as follows:

COMMENCING at the South Quarter Corner of Section 29, marked by a 5/8 inch diameter iron rod with an aluminum cap, found 0.2 feet below a paved surface at the approximate centerline of East Amity Road; thence North 0°18'41" West 25.00 feet; thence along the North/South midsection line of Section 29 to a point on the Northerly right-of-way line of East Amity Road, said point being the Real Point of Beginning; thence continuing North 0°18'41" West 1298.55 feet, more or less, along the North/South midsection line of Section 29 to a point, said point being the center South 1/16th Corner of Section 29; thence North 89°49'12" East 672.00 feet along the North Line of the Southwest Quarter of the Southeast Quarter of Section 29 to a point; thence South 0°07'45" East 1297.98 feet, more or less to a point, said point being on the Northerly right-of-way line of East Amity Road; thence South 89°42'17" West 667.87 feet, more or less, along the Northerly right-of-way line of East Amity Road, said right-of-way line being parallel to and 25.00 feet North of the South Line of Section 29, to the Real Point of Beginning.

EXCEPT THEREFROM part of the Southwest Quarter of the Southeast Quarter of Section 29, Township 3 North, Range 1 East, of the Boise Meridian, Ada County, Idaho, described as follows:

COMMENCING at the South Quarter Corner of Section 29, marked by a 5/8 inch diameter iron rod with an aluminum cap, found 0.2 feet below a paved surface at the approximate centerline of East Amity Road; thence North 0°18'41" West 25.00 feet; thence along the North/South midsection line of Section 29 to a point on the Northerly right-of-way line of East Amity Road, said point being the Real Point of Beginning; thence continuing North 0°18'41" West 696.02 feet along the North/South midsection line of Section 29 to a point, said point being at the approximate centerline of the existing Ten Mile Drain; thence South 52°54'21" East 503.16 feet, along the approximate centerline of the existing Ten Mile Drain to a point; thence along a curve to the right, 405.54 feet, said curve following the approximate centerline of the existing Ten Mile Drain and having a radius of 1071.91 feet, a central angle of 21°40'37", and a long chord bearing South 42°04'03" East 403.13 feet, to a point; thence South 0°07'45" East 89.84 feet, more or less, to a point, said point being on the Northerly right-of-way line of East Amity Road; thence South 89°42'17" West 667.87 feet, more or less, along the Northerly right-of-way line of East Amity Road, said right-of-way line being parallel to and 25.00 feet North of the South Line of Section 29, to the Real Point of Beginning.

ALSO EXCEPT therefrom, ditch rights-of-way for Ten Mile Drain.

PARCEL B: An easement for ingress and egress, being a part of the Southwest Quarter of the Southeast Quarter of Section 29, Township 3 North, Range 1 East, of the Boise Meridian, Ada County, Idaho, described as follows:

COMMENCING at the South Quarter Corner of Section 29, marked by a 5/8 inch diameter iron rod with an aluminum cap, found 0.2 feet below a paved surface at the approximate centerline of East Amity Road; thence North 0°18'41" West 25.00 feet; thence along the North/South midsection line of Section 29 to a point on the Northerly right-of-way line of East Amity Road; thence North 89°42'17" East 617.87 feet along the Northerly right-of-way line of East Amity Road, said right-of-way line being parallel to and 25.00 feet North of the South Line of Section 29, to the Real Point of Beginning; thence North 0°07'45" West 165.46 feet to a point, said point being at the approximate centerline of the existing Ten Mile Drain; thence along a curve to the right, 90.57 feet, said curve following the approximate centerline of the existing Ten Mile Drain and having a radius of 1071.91 feet, a central angle of 4°50'28", and a long chord bearing South 33°38'59" East 90.54 feet, more or less to a point, said point being the boundary corner common to Parcels S1129-43-8465 and S1129-43-8485; thence South 0°07'45" East 89.84 feet, more or less to a point, said point being on the Northerly right-of-way line of East Amity Road; thence South 89°42'17" West 50.00 feet, more or less, along the Northerly right-of-way line of East Amity Road, said right-of-way line being parallel to and 25.00 feet North of the South Line of Section 29, to the Real Point of Beginning.

TOGETHER with all rights, privileges, and appurtenances belonging or in anywise appertaining thereto, being subject, however, to easements, rights of way, restrictions, etc., of record or enforceable in law or equity.

NOV 08 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

October 5, 1995

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SECURITY DEVELOPMENT CORP
C/O LEWIS & JERI PETTINGILL
339 MURRAY AVE
CAMARILLO CA 93010

RE: Water Right No. 63-10582

Dear Mr. & Mrs. Pettingill:

I recently received a letter and copy of a warranty deed the above referenced licensed water right identifying Security Development Corporation as new owner.

In Idaho, decreed, licensed, and claimed water rights are considered real property; therefore, proof of owning the land is proof of owning the water right unless extenuating circumstances exist. Water right statute does not provide a means for changing owner of record for licensed water rights; although, I have placed your correspondence in the water right file.

If you have any questions, please feel free to contact me directly at 327-7944.

Sincerely,

Cindy Zimmerman
Water Resource Agent

RECORDED

NOV 08 1995

RECEIVED

SEP 29 1995

September 26, 1995

Department of Water Resources

State of Idaho
Department of Water Resources
1301 North Orchard
Boise, Idaho 83706
Claim No. 63-10582

Dear Sirs:

Enclosed please find a copy of the recorded Warranty Deed of the property at 2600 South Asay Lane, Medidian, Idaho. **Security Development Corporation is the new owner.** Please keep the following names and address for your record.

**Lewis and Jeri Pettingill
330 Murray Avenue
Camarillo, CA 93010**

If there is any information or matters of responsibility we should know about please advise. Thank you for your help.

Yours,



Jeri Pettingill

NOV 08 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 16, 1992

TODD CLAYTON
GLEN CLAYTON
2160 E LAKE HAZEL
MERIDIAN ID 836420000

RE: WATER RIGHT NO. 63-10582

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 01 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 20, 1992

TODD CLAYTON
GLEN CLAYTON
2160 E LAKE HAZEL
MERIDIAN ID 836420000

RE: WATER RIGHT NO. 63-10582

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure



FEB 01 1993

63-10582

September 10, 1992

MEMO TO FILE:

From: Carolyn Andregg

During the spring and summer of 1992, drought conditions caused record low flows in the Snake River. Twice, the flow of the Snake River fell below 4,750 cfs, the minimum stream flow at the Weiser gauge. Notices were mailed to the water user listed under this right because the priority is later than July 1, 1976, in order to protect the Snake River minimum stream flow. The following is a chronological history of the mailings.

May 19, 1992: Letter sent to water right holder informing holder of possible temporary cessation of diversion rights and notice of public meetings.

June 8, 1992: Letter sent informing water right holder directing immediate cessation of diversion of water until further notice.

June 12, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

June 26, 1992: Letter sent to water right holder directing immediate cessation of diversion of water until further notice.

June 29, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

LICENSE REVIEW CHECKLIST

Permit # 63-10582

Date 05-22-92

	<u>Yes</u>	<u>No</u>	
NAME	___	<u>✓</u>	Address Change?
PRIORITY DATE	___	<u>✓</u>	Advance? _____
	___	<u>✓</u>	Memo to Advance _____
	___	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	___	<u>✓</u>	Incorrect Fee for rate recommended?
	___	<u>✓</u>	Disagree with Actual Measurement?
	___	<u>✓</u>	$18.2 \times .02 = .36 \text{ cfs}$ ⁽²⁵⁾ $25 \times .00022 = .0055 \approx .01 \text{ cfs (stock)}$
	___	<u>✓</u>	Disagree with Theoretical? _____
	___	<u>✓</u>	Limited by Capacity? <u>1.2 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same per Permit</u> Season Recommended
	___	<u>✓</u>	Disagree with Examiner's Calculations?
	___	<u>✓</u>	$18.2 \times 4.5 = 81.9 \text{ AFA (IRR)}$ $25 \times .0134 = .33 \approx .3 \text{ AFA (stock)}$
	___	<u>✓</u>	Limited by Flow? $.36 \times 245 \times 1.9635 = 174.9 \approx 175$
SOURCE	___	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	___	<u>✓</u>	<u>Intended</u> source <u>change trib to Fifteen Mile Creek</u>
	___	<u>✓</u>	Notice of Intent to Void.
P/D	___		Verify with Map
	___	<u>✓</u>	Amendment Needed? _____
	___	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	___		Verify with Map
	___	<u>✓</u>	Amendment Needed? _____
	___	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	___	<u>✓</u>	Change(s) in Nature of Use? _____
	___	<u>✓</u>	Amendment Needed? _____
REMARKS	___	<u>✓</u>	Multiple P/Ds in 1/4 1/4? _____
	<u>✓</u>	___	Non-Irr. Uses <u>stock/25 Horses + cattle</u>
	___	<u>✓</u>	Special Overlap Condition _____
	___	<u>✓</u>	Other _____
CONDITIONS	___		Measuring Device
	<u>R04</u>	___	W/Master Control
	<u>R32</u>	___	Overlap
	___	<u>✓</u>	Water Quality
			DATES/MISC
		<u>63</u>	Water Dist.
		<u>✓</u>	App Rec'd
		<u>✓</u>	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres, Rate</u>		
	<u>No Agreement with Irr District (Nampa-Meridian)</u>		
	<u>No Confirmation of lockable controlling works</u>		
License	<u>10-Day</u>	<u>✓</u>	15-Day _____
			Special Correspondence _____

WR0749NP
No. 163-10582

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 06/05/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	TODD CLAYTON	03/03/1988	IRRIGATION	03-15 11-15	0.36 CFS	81.9 AFA
C	GLEN CLAYTON		STOCKWATER	01-01 12-31	0.01 CFS	0.3 AFA
	2160 E LAKE HAZEL					
	MERIDIAN ID 836420000			TOTAL DIVERSION:	0.37 CFS	82.2 AFA

Water Source: TEN MILE CREEK

Tributary to: BOISE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 1.20 CFS

Point(s) of Diversion: T03N R01E S29 SW SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03N	01E	29	:																	:	18.2
																			TOTAL ACRES	:	18.2

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-10582

Other Water Rights Listing Overlapping Place(s) of use:
63-10582

Conditions of Approval:

- 01D - A lockable device, subject to the approval of the Department,
 - shall be installed on the diverting works in a manner that will
 - provide the watermaster suitable control of the diversion.
- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
- R32 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: Stockwater use is for 25 horses and range cattle.

Dates: App. Received: 03/03/1988 Priority Date: 03/03/1988
Proof Due Date: 05/01/1990 Proof Made Date: 04/06/1989
Exam Made Date: 06/08/1990 Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: 63 Field Exam Fee: R (Received)

Audit: 06/05/92 SKAGGS

MEMORANDUM

TO: JIM JOHNSON

FROM: PAM SKAGGS *CS*

RE: PERMIT CONDITIONS
FILE #63-10582

DATE: 05-JUN-1992

=====

This permit has two conditions regarding authorization from the irrigation district or canal company. Since the right has been fully developed without any evidence of protest from either entity, there is an assumed implied consent to develop this right. I recommend that the conditions be removed from the license.

RECEIVED

FEB 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10582
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

☒ Copies of any Amendments/Orders with conditions of approval

NO Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

? Check for Government Lots. If so, make a copy of Government Plat NOT READABLE

Check of P/D index CWJ 5/14/90 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index CWJ 5/14/90 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed Elifton W. Johnson 6/11/90 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent CH 1-4-90 (Initial and date)

Exam Reviewed by Manager of Regional Office DR 2/22/90 (Initial and date)

Exam Date Entered in Computer ✓ AT (Initial and date)

Exam sent to State Office 3-8-91 AT (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

Department of Water Resources
Permit No. 63-16057

A. GENERAL INFORMATION


1. Owner: GLEN CLAYTON Phone No. 888-2592
Current Address: 2160 E. LAKE HAZEL ROAD, MERIDIAN, IDAHO 83642
2. Accompanied by: SAME AS ABOVE EXAM. DATE: JUNE 8, 1990
Address: _____ Phone No. _____
Relationship to Permit Holder: SAMS
3. Source: TEN MILE DRAIN tributary to FIFTEEN MILE CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE NAMPA - MERIDIAN IRRIGATION DIST.
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 200'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)

RECEIVED
FEB 01 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 2 HP ELECTRIC MOTOR AND CENTRIFUGAL PUMP ARE USED TO DIVERT WATER FROM TENMILE CREEK OR DRAIN TO IRRIGATE ADJOINING LANDS ON BOTH SIDES OF THE CREEK. A METAL DAM PROVIDES A SHALLOW POOL FROM WHICH TO PUMP. THE PUMP WITH 3- INCH DISCHARGE SUPPLIES WATER FOR IRRIGATION THROUGH 6-INCH GATED PIPE WHICH FOLLOWS THE DITCH ORIGINALLY SERVED BY THE NAMPA-MERIDIAN IRRIGATION DISTRICT. WATER WAS DIVERTED INTO A SECTION OF IRRIGATION DITCH AND MEASURED THROUGH A CIPOLLETTI WEIR.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PUMP DIVERSION	CENTURY	2	PART NO. L-333045-D1	BERELEY	SAL 7582441

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
DIV.		SW	SE		29	3N	1E	ADA	ORTHO PHOTO MAP, AERIAL MAP

6. Place(s) of Use:

Indicate Method of Determination SAME AS ITEM 5

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	1E	29															18.2		18.2
																	5		

RECEIVED

FEB 01 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
TEMPORARY WEIR	CIPOLLETTI	STANDARD	—	—	12-INCH CREST	—

2. Measurements:

STAFF GAUGE IN WEIR POND, SET AT CREST LEVEL, SHOWED 0.38 FT THROUGH 12-INCH CIPOLLETTI WEIR. FLOW RATE FROM TABLE 2. OF WATER MEASUREMENT HANDBOOK SHOWED 0.80 CFS.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: TEMPORARY CIPOLLETTI WEIR FLOW = 0.80 CFS.

2. Alternate Method for Checking Purposes:

HORSE POWER EQUATION: $\frac{2 \text{ HP} \times 8.3 \times .7}{10 \text{ FT}} = 1.23 \text{ CFS}$

ACREAGE LIMITATION = 0.36 CFS

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

18.2 ACRES AT .02 CFS/ACRE = 0.36 CFS

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 18.2 \text{ A} \times 4.5 = 81.9 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.36 \times 245 \times 1.9835 = 174.9 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 81.9 \text{ AFA}$

2. Volume Calculations for Other Uses:

STOCKWATER 11-25 HEAD HORSES AND CATTLE TABLE 6, HANDBOOK, ALLOWS 0.02 CFS, 0.4 AFA.

MICROFILMED

FEB 01 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

WATER FROM NAMPA-MERIDIAN IRRIGATION DISTRICT CAN ALSO BE USED ON LANDS UNDER PERMIT 63-10582 USING OPEN DITCHES. HOWEVER, GATED PIPE IS MUCH MORE EFFICIENT UNDER THE PRESENT SYSTEM. THE WATERMASTER ON THE PDISE SYSTEM DOES NOT REGULATE DIVERSION FROM TENMICE CREEK AT PRESENT.

CLAIM A63-16057 COVERS DOMESTIC AND STOCKWATER USE FROM A WELL ON THE SOUTHWEST SIDE OF THE PROPERTY NOT IRRIGATED UNDER PERMIT 63-10582.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	0.36	81.9
STOCK WATER	1/1	12/31	0.02	.4
Totals:			0.38 cfs	82.3 AFA

2. Recommended Amendments NONE

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name ELIFTON W. JOHNSON

Signature Elifton W. Johnson

Certification Date _____


Field Report Preparation Date JUNE 11, 1990



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

FEB 01 1993



3-105
P/U

63-10582
P/D

CLAIM
-16057
P/U

63-10582
P/U

PERMIT 63-10582
CLAIM A63-16057



PERMIT 63-10582 INIT CWJ
T. R. S. 0/0
P/D 3N 1E 29 SWSE
SCALE X-5

P/u
P/D

T. 3 N.
T. 2 N.
" 30"


PERMIT 63-10582

PHOTO #1

2 HP MOTOR AND CENTRIFUGAL PUMP DIVERTING
WATER FROM TENMILE CREEK FOR IRRIGATION.



PHOTO #2
CIPOLLETTI WEIR WITH 1-FOOT CREST MEASURING FLOW
USED FOR IRRIGATION THROUGH GATED PIPE, G.H. 0.38 FT.




FEB 01 1993

2000

PERMIT 63-10582

PHOTO #3

P/U ON ALFALFA FIELD - VIEW LOOKING NORTH FROM
NEAR END OF SUPPLY LINE FROM PUMP.



MICROFILMED

FEB 01 1993

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 43-10582

Date: 4.11.89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

APR 06 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received 100.00

Date 4/16/89

Receipt # CO16222

Receipt by R. Young

Reviewed by JS

Sent to region JS

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10582-

Name(s) of Permit Holder: Glen or Todd Clayton -

Post Office Address: 2160 E. Lake Hazel Rd -

* Meridian, ID 83642

Telephone No. 208-888-2592

Source of Water: ten mile Drain ditch

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 25 (acres) Other/Remark mobile pump

pulled for water inspection must call 888.2592 to arrange for inspection

Total rate and/or volume for which proof is submitted .50 Irrigation, .02 Stock water Not pumped cfs acre-feet

* 0.52

Show the date water was first diverted and beneficially used under this permit: JUNE 12 1988 -

Measuring Device: Required? Yes X No
Installed? Yes X No

Fee enclosed \$ \$100.00 -
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

Glen Clayton 888-2592
(Name) (Telephone Number)

2160 E. Lake Hazel Rd "Pump at 2432 amity"
(Address)

I called Lee Criss at Boise water north He said He Had no permit.

The above information is my true statement of the extent to which the above numbered 3-4 **NOT FILLED** and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAY 15 1989

3-28-89

Date _____ Signature of Permit Holder (and title, if appropriate)
* Per App. for Permit

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
October 7, 1988
mailed 11/16/88

TODD CLAYTON
GLEN CLAYTON
2160 E. LAKE HAZEL
MERIDIAN, ID 836420000

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 63-10582

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

RECORDED

DEC 06 1988

3N 1E S. 29 SW SE
P. 1. 1. 1. 1.

Form No. 202a
/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY BD DATE 3/8/88 APPLICATION NUMBER 63-10582

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED

Date Requested APR 06 1988

Department of Water Resources

PROCESSING

☒ Yes ☐ No Is form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

END COPIES TO

N/A
☐ Idaho Dept. of Health & Welfare
☐ Idaho Dept. of Fish & Game
☐ Idaho Dept. of Lands
☐ Adjudication Bureau Unit
☐ U.S. BLM
☐ U.S. Forest Service
☐ Water District
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☒ Yes ☐ No Protests received
Final date for protest April 7 1988
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☒ Yes ☒ No Measuring device required
☒ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 63 Boise R
☒ Yes ☐ No Special conditions of approval or cover letter below.

05 (63, Boise River)

☐ See below for additional information

Date of priority recommended 3/3/1988
By PL Date 4/5/1988

STATE OFFICE REVIEW

LOI, LIT 26 05 (63, Boise River) 23
& spec

☐ See below for additional information

By FW Date 4/13/88

ADDITIONAL INFORMATION

From App Processing Admin Memo No 27; Conditions of approval is as follows:

Water shall not be diverted under this permit until
a written agreement with the irrigation district or
canal company serving the area containing the point
of diversion is filed with the department providing
for coordination of the permitted use with the
irrigation district or canal company operation.

23

2 yrs. is reasonable for B/U development-

63-10582

CLAYTON, TODD &/or GLEN

2160 E. LAKE HAZEL, MERIDIAN, ID 83642

Source: TEN MILE CREEK trib. to BOISE RIVER

Diversion Pt: SWSE Sec 29 T 03N R 01E

Use: IRRIGATION (0.5 CFS)
STOCKWATER (0.020 CFS)

Date Filed: 03/03/1988

In: SWSE Sec 29 T 03N R 01E FOR 25 ACRES

RECORDED

DEC 08 1988