


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 09 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10580

Phone No. 482-7628

1. Owner: GOODING FARMS INC

Current Address: 23669 BATT CORNER PARMA ID.

2. Accompanied by: MIKE GOODING

EXAM. DATE: 6-13-89

Address: 23715 WAMSTAD PARMA ID.

Phone No. 482-7628

Relationship to Permit Holder: VICE PRESIDENT

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: DITCH CO. WATER

☐ Copies Attached


2. Other water rights with same point of diversion: 63-10465

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED


DEC 09 1992



RECEIVED

DEC 09 1992

TOTAL SYSTEM



74

MICROFILMED
DEC 09 1992

74

P/D LOOKING NORTH

63-10580

Picture # 1



TO
OBENDORF
LATERAL

WEIR

LOOKING NORTH

↓ LINE CONTINUES SOUTH
TO THE ROSS CANAL (VALVE AT END)
Picture # _____



DEC 09 1992

WFO

63-10580

LOOKING SOUTH

Picture # 3



LOOKING SOUTH EAST

Picture # 4



Microfilm
DEC 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10580

Priority: March 1, 1988

Maximum Diversion Rate: 1.24 CFS
Maximum Diversion Volume: 310.5 AF

This is to certify, that MIKE GOODING
23669 BATT CORNER
PARMA ID 836600000

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 1, 1988; and
has submitted Proof of Beneficial Use on July 18, 1988. An examination indicates
that the works have a diversion capacity of 2.590 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.24 CFS	310.5 AF

LOCATION OF POINT(S) OF DIVERSION: SWNW , Sec. 3, Township 04N, Range 05W
CANYON County

PLACE OF USE: IRRIGATION
TWN RGE SEC

<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 05W 3 NESE 36	NWSE 33		69
Total number of acres irrigated:			69

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The total combined rate of diversion under this right and right No. 63-10465 shall not exceed 2.59 cfs.

NOT OPEN MED

DEC 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10580

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of NOVEMBER, 1992.

Acting for


R. Keith Higginson, Director

RECORDED
DEC 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant MIKE GOODING Phone 482-7628

Post office address RT. 1 Box 1312 PARMA, ID 83660

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SW 1/4 of NW 1/4, Govt. Lot _____

Sec. 3 Township 4N Range 5W B.M. CANYON County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.6 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.6 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP, GRAVITY & SPRINKLER
SYSTEM

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 14 inches; proposed depth of well is 400 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

DEC 02 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	5W	3													40	40			80

Total number of acres to be irrigated 80

10. Describe any other water rights used for the same purposes as described above. _____


SUPPLEMENTAL TO WILDER TR. WATER.

11. a. Who owns the property at the point of diversion? GOODING FARMS

b. Who owns the land to be irrigated or place of use? APPLICANT


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: EXPANSION OF WATER RIGHT NO. 63-10465



DEC 9 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Proposed Priority 3/1/88

Received by AM Date 3/1/88 Time 4:00 P.M. Preliminary check by _____

Fee \$ 65.00 Received by AM # W000012 Date 3/1/88

Publication prepared by GG Date 3-9-88 Published in Press-Tribune

3/16 & 3/23/88

Publication approved SR Date 3/25/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10580, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.


d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.


e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 25th day of April, 1988.


Director


DEC 04 1988

**NOTICE OF APPLICATION OF
WATER RIGHT**
The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

63-10576
M & W FARMS, INC.
404 WINDSOR DR.,
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: NWNE SWNE
NESW Sec 15 T 05N R 04W
Use: IRRIGATION (3.0 CFS)
Date Filed: 02/22/1988
In: SWNE SENE NESW NWSW
LOT 04 (SWSW) LOT 03 (SESW)
NESE NWSE Sec 15 T 05N R 04W
FOR 280 ACRES

63-10577
M & W FARMS, INC.
404 WINDSOR DR.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: SENE Sec 28 T 05N
R 04W
Use: IRRIGATION (1.6 CFS)
Date Filed: 02/22/1988
In: SWNE SENE Sec 28 T 05N R
04W FOR 80 ACRES

63-10578
BUCKEYE RANCH, INC.
RT. 2, WILDER, ID. 83676
Source: GROUNDWATER
Diversion Pt: SWNW Sec 13 T 04N
R 05W
Use: IRRIGATION (3.2 CFS)
Date Filed: 03/02/1988
In: NENW NWNW SWNW SENW
Sec 13 T 04N R 05W FOR 160
ACRES

63-10579
GOODING FARMS INC.
RT. 1 BOX 1312, PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt: NWNE Sec 10 T 04N
R 05W
Use: IRRIGATION (1.6 CFS)
Date Filed: 03/01/1988
In: NENE NWNE Sec 10 T 04N R
05W FOR 80 ACRES

63-10580
MIKE GOODING
RT. 1 BOX 1312, PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt: SWNW Sec 03 T 04N
R 05W
Use: IRRIGATION (1.6 CFS)
Date Filed: 03/01/1988
In: NESE NWSE Sec 03 T 04N R
05W FOR 80 ACRES

63-10581
CARSON, HELEN
RT. 6 BOX 152,
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: NWSW Sec 34 T 04N
R 04W
Use: IRRIGATION (1.6 CFS)
Date Filed: 03/04/1988
In: SWNW NWSW Sec 34 T 04N R
04W FOR 80 ACRES

63-10583
NEWBILL FARMS, INC.
RT. 2 BOX 2150, NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SWSE Sec 24 T 04N
R 02W
Use: IRRIGATION (1.6 CFS)
Date Filed: 03/09/1988
In: SWSW SESW Sec 24 T 04N R
02W FOR 80 ACRES

63-10584
ROGERS BROTHERS SEED CO.
P.O. BOX 1069, NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SWSE Sec 24 T 04N
R 02W
Use: IRRIGATION (0.8 CFS)
Date Filed: 03/09/1988
In: SWSE Sec 24 T 04N R 02W FOR
40 ACRES

63-10574
HOSHAW, EDWARD M.
3311 ROSE HILL, BOISE, ID 83705
Source: DIXIE DRAIN trib. to
BOISE RIVER
Diversion Pt: SWNW LOT 04
(NWNW) Sec 02 T 03N R 03W
Use: IRRIGATION (1.5 CFS)
Date Filed: 02/29/1988
In: LOT 04 (NWNW) SWNW Sec 02
T 03N R 03W FOR 80 ACRES

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, Western
Region, 2735 Airport Way, Boise,
Idaho 83705 on or before April 4,
1988.

R. KEITH HIGGINSON, Dir.
March 16, 23, 1988

RECEIVED
MAR 24 1988

Department of Water Resources
Class and Regional Office

AFFIDAVIT OF PUBLICATION

) ss.

sek

County, Idaho, being first duly sworn, deposes

that I am a citizen of the United States of America, and at all
times mentioned was over the age of eighteen years,
and have been engaged in the above entitled action.

Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two time
in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 16, 23, 1988

Subscribed and sworn to before me this

23rd

day of March

19 88

Notary Public, Residing at Nampa, Idaho

DEC 02 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 24, 1992

MIKE GOODING
23669 BATT CORNER
PARMA ID 836600000

RE: WATER RIGHT NO. 63-10580

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED

DEC 09 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 26, 1992

MIKE GOODING
23669 BATT CORNER
PARMA ID 836600000

RE: WATER RIGHT NO. 63-10580

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
DEC 9 1992

DEC 09 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10580

Date 9-16-92
CS

	<u>Yes</u>	<u>No</u>	
NAME	☒	☐	Address Change? Per F.E.
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	<u>69 x .02 = 1.38 / 69 x .018 = 1.24 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical?
	☒	☐	Limited by Capacity? <u>2.59 cfs</u>
TOTAL VOLUME			(MEASURED)
			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	<u>69 x 4.5 = 310.5 cfs (Combined Vol < Max. Vol)</u>
	☐	☒	Limited by Flow? <u>1.24 x 245 x 1.9835 = 602.62310.5</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	☒	☐	Special Overlap Condition <u>63-10465/Capacity</u>
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R32</u>	☐	Overlap
	☐	☒	Water Quality
		☒	DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres, rate
2.59/143 = .018 per acre (New Rate)

License 10-Day ☒ 15-Day ☐ Special Correspondence ☐

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MIKE GOODING 23669 BATT CORNER PARMA ID 836600000 (208) 482-7628	03/01/1988	IRRIGATION	03-15 11-15	1.24 CFS	310.5 AFA
				TOTAL DIVERSION:	1.24 CFS	310.5 AFA

Stage: LICENSE

Place of use Legal Description for: IRRIGATION

Audit: 09/24/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 9 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10580

Phone No. 482-7628

1. Owner: GOODING FARMS INC

Current Address: 23669 BATT CORNER PARMA ID.

2. Accompanied by: MIKE GOODING

EXAM. DATE: 6-13-89

Address: 23715 WILSTAD PARMA ID.

Phone No. 482-7628

Relationship to Permit Holder: VICE PRESIDENT

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: DITCH CO. WATER

☐ Copies Attached


2. Other water rights with same point of diversion: 63-10465

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)

MAILED

DEC 09 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM IS A WELL WITH OPEN DISCHARGE INTO A CEMENT DITCH OR THE ROSS CANAL AND EXCHANGED TO WATER LAND IN THE N $\frac{1}{2}$ SE $\frac{1}{4}$ WITH AGREEMENT WITH BOISE PROJECT, WILDER DIV. NORMAL OPERATION IS SYPHON TUBE IRRIGATION WITH 100+0110 1 $\frac{1}{4}$ " TUBES THIS PERMIT IS FOR THE N $\frac{1}{2}$ SE $\frac{1}{4}$ SEC 3

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GENERAL				
	ELECTROC	125	BJJ221154	PEERLESS	10"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	3	4N	5W	CANYON	ORTHO PHOTOGRAPHIC QUAD MAP

6. **Place(s) of Use:**

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4N	5W	3													36	33			69

MICROFILMED

DEC 09 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
2' WEIR STAFF GAUGE	CIPOLLETTI					

2. Measurements:

MEASURED 0.53' = 2.59 CFS
FROM WATER MEASUREMENT
HAND BOOK.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{125 \times 8.8 \times .8}{140 + (0 \times 2.3)} = \underline{6.28 \text{ CFS}}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 69 \times 4.5 = 310.5 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.25 \times 245 \times 1.9835 = 607.4$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 310.5 \text{ AFA}$

2. Volume Calculations for Other Uses:

DEC 09 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THIS PERMIT ADDS 69 ACRES TO THE PRIOR PERMIT
63-10465 AND CAN BE IRRIGATED CONCURRENTLY.

THIS RIGHT SUPPLEMENTS DITCH CO. WATER.

MEASURED - 2.59 CFS

PERMIT FOR - 1.60 CFS

FEES PAID FOR MAX 2.00 CFS

TOTAL SYSTEM ACRES:

74A + 69A = 143A

2.59 / 143 = 0.018 CFS/A

RECOMMEND 69A @ 0.018 CFS/A = 1.25 CFS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	1.25 CFS	310.5 AFA
Totals:			1.38 CFS	310.5 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other


J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN

Signature Kelly K. Christensen

Certification Date _____

Field Report Preparation Date 6-13-89




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

R17 THE MAXIMUM COMBINED RATE OF DIVERSION UNDER THIS
RIGHT AND RIGHT NO 63-10465 SHALL NOT EXCEED 2.59 CFS.

RECEIVED

DEC 09 1997



ALL 3
T4N R5W

Acres IRR - 6310580

33 34
4 3T972
A801

T4034

T449
A352

34 35 30.8
3 2T323
A275

3 36.8

T452
A355

37.3

52.2

T890

PHOTO
2 #3

P/D

1
26.1

14.5

7.8

7 37.0

8 17.9

9 3.3

PHOTO
#1
ROSS
LATERAL

T852
A699

T973
A806 PHOTO
#2

37.8

3 25.8

4 32.4

T4N

DEC 09 1992

MICROFILM

2 19.4

3 18.0

3 24.1

T258
A591

T348
A351

4 3


9 10
T891

3 2

13.6

13.2

1.1



MICROFILMED

DEC 09 1992

80 ACRES @ .022 160 CFS/ACRE

^{1.60}
Σ
3,20 CFS.

P/D LOOKING NORTH

63-10580


Picture # 1



TO
OBENDORF
LATERAL

LOOKING NORTH

↓ LINE CONTINUES SOUTH
TO THE ROSS CANAL (VALVE AT END)
Picture # _____



DEC 09 1992

4450

63-10580

LOOKING SOUTH

Picture # 3



LOOKING SOUTH EAST

Picture # 4



RECEIVED
DEC 09 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 19, 1988

63-10580
Mike Gooding
Rt. 1 Box 1312
Parma, ID 83660

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

A handwritten signature in cursive script, appearing to read "Judy Pense", is written over a horizontal line.

Judy Pense
Secretary

/jip

RECEIVED

DEC 02 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10580

Date: 10/17/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
N Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUL 18 1988

For Office Use Only
Fee Received 125.00
Date 14 July 88
Receipt # W900476
Receipt by EEB
Reviewed by EEB
Sent to region JS

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10580

Name(s) of Permit Holder: Mike Gooding

Post Office Address: Rt. 1 Box 1312 Parma, Idaho 83660

Telephone No. 482-7628

Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 80.0 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 1.6 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Applicant

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

14 July 1988
Date

Mike Gooding
Signature of Permit Holder (and title, if appropriate)

DEC 01 1988

To: File 63-10580

From: Groundwater Protection

Date: 10/17/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
☐ probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled.*
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*This well is probably used
for this water right & other rights
also?
gd.*

OK

MICROFILMED

DEC 06 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
DATE

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

JUN 28 1987

1. WELL OWNER Name <u>Gooding Farms, Inc.</u> Address _____ Owner's Permit No. <u>63-10465</u>	7. WATER LEVEL Department of Water Resources Static water level <u>91</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ Describe artesian or temperature zones below																																																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Abandoned (describe abandonment procedures such as materials plug depths, etc. in lithologic log)	8. WELL TEST DATA ☒ Pump ☐ Riser ☐ Air ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>1300</u> <u>840</u></td> <td><u>270 ft</u> <u>240 "</u></td> <td><u>20</u></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>1300</u> <u>840</u>	<u>270 ft</u> <u>240 "</u>	<u>20</u>																																																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																																															
<u>1300</u> <u>840</u>	<u>270 ft</u> <u>240 "</u>	<u>20</u>																																																															
3. PROPOSED USE Domestic ☒ Irrigation ☐ Test ☐ Municipal Industrial ☐ Stock ☐ Waste Disposal or Injection Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><u>24"</u></td> <td><u>0</u></td> <td><u>30'</u></td> <td><u>Top Soil</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td></td> <td><u>30</u></td> <td><u>50</u></td> <td><u>Gravel</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td></td> <td><u>50</u></td> <td><u>120</u></td> <td><u>Sandy clay</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td></td> <td><u>120</u></td> <td><u>160</u></td> <td><u>Sand</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td></td> <td><u>160</u></td> <td><u>180</u></td> <td><u>Sandy clay</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td></td> <td><u>180</u></td> <td><u>260</u></td> <td><u>Blue shale</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td></td> <td><u>260</u></td> <td><u>380</u></td> <td><u>Sand gravel strips interspersed</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>Blue clay</u></td> <td>☒</td> <td>☐</td> </tr> <tr> <td></td> <td><u>380</u></td> <td><u>400</u></td> <td><u>Clay-Blue Td.</u></td> <td>☒</td> <td>☐</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>24"</u>	<u>0</u>	<u>30'</u>	<u>Top Soil</u>	☒	☐		<u>30</u>	<u>50</u>	<u>Gravel</u>	☒	☐		<u>50</u>	<u>120</u>	<u>Sandy clay</u>	☒	☐		<u>120</u>	<u>160</u>	<u>Sand</u>	☒	☐		<u>160</u>	<u>180</u>	<u>Sandy clay</u>	☒	☐		<u>180</u>	<u>260</u>	<u>Blue shale</u>	☒	☐		<u>260</u>	<u>380</u>	<u>Sand gravel strips interspersed</u>	☒	☐				<u>Blue clay</u>	☒	☐		<u>380</u>	<u>400</u>	<u>Clay-Blue Td.</u>	☒	☐
Bore Diam.	Depth		Material	Water																																																													
	From	To		Yes	No																																																												
<u>24"</u>	<u>0</u>	<u>30'</u>	<u>Top Soil</u>	☒	☐																																																												
	<u>30</u>	<u>50</u>	<u>Gravel</u>	☒	☐																																																												
	<u>50</u>	<u>120</u>	<u>Sandy clay</u>	☒	☐																																																												
	<u>120</u>	<u>160</u>	<u>Sand</u>	☒	☐																																																												
	<u>160</u>	<u>180</u>	<u>Sandy clay</u>	☒	☐																																																												
	<u>180</u>	<u>260</u>	<u>Blue shale</u>	☒	☐																																																												
	<u>260</u>	<u>380</u>	<u>Sand gravel strips interspersed</u>	☒	☐																																																												
			<u>Blue clay</u>	☒	☐																																																												
	<u>380</u>	<u>400</u>	<u>Clay-Blue Td.</u>	☒	☐																																																												
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary Cable ☐ Dug ☐ Other _____	10. Work started <u>MAY 10</u> finished <u>JUNE 10</u>																																																																
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>12.50</u> inches</td> <td><u>14"</u> inches</td> <td><u>1</u> feet</td> <td><u>260</u> feet</td> </tr> <tr> <td><u>12.50</u> inches</td> <td><u>14"</u> inches</td> <td><u>390</u> feet</td> <td><u>400</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>ROSSCO MOSS</u> Type <u>Luxens</u> Model No. _____ Diameter <u>14"</u> Slot size <u>3"</u> Set from <u>260</u> feet to <u>390</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No Size of gravel <u>3/4" MINUS</u> Placed from <u>20</u> feet to <u>400</u> feet Surface seal depth <u>18"</u> Material used in seal: ☒ Cement grout ☐ Bentonite ☐ Puddling clay ☐ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between strings Describe access port <u>4" 180 SW 1/4</u>	Thickness	Diameter	From	To	<u>12.50</u> inches	<u>14"</u> inches	<u>1</u> feet	<u>260</u> feet	<u>12.50</u> inches	<u>14"</u> inches	<u>390</u> feet	<u>400</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>R & H Drilling</u> Firm No. <u>194</u> Address _____ Date _____ Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>																																
Thickness	Diameter	From	To																																																														
<u>12.50</u> inches	<u>14"</u> inches	<u>1</u> feet	<u>260</u> feet																																																														
<u>12.50</u> inches	<u>14"</u> inches	<u>390</u> feet	<u>400</u> feet																																																														
_____ inches	_____ inches	_____ feet	_____ feet																																																														
_____ inches	_____ inches	_____ feet	_____ feet																																																														
Number	From	To																																																															
_____ perforations	_____ feet	_____ feet																																																															
_____ perforations	_____ feet	_____ feet																																																															
_____ perforations	_____ feet	_____ feet																																																															
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>4 N. 5 W.</u> <u>SW 1/4 Sec. 3 T. 4 N. R. 5 W.</u>	12. ADDITIONAL COMMENTS _____																																																																

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

DEC 02 1988

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 29, 1988

MIKE GOODING
RT. 1 BOX 1312
PARMA, ID 83560

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10580

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

SECTION 42-235, IDAHO CODE, REQUIRES THAT A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

MICROFILMED

DEC 02 1988

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

DEC 04 1988

Form No. 202a
/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

P.D. -- 4N 5W S. 3 SW NW
P.V. -- 4N 5W S. 3 NESE
NWSE

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY BD DATE 3/8/88 APPLICATION NUMBER 63-10580

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) → Bur. of Rec. (63-2388)
- ☒ Overlapping point of diversion → 63-10465 (same P.D.)
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested APR 08 1988

Department of Water Resources

RECEIVED

PROCESSING

☒ Yes ☐ No I. Form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

END COPIES TO

☐ Idaho Dept. of Health & Welfare
☐ Idaho Dept. of Fish & Game
☐ Idaho Dept. of Lands
☐ Adjudication Bureau Unit

☐ U.S. BLM
☐ U.S. Forest Service
☐ Water District
☐ Other _____

N/A

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application

☐ Yes ☒ No Protests received

Final date for protest 4/4/88

☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application

☐ Yes ☒ No Recommendations attached

☐ Yes ☒ No Measuring device required

☒ Yes ☐ No Access port required

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____

☐ Yes ☒ No Special conditions of approval or cover letter below. _____

OIC

☐ See below for additional information

Date of priority recommended 3/1/1988

By DM Date 4/5/1988

STATE OFFICE REVIEW

LO5
623, 603, 446 46 OIG

☐ See below for additional information

By KW Date 4/13/88

ADDITIONAL INFORMATION

63-10580

MIKE GOODING

RT. 1 BOX 1312. PARMA. ID 83660

Source: GROUNDWATER

Diversion Pt: SWNW Sec 03 T 04N R 05W

Use: IRRIGATION (1.6 CFS)

Date Filed: 03/01/1988

In: NESE NWSE Sec 03 T 04N R 05W FOR 80 ACRES

DEC 02 1988