


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

M. & W. Tamm, Inc.
By W. F. Brundell, Jr. Pres.
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 16 1993
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: New Farms, Inc. Permit No. 63-10577
Current Address: 404 Windsor Dr. Caldwell, Idaho 83605 Phone No. 459-7872
2. Accompanied by: W. H. Truesdell EXAM. DATE: 6-27-91
Address: same Phone No. same
Relationship to Permit Holder: President
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-02878 surface water -
None (supplements Farmers Coop - is this
Black Canyon Irrig. Dist.? - water - JL 5/26/93) ☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

RECEIVED
AUG 05 1994

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).


PERMIT 63-10577 INIT _____

T. R. S. Q/Q

P/D 5N 4W 28

SCALE _____

PHOTO ID. _____



ES

INTERIOR
EY


PHOTO ID. X4

PERMIT 63-10577 INIT

T. R. S. Q/Q

P/D SW 40 28 SENE

SCALE



63-10577



#1

Point of diversion,
power source, gear
drive and discharge
pipe.



#2

View of delivery ditch
looking West from well
site and point where
irrigation district water
enters ditch.

ARCHIVED
AUG 05 1994

63-10577



#3

Place of use
looking southwest
from well site



#4

Place of use.

RECEIVED
AUG 05 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10577

Priority: January 25, 1990

Maximum Diversion Rate: 1.38 CFS

Maximum Diversion Volume: 310.5 AF

This is to certify, that M & W FARMS INC

404 WINDSOR DR

CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 22, 1988; and has submitted Proof of Beneficial Use on January 25, 1990. An examination indicates that the works have a diversion capacity of 5.280 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.38 CFS	310.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 28, Township 05N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	04W	28	SWNE 32	SENE 37		69

Total number of acres irrigated: 69

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

MADEWELL


AUG 05 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10577

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29th
day of July, 1994.

Acting for  R. Keith Higginson, Director

AUG 05 1994

Beta:

a applicant gave
me the information,
but I'm not sure
which permit it is
fite.

John says
change numbers if
incorrect.

RECEIVED

JAN 25 1990

For Office Use Only

Fee Received

Date 1/25/90

Receipt # C014214

Receipt by C. W. M. G.

Reviewed by

Sent to region

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. Q3-10577

Name(s) of Permit Holder: M & W Farms Inc.

Post Office Address: 404 Windsor Dr. Caldwell, Idaho 83405

Telephone No. 459-7872

Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 73 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 1.46 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 6/1/1977

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

M. & W. Farms, Inc. By W. H. Russell, Jr. Pres 459-7872
(Name) (Telephone Number)

404 Windsor Dr. Caldwell, Idaho 83405
(Address)

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUN 21 1990

1-23-90
Date

M. & W. Farms, Inc. By W. H. Russell, Jr. President
Signature of Permit Holder (and title, if appropriate)

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
	)	
NOS. 63-10576 & 63-10577 IN	)	ORDER OF REINSTATEMENT
	)	
THE NAME OF M & W FARMS	)	

This matter having come before the Idaho Department of Water Resources (Department) the Department finds as follows:

FINDINGS OF FACT

1. On April 25, 1988, the Director of the Department of Water Resources issued Permit Nos. 63-10576 & 63-10577 with a condition of approval that proof of construction of works and application of water to beneficial use be submitted on or before May 1, 1989.

2. On February 28, 1989, the Department sent proof due notices to the permit holders.

3. On May 9, 1989, the Department sent lapse notices to the permit holders since neither proof of beneficial use nor requests for extension of time had been received from the permit holders.

4. On January 25, 1990, Proof of Beneficial Use was received by the Department from the permit holder.

5. Section 42-218a, Idaho Code, authorizes the Department to reinstate lapsed permits, with the priority date advanced to the date that proof of beneficial use was received, upon submittal of evidence clearly establishing the extent of beneficial use prior to the proof due date and a

MICROFILMED

JUN 21 1990

showing of reasonable cause why proof was submitted late.

6. The permit holders submitted evidence to confirm that water has been put to beneficial use. Evidence includes a well drillers report and receipts for well drilling and well equipment dated in 1977.

7. The permit holders have stated that proof was submitted late because they had overlooked the proof submittal requirement at the time proof was due.

CONCLUSIONS OF LAW

1. The permit holders have submitted proof of beneficial use along with supporting evidence which establishes that water was in fact beneficially used as identified on the permits.

2. The permit holders have shown sufficient cause why proof of beneficial use was not submitted in a timely manner.

3. The permits can be reinstated with the date of priority advanced to the date proof of beneficial use was received by the Department.

ORDER

IT IS HEREBY ORDERED that Permit Nos. 63-10576 & 63-10577 are reinstated.

IT IS FURTHER ORDERED that the date of priority of these permits is advanced to January 25, 1990.

Dated this 4th day of June, 1990.



L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant M & W Farms, Inc. Phone 459-7872
Post office address 404 Windsor Dr. Caldwell, ID 83605
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 28 Township 5N Range 4W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1.6 for Irrigation purposes from 3/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.6 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & gravity system
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____
_____ to _____ inclusive.
 - c. Proposed well diameter is 12 inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

SEP 30 1986

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	4W	28			40	40													80


Total number of acres to be irrigated 80

10. Describe any other water rights used for the same purposes as described above. Farmers Coop

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Officers: Pres. - W. H. Truesdell
 V.P. - Rodger Mackey
 Sec. - Mary F. Truesdell
 Treas. - Jannett Mackey

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

M. & W. Lamm, Inc.
By W. F. Brundell, Jr.
(Applicant) *Sec.*

Proposed Priority 2/22/88
Received by Jim Date 2-22-88 Time 3:00 Preliminary check by kw
Fee \$ 65.00 Receipted by [signature] # 48451 Date 2-22-88
Publication prepared by GG Date 3-9-88 Published in Press-Tribune
3/16 & 3/23/88
Publication approved 3e Date 5/25/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10577, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 89.

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

- e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 25th day of April, 1988.

[Signature]
Director



SEP 30 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 1, 1994

M & W FARMS INC
404 WINDSOR DR
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-10577

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

MISSOURI

AUG 05 1994

WR0749WP
No. L63-10577

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/19/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	M & W FARMS INC 404 WINDSOR DR CALDWELL ID 83605 (208) 459-7872	01/25/1990	IRRIGATION	03-15 11-15	1.38 CFS	310.50 AFA
TOTAL DIVERSION:					1.38 CFS	310.50 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 5.28 CFS

Point(s) of Diversion: T05N R04W S28 SENE CANYON County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE						
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM	
05N	04W	28	:			32		37	:							:	69.0	
																	TOTAL ACRES	69.0

Pol County: CANYON

Other Rights: FARMERS COOP.

Other Water Rights with Same Point(s) of Diversion and Source:
63-10577

Other Water Rights Listing Overlapping Place(s) of use:
63-10577

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates:	App. Received: 02/22/1988	Priority Date: 01/25/1990	(Priority Date Advanced.)
	Proof Due Date: 05/01/1989	Proof Made Date: 01/25/1990	(Proof Received Late.)
	Exam Made Date: 06/27/1991	Exam Sent to S.O.: 06/14/1993	
	Licensed Date:		

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 07/19/94 BCHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6310577	T05N R04W S28 GROUNDWATER																	69
					32				37									
A6300138C	BOISE RIVE :	40	40	40	40	40	36	40	40	40	40	38	40	40	40	40	40	634
A6300188	BOISE RIVE :	40	40	40	40	40	36	40	40	40	40	38	40	40	40	40	40	634
A6300189	BOISE RIVE :	40	40	40	40	40	36	40	40	40	40	38	40	40	40	40	40	634
A6300190	BOISE RIVE :	40	40	40	40	40	36	40	40	40	40	38	40	40	40	40	40	634
A6300191	BOISE RIVE :	40	40	40	40	40	36	40	40	40	40	38	40	40	40	40	40	634
A6300296	BOISE RIVE :	40	40	40	40	40	36	40	40	40	40	38	40	40	40	40	40	634
6302878	WILSON DRA :																	
A6302878	WILSON DRA :						05											5
6304457	GROUNDWATE :	40	40															80
A6304457	GROUNDWATE :	40	40															80
6304807	UNNAMED DR :											03						3
A6304807	UNNAMED DR :											03						3
A6304851	SAND HOLLO :	40	40	40	40	40	36	40	40	40	40	38	40	40	40	40	40	634
A6304852	CONWAY DRA :	40	40	40	40	40	36	40	40	40	40	38	40	40	40	40	40	634
6308811	GROUNDWATE :														31		40	71
A6308811	GROUNDWATE :														40		40	80
6308947	GROUNDWATE :										24	16						40
A6308947	GROUNDWATE :										24	16						40
6310577	GROUNDWATE :			40	40													80
A6319139	UNNAMED DR :											01						1

POU COMPARISON

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-10577 DATE 7-19-94



NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☒ ☐	Advance? <u>YES</u> Advanced to: <u>1-25-1990</u> Order to reinstate needed? <u>DONE</u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐ ☒	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☐ ☒	Amendment needed? _____ Overlaps? _____
DIV RATE	☐ ☒	Measurement Q = _____ Theoretical Q = <u>5.23</u> <u>69 x .02 = 1.38</u> Capacity: <u>5.28</u> Combined rates exceed capacity _____ Permit/fee limits: <u>1.6</u> Allowable: <u>1.38 CFS</u>
ANNUAL VOLUME	☐ ☒	Season of use: <u>0/4.5 (3-15 to 11-15)</u> Calculations: <u>69 x 4.5 = 310.5 af</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐ ☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	<u>WB3</u> ☒	Multiple p/d(s) in 1/4? _____ Other <u>Farmer Co-Op water</u>
CONDITIONS	☐ ☒	Measuring/Locking Devices _____ Watermaster control - District _____ <u>R32</u> ☐ Irrigation Overlap _____ ☐ Water Quality _____ ☒ Other _____
COMMENTS: <u>Reduce rate and acres</u>		

RECOMMENDED

Irrigation

CFS

1.38

VOLUME

310.5

LICENSE ☒

1ST AMENDMENT LETTER _____

FINAL AMENDMENT LETTER _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 16 1993
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: New Farms, Inc. Permit No. 63-10577
Current Address: 404 Windsor Dr. Caldwell, Idaho 83605 Phone No. 459-7872
2. Accompanied by: W. H. Tinsdell EXAM. DATE: 6-27-91
Address: same Phone No. same
Relationship to Permit Holder: President
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-02878 surface water -
None (supplements Farmers Coop - is this
Black Canyon Irrig. Dist.? - water - fl 5/25/93) ☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A diesel engine tractor PTO powers a submersible pump at a well with a 14" casing and 8" discharge pipe. The discharge pipe supplies water to an open concrete ditch 8' from the well. Irrigation is provided by gravity from siphon tubes. The ditch runs approx. 2600' along the North side of the fields irrigated. The gear drive at the PTO is rated at 20 Hp at 1750 rpm capacity.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	JD 4020	85	Unknown	Johnstone	8" Unknown
	Anoulla c/o Drive #520 = 20 Hp @ 1750 rpm capacity				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NE	28	5N	4W	Canyon	Orthophoto quad map

6. Place(s) of Use:

Indicate Method of Determination aerial map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	4W	28			32	37													69
	PER map																		
	SL 4/23/93																		

Do not use this space

AUG 05 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None

ALSO SEE 4/5/93 CONV. MEMO @ hp eqnation.
Standards per 4/93 : eff = .7

$$Q = \frac{(8.8)(20)(.7)}{20 + 0} = 6.16 \text{ cfs}$$

$$20 + 0 = 6.16 \text{ cfs}$$

EVEN though psi = 0, hp eq. shows

flow greatly exceeds allowed max. of 1.38 cfs
for 69 acres

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{20 \times 8.8 \times .6}{20 + (2.3 \times 0)} = \frac{5.28}{4.74} \text{ cfs}$$

allow 1.38 cfs

sounds reasonable
for this system

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 69 \times 4.5 = 310.5 \text{ oia}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.38 \times 246 \times 1.9835 = 673.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 310.5 \text{ oia}$$

2. Volume Calculations for Other Uses:

None

AUG 05 1994

* FL 4/23/93 - use #days on permit where non-standard season was
approved per recent S.O. directives.

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlaps

Recommend licensing based on theoretical diversion calculation and recommend period of use based on department standards rather than permit. *

No flow measurement device installed. This permit supplements Farmers Coop water.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Irrigation</i>	~~3-15~~	~~10-31~~	<i>1.38 cfs</i>	<i>310.5 afa</i>
	<i>3-15</i>	<i>11-15</i>		
	<i>3-1</i>	<i>10-31 *</i>		
Totals:			<i>1.38 cfs</i>	<i>310.5 afa</i>

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None *
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name *Melvin T. Schulte*
 Signature *Melvin T. Schulte*
 Certification Date _____
 Field Report Preparation Date *7-19-91*

lw 1/10/92
** for 4/23/93 per*
non-standard season
approval -> permit; no
 CONSULTANT SEAL *change in plan*

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



AUG 05 1994

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

=====

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.

2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.

3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

1.
$$\frac{69}{\text{Found Acres}} * \frac{4.5}{\text{Irr. Req.}} = \frac{310.5}{\text{AFA}}$$

2.
$$\frac{(20) \text{ HP} * 8.8 * (.6) \text{ EFF}}{(20) \text{ Dyn Level} + (2.3 * (0) \text{ PSI})} = \frac{5.28}{4.74} \text{ CFS} = \text{Theor. Div. Rate}$$

3.
$$\frac{4.74}{\text{Theoretical Div. Rate}} * \frac{246}{\text{Days in season}} * 1.9835 = \frac{2576.3}{2312.8} \text{ AFA}$$

8' static pressure

Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification ☐
Measurement Required -- ☐
Measurement Not Required ☒

Calculation data sources:

Found acres = 69 - aerial map
HP = 20 - estimated
Dyn Level = 20 - estimated
PSI = 0 - open

Hp estimate based on JD 4020 tractor having 85 HP rating new but being 5 yrs old at 70 HP. Ser drive rated at 1700 rpm max. 20 HP estimate to be maximum needed to pump a flow sufficient for use.

CONVERSATION MEMORANDUM

DATE 4/5/93FILE 63-10577NAME OF PARTY Mr. TruesdellEMPLOYEE Steve LesterRE: Office Visit @ Licensing QuestionMel S. examined 63-10576 & 10577 in 1991.63-10576 exam 75 hp., tractor motor, gear drive w/o
into, hp. eq. yields flow licensed (used
75 hp).63-10577 Exam 85 hp., tractor motor, 20 hp. gear drive,
hp. eq. used 20:Not acceptable in review, no pump curve possible,
possible re-measurement (actual measurement) needed?Owner said installed 20 hp. electric motor for 63-10577 in
1992 but power has not been hooked up yet.Asks why can't license 10577 with same method as used
in 10576?Looking at photographs of the rights (exams) & exam into,
one can see that these are very similar operationsDiscussed this with Dave Tuttle - he agreed that
another field visit is not necessary & that we
should license remaining right w/ hp. eq. technique

If use 20 hp (gear drive)	$Q \approx 6.16$ cfs
" " 85 "	$Q \approx 26.18$ cfs

AUG 05 1994

obviously not right - skewed by

Any estimate shows that system greatly exceeds 1.38 cfs
max. allowable; license with 1.38 cfs.


PERMIT 63-10577 INIT

T. R. S. Q/Q

P/D 5N 4W 28

SCALE

PHOTO ID.



AUG 05 1994


ES

TERIOR
EY

PHOTO ID. X4

PERMIT 63-10577 INIT

T. R. S. Q/Q
P/D SW 40 28 SENE
SCALE



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10577

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 5N, Rge 4W, Sec. 28, SE 1/4 NE 1/4 or Lot _____.

2. Owner: Mew Zornia
Address 404 Windsor Dr, City Caldwell, St. Id.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Yes ☒ No ☐ Static Water Level: 8' - pressure
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 1 1/4"
Flowing: Yes ☐ No ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

AUG 05 1994

63-10577



#1

Point of diversion,
power source, gear
drive and discharge
pipe.



#2

View of delivery ditch
looking West from well
site and point where
irrigation district water
enters ditch.

Aug 05 1994

63-10577



#3

Place of use
looking southwest
from well site



#4

Place of use.

RECORDED

AUG 05 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

RECEIVED Dr. KEITH HIGGINSON
DIRECTOR

MAY 26 1993

Department of Water Resources

May 26, 1993

Mr. W. H. Truesdell, Jr.
404 Windsor Drive
Caldwell, ID. 83605

RE: Water Right Permit No. 63-10577

Dear Mr. Truesdell:

You visited this office on 4/5/93 to inquire about the licensing status of the above-referenced permit. You asked if the permit could be licensed in the same manner that right no. 63-10576 had been licensed.

After reviewing the situation and discussing it with the regional manager, and in the interests of avoiding additional delays in issuing a license, your request will be acted upon. The license recommendation for a full miner's inch per acre for permit 63-10577 has been made and forwarded to the department licensing staff for final action.

Thank you for bringing this matter to our attention. If you have additional questions about this or other water rights, please contact this office.

Sincerely,

A handwritten signature in cursive script that reads "Steve Lester".

Steve Lester
Water Rights Supervisor

MAILED

AUG 05 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

June 13, 1990

RE: Permit Nos. 63-10576 and 63-10577


M & W Farms
404 Windsor Dr.
Caldwell, ID 83605

Dear Permit Holder(s):

We acknowledge receipt of the statement of beneficial use and the supporting documentation for reinstating the above referenced permits. Before a license can be issued, a field examination will be made by a representative of this Department. Enclosed is an Order of Reinstatement. Please note that the priority dates have been advanced to January 25, 1990.

If you have any questions regarding this matter, please contact this office or our Western Regional Office at 334-2190.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:js

Enclosure

MICROFILMED

JUN 21 1990

1/23/90

I did not
receive approved
permit. Received
only the notice
that permit

63-105774

63-10576

had lapsed.

W. H. Broadell, Jr



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 27, 1990

RE: Permit No.s 63-10576 & 63-10577

M & W Farms Inc.

Dear Permit Holder(s):

The Department received your proof of beneficial use statement for the above referenced permit on January 25 1990. Both permits lapsed May 1, 1989 so the 60-day late period during which the permit can be readily reinstated has passed.

Pursuant to Section 42-218a, Idaho Code, (copy enclosed) the permit can now be reinstated only if you submit the following:

a) Evidence to show that beneficial use of the water did commence and to show the extent of the use of water during the authorized permit period from the time the permit was issued until the proof due date.

b) Reasonable cause why the proof of beneficial use was filed late.

Your proof of beneficial use statement along with any information which may have been submitted with it will remain on file in this office for 60 days to allow you an opportunity to assemble and submit the additional required information.

Please feel free to contact this office if you have additional questions.

Sincerely

TIM LUKE

Sr. Water Resource Agent

TL:sc

MICROFILMED

JUN 21 1990

POOR QUALITY

ENGINEERING
SURVEYING

BEARD BROS. DRILLING

NEW & USED

Location Column Pipe
Steel Pipe, etc.
Motors - Pumps
Drilling Equipment

Water Well Drilling
Test and Blast Hole Drilling
GRAND VIEW, IDAHO 83647
834-2279

JUN 21 1990

WISCONSIN



Date May 14 1977

Name ALFRED FARMS

Address COLDWELL, ID

SOLD BY CASH C. O. D. CHARGE ON ACCT. MOSE. RETD. PAID OUT

QTY.	DESCRIPTION	PRICE	AMOUNT
1	PIPE IN & OUT		50.00
2			
3	120' L.P. (ST) - 200'		
4	1" (52" HOLE)		200.00
5			
6			137.00
7	137' L.P. (ST) - 11' L.P.		
8			
9	7' L.P. (ST) - 11' L.P.		
10	11' L.P. (ST) - 11' L.P.		50.00
11			
12	5' L.P. (ST) - 11' L.P.		100.00
13	11' L.P. (ST) - 11' L.P.		
14	11' L.P. (ST) - 11' L.P.		
15	11' L.P. (ST) - 11' L.P.		
16	11' L.P. (ST) - 11' L.P.		
17	11' L.P. (ST) - 11' L.P.		
18	11' L.P. (ST) - 11' L.P.		

C. G. Dancho & Son, Inc.
Rt 1 Box 78, Payette, Ida 83661

May 14 77

A. W. Farms

24 yds well packing @ \$14.50 \$ 348.00

5-16-77

4/1/76

Agri-Lines CORPORATION **PARMA DIVISION**

BOX 248 • PARMA, IDAHO • 83660 208/722-5116

INVOICE NUMBER

7000

INVOICE NUMBER

INV. 8464

TO SHIP VIA

SHIPPED VIA

CUSTOMER

DATE SHIPPED

4/20/77

CUSTOMER ORDER NO.

DATE

7/15/77

SALES ORDER NO.

T 3663

CHARGE TO

M & W Farms, Inc.

404 Windsor Drive

Caldwell, ID 83605

CUST CODE

SHIPPED TO

TERMS: All accounts are due tenth of month following charge. A service charge of 1 1/2% per month (18% per year) will be added to all past due accounts. A minimum charge of \$1.00 per month will be added to all past due accounts less than \$50.00.

You may deduct % or (\$) If paid by

APPROVED BY

TERRITORY

WKV

7

ORDERED	PART NUMBER	DESCRIPTION	SHIPPED	UNIT PRICE	TOTAL PRICE	DISC.	NET PRICE
130'	special	Column, tube and shaft (10 x 2 x 1 3/16)					
1	special	10 x 10 x 16 1/2 discharge head					
3	special	stages 12" bowls 3 stage 12hb					
1	special	cone strainer		7550.00	7,550.00		
1	special	80 hp gear head 11:10 ratio					
1	special	WL414 drive line					
1	special	6 cyl 120 hp deisel engine	1	6125.00	6,125.00		
		Deutz air cooled complete w/murrhey switches					
		tachometer guages oil maintainer clutch					
		#5637554					
6-28-77		2 men assemble 3 stage turbine	.5hr				
6-29-77		3 men install turbine	4.5hr				
1		set pump in well		250.00	250.00		

BACK ORDER TO

BACK ORDER FROM

SHIPPED BY

INVOICE

This order was accepted by Agri-Lines Corporation under the condition that it would be billed at the price in effect at time of shipment.

SUB TOTAL

13,925.00

SALES TAX

FRT, P.P. & INS.

RECEIVED

JUN 21 1980

PARMA DIVISION

BOX 248 • PARMA, IDAHO • 83660 208/722-5116

INV. 7909

TO SHIP VIA

SHIPPED VIA

delivered

DATE SHIPPED

5/18/77

CUSTOMER ORDER NO.

DATE _____

6/10/77

SALES ORDER NO.

I 4029

CHARGE

10

M & W Farms

c/o W.H. Truesdell, JR.
404 Windsor Dr.

Caldwell, ID 83605

CUST
CODES
t
i
p
t
t
D

10

TERMS: All accounts are due tenth of month following charge. A service charge of 1½% per month (18% per year) will be added to all past due accounts. A minimum charge of \$1.00 per month will be added to all past due accounts less than \$50.00.

APPROVED
BY

TERRITORY

WKV

7

You may deduct 7 % or (\$ 1000) if paid by June 20, 1977.

DISCONTINUED

11/11/21 10:00

BACK ORDER TO

BACK ORDER FROM

SHIPPED BY

INVOICE

This order was accepted by Agri - Lines Corporation under the condition that it would be billed at the price in effect at time of shipment.

SUB TOTAL

SALES TAX

FRT. P.P. & INS

**TOTAL INVOICE
\$15.00 DOLLARS**

CUSTOMER ORIGINAL

5-10-90

Gentlemen:

Permit No.s 63-10576 and 63-10577 replace previously lapsed permits. I overlooked the proof submittal requirement at the time proof was originally due. The wells under these permits are for supplemental use only.

Sincerely

M. & W. Farms, Inc.
By W. H. Russell, Jr.

MICROFILMED

JUN 21 1990

**RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES**

Receipt No: C014214

Date: 01/25/90
Time: 11:01:52

Received

From: M & W FARMS, INC.

Type of Payment	Program Acct Class	Amount
BENEFICIAL USE (6310577) (6310576)	0620122 1238 6490	\$275.00
	Total	\$275.00

CHECK 8961

Idaho Department of Water Resources

Region: STATE

Signature: C. Wong

MICROFILMED

JUN 21 1990

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

May 9, 1989

M & W FARMS INC.
404 WINDSOR DR.
CALDWELL, ID 836050000

LAPSE NOTICE

RE: PERMIT NO. 63-10577

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated February 28, 1989.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

RECORDED

JUN 21 1990

INDEXED

5-10-1989

Lita Fleck

M & W FARMS INC.
404 WINDSOR DR.
CALDWELL, ID 836050000

February 28, 1989

138029

PROOF DUE NOTICE

RE: PERMIT NO. 63-10577

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1989.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 29, 1988

M & W FARMS, INC.
404 WINDSOR DR.
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10577

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

SECTION 42-235, IDAHO CODE, REQUIRES THAT A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.


SEP 30 1988

RE: PERMIT NO. 53-10577

2

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECEIVED

SEP 30 1964



CECIL D. ANDRUS
Governor

State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

R. KEITH HIGGINSON
Director

March 11, 1988

W. H. Truesdell
M & W Farms, Inc.
404 Windsor Dr.
Caldwell, ID 83605

Re: Applications for Permit Nos. 63-10576 and 63-10577

Dear Mr. Truesdell:

We recently received two water right applications for permit from your office to appropriate groundwater for irrigation use. The review process for these applications has been initiated, and they were recently submitted for advertising.

Before we can complete our review process, however, it will be necessary for you to submit a list of officers for M & W Farms, Inc. Department regulations require that such information be provided with water right applications from corporations. In addition, the title of the signator is required when a water right applicant is a corporation.

Please provide this information as soon as possible so that the processing of your applications is not delayed. Feel free to contact this office if you have any questions.

Sincerely,

Brad E. Dingee
Sr. Water Resource Agent

RECEIVED

SEP 30 1988

NOTICE OF APPLICATION OF WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

43-10576

M & W FARMS, INC.
404 WINDSOR DR.,
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt: NWNE SWNE
NESW Sec 15 T 05N R 04W
Use: IRRIGATION (3.0 CFS)
Date Filed: 02/22/1988
In: SWNE SENE NESW NWSW
LOT 04 (SWSW) LOT 03 (SESW)
NESE NWSE Sec 15 T 05N R 04W
FOR 200 ACRES

43-10577

M & W FARMS, INC.
404 WINDSOR DR.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt: SENE Sec 28 T 05N
R 04W
Use: IRRIGATION (1.6 CFS)
Date Filed: 02/22/1988
In: SWNE SENE Sec 28 T 05N R
04W FOR 80 ACRES

43-10578

BUCKEYE RANCH, INC.
RT. 2, WILDER, ID, 83476
Source: GROUNDWATER
Diversión Pt: SWNW Sec 13 T 04N
R 05W
Use: IRRIGATION (3.2 CFS)
Date Filed: 03/02/1988
In: NENW NWNW SWNW SENW
Sec 13 T 04N R 05W FOR 160
ACRES

43-10579

GOODING FARMS INC.
RT. 1 BOX 1312, PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt: NWNE Sec 10 T 04N
R 05W
Use: IRRIGATION (1.6 CFS)
Date Filed: 03/01/1988
In: NENE NWNE Sec 10 T 04N R
05W FOR 80 ACRES

43-10580

MIKE GOODING
RT. 1 BOX 1312, PARMA, ID 83660
Source: GROUNDWATER
Diversión Pt: SWNW Sec 03 T 04N
R 05W
Use: IRRIGATION (1.6 CFS)
Date Filed: 03/01/1988
In: NESE NWSE Sec 03 T 04N R
05W FOR 80 ACRES

43-10581

CARSON, HELEN
RT. 6 BOX 152, CALDWELL, ID 83605
Source: GROUNDWATER
Diversión Pt: NWSW Sec 34 T 04N
R 04W
Use: IRRIGATION (1.6 CFS)
Date Filed: 03/04/1988
In: SWNW NWSW Sec 34 T 04N R
04W FOR 80 ACRES

43-10583

NEWBILL FARMS, INC.
RT. 2 BOX 2150, NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: SWSE Sec 24 T 04N
R 02W
Use: IRRIGATION (1.6 CFS)
Date Filed: 03/09/1988
In: SWSW SESW Sec 24 T 04N R
02W FOR 80 ACRES

43-10584

ROGERS BROTHERS SEED CO.
P.O. BOX 1069, NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: SWSE Sec 24 T 04N
R 02W
Use: IRRIGATION (0.8 CFS)
Date Filed: 03/09/1988
In: SWSE Sec 24 T 04N R 02W FOR
40 ACRES

43-10574

HOSHAW, EDWARD M.
3311 ROSE HILL, BOISE, ID 83705
Source: DIXIE DRAIN trib. to
BOISE RIVER
Diversión Pt: SWNW LOT 04
(NWNW) Sec 02 T 03N R 03W
Use: IRRIGATION (1.5 CFS)
Date Filed: 02/29/1988
In: LOT 04 (NWNW) SWNW Sec 02
T 03N R 03W FOR 80 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before April 4, 1988.

R. KEITH HIGGINSON, Dir.
March 16, 23, 1988

RECEIVED

MAR 24 1988

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

I, sek,
County, Idaho, being first duly sworn, deposes
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before April 4, 1988.

Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two time
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

March 16, 23, 1988

Debra Kalousek

Subscribed and sworn to before me this

23rd

day of March

19 88

SEP 30 1988

Notary Public, Residing at Nampa, Idaho

63-10577

M & W FARMS, INC.

404 WINDSOR DR., CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SENE Sec 28 T 05N R 04W

Use: IRRIGATION (1.6 CFS)

Date Filed: 02/22/1988

In: SWNE SENE Sec 28 T 05N R 04W FOR 80 ACRES

RECEIVED

SEP 30 1988