

Maple Grove Sch.
Fivemile Community Church
McKinley Sch.
West Boise Jr High Sch.
Fivemile Creek
Threemile Creek
P.D. & P.A.
REPRODUCED FROM THE NATIONAL ARCHIVES
JUL 07 1988
T. 3 NORTH - R. 2 EAST

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James Rhodes
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 18 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10565

1. Owner: Jim Rhoads Phone No. 344-0090
Current Address: P.O. Box 3222 Boise, ID 83703

2. Accompanied by: Jim Rhoads EXAM. DATE: 8/2/88

Address: same 7287 N. Bogart Ln. Boise Phone No. same

Relationship to Permit Holder: HOLDER

3. Source: Well tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

AUG 28 1990

Scale: 1" = No Scale


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

NOT REQUIRED

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



63-10565

MICROFILMED
AUG 28 1990

BOISE
METRO
LIB

SCALE
0 1/4 1/2 3/4 1 MILE
0 .25 .50 .75 1 KM

Five Mile


Lake Hotel
Shopping Center

Five Mile

Five Mile

63-10565

27 1/2
27 1/2



MICROFILMED

AUG 28 1990

63-10565

Hose to
↓
WASH DOWN TRUCKS.



← well



Pressure Tank in Restroom
IN SHOPS BUILDING.

MICROFILMED

AUG 28 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10565

Priority: December 29, 1987

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

0.2 AF

This is to certify, that JIM RHODES
P.O. BOX 3222

BOISE, ID 837030000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 29, 1987; and has submitted Proof of Beneficial Use on March 21, 1988. An examination indicates that the works have a diversion capacity of .050 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.2 AF
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SESE , Sec. 19, Township 03N, Range 02E ADA County	

PLACE OF USE: DOMESTIC

TWN RGE SEC

03N 02E 19

SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for a shop.

MICROFILMED

AUG 28 1990

PAGE 2

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10565

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3rd
day of July, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

AUG 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 63-10565

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JIM RHODES Phone 344 0090
Post office address P.O. Box 3222 BOISE, ID 83703
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 19 Township 3N Range 2E B.M. AOA County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. see attached sheet
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 94 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

JUL 07 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1 - SHOP BUILDING
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	19																D	

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: WELL WAS DRILLED IN AUGUST 1986
ADDRESS OF PROPERTY IS 2871 S. CURTIS RD. - SHOP BUILDING.

07 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jim Rhodes
(Applicant)

Proposed Filing 12/29/87

Received by AMS Date 12/29/87 Time 11:40 P.M. Preliminary check by _____

Fee \$ 30 ~~xx~~ Receipted by AMS # 46047 Date 12/29/87

Publication prepared by AS Date 1/2/88 Published in Idaho Statesman

Publication approved AS Date 4/29/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10565, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Witness my hand this 29th day of February, 1988.

R. Keith Higgins
Director

RECEIVED

JUL 07 1988

- WATER SYSTEMS
- DRAINAGE PIPE
- UNDERGROUND UTILITIES

RHODES EXCAVATING

PHONE (208) 344-0090

• BOISE, IDAHO 83703

2871 S. Curtis Rd.

Domestic well

August 18, 1986,

Well drilling completed

Cost, \$14.00 per ft.

\$ 1,316.00 pd. by ck.# 12974 Aug.18,1986

Work by,

Holder Drilling

Address,

811 W. Plymouth Caldwell Idaho

Well size,

6 in. x 94 ft. in depth

Water table,

50 ft. below top of well casing

November 21, 1986

Work by,

Larry Trenholm - Plumbing

Address,

1925 Broadmoor Dr. Boise,

Pump,

Flint & Walling,

Type,

F.&W. w/Franklin motor / 4" submersible

Electrical,

Volts 230 Amp. use 15 amp. breaker

Pump depth,

84 ft. below top of well casing

Pump pipe in well,

75 ft. x 1½" dim. (1) 15' length
connected to pump then a check valve
then (6) 10' lengths then pitless adpt.
that is about 6' below top of casing,
then we installed about 85' of 1" p.e.
to building site, wire for pump is in
the same trench approx. 1' above 1" p.e.

MAINTAINED

JUL 07 1988

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

5327

Account Name Idaho Department of Water Resources (Western)			Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID		Zip 83705
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1988 Jan. 21, 28	
Identification Applications for Water Rights			Estimated Inches	Real Inches
1 Number of Affidavits Requested				Legal Number #7450

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10563

Stevens, Stanley &/or Janet
1901 N. Eagle Rd.
Eagle, Idaho 83616
Source: Groundwater
Diversion Pt: NESE Sec. 05 T 04N R 01E
Use: Irrigation (0.050 CFS)
Use: Stockwater (0.02 CFS)
Use: Domestic (0.04 CFS)
Date Filed: 01/04/1988
In: NESE Sec 05 T 04N R 01E —
for 2 Acres

63-10564

Dorris, Don &/or Nora
805 E. Amity Rd.
Meridian, ID 83642
Source: Waste Water trib. to Sinks
Diversion Pt: SWNE Sec 31 T 03N R 01E
Use: Irrigation (0.3 CFS)
Date Filed: 12/29/1987
In: SWNE Sec 31 T 03N R 01E —
for 15 Acres

63-10565

Rhodes, Jim
P.O. Box 3222
Boise, ID 83703
Source: Groundwater
Diversion Pt: SESE Sec 19 T 03N R 02E
Use: Domestic (0.040 CFS)
Date Filed: 12/29/1987
In: SESE Sec 19 T 03N R 02E

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before February 8, 1988.

R. KEITH HIGGINSON
Director

Publ. Jan. 21, 28, 1988

7450

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Deborah Gregory

, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of January 21, 1988

and ending with the issue of January 28, 1988

Deborah Gregory

Subscribed and sworn to before me this 28th

day of January, 1988

[Signature]
Notary Public for Idaho, Residing at Boise, Idaho

July 31, 1990

JIM RHODES
P.O. BOX 3222
BOISE, ID 837030000

RE: PERMIT NO. 63-10565

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10565
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

3N-2E

SEC 19

SE/SE/SE

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
no micr. ☒ Copies of any Amendments/Orders with conditions of approval
☐ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D Index KKC 5/21/88 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U Index KKC 5/21/88 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? NO (Initial and date)

☒ Appointment made and telephone conversation memo attached
9 AM 8/2

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Phill J Poff 8/8/88 (Signature of examiner and date)
Exam Reviewed by Senior Water Resources Agent JFW 1/22/90 (Initial and date)
Exam Reviewed by Manager of Regional Office Dnr 2/6/90 (Initial and date)
Exam Date Entered in Computer Yes (Initial and date)
Exam sent to State Office LW 5-15-90 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

MAY 18 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10565


1. Owner: Jim Rhoads Phone No. 344-0090
Current Address: P.O. Box 3222 Boise, ID 83703
2. Accompanied by: Jim Rhoads EXAM. DATE: 8/2/88
Address: same 7287 N. BOGART LN. Boise Phone No. same
Relationship to Permit Holder: Holder
3. Source: Well tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No Scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

MICROFILMED

AUG 28 1990

NOT REQUIRED

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

MR. RHODOS HAS A 94' DEEP 6" WELL EQUIPPED WITH A 3/4 hp FLINT AND WALLING PUMP WITH FRANKLIN MOTOR. WELL IS A PRESSURIZED SYSTEM WITH A 6 GALLON WATER HEATER. Shop HAS ONE HOSE TO WASH TRUCKS AND A BATHROOM. Bathroom IS USED BY ~~one~~ one foreman AND 4 employees FOR A TOTAL OF SIX PEOPLE. NO LAWN WATERING WAS MADE.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN	3/4		FLINT AND WALLING	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
—	—	SE	SE	SE	19	3N	2E	MOA	U.S.G.S. MAP.

6. Place(s) of Use:

Indicate Method of Determination U.S.G.S. MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	19																D	

Do not use this space

MICROFILMED

AUG 28 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

No measurements made since system was pressurized.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{.75 \text{ hp} \times 8.8 \times .8}{50 + (20 \times 2.31)} = \cancel{.10 \text{ cfs}} \quad .05 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

6 persons x 50 gallons/sh.ft (construction) x 50 weeks x 5 sh/week = 75,000 GAL

$$75,000 / 325,800 = .23 \text{ afa}$$

MICROFILMED

AUG 28 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO OVERLAPS EXIST.
From theoretical HP EQUATION Pump could deliver
Possibly .05cfs However .04cfs was applied for
AND STATED IN PROOF OF BENEFICIAL USE.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04cfs	.23 afa
Totals:			.04cfs	.23 afa

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION


Field Examiner's Name Randy Pfall
JFW 1-22-90 Signature Randy Pfall
Certification Date _____
Field Report Preparation Date 8/2/88




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


MICROFILMED

AUG 28 1990



BOISE METRO ATAD






63-10565

P/N
P/L

Hose to
↓
WASH DOWN TRUCKS.



PRESSURE TANK IN RESTROOM
IN SHOPS BUILDING.

MICROFILMED

AUG 28 1990



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

June 28, 1988

63-10565
Jim Rhodes
P.O. Box 3222
Boise, ID 83703

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

A handwritten signature in dark ink, appearing to read "Judy Pense".

Judy Pense
Secretary

/jp

MICROFILMED

JUL 07 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10565

Date: 4-18-1988

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely
N/A Reinstated

Source of Water:

Y Surface water
Y Groundwater
 1. well log in file
 N/A 2. drilling permit
 A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
 Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____ + _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
MAR 21 1988

STATE OF IDAHO *no # encl 90*
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10565

Name(s) of Permit Holder: JIM RHODES ✓

Post Office Address: P.O. BOX 3222 ✓

BOISE, IDAHO 83703 ✓

Telephone No. 208-344-0090

Source of Water: UNDER GROUND ✓

Extent of Use:

Domestic 1 ✓ (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remark _____

TO BE USED ^{FOR} AS DRINKING WATER, & WASH ROOM, AT SHOP BUILDING

Total rate and/or volume for which proof is submitted .04 ✓ cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: SEPT. 1986 ✓

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

JIM RHODES
(Name)

344-0090 or 362-2263
(Telephone Number)

7287 N. BOGART LN. BOISE, IDA.
(Address)

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUL 07 1988

MARCH 18, 1988
Date

Jim Rhodes
Signature of Permit Holder (and title, if appropriate)

owner ✓

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MARCH 11, 1988

RHODES, JIM
P.O. BOX 3222
BOISE, ID 83703

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10565

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MAILED

JUL 07 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: SWD

APPLICATION NUMBER: 63-10565

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- N/A {
☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. none
☒ Yes ☐ No* In form for advertising.
Final date for protests: February 8 1988
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/28/88
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30/46047
☒ Publication dates and paper, recorded on application. 12/21 & 1/28/88
None ☐ Protests, dates, withdrawal, etc., recorded on application.
Approve, DWS ☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
105 ☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
12/29/87 Date of priority recommended.
Special conditions of approval or cover letter. _____

well drilled in B/B6 - condition 46 not applicable.

By: Der

Date: 2/9/88

STATE OFFICE REVIEW:

605, 616

RECEIVED
FEB 11 1988

- ☐ See attached sheet for more information.

By: KW

Date: 2/24/88

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

JANUARY 13, 1988

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 8, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

MAIL ROOM

JUL 07 1988

63-10565

RHODES, JIM

P.O. BOX 3222, BOISE, ID 83703

Source: GROUNDWATER

Diversion Pt: SESESE Sec 19 T 03N R 02E

Use: DOMESTIC (0.040 CFS)

Date Filed: 12/29/1987

In: SESE Sec 19 T 03N R 02E

MANUSCRIPTED

JUL 07 1988

IDENT. NO. 63-10565

WATER RIGHT DATA ENTRY LOG

[illegible]