

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

19


P.U. / home
A.P.D.
Spring

MAILED
AUG 05 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)
Carole Sorensen



RECEIVED
FEB 3 1988

Department of Water Resources
Western Regional Office

IDAHO WORLD-January 27, 1988-Page 7

LEGAL NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

63-10561 *130*

SORENSEN, CAROLE

P.O. BOX 146, STANLEY, ID 83278

Source: SPRING trib. to SINKS

Diversion Pt: LOT 04 (NESWSW) Sec 19
T 04N R 04E

Use: DOMESTIC (0.020 CFS)

Date Filed 01-11-1988

In: SWSW Sec 19 T 04N R 04E

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way,
Boise, Idaho 83705 on or before February
8, 1988.

R. KEITH HIGGINSON, Dir.

Published in the IDAHO WORLD, Idaho
City, Idaho, January 20, 27, 1988.

STATE OF IDAHO, }

County of Boise }

Mauley Shelburn, being
duly sworn, deposes and says:
that he is the manager and prin-
cipal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho; the said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for
two consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and continu-
ously published for more than
seventy-eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

Jan 20, 19*88* and end-
ing with the issue of *Jan 27*.

19*88*.

Mauley Shelburn

Subscribed and sworn to before
me this *27* day of *Jan* 19*88*

Resides in *Idaho City*

Commission Expires *7/18/88*

MICROFILMED

AUG 05 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

A. GENERAL INFORMATION

Department of Water Resources


1. Owner: Carole Sorensen Permit No. 63-10581
Current Address: P.O. Box 146 Stanley ID. 83278 Phone No. 838-2353
2. Accompanied by: Kevin McDavid EXAM. DATE: 9/22/89
Address: HC 33 Box 2406 Boise ID. 83706 Phone No. —
Relationship to Permit Holder: Rents property
3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-02153, 63-00319
2. Other water rights with same point of diversion: NONE 63-00319
☐ Copies Attached N/A
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

MICROFILMED

APR 13 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached N/A (required for irrigation of 10 acres or more).



PHOTO ONE- Buried spring box approx 200' E of Robie Creek Road between Mitchell & Kelly gulches.



PHOTO TWO- Plu, old brown cabin, buried water line still runs from spring to cabin. Spring is 40' NE (left, out of view) from cabin. Cabin receives occasional use.


MICROFILMED
APR 13 1992


63-10561

T4N

R4E

5.19 K





T4N

Other 2-story log cabin uphill from springs, Not part of this Right

Section corner

Located bearing tree about 50' E. of road, tag indicated 16.5 chains W. to Section cor.

pl. Spring and 1 cabin

$16.5 \text{ ch.} \times 66.6 \text{ ft/ch} = 1099'$

R4E

Found 1 new 2-story home and 1 old brown cabin on this owner's property. only the old cabin in S.E.S.E.S.W. is part of this Right

RECORDED
APR 13 1892

63-10561

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10561

Priority: January 11, 1988

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that CAROLE SORENSEN

PO BOX 146

STANLEY ID 832780000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 11, 1988; and has submitted Proof of Beneficial Use on February 22, 1990. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWSW), Sec. 19, Township 04N, Range 04E
BOISE County

PLACE OF USE: DOMESTIC
TWN RGE SEC

04N 04E 19 Lot 4(SWSW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water for domestic purposes under this right shall be limited to in-house use and watering of household stock.
6. Domestic use is for 1 home.

MICROFILMED

APR 13 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10561

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13TH
day of MARCH, 1992.

Acting for R. Keith Higginson, Director

MICROFILMED
APR 19 1992

RECEIVED

FEB 22 1990

STATE OF IDAHO

Department of Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received N/A
Date 2-22-90
Receipt # N/A
Receipt by N/A
Reviewed by SL
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10561
Name(s) of Permit Holder: Carole Sorensen ✓
Post Office Address: Box 146 Stanley IDAHO ✓
Telephone No. 838 2353

Source of Water: Spring ✓

Extent of Use:
Domestic 1 ✓ (number of households) Stockwater _____ (number and type of stock)
Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .02 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No
Fee enclosed \$ No Fee Required
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:
J. SORENSEN 343-0804
(Name) (Telephone Number)

1007 Forrest Boise IDAHO
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

APR 19 1990

2-10-90

Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Carole Sorensen Phone 208)838-2353
Post office address P.O. Box 146, Stanley, Idaho 83278

2. Source of water supply An unnamed spring which is a tributary of sinks

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot 84 SL. 1/1/88
Sec. 19 Township 4N Range 4E B.M. Boise County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.02 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Springbox, tank & pipeline to
place of use

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

RECEIVED

AUG 05 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1-2 PER PHONE CONVERSATION 1/5/88 with C. SORENSEN SL
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

S.L. 1/5/88

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	4E	19											D						—

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. none

11. a. Who owns the property at the point of diversion? applicant
- b. Who owns the land to be irrigated or place of use? applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECEIVED

AUG 05 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.


19

p.u./or home
Apt.
Spring

FILMED
AUG 05 1988

Scale: 1/2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)
Carole Sorensen

Proposed Priority 1/11/88

30 Check Recd 1/11/88 11:00 a.m. SL
No ✓ are.

Received by nl Date 1-4-88 Time 10:30 am Preliminary check by SL

Fee \$ 30⁰⁰ Receipted by SL # 46052 Date 1/11/88

Publication prepared by SL Date 1/13/88 Published in The Idaho World
120 & 121/88

Publication approved SL Date 2/3/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10561, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.


e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
Use of water for domestic purposes under this permit shall be limited to in-house use & watering of household stock.

Witness my hand this 9th day of March, 1988.

R. Kent Higgins
Director *ms*

RECEIVED

AUG 05 1988



4N 4E 5.19

AUG 05 1988

5 LUCKY PEAK
STATE RECREATION AREA

1. *Chlorophyll a* and *Chlorophyll b* were determined by the method of Arar and Collins (1971).

21
 1

County of Boise

19. ~~22~~.....

Subscribed and sworn to before
me this 27... day of 19 88

Resides in Shak City

Commission Expires 7/18/08

INDEXED

AUG 05 1988

March 16, 1992

CAROLE SORENSEN
PO BOX 146
STANLEY ID 832780000

RE: WATER RIGHT NO. 63-10561

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECORDED

APR 13 1992

LICENSE REVIEW CHECKLIST

Date 02-24-92

Permit # 163-10561

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u>Yes</u>	Disagree with Actual Measurement?
	<u>NA</u>	<u>Yes</u>	Disagree with Theoretical?
	<u>Yes</u>	<u>No</u>	Limited by Capacity?
TOTAL VOLUME	<u>Yes</u>	<u>No</u>	Rate/ac <u>NA</u> AFA (Irrigation)
	<u>NA</u>	<u>Yes</u>	Disagree with Examiner's Calculations?
	<u>Yes</u>	<u>No</u>	Limited by Flow?
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended</u> source is the only <u>Change</u>
	<u>Yes</u>	<u>No</u>	allowed. Any other change results in
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.
P/D	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
P/U	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
USES	<u>Yes</u>	<u>No</u>	Changes required in the Period of Use for
	<u>Yes</u>	<u>No</u>	each Use to be compatible with Maps, Data
	<u>Yes</u>	<u>No</u>	Entry Standards, etc?
	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?
	<u>Yes</u>	<u>No</u>	Non-Irrigation Uses
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other _____
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Device
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>Yes</u>	<u>No</u>	Overlap
	<u>Yes</u>	<u>No</u>	Water Quality
	<u>Yes</u>	<u>No</u>	Other
	<u>Yes</u>	<u>No</u>	DATES/MISC
	<u>Yes</u>	<u>No</u>	Water Dist.
	<u>Yes</u>	<u>No</u>	App Rec'd
	<u>Yes</u>	<u>No</u>	Exam Made
	<u>Yes</u>	<u>No</u>	Other

COMMENTS/MEMOS NEEDED:

License ✓ 10-Day 15-Day Special Correspondence



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 31, 1989

Carole Sorensen
P.O. Box 146
Stanley, ID. 83278

Re: Permit 63-10561

Dear Carole:

The above permit concerns a spring and land just east of the Robie Creek road and uphill from the "Stronghold" property. I received a telephone call from Jerry Sorensen in early September requesting a field exam for the permit. He said that the development was finished and water was being used. He also indicated that Kevin McDaid rents the two-story cabin on your land. I contacted Kevin and conducted the field exam on 9/22/89.

Two items of concern arose. One, I mistakenly conducted the exam before the Proof of Beneficial Use was completed and submitted by you, the current owner. The proof statement indicates that the development under the permit is complete and water is used. Only then should an exam be conducted. The exam is the basis for issuing a license.

Two, I found the spring uphill and east of the Robie Creek road. The enclosed map should be helpful to you. The spring is situated next to an older one-story brown cabin. Kevin indicated that a line runs from the source to the cabin and constitutes domestic use. This is an acceptable conclusion. However, the permit indicates domestic use for two homes was intended. The only other home we could identify on the property is the two-story log cabin rented by Kevin. This site is uphill from the spring and, because pumping was not found, clearly does not receive water from the spring by the old cabin. Kevin's rental house has its own well. Are you aware of another spring that was developed to provide water to the newer home? If so, where is the spring and how does water reach the home?

[If the development under permit 63-10561 includes the identified spring and old brown cabin, the attached Proof of Beneficial Use form could be completed and returned. Note that a fee is not necessary. Be sure to sign the form in the lower left corner. Upon receipt of the completed proof form, I will finish the field report and recommend 0.02 cfs for domestic use for one home. However, if another spring or springs deliver water to another home on your

Minneapolis

APR 13 1992

Forward this copy with original field exam to S.O. Mistakenly conducted exam prior to proof b.u. submitted, but everything was correctly identified and completed. *SL*
5/1/90

63-10561, Letter of 10/31/89
page 2

property, please provide the details. If you intend to continue development within the terms of the permit, you have until March 1, 1990 to submit the proof.

Let me know if I can provide additional help.

Sincerely,

Steve Lester 
Sr. Water Resource Agent

Sl:sl
Enclosure

MICROFILMED
APR 13 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

Department of Water Resources

A GENERAL INFORMATION


1. Owner: Carole Sorensen Permit No. 63-10387
Current Address: P.O. Box 146 Stanley ID. 83278 Phone No. 838-2353
2. Accompanied by: Kevin McDavid EXAM. DATE: 9/22/89
Address: HL 33 Box 2406 Boise ID. 83706 Phone No. —
Relationship to Permit Holder: Rents property
3. Source: Spring tributary to Sinks

B OVERLAP REVIEW

1. Other water rights with same place of use: 63-02153, 63-00319
☐ Copies Attached N/A
2. Other water rights with same point of diversion: none 63-00319
☐ Copies Attached ☐ Copies of Field Exam's Attached

C SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

APR 13 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached N/A (required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A buried springbox and 1 1/2" buried line supply internal domestic use to 1 ~~CABIN~~ cabin. The cabin is approx 40' from the spring. The permit specified 2 homes but only one is part of the system. The other home is a newer, 2-story log home uphill from this gravity-flow system & thus cannot receive water. This is confirmed by 1) proof of b.v. and 2) my letter of 10/31/89 (copy attached).

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4	SE	SW	SW	19	4N	4E	Butte	USGS 7 1/2' Quad and bearing tree located just east of Rubie Cr. Road.

6. Place(s) of Use:

Indicate Method of Determination AS 12 P10

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	4E	19										D							—
												2.4							

APR 13 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE possible

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Domestic, 1 home, into use, .02 cfs
allow .6 AFA

MICROFILMED
APR 13 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Overlap

P/u - 63-02153 Ruby Creek & springs (other than one in permit)
for other property.

P/d & P/u - 63-00319 Robie Creek, other land.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1/1</i>	<i>12/31</i>	<i>0.02</i>	<i>.6</i>
Totals:			<i>0.02</i>	<i>.6</i>

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name


3FW
2/22/91

Signature

Certification Date

Field Report Preparation Date

Steve Lester
Steve Lester
9/22/89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MID-STATE

APR 13 1992



PHOTO ONE- Buried spring box approx 200' E. of Robie Creek Road between Mitchell & Kelly gulches.



PHOTO TWO- Plu, old brown cabin, buried water line still runs from spring to cabin. Spring is 40' NE (left, out of view) from cabin. Cabin receives occasional use.

MICROFILMED
APR 13 1992

63-10561

T4N


R4E


5.19 **K**

K

L

I





Creek

13

18

17

137

Spring

Karney
Lakes

Creek

Gulch

Road

Creek

24

19

T4N²⁰

Other 2-story log
cabin uphill from spring. Not
part of this Right

Section corner

Located bearing tree
about 50' E. of road

Ashton 25th indicated 16.5 chains

W. to Section cor.

16.5 ch. x 66.6 ft/ch = 1099'

pl. Spring and 1 cabin

Bumblebee
Mine

Gulch

Bare

Spring

TR

xx Prospects

Mines

R4E

RECORDED
APR 13 1992

Found 1 new 2-story home
and 1 old brown cabin on
this owner's property. Only the
old cabin in SESESW is
part of this Right

Gaging
Station

63-10561

Schoonover

T.4 N

T.3 N

4831000

April 18, 1990

CAROLE SORENSEN
P.O. BOX 146
STANLEY, ID 832780000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10561

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 19 1990

139995
December 31, 1989

CAROLE SORENSEN
P.O. BOX 146
STANLEY, ID 832780000

PROOF DUE NOTICE

RE: PERMIT NO. 63-10561

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

APR 19 1990



Post Office Box 146 Stanley, Idaho 83278

February 16, 1988




James and Joan Stephens
HC 33, Box 2225
Boise, Idaho 83706

Dear Mr. and Mrs. Stephens:

It has come to my attention that you are using water from a source originating from my property on Robie Creek to which I believe I have the sole water rights. I hereby demand that you stop this unauthorized use immediately.

Sincerely yours,


Carole Sorensen

CKS:lbq
cc: Steve Millemann


RECEIVED

APR 05 1988

Department of Water Resources

RECEIVED

FEB 23 1988

Department of Water Resources
Western Regional Office

RECEIVED

AUG 05 1988

Re: 63-10561

CAROLE KING

2.17

63-10 561

This Registered
Letter was sent
today.

Your Copy for FBI.

RECEIVED

AUG 05 1988

Loma Gross
Test. to
CAROLE KING
Evensen

818) 907-5882

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MARCH 23, 1988

SORENSEN, CAROLE
P.O. BOX 146
STANLEY, ID 83278

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10561

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MAILED

AUG 05 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

JANUARY 13, 1988

The Idaho World
Box 220
Idaho City, ID 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 8, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

FILED

AUG 05 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before February 8, 1988

R. KEITH HIGGINSON, Dir.

Published 01/20 & 01/27/88.

AUG 05 1988

63-10561

SORENSEN, CAROLE

P.O. BOX 146, STANLEY, ID 83278

Source: SPRING trib. to SINKS

Diversion Pt: LOT 04 (NESWSW) Sec 19 T 04N R 04E

Use: DOMESTIC (0.020 CFS)

Date Filed: 01/11/1988

In: SWSW Sec 19 T 04N R 04E

RECEIVED
AUG 05 1988

CAROLE KING

Attention:

Steve Lester
IDAHO DEPT. OF
WATER RESOURCES
2735 AIRPORT WAY
BOISE IDAHO
#83705

Per your conversation
w/Carole Sorensen
on 1/5/88. — find
enclosed CK #154
For \$30.00.

IF YOU HAVE ~~ANY~~ ^{AUG 05 1988}
QUESTIONS CONTACT
CAROLE SORESEN
818)907-5882
IMMEDIATELY

Loma Guese, Asst.

- K I N G -

4518 TOBLAS AVENUE
SHERMAN OAKS, CA 91403

RECEIVED

JAN 8 1988

Department of Water Resources
Western Regional Office

RECEIVED

JAN 11 1988

Department of Water Resources
Western Regional Office

RECEIVED

AUG 05 1988

Steve Lester
Department of Water Resources
2735 Airport Way
Boise, Idaho 83705


January 2, 1988

Dear Steve:

Per our conversation several weeks ago, I am submitting an application for a water right on the spring on my property on Robie Creek. Would you be good enough to let me know when the formal notices will be appearing in the Idaho City paper, and also, when enough time has run so that the water right will not be contested. Then I will be able to notify the people who need to know that I have indeed filed my claim and the matter should be resolved then.

Thank you for your help on this, and I wish you a very happy healthy and prosperous New Year.

Sincerely,



CAROLE KING SORENSEN

RECEIVED

AUG 05 1988

RECEIVED

JAN 4 1988

Department of Water Resources
Western Regional Office