


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry L. Blum
(Applicant)



RECEIVED

IDAHO WORLD- Dec. 23 & 30, 1987- Page 7

LEGAL NOTICES

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION
FOR WATER RIGHTS

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

63-10556

BLOEM, LARRY
HC33 BOX 2419, BOISE, ID 83706
Source, SPRING trib. to SINKS
Diversion Pt: NWSNW Sec 19 T 04N R
04E

Use: DOMESTIC (0.040 CFS)

Date Filed: 11-23-1987

In: LOT 01 (NWNW) Sec 19 T 04N R 04E
63-10531

BEAUBIEN, O. J. &-or CAMILLE
508 CENTRAL MIDLAND BLVD., NAM-
PA, ID 83651

Source: CLEAR CREEK trib. to GRIMES
CREEK

Diversion Pt: SWSW Sec 21 T 05N R 04E

Use: FIRE PROTECTION (0.120 CFS)

Date Filed: 08-28-1987

In: SWSW SESW Sec 21 T 05N R 04E
65-12814

FRY, RONALD &-or TONIE
HC 76 BOX 2940, GARDEN VALLEY, ID
83622

Source: GROUNDWATER

Diversion Pt: LOT 10 (SESENE) Sec 10 T
08N R 05E

Use: IRRIGATION (0.150 CFS)

COMMERCIAL (0.2 CFS)

HEATING (0.2 CFS)

DOMESTIC (0.040 CFS)

Date Filed: 11-27-1987

In: LOT 10 (SENE) Sec 10 T 08N R 05E
FOR 5 ACRES

65-12816

KING, DAVID J. &-or MARCELLE A.
P.O. BOX 365, HORSESHOE BEND, ID
83629

Source: SHAFER CREEK trib. to PAY-
ETTE RIVER

Diversion Pt: LOT 02 (SWNE) Sec 34 T
07N R 02E

Use: IRRIGATION (0.054 CFS)

Date Filed: 11-20-1987

In: LOT 02 (SWNE) Sec 34 T 07N R 02E
FOR 2 ACRES

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before January 4, 1988.

R. KEITH HIGGINSON, Dir.

Published in the IDAHO WORLD, Idaho
City, Idaho, December 16 & 23, 1987

STATE OF IDAHO, }

County of Boise }

Maile Shubat
....., being
duly sworn, deposes and says:
that he is the manager and prin-
cipal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho; the said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for
.....*two*.....consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and continu-
ously published for more than
seventy-eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

....*Dec 16*...., 19*87*....and end-
ing with the issue of *Dec 23*
19*87*....

Maile Shubat

Subscribed and sworn to before
me this *23* day of *Dec*, 19*87*....

[Signature]

Resides in *Idaho City*....

Commission Expires *7/18/88*....

AUG 03 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 17 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Larry Bloem Permit No. 63-10556
Current Address: HC 33, Box 2419, Boise, Idaho 83706 Phone No. 342-7171
2. Accompanied by: owner / Larry Bloem EXAM. DATE: 6/5/91
Address: same Phone No. 342-7171
Relationship to Permit Holder: _____
3. Source: spring tributary to sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
APR 13 1992


Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



PERMIT 63-10556
4N-4E SEC 19
NW/4W
GOU LOT 1

UNRECORDED
APR 13 1992





P/O
spring box
area

PHOTO ONE-



P/u
Looking
west

PHOTO TWO-

MICROFILMED

APR 13 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10556

Priority: November 23, 1987

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that LARRY BLOEM

HC 33 BOX 2419

BOISE ID 837060000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 23, 1987; and has submitted Proof of Beneficial Use on January 10, 1989. An examination indicates that the works have a diversion capacity of .010 cfs of water from:

SPRING

tributary to **SINKS**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSEW , Sec. 19, Township 04N, Range 04E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04N 04E 19 Lot 1(NWNW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. Use of water for domestic purposes under this right shall be limited to in-house use and watering of household stock.
7. Domestic use is for 1 home.

MICROFILMED

APR 13 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10556

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 26th
day of March, 1992.

Billy D. Fleener, for
R. Keith Higginson, Director

APR 13 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Larry Bloem Phone 342-7171
Post office address HC 33, Box 2419, Boise, ID 83706
2. Source of water supply spring which is a tributary of sinks
3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 19 Township 4N Range 4E B.M. Boise County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. concrete springbox and PVC pipe to residence.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

RECEIVED

AUG 05 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. one
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	4E	19						<u>1.1</u> D											

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. none

- Who owns the property at the point of diversion? Wilderness Ranch
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Applicant thought he owned the land which spring is on until a recent survey.

Spring

Gulch

4E

63-9061

63-2379

63-7275

63-7240

63-7229

63-7238

63-2153

63-9691

63-2153

63-8508

63-8500

63-9081

63-9834

63-3571

63-7134

63-7135

63-8020

63-7412

63-7133

63-7082

63-7080

63-7349

Kelly

P/U

P/d

4N

RA 14644

4366

4584

4860

4892

13

18

15

17

Gulch

Gulch

MICROFILMED

AUG 05 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Proposed by 11/23/87

Received by KW Date 11-23-87 Time 2:20 Preliminary check by [Signature]

Fee \$ 30.00 Receipted by KW # 45713 Date 11-23-87

Publication prepared by jp Date 12/9/87 Published in The Idaho World

Publication approved le Date 1/5/88 12/16 & 12/23/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10556, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

The issuance of this permit in no way grants any right-of-way or easement across the land of another.


Use of water for domestic purposes under this permit shall be limited to in-house use and watering of household stock.

Witness my hand this 1st day of February, 1988.

[Signature]
Director

MAILED

AUG 05 1988



STATE OF IDAHO, }

County of Boise }

Mailey Shobart being
duly sworn, deposes and says:
that he is the manager and prin-
cipal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho; the said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for
.....*two*.....consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and contin-
uously published for more than
seventy-eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

....*Dec. 14*...., 19*87*....and end-
ing with the issue of *Dec. 23*
19*87*....

Mailey Shobart

Subscribed and sworn to before
me this *23*... day of *Dec*, 19*87*....

James H. [Signature]
Resides in *Idaho City*....

Commission Expires *7/18/88*....

AUG 03 19

April 1, 1992

LARRY BLOEM
HC 33 BOX 2419
BOISE ID 837060000

RE: WATER RIGHT NO. 63-10556

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
APR 13 1992

February 26, 1992

LARRY BLOEM
HC 33 BOX 2419
BOISE ID 837060000

RE: WATER RIGHT NO. 63-10556

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
APR 13 1992

LICENSE REVIEW CHECKLIST

Date 02-24-92

Permit # 63-10556

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance?
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u>NA</u>	<u> </u>	Disagree with Theoretical?
	<u>✓</u>	<u> </u>	Limited by Capacity?
TOTAL VOLUME	<u> </u>	<u> </u>	Rate/ac <u> </u> AFA (Irrigation)
	<u>NA</u>	<u> </u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	Limited by Flow?
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u> </u>	<u>Intended</u> source is the only <u>Change</u>
	<u> </u>	<u>✓</u>	allowed. Any other change results in
	<u> </u>	<u> </u>	Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Changes required in the Period of Use for
	<u> </u>	<u> </u>	each Use to be compatible with Maps, Data
	<u> </u>	<u>✓</u>	Entry Standards, etc?
	<u> </u>	<u>✓</u>	Change(s) in Nature of Use?
	<u> </u>	<u>✓</u>	Amendment Needed?
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u>✓</u>	<u> </u>	Non-Irrigation Uses
	<u> </u>	<u>✓</u>	Special Overlap Condition
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
	<u> </u>	<u>✓</u>	Other
	<u> </u>	<u> </u>	DATES/MISC
	<u> </u>	<u>✓</u>	Water Dist.
	<u> </u>	<u> </u>	App Rec'd
	<u> </u>	<u> </u>	Exam Made
	<u> </u>	<u>✓</u>	Other

COMMENTS/MEMOS NEEDED:

License 10-Day ✓ 15-Day Special Correspondence

WRO749NP
No. L63-10556

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/24/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LARRY BLOEM HC 33 BOX 2419 BOISE ID 837060000 (208) 342-7171	11/23/1987	DOMESTIC	01-01 12-31	0.01 CFS	0.6 AFA
TOTAL DIVERSION:					0.01 CFS	0.6 AFA

Water Source: SPRING

Tributary to: SINKS

Stage: LICENSE

Point(s) of Diversion Capacity: 0.01 CFS

Point(s) of Diversion: T04N R04E S19 NW SE NW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
04N	04E	19	:							01-D										:

Pou County: BOISE

Conditions of Approval:

- 004 - The issuance of this permit in no way grants any right-of-way or easement across the land of another.
- 021 - Use of water for domestic purposes under this right shall be limited to in-house use and watering of household stock.

Remarks: Domestic use is for 1 home.

Dates:	App. Received:	11/23/1987	Priority Date:	11/23/1987
	Proof Due Date:	03/01/1989	Proof Made Date:	01/10/1989
	Exam Made Date:	06/05/1991	Exam Sent to S.O.:	01/14/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 02/24/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 17 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Larry Bloem Permit No. 63-10556
Current Address: HC 33, Box 2419, Boise, Idaho 83706 Phone No. 342-7171
2. Accompanied by: owner / Larry Bloem EXAM. DATE: 6/5/91
Address: same Phone No. 342-7171
Relationship to Permit Holder: _____
3. Source: spring tributary to sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

RECEIVED
APR 13 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Springbox with 300' of buried
1" pipe. (Last 100' is 3/4" pipe.) Gravity
flow for internal use for one person.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		N	W	SE	NW	19	4N	4E	Boise 7.5' USGS Quad.

6. **Place(s) of Use:**

Indicate Method of Determination same as PLO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	4E	19					D												
							lot												

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
1 gal. stopwatch						

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{.5 \text{ gal.}}{11 \text{ min.}} = \frac{.045 \text{ gpm}}{448.8} = .0001 \text{ cfs}$

2. Alternate Method for Checking Purposes:

allow minimum
cfs .01

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Domestic, 1 home, internal use = 0.60 afa

APR 13 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Note that use is limited to in^{home}-use only - per permit restriction.

I accompanied examinee on this exam. Spring has very low output. Owner indicated that he is satisfied with .01 cfs recommendation.

-SL 12/30/91

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.01 cfs	.6 afa
Totals:			.01 cfs	.6 afa


* 2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name SARA WEST
 Signature S.Y. West
 Certification Date _____
 Field Report Preparation Date 6/5/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


APR 13 1992


NORTH

PERMIT 63-10556
4N-4E SEC 19
NW/4W
GOU LOT 1

RECORDED

APR 13 1992





P/O
spring box
area

PHOTO ONE-



P/u
Looking
west

PHOTO TWO-

APR 13 1992

APR 13 1992

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 163-10556

Date: 1-12-89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:


_____ Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____ -
No. of days late _____ =
Priority date _____ +
NEW PRIORITY DATE _____ =

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



JAN 10 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources **PROOF OF BENEFICIAL USE**

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10556

Name(s) of Permit Holder: LARRY BLOEM

Post Office Address: HC 33 Box 2419 Boise, ID 83706

Telephone No. 342-7171 or 336-AB36

Source of Water: Spring

Extent of Use:

Domestic 1 (number of households)

Stockwater 2 dogs
1 calf
2 Horses (number and type of stock)

Irrigation _____ (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted 0.1 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 6-1-88

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No

Fee enclosed \$ 0.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

LARRY BLOEM 342-7171 336-AB36
(Name) (Telephone Number)

HC 33 Box 2419 Boise ID 83706
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

1-5-88
Date

Larry L. Bloem
Signature of Permit Holder (and title, if appropriate) 1-5-88

LARRY BLOEM
HC 33 BOX 2419
BOISE, ID 837060000

December 31, 1988

135541

PROOF DUE NOTICE

RE: PERMIT NO. 63-10556

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1989.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 09 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
FEBRUARY 04, 1988

BLOEM, LARRY
HC 33 BOX 2419
BOISE, ID 83706

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10556

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

NOT FILMED

AUG 05 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jim Jan Shute APPLICATION NUMBER: 63-10556
CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☒ Yes ☒ No Field check required.

- ☐ Yes ☒ No Critical groundwater area. → UPPER BOISE R. DRAINAGE - IN-HOUSE COM. ONLY.

- ☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

- ☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☒ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 1/4/88

- ☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12/31/87

- ☒ Application published correctly. If not, record action taken: _____

- ☒ Fee amount, receipt date & number, recorded on application. 36/45713

- ☒ Publication dates and paper, recorded on application. 12/16 & 12/23/87

- ☒ Protests, dates, withdrawal, etc., recorded on application.

- ☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No Measuring device required.

- ☐ Yes ☒ No Access port required.

- ☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63-N/A source sinks

- 11/23/1987 Date of priority recommended.

Special conditions of approval or cover letter. 21

By: DRT Date: 1/13/1988

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: KW Date: 1/26/88 **RECEIVED** JAN 15 1988

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

DECEMBER 9, 1987

The Idaho World
Box 220
Idaho City, ID 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 4, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED
FILMED

AUG 05 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before January 4, 1988

R. KEITH HIGGINSON, Dir.

Published 12/16 & 12/23/87.

AUG 05 1988

63-10556

BLOEM, LARRY

HC 33 BOX 2419, BOISE, ID 83706

Source: SPRING trib. to SINKS

Diversion Pt: NWSENW Sec 19 T 04N R 04E

Use: DOMESTIC (0.040 CFS)

Date Filed: 11/23/1987

In: LOT 01 (NWNW) Sec 19 T 04N R 04E

NOT REFILED

AUG 05 1988