


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald E. Smith
(Applicant)

RECEIVED
DEC 23 1987

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

Decmeber 16, 23, 1987

Debra Martin del Campo
Subscribed and sworn to before me this

23rd day of December
19 87


MICROFILMED
AUG 05 1988

Jeanne Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991


NOTICE OF APPLICATION
FOR WATER RIGHT
The following application has been filed to appropriate the public waters of the State of Idaho:
63-10555
SMITH, RONALD G.
RT. 3 BOX 3085, PARMA, ID 83660
Source: GROUNDWATER
Diversion Pt: LOT 03 (NWSW) Sec 31 T 05N R 05W
Use: IRRIGATION (3.2 CFS)
Date Filed: 12/02/1987
In: NENW LOT 01 (NWNW) LOT 02 (SWNW) SENW Sec 31 T 05N R 05W FOR 160 ACRES
The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before January 4, 1988.
R. KEITH HIGGINSON
Director
December 16, 23, 1987

P/D #2



APPROVED
FEB 01 1993

P/D #1




RECEIVED
FEB 01 1993

63-9074

P/D #2
74" 3 @ 50 GPM
12" PSR 9" ORFEE

RECEIVED

FEB 01 1993



DETROIT DIESEL ^{RATED}
16 71 HP 200

Running at
1780 RPM

Surfaca casing
16"
600ft

17 1/4"
17 1/4"
17 1/4"
17 1/4"
17 1/4"

RECEIVED

FEB 01 1993

Perkins


GREEN = 63-09058
RED = 63-09074
ORANGE = 63-09881
YELLOW = 63-10555

GREEN = 63-09058
RED = 63-09074
ORANGE = 63-09881
YELLOW = 63-10555

ORANGE = 63-09881

YELLOW = 63-10555

GREEN CROSSHATCHED AREA =
OVERLAPPING ACRES




FEB 01 1993


MICHAEL MED

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by KELLY K. CHRISTENSEN Date 9-12-88



TRANSFER NO. 5246
WATER RIGHT NO(S). 63-09058/63-09074/63-09881/63-10555

Right No. 63-09058 :

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
05N	05W	31	Lot 2(SWNW)	34	Lot 3(NWSW)	36	Lot 4(SWSW)	39	
			SESW	19					128
Total number of acres irrigated:									128

Right No. 63-09074 :

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
04N	06W	1	NENW	26	NWNW	35	SWNW	17	78
		2	Lot 1(NENE)	40	Lot 2(NWNE)	39	SWNE	40	
			SENE	40	Lot 3(NENW)	2	Lot 5(SWNW)	9	
			SESW	40	NESW	39	Lot 6(NWSW)	10	
			Lot 7(SWSW)	9	SESW	35	NESE	38	
			NWSE	40	SWSE	35			416
		11	NWNE	26					26
05N	06W	36	NENW	35	NWNW	35	SWNW	37	
			SESW	37	NESW	37	NWSW	36	
			SWSW	35	SESW	35	NESE	38	
			NWSE	38	SWSE	34	SESE	34	431
Total number of acres irrigated:									951

Right No. 63-09881 :

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
05N	05W	31	NESW	29	SESW	16	45
Total number of acres irrigated:							45

Right No. 63-10555 :

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
05N	05W	31	NENW	33	Lot 1(NWNW)	33	110
			SESW	39	Lot 2(SWNW)	5	
Total number of acres irrigated:							110

CONDITIONS OF APPROVAL AND REMARKS

1. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
2. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.

MICROFILMED

AUG 06 1998

TRANSFER NO. 5246
WATER RIGHT NO(S). 63-09058/63-09074/63-09881/63-10555

CONDITIONS OF APPROVAL AND REMARKS

3. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
5. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
6. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
7. Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
8. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
- * 9. The total instantaneous diversion of water from all points of diversion under Transfer 5246 shall not exceed 11.75 cfs, nor a total combined annual volume of 5160.2 af.
10. Right 63-09058 when combined with Right 63-09881 shall not exceed a total diversion rate of 1.60 cfs and a total annual maximum diversion volume of 777.5 af at the field headgate.
11. Right 63-09074 when combined with Rights 63-09058, 63-09881 and 63-10555 shall not exceed a total diversion rate of 11.75 cfs.
12. After specific notification by the department, the right holder shall measure the diversion or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
13. Approval of Transfer 5246 does not grant any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.

Dated this 3rd day of

August, 1998.


Chief, Water Allocation Bureau

MICROFILMED

AUG 06 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 5246
WATER RIGHT NO(S). 63-09058/63-09074/63-09881/63-10555

This is to certify that: **RONALD G SMITH**
25357 WAMSTAD RD
PARMA ID 83660

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
Right No. 63-09058 :			
IRRIGATION	03/15 to 11/15	1.60 CFS	576.0 AF
Priority: 10/18/1977			
Right No. 63-09074 :			
IRRIGATION	03/15 to 11/15	8.00 CFS	3887.7 AF
Priority: 11/08/1977			
Right No. 63-09881 :			
IRRIGATION	03/15 to 11/15	0.90 CFS	202.5 AF
Priority: 02/25/1982			
Right No. 63-10555 :			
IRRIGATION	03/15 to 11/15	2.20 CFS	495.0 AF
Priority: 12/29/1987			
	TOTAL:	* 11.75 CFS	* 5160.2 AF

SOURCE

GROUNDWATER

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWNW), Sec. 31, Township 05N, Range 05W
Lot 3(NWSW), Sec. 31, Township 05N, Range 05W
NWSW , Sec. 36, Township 05N, Range 06W
CANYON County

MICROFILMED

AUG 06 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10555

Priority: December 29, 1987

Maximum Diversion Rate: 2.20 CFS
Maximum Diversion Volume: 495.0 AF

This is to certify, that RONALD G SMITH
MARGARET E SMITH

25357 WAMSTAD RD
PARMA ID 836600000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 2, 1987; and has submitted Proof of Beneficial Use on March 16, 1989. An examination indicates that the works have a diversion capacity of 11.750 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.20 CFS	495.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWNW), Sec. 31, Township 05N, Range 05W
Lot 3(NWSW), Sec. 31, Township 05N, Range 05W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	05W	31	NENW 33	Lot 1(NWNW) 33	Lot 2(SWNW) 5	
			SESW 39			110
Total number of acres irrigated:						110

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECEIVED

FEB 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10555

CONDITIONS/REMARKS:

7. The right holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this right.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 5th day of JANUARY, 1993.

Acting for *R. Keith Higginson*
R. Keith Higginson, Director

MAILED 24.20

FEB 01 1993

RECEIVED

DEC 16 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10555

APPROVED

Department of Water Resources

Date of Priority: December 29, 1987

Maximum Diversion Rate:

2.20 CFS

Maximum Diversion Volume:

495.0 AF

Comes now

RONALD G SMITH
MARGARET E SMITH

25357 WAMSTAD RD
PARMA ID 836600000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10555, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.20 CFS	495.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWNW), Sec. 31, Township 05N, Range 05W
Lot 3(NWSW), Sec. 31, Township 05N, Range 05W
CANYON County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
05N	05W	31	NENW 33	Lot 1(NWNW) 33	Lot 2(SWNW) 5
			SENW 39		
					110
				Total number of acres irrigated:	110

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Parma Id., this 15th day of DEC., 1992

Ronald G Smith
(Signature)

MODIFIED

FEB 01 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10555

FOR DEPARTMENT USE ONLY

Preliminary check by CS Fee -\$20.00 Receipted by [Signature] #C026796 Date 12-16-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10555 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 3rd day of January, 1993.

[Signature]
Acting for R. Keith Higginson, Director

FEB 01 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10555 IN THE

NAME OF RONALD G. SMITH

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before March 1, 1989; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on March 28, 1989;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10555 be REINSTATED and the priority advanced to December 29, 1987.

Dated this 19th day of April, 1989.

MICROFILMED

JUN 14 1989


L. GLEN SAXTON, Chief
Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ronald G. &/or Margaret E. Smith Phone 722-6333
Post office address Rt. 3, Box 3085, Parma, ID 83660
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot 3
Sec. 31 Township 5N Range 5W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 3.2 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 3.2 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump, ditches, sprinklers

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
(Existing well)
c. Proposed well diameter is 16 inches; proposed depth of well is 299 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

AUG 03 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5N	5W	31					40	L.1 40	L.2 40	40									160


Total number of acres to be irrigated 160

10. Describe any other water rights used for the same purposes as described above. irrigation district water

- Who owns the property at the point of diversion? Bob Hall
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. permanent easement with Bob Hall

12. Remarks: _____

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald E. Smith
(Applicant)

Proposed by BD Date 12/2/87
Received by BD Date 12/2/87 Time 4:10 PM Preliminary check by BD
Fee \$ 105.00 Received by BD # 46027 Date 12/2/87
Publication prepared by jp Date 12/9/87 Published in Idaho Press-Tribune
Publication approved 68 Date 1/5/88 12/16 & 12/23/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10555, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall obtain a drilling permit if a new well is drilled or if the existing well is deepened or enlarged.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 16th day of February, 1988.

[Signature]
Director

RECORDED

AUG 05 1988

RECEIVED

DEC 23 1987

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times
in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

Decmeber 16, 23, 1987

Debra Martin del Campo
Subscribed and sworn to before me this

23rd day of December
19 87

NOTARIAL SEAL

AUG 05 1988

Janna Lusk
Notary Public, Residing at Nampa, Idaho
MY COMMISSION EXPIRES
JULY 12th, 1991

MEMORANDUM

TO: Files 63-09058, 63-09074, 63-09881 & 63-10555

FROM: Pam Skaggs^{PS}/State Office

SUBJECT: Transfer 5246

DATE: July 30, 1998

Transfer 5246 adds points of diversion under all the rights listed above and changes the place of use of 17.0 acres under Rights 63-09058 and 63-09881. A total of three (3) wells will serve this common distribution system and the shift of acres more accurately ✓ describes the current place of use under a new pivot.

Rights 63-09058 and 63-09881 have been claimed in the SRBA, but no action has been taken place at this time. The other rights do not require a claim.

Recommended conditions include drilling permit conditions, supplemental groundwater, ✓ irrigation overlap, multiple points of diversion/measuring devices, future annual reporting, combined right limits, right-of-way and standard transfer conditions.

MICROFILMED

AUG 06 1998

MEMORANDUM

TO: FILE 63-10555

FROM: PAM SKAGGS

RE: TRANSFER # 5246

DATE: 4-10-98

Original Transfer Application, Form and correspondence
regarding the above referenced Transfer is located within
file # 63-09058.

MICROFILMED

AUG 06 1998



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 7, 1993

RONALD G SMITH
MARGARET E SMITH
25357 WAMSTAD RD
PARMA ID 836600000

RE: WATER RIGHT NO. 63-10555

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
FEB 01 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 15, 1992

RONALD G SMITH
MARGARET E SMITH
25357 WAMSTAD RD
PARMA ID 836600000

RE: WATER RIGHT NO. 63-10555

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
FEB 01 1993

LICENSE REVIEW CHECKLIST

Permit # 63-10555

Date 11-02-92

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance?
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed? <u>DONE</u>
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u> </u>	<u> </u>	<u>110 x .02 = 2200 cfs (IRR)</u>
	<u>NA</u>	<u> </u>	Disagree with Theoretical?
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>11.75 cfs</u> <u>(measured)</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	<u>110 x 4.5 = 495 cfs (IRR)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u>2.2 x 245 x 1.9835 = 1069.1 > 495</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u> </u>	<u> </u>	Verify with Map
	<u>✓</u>	<u> </u>	Amendment Needed? <u>Add SWNW, Lot 2, SBT</u>
	<u>✓</u>	<u> </u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u> </u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use?
	<u> </u>	<u>✓</u>	Amendment Needed?
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u>✓</u>	Non-Irr. Uses
	<u> </u>	<u> </u>	Special Overlap Condition
	<u> </u>	<u>✓</u>	Other
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>B32</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
		<u>✓</u>	Water Dist.
		<u> </u>	App Rec'd
		<u> </u>	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres, rate Amend P/D

License 10-Day 15-Day ✓ Special Correspondence

WR0749NP
No. L63-10555

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/02/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RONALD G SMITH	12/29/1987	IRRIGATION	03-15 11-15	2.20 CFS	495.0 AFA
C	MARGARET E SMITH					
	25357 WAMSTAD RD					
	PARMA ID 836600000					
	(208) 722-6333					
				TOTAL DIVERSION:	2.20 CFS	495.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 11.75 CFS

Point(s) of Diversion: T05N R05W S31 Lot 02(SW NW) Lot 03(NW SW)

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
05N	05W	31	:									33	01-33	02-05	39					:	110.0
																				TOTAL ACRES	110.0

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-09058 63-09881 63-10555

Other Water Rights Listing Overlapping Place(s) of use:
63-10555

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.
- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates: App. Received: 12/02/1987 Priority Date: 12/29/1987 (Priority Date Advanced.)
Proof Due Date: 03/01/1989 Proof Made Date: 03/16/1989 (Proof Received Late.)
Exam Made Date: 09/12/1989 Exam Sent to S.O.: 10/02/1990
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 11/02/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 02 1990

Department of Water Resources

A. GENERAL INFORMATION

PERMIT NO: 63-10555

DATE EXAM

CONDUCTED: 9-12-89

1. CURRENT OWNER

Name: Ronald G. Smith
Address: 25357 Wamstad RD
City, State: Parma, ID Zip 83660
Phone No. (208) 722-6333

2. PERSON ACCOMPANYING EXAMINER

Name: Same
Relationship to Permit holder: Owner ✓

3. SOURCE: Groundwater (two points)

B. DOCUMENTS INCLUDED WITH THIS REPORT

- | | |
|--|--|
| 1. <u>x</u> Copy of U.S.G.S Quadrangle | 5. <u>x</u> Aerial Photo (if required) |
| 2. <u>8*</u> No. of Photo Pages Attached | 6. <u>x*</u> Chart on Orifice Plate |
| 3. <u> </u> Well Inspection Form | 7. <u> </u> Pump Efficiency form |
| 4. <u>x</u> P/D Overlap Field Exams Copy | 8. <u> </u> Ground Water Irrigation Ck |

* photos and other related documents are in file 63-09074.

C. OVERLAP REVIEW

1. Overlap found, water right number/s and type of overlap --

Overlapping rights with the same source.

63-09058 - P/D overlap - P/U overlap
63-09074 - P/D overlap - no P/U overlap
63-09881 - P/D overlap - no P/U overlap

Other overlapping rights but different source.

63-02388 - Ditch Co. water (surface water)

RECEIVED
FEB 01 1993

2. Overlap Analysis Narrative

Working backwards through the overlapping rights, 63-02388 is just a P/U overlap with a different source. This overlap can be handled with licensing recommendation R-32.

63-09881 is irrigated from well # 1. The well delivers the water into a ditch system and then the water is pumped by a different pump to the P/U. The P/U is separate from acres under this permit. The land is currently owned by another individual. It is licensed for 45 acres @ 1.6 cfs.

63-09074 is irrigated from well # 1 and well # 2. The P/U is different acres but uses the same ditch system as this permit. That right was examined at the same time as this permit. The system can produce a volume larger than the combined legal limit and therefore these acres have no limiting affect on this permit. This permit is recommended for licensing for 952 acres @ 8 cfs.

63-09058 is licensed from P/D # 1. The system is for 128 acres at 1.60 Cfs. 35 acres in the SW/NW of sec 31 overlap with this permit the remaining 94 acres are in the SW 1/4 of sec 31 and do not overlap with the permit acres.

Afa analysis of 63-9058:

afa required: 128 A * 4.5 = 576.0 afa
system capacity: 1.6 cfs * 246 * 1.9835 = 780.7 afa

*** The system can supply the AFA requirement for all of the acres under the license therefore the 34 overlapping acres are to be EXCLUDED from any licensing recommendation from the same P/D.

	TWP	RGE	SEC	NE				NW				SW				SE				
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
PERMIT 63-10555	5N	5W	31					40	40	40	40									
FOUND	5N	5W	31					33	33	39	39									
OVERLAP WITH 63-09058	5N	5W	31					34*		36	40	18								
DIF. TO RECOMMEND																				
FOR LICENSING																				
FOR 63-10555	5N	5W	31					33	33	5	39	TOTAL ACRES = 110								
* Acres to be excluded from the licensing recommendation																				

APPROVED

FEB 01 1993

D. SYSTEM DESCRIPTION (General system description)

1. Diagram found on;

a. Aerial Photo -- -- -- -- -- [x]

2. Narrative

The system is two wells with open discharge into an existing ditch system. This ditch is the Chance Lateral (63-02388, the Ditch Co water). The water is then rediverted via an electrical pump and delivered to a center pivot system covering the P/U. The SE and SW corners of this section are irrigated via a 6" and an 8" mainline delivering water for handline irrigation. The NE and NW corners of this section are no longer irrigated.

The other licenses are irrigated via different pumps but they all lift the water out of the Chance lateral which includes the water from both wells.

E. FLOW MEASUREMENT DESCRIPTION

Well Id. #	Hp	Motor Make	Serial #	Pump Make	Discharge Dia.
1	200	Westinghouse	3-5V8090	Johnson	12"
2	700	Detroit	unknown	Johnson	14" reduced to 12"

REDIVERSION

PUMP 50 US Motors unknown unknown unknown
(according to the permit holder, the pump was rewound to be a 60 hp pump)

1. Diagram (Indicate weir size/ditch size/pipe i.d. as applicable.)

alternate diagram attached -- $|\bar{x}|$

2. Narrative (measurement conditions/sketch clarification/ flow calculations; include the results from any measurements.)

Both measurements utilized an orifice plate and sight tube. The Department books had no chart for the 12" pipe with a 9" orifice plate. Dennis Daugherty (the well driller) provided the manufacturers specifications for the measurement devices used. The specifications are attached. Well # 1 also had a McCrometer flow meter installed in-line which indicated nearly the same flow rate. The water jacket surrounding the 12" line coming off the pump for well # 2 was for a different use and has no affect on the inside diameter of the discharge line.

RECEIVED
FEB 01 1993

Measurement Calculations

		GPM FROM CHART
P/D # 1 -- MEASURED 40 1/4 inches on sight tube	--	--2,217
P/D # 1 -- MEASURED BY THE McCrometer	-- --	--2,225(meter)

P/D # 2 -- MEASURED 74 inches on sight tube -- -- -- 3,050

SYSTEM TOTAL (using second measurement for P/D # 1) -- 5,275 GPM

CFS CALCULATION -- -- -- -- -- -- -- 5,275 = 11.75 CFS
448.8

SYSTEM CAPABILITY VS SYSTEM ANNUAL VOLUME REQUIREMENTS

<u>TOTAL ACRES UNDER SYSTEM</u>		LEGAL	
RIGHT	ACRES	AFA LIMIT	TOTAL AFA REQUIRED
63-09058	128	4.5	576
63-09074	952	4.5	4,284
63-09881	45	4.5	202.5
63-10555	110	4.5	495
		TOTAL	<u>5,557.5 afa</u>

SYSTEM CAPABILITY

MEASURED CFS	*	DAYS OF IRRIGATION	*	FACTOR	
11.75	*	246	*	1.9835	= <u>6,152.8 afa</u>

3. Measurement Equipment Used During Field Exam

<u>Measurement Equipment</u>	<u>Type</u>	<u>Make</u>	<u>Model No.</u>	<u>Serial No.</u>	<u>Size</u>
------------------------------	-------------	-------------	------------------	-------------------	-------------

P/D # 1	ORIFICE PLATE 9"	FOR 12" PIPE			
	and FLOW METER	McCrometer	88-12-172	12"	

P/D # 2	ORIFICE PLATE 9"	FOR 12" PIPE			
---------	------------------	--------------	--	--	--

RECEIVED

FEB 01 1993

4. Point of Diversion Legal Description

Ident. No.	Twp	Rng	Sec	1/4	1/4	1/4	Gov't Lot	County	Remarks and Method of Determination
P/D # 1	5N	5W	31		NW	SW	3	CANYON	ORTHO PHOTO &
*P/D # 2	5N	5W	31		SW	NW	2	CANYON	AERIAL PHOTO

P/D added -- -- -- -- -- -- -- -- -- -- -- |*|
 (an asterisk indicates the P/D requiring an amendment)

F. PLACE OF USE (if acres, show acres recommended for the license)

METHOD OF DETERMINATION aerial photo

[illegible]

G. VOLUME CALCULATIONS (for irrigation, use the acres and the diversion rate recommended for licensing)

1. Volume Calculations for irrigation

$$V(i.r.) = \frac{110}{\text{acres irrigated}} * \frac{4.5}{\text{irrigation requirement}} = \frac{495}{\text{APA}}$$

V(d.r.)= N/A. The system is capable of providing the required AFA for all acres irrigated under this system. See Section E.3.

FEB 01 1993

H. RECOMMENDATIONS

1. Permit Summary

Irrigation -- -- -- -- -- 160 Acres 3.2 Rate
Fees Paid for -- -- -- -- -- 4.0 Max.

2. Found during field exam

Irrigation -- -- -- -- -- 110 Acres 11.75 Rate

3. ~~The system is capable of providing the AFA legal limit for all the acres under this system therefore the diversion rate is not applicable. This permit is recommended for an annual volume only.~~ J.T.

4. Recommended Amounts

Beneficial use	Period of Use From To	Q-- Rate of Diversion	V-- Annual Volume
Irrigation -- --	3-15 11-15	~~NA CFS~~ 2.20	495 Afa

5. Recommended Amendments

Add P/D as reflected above -- -- -- -- -- ☒

I. AUTHENTICATION

Field Examiner Kelly K. Christensen

Signature

Kelly K. Christensen

Field Report
Preparation Date

11-06-89

Reviewed by

DR


Signature

David R. Tuthill

Date

9/28/90

Certification Date




CONSULTANT SEAL

MAILED

FEB 01 1993


P/D #2



RECEIVED

FEB 01 1993

P/D #1




63-9074

P/D #2 3 @ 506 PM
74" 12" PIPE 9" ORF226

RECEIVED

FEB 01 1993



DETROIT DIESEL ^{RTED}

16 71 HP 200

Running at

1780 RPM

Surface casing

16"

600ft

of steel
in outside
1 1/2" ID

FEB 01 1993

Performance

SEC 31

PIVOT
US MOTORS

HOLD SHAFT 50 HP ON PLATE (RE WOUND TO 60 HP)

JUST TO PIVOT

CORNERS ARE IRRIGATED VIA SURFACE MAIN LINE
6" & 8"

Pumping station

2-50 HP PUMPS

2-60 HP "

4 lines exiting FEEDING THE PIVOT SYSTEMS

RECEIVED

FEB 01 1993

GREEN CROSSHATCHED AREA =
OVERLAPPING ACRES

GREEN CROSSHATCHED AREA =
OVERLAPPING ACRES

ALHEUR-
CANYON-
CO

GA. N. Y. CO.

Fleming

30

25

2382

238

2389

GOLDEN

CHANGE

GRAHAM LATERA

10

FEB 0 1 1999

Aqueduct

LATERAL

GOLD

...

10

12

N

V A L L E

State of Idaho
Department of Water Resources

WELL INSPECTION FORM

P/B #2

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 5N, Rge. 5W,
Sec. 31, Qtr./Qtr. _____ or Lot _____
2. Owner R&N SMITH
Address _____, City _____, State _____
3. Approx. date of well construction AUG 1989
Well Driller DENNIS DAUGHERTY
4. Casing: Diameter 16" Condition NEW
5. Casing length above land surface FLUSH WITH CEMENT PAD
6. Well depth (ft) 588 Flowing NO Temp. _____
Access port AIR PRESSURE LINE
7. Condition of piping and valving NEW
8. Evidence of well seal -
9. Shut in pressure or static water level LINE BROKE
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments _____

(OVER)


RECEIVED
FEB 01 1993

866110831

03/11/88

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by KELLY K. CHRISTENSEN Date 9-12-88

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10555

Date: 4/17/89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
N Proof received timely
Y Reinstated

Source of Water:

 Surface water
Y Groundwater
 1. well log in file
 2. drilling permit
 A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
 Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable
Reinstated

Y Priority Calculation:
Date proof received Mar. 28, '89 87
Date proof due Mar. 1, '89 -60
No. of days late = 27
Priority date Dec. 2, '87 +336
NEW PRIORITY DATE Dec. 29, '87 = 363

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

MAR 16 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received \$175.00
Date 3/28/89
Receipt # C006076
Receipt by KSY
Reviewed by [signature]
Sent to region [signature]

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10555

Name(s) of Permit Holder: Ronald G. Smith

Post Office Address: 25357 Wamstad, Parma, ID. 83660

Telephone No. (208) 722-6333

Source of Water: well

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 160 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 3.2 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 12/9/87

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☒ Yes ☐ No

Fee enclosed \$ 175.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Ronald Smith 722-6333 or 482-7525
(Name) (Telephone Number)

25357 Wamstad, Parma, Id. 83660
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.


MICROFILMED

3-15-89
Date

Ronald G. Smith
Signature of Permit Holder (and title, if appropriate)

JUN 14 1989

Ronald L. Smith
25357 Wamotad
Parma, Id. 83660



Dept. of Water Resources
1301 N. Orchard St.
Statehouse Mail
Boise, Id. 83720

March 23, 1989

Ronald G. Smith
25357 Wamstad
Parma, ID 83660

Re: Permit No. 63-10555

Dear Mr. Smith:

Enclosed is a copy of your proof of beneficial use form (proof) submitted to this office March 16, 1989 indicating the total rate of water use for which proof is submitted as 3.2 cfs.

When the use of water is for irrigation and the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. The proof indicates irrigation use for 160 acres with a maximum rate of diversion of 3.2 cfs. A license examination fee based on a rate of flow of 3.2 cfs is \$175.

Please remit the required \$175 licensing exam fee as soon as possible, since an acceptable proof was due March 1, 1989. Upon receipt of the fee and form, the permit will be reinstated and the department will notify the region that a field examination is needed.

Please note, the \$105 fee paid December, 1987 was an application filing fee which is separate from the license examination fee.

If you have any questions concerning these matters, feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager



Enclosure

c: W. Region

MICROFILMED

JUN 14 1989

Ronald G. Smith
25357 Wamstad
Parma, Id. 83660



Dept. of Water Resources
1301 N. Orchard St.
Statehouse Mail
Boise, Id. 83720

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

March 9, 1989

RONALD G. SMITH
MARGARET E. SMITH
RT. 3 BOX 3085
PARMA, ID 836600000

LAPSE NOTICE

RE: PERMIT NO. 63-10555

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated December 31, 1988.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

MICROFILMED

JUN 14 1989

RECEIVED MAILING

3-9-89

Jodi I. Schultz

December 31, 1988

135846

RONALD G. SMITH
MARGARET E. SMITH
RT. 3 BOX 3085
PARMA, ID 836600000

PROOF DUE NOTICE

RE: PERMIT NO. 63-10555

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 14 1989

S E C R E T
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
FEBRUARY 21, 1988

SMITH, RONALD G. & MARGARET E.
RT. 3 BOX 3085
PARMA, ID 83660

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10555

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

SECTION 42-235, IDAHO CODE, REQUIRES THAT A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

FILED
AUG 05 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Thurt APPLICATION NUMBER: 103-10555
CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 1/4/88
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:


- ☒ Affidavit of publication received. Date: 12/23/87
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 105/46027
☒ Publication dates and paper, recorded on application. Revised 12/10/87 12/23/87
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 12/2/1987 Date of priority recommended.
Special conditions of approval or cover letter. OIC

By: DRT Date: 1/13/1988

STATE OFFICE REVIEW:

123, 103, 116


04 OIG 46




- ☐ See attached sheet for more information.

By: tw Date: 1/26/88

Department of Water Resources



Surveys Designated	By whom surveyed	Date of completion	Dist. of Survey			When commenced	By
			Miles	Chains	Links		
Ownership Lines	Wm. H. Thompson	Feb 20th 1868	06	01	36	Oct 1st 1868	W. H. Thompson
Settlements Lines	"	July 20th "	57	52	21	"	"
It is recorded	"	"	"	"	"	"	"



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

DECEMBER 9, 1987

Idaho Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 4, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

AUG 05 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before January 4, 1988

R. KEITH HIGGINSON, Dir.

Published 12/16 & 12/23/87.

AUG 05 1988

63-10555

SMITH, RONALD G.

RT. 3 BOX 3085, PARMA, ID 83660

Source: GROUNDWATER

Diversion Pt: LOT 03 (NWSW) Sec 31 T 05N R 05W

Use: IRRIGATION (3.2 CFS)

Date Filed: 12/02/1987

In: NENW LOT 01 (NWNW) LOT 02 (SWNW) SENW Sec 31 T 05N R 05W
FOR 160 ACRES

MICROFILMED

AUG 05 1988