
13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



FILMED
MAR 01 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lucille A. Corder Sec. of Brd.
(Applicant)

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due
63.34

Account Name	Account Number
Idaho Department of Water Resources (Western)	#47628

Address	City/State	Zip
2735 Airport Way	Boise, ID	83705

Ordered By	P.O. Number	Rate	Run Dates
Judy Pense		NT	1987 Nov. 19, 26

Identification	Estimated Inches	Real Inches
Applications for Water Rights		

Legal Number
#6981

[1] Number of Affidavits Requested

RECEIVED
DEC 2 1987
Department of Water Resources
Western Regional Office

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Deborah Gregory, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) xxconsecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of November 19, 19 87

and ending with the issue of November 26, 19 87

Deborah Gregory

RECEIVED
MAR 01 1988

Subscribed and sworn to before me this 27th

day of November, 19 87

Janice M Higgins

Notary Public for Idaho, Residing at Boise, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10548

Hillview Nazarene Church
3500 Good St.
Boise, ID 83703
Source: Groundwater
Diversion Pt: NWNWSW Sec 33 T 04N R 02E
Use: Irrigation (0.060 CFS)
Date Filed: 11/02/1987
In: NWSW Sec 33 T 04N R 02E — for 2 Acres

63-10549

Kuenzli, Ronald L.
P.O. Box 284
Star, ID 83669
Source: Groundwater
Diversion Pt.: NENESW Sec 10 T 04N R 01W
Use: Irrigation (2.6 CFS)
Date Filed: 11/05/1987
In: SWNW SENW NESW NWSW Sec 10 T 04N R 01W SENE Sec 09 T 04N R 01W — for 130 Acres

63-10550

Rosti, Sam &/or Kari
Rt. 1, Box 30
Star, ID 83669
Source: Groundwater
Diversion Pt.: SWSE Sec 04 T 04N R 01W
Use: Irrigation (3.4 CFS)
Date Filed: 11/09/1987
In: SESW SWSE Sec 04 T 04N R 01W NWNE SWNE NENW SENW Sec 09 T 04N R 01W — for 170 Acres

63-10551

Pinkston, John R.
430 W. Chinden
Meridian, ID 83642
Source: Groundwater
Diversion Pt.: SESWSE Sec 24 T 04N R 01W
Use: Irrigation (0.090 CFS)
Date Filed: 11/09/1987
In: SWSE Sec 24 T 04N R 01W — for 3 Acres

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on, or before, December 7, 1987.

R. KEITH HIGGINSON
Director

Pub. Nov. 19, 26, 1987 6981

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10548


1. Owner: HILLVIEW NAZARENE CHURCH Phone No. 342-3860
   Current Address: 3500 GOOD ST., BOISE, ID 83703
2. Accompanied by: DON MOORE, PASTOR EXAM. DATE: 5/7/90
   Address: 2216 N. 36th ST., BOISE, ID 83703 Phone No. 345-7351
   Relationship to Permit Holder: PASTOR
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
   _____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
   _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
   Showing location(s) of point(s) of diversion and place(s) of use (required).
   ☐ Aerial Photo Attached
   (required for irrigation of 10 acres or more).
   ☒ Photo of Diversion and System Attached
   (required for all but single household domestic groundwater, and stockwater.

MICROFILMED
SEP 18 1990



Produced by the Geological Survey
in cooperation with the U.S. Forest Service

Orthophotograph prepared from 1:80,000-scale
aerial photographs taken Sept. 4, 1975

Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)

SCALE 1:24 000

1 0 1 2 3 4 5 6 7 KILOMETERS
1000 0 1000 2000 3000 4000 5000 6000 7000
1 5 0 1 KILOMETER

PERMIT
~~CLAIM~~ 63-10548

PHOTO #1

4-INCH WELL WITH 2HP CENTRIFUGAL PUMP USED FOR IRRIGATION. 2-INCH MAIN LINE, 1½-INCH LATERALS.




PHOTO #2

PLACE OF USE IS LAWNS AROUND THE CHURCH AND HOME. PHOTO TAKEN LOOKING NORTHEAST FROM CORNER OF 36th AND GOOD STREETS. WELL IS RIGHT CENTER OF PHOTO.



RECEIVED
SEP 18 1990

PERMIT ~~CLAIM~~ 63-10548

PHOTO #3

VIEW LOOK EAST FROM 36th ST. AT LAWN IRRIGATION AROUND HOME ON NW CORNER OF LOT.




MICROFILMED

SEP 1 0 1990

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



MICROFILMED
SEP 18 1990

Inspected by CLIFTON W. JOHNSON Date 5/9/90

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10548

Priority: November 2, 1987 — Maximum Diversion Rate: 0.05 CFS; Maximum Diversion Volume:[1] 7.2 AF

This is to certify, that HILLVIEW NAZARENE CHURCH
3500 GOOD ST.
BOISE, ID 837030000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 2, 1987; and has submitted Proof of Beneficial Use on November 14, 1988. An examination indicates that the works have a diversion capacity of .090 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION	ANNUAL VOLUME
IRRIGATION	03/15 to 11/15	0.05 CFS	7.2 AF

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 33, Township 04N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

TWN	RGE	SEC		ACRES	ACRES	ACRES	TOTAL
04N	02E	33	NWSW	1.6			1.6

Total number of acres irrigated: 1.6

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

MICROFILMED
SEP 18 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10548

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30th day of August, 1990.

R. Keith Higginson, Director

MICROFILMED
SEP 1 4 1990

Form 202
6/85

Ident. No. 63-10548

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho APPROVED

1. Name of applicant Hillview Nazarene Church Phone 342-3860

   Post office address 3500 Good Street, Boise, ID 83703

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW ¼ of NW ¼ of SW ¼, Govt. Lot _____

   Sec. 33 Township 4N Range 2E B.M. Ada County; additional

   points of diversion if any: _____

4. Water will be used for the following purposes:

   Amount 0.06 cfs (cfs ~~or acre-feet per annum~~) for irrigation purposes from March 15 to Nov. 15 (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per annum) for _____ purposes from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated is (a) .06 cfs (cubic feet per second) and/or (b) _____ (acre feet per annum)

6. Proposed diverting works:

   a. Description of ditches, flumes, pumps, headgates, etc. well, pump, sprinkler system

   b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

   reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

   _____ to _____ inclusive.

   c. ~~Proposed~~ EXISTING well diameter is 6" inches; ~~proposed~~ existing depth of well is 40 (est.) feet.

   d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

   1 years (*minimum 1 year*).

MICROFILMED

MAR 01 1988

8. Description of proposed uses (*if irrigation only, go to item 9*): N.A.

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	2E	33										2							2

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above. Boise Water Corp. delivery system, share in Boise City Canal

11. a. Who owns the property at the point of diversion? Applicant


b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Place of use
Lot 1 to 18, BLOCK 8
CRUZEN ADDITION

RECEIVED
MAR 01 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



FILMED
MAR 01 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eureka A. Carder Sec. of Brd.
(Applicant)

nl 11-4-87 3:00 Proposed Priority 11/2/87

Received by NCY Date 11/2/87 Time 12:30 Preliminary check by KW

Fee $ 30.00 Receipted by KW # 45638 Date 11/2/1987

Publication prepared by SP Date 11/10/87 Published in IDAHO STATESMAN 11/19 & 11/25/87

Publication approved SP Date 12/7/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10548, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 89.

   c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

   d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

   e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 29 day of December, 1987.

Director

MICROFILMED

MAR 01 1988

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due: 63.34

Account Name	Account Number
Idaho Department of Water Resources (Western)	#47628

Address	City/State	Zip
2735 Airport Way	Boise, ID	83705

Ordered By	P.O. Number	Rate	Run Dates
Judy Pense		NT	1987 Nov. 19, 26


Identification	Estimated Inches	Real Inches
Applications for Water Rights		

[1] Number of Affidavits Requested

Legal Number: #6981

RECEIVED
DEC 2 1987
Department of Water Resources
Western Regional Office

STATE OF IDAHO)
) ss.
COUNTY OF ADA)



Deborah Gregory, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip insertion(s) beginning with the issue of November 19, 19 87 and ending with the issue of November 26, 19 87

RECEIVED
MAR 01 1988

Deborah Gregory

Subscribed and sworn to before me this 27th day of November, 19 87

Janice M Girdner

Notary Public for Idaho, Residing at Boise, Idaho

August 31, 1990

HILLVIEW NAZARENE CHURCH
3500 GOOD ST.
BOISE, ID 837030000

RE: PERMIT NO. 63-10548

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
SEP 18 1990

August 8, 1990

HILLVIEW NAZARENE CHURCH
3500 GOOD ST.
BOISE, ID 837030000

RE: PERMIT NO. 63-10548

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
SEP 1 6 1990

Form 219-S.A.
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10548
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
JUN 7 1990
Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- [X] Blank Field Report Form
- [X] Copy of Permit
- [ ] Copies of any Amendments/Orders with conditions of approval

YES Well Inspection Form Needed

- [X] Copy of U.S.G.S. Quad

✓ Check for Government Lots. If so, make a copy of Government Plat Poor MicroFilm. No Govt lot 5/17/90

Check of P/D index CWJ 4/10/90 (Initial and date)

Overlap? [ ] yes [X] no If yes: [ ] copy of exam(s) attached?
Type of Overlap? [ ] Add acres or uses to existing system
[ ] Increase rate of flow or volume
[ ] Other: _____

Check of P/U index CWJ 4/10/90 (Initial and date)

Overlap? [ ] yes [X] no If yes: [ ] copy of water right(s) attached?
Type of Overlap? [ ] Increase rate of flow or volume
[ ] Add P/D's
[ ] Increase number of acres within tracts
[ ] Other: _____

Aerial Photo

Required? [ ] yes [X] no If yes: [ ] copy attached?

Scheduling Letter sent? N/A (Initial and date)

[X] Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- [X] Fully completed and signed Field Report Form
- [X] Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed Clifton M Johnson MAY 14, 1990 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent 5/30/90 (Initial and date)
Exam Reviewed by Manager of Regional Office 5/31/90 (Initial and date)
Exam Date Entered in Computer 6-6-90 (Initial and date)
Exam sent to State Office 6-6-90 (Initial and date)

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10548


1. Owner: HILLVIEW NAZARENE CHURCH Phone No. 342-3860
   Current Address: 3500 GOOD ST., BOISE, ID 83703
2. Accompanied by: DON MOORE, PASTOR EXAM. DATE: 5/7/90
   Address: 2216 N. 36th ST., BOISE, ID 83703 Phone No. 345-7351
   Relationship to Permit Holder: PASTOR
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
   _____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
   _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'.

MICROFILMED
SEP 18 1990

2. ☒ Copy of U.S.G.S. Quadrangle Attached
   Showing location(s) of point(s) of diversion and place(s) of use (required).
   ☐ Aerial Photo Attached
   (required for irrigation of 10 acres or more).
   ☒ Photo of Diversion and System Attached
   (required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 4-INCH WELL WITH 2 HP CENTRIFUGAL PUMP SUPPLIES WATER FOR IRRIGATION OF 1.6A OF LAWN AROUND THE CHURCH AND HOME. A 2-INCH MAIN LINE AND 1½-INCH LATERAL LINES DISTRIBUTE WATER TO AUTOMATIC SPRINKLERS AROUND THE CHURCH AND TO HOSE SPRINKLES ON OTHER AREAS. WELL NO. 2, WHICH PROVIDES WATER FOR DOMESTIC USE, HAS NO CLAIM OF RECORD.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL NO. 1	UNKNOWN	2	UNKNOWN	CENTRIFUGAL	2" DISHARGE

**Code to correspond with No. on map and aerial photo*

5. **Point(s) of Diversion:** PHOTO # 1

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
NO. 1		NW	NW	SW	33	4N	2E	ADA	ORTHOPHOTO MAP, PACING

6. **Place(s) of Use:** PHOTO #2, #3 Indicate Method of Determination SAME AS ITEM 5.

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	2E	33										1.6				1.6			1.6

MICROFILMED

SEP 18 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:**

PRESSURE SYSTEM – NO MEASUREMENT. BASED ON OWNER SPECIFICATION ONE PART OF SYSTEM AROUND CHURCH HAS 12 POP-UP SPRINKLERS WATERING 6000 FT² OF LAWN WITH AT LEAST 25 GAL/MIN TOTAL (0.06 CFS), APPLYING HORSEPOWER EQUATION SHOWS 0.09 CFS

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: NOT MEASURED.

2. Alternate Method for Checking Purposes: HORSE POWER EQUATION

$$\frac{2\ HP \times 8.8 \times 0.8}{15\ FT + (2.31 \times 60\ Psi)} = 0.09\ cfs$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) = 1.6 x 4.5 = 7.2 AF

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = ~~.05~~ .09 x 245 x 1.9835 = ~~24.3~~ 43.7 AF

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = 7.2 AF

2. Volume Calculations for Other Uses:

MICROFILMED
SEP 18 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

SINCE THE PERMIT WAS ISSUED FOR 0.03 cfs/ACRE THE LIMITATION OF 0.02 cfs/ACRE SHOULD BE REMOVED WHEN THE LICENSE IS ISSUED.

I. RECOMMENDATIONS

1. **Recommended Amounts**

Beneficial Use	Period of Use From	Period of Use To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
IRRIGATION	3/15	11/15	~~.06~~ .05	7.2
		Totals:	~~.06~~ .05	7.2

2. **Recommended Amendments** NONE

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name CLIFTON W. JOHNSON

Signature Clifton W. Johnson

Certification Date 5/30/90

Field Report Preparation Date MAY 7, 1990

PROFESSIONAL ENGINEER REGISTERED David R. Tuthill 3909 6/31/90 STATE OF IDAHO DAVID R. TUTHILL, JR.

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 18 1990



Produced by the Geological Survey
in cooperation with the U.S. Forest Service

Orthophotograph prepared from 1:80,000-scale
aerial photographs taken Sept. 4, 1975

Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)

SCALE 1:24 000

1 0
1000 0 1000 2000 3000 4000 5000 6000 700
1 5 0 1 KILOMET

PERMIT
~~CLAIM~~ 63-10548


PHOTO #1

4-INCH WELL WITH 2HP CENTRIFUGAL PUMP USED FOR IRRIGATION. 2-INCH MAIN LINE, 1½-INCH LATERALS.



PHOTO #2

PLACE OF USE IS LAWNS AROUND THE CHURCH AND HOME. PHOTO TAKEN LOOKING NORTHEAST FROM CORNER OF 36TH AND GOOD STREETS. WELL IS RIGHT CENTER OF PHOTO.



SEP 18 1990

PERMIT
~~CLAIM~~ 63-1054B

PHOTO #3

VIEW LOOK EAST FROM 36Z ST. AT LAWN IRRIGATION AROUND HOME ON NW CORNER OF LOT.



MICROFILMED
SEP 1 0 1990

Form 238-I
04/88

WR Permit No. 63-10548

State of Idaho

Department of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.


1. Legal Description of well location. Twp. 4N, Rge. 2E,
   Sec. 33, Qtr./Qtr. NW SW or Lot _____
2. Owner HILLVIEW NAZARENE CHURCH
   Address 3500 GOOD ST., City BOISE, State ID 83703
3. Approx. date of well construction UNKNOWN
   Well Driller UNKNOWN
4. Casing: Diameter 4-INCH Condition FAIR
5. Casing length above land surface FLUSH
6. Well depth (ft) 42 Flowing NO Temp. 57°
   Access port NO
7. Condition of piping and valving GOOD
8. Evidence of well seal CONCRETE BOX AROUND WELL
9. Shut in pressure or static water level 8 FT (OWNERS EST.)
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments _____

MICROFILMED
SEP 18 1990

(OVER)

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



MICROFILMED
SEP 18 1990

Inspected by CLIFTON W. JOHNSON Date 5/7/90

1/08

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10548 Date: 11-21-88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change ____ If yes, prepare a data entry
Y Proof received timely
____ Reinstated

Source of Water:

____ Surface water
Y Groundwater
* N 1. well log in file
N/A 2. drilling permit
____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

____ Is a measuring device or access port required?
N/A Has one been installed?
____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable.
* Not found, due to reported age of well

N/A Priority Calculation:

Date proof received	____	____
Date proof due	____	- ____
No. of days late		= ____
Priority date	____	+ ____
NEW PRIORITY DATE	____	= ____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Received by _____
Reviewed by _____
Sent to region _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10548

Name(s) of Permit Holder: Hillview NAZARENE CHURCH

Post Office Address: 3500 Good St, Boise

IDAHO 83703 Telephone No. 342-3860

Source of Water: GROUND WATER

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 2 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 5/1/88

Measuring Device: Required? ___ Yes ✓ No
Installed? ___ Yes ✓ No

Fee enclosed $ NONE REQUIRED
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ___ Yes ✓ No
Installed? ___ Yes ✓ No

Person to contact to accompany the Department representative during the field examination:

Don Moore (Name) 345-7351 (Telephone Number)

2216 N. 36th Boise 83703 (Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 06 1988

11/14/88 Date

Donald L. Moore, Pastor
Signature of Permit Holder (and title, if appropriate)

To: File 63-10548

From: Groundwater Protection

Date: 11/17/88

Drilling Permit: ___✓___ Not Applicable Probably Not
_____Found and in file
_____Not Found

Well Drillers Report:
___✓___ Not found, due to reported age of well probably not available
_____ Found and is in file
_____ Not found

Follow-up
_____ Request from permit holder the well drillers report and/or the name of the well driller, and date drilled.
_____ Ask permit holder when well was drilled and notify holder of drilling permit requirement if after July 01, 1987.

O.K.
This is probably a very old well

JB.

RECEIVED
DEC 06 1988

October 31, 1988

138711

HILLVIEW NAZARENE CHURCH
3500 GOOD ST.
BOISE, ID 837030000

PROOF DUE NOTICE

RE: PERMIT NO. 63-10548

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully compeleted your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED
DEC 08 1988

S E O F I D A H O

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JANUARY 14, 1988

HILLVIEW NAZARENE CHURCH
3500 GOOD ST.
BOISE, ID 83703

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10548

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEPLETE FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

SECTION 42-235, IDAHO CODE, REQUIRES THAT A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

RECEIVED

MAR 01 1988

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

Form No. 202a
2/79

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Kay Walker APPLICATION NUMBER: 63-10548
CHECK: Dan Shuttl

- ☑ Source.
- ☑ Point of diversion. NO LOTS
- ☑ County.
- ☑ Description of diverting works.
- ☑ Time required for beneficial use of water.
- ☑ Place of use or acres irrigated. NO LOTS
- ☑ Map.
- ☑ Signature.
- ☑ Fee.
- ☐ Yes ☑ No Field check required.
- ☐ Yes ☑ No Critical groundwater area.
- ☐ Yes ☑ No Request dam safety information. Sent by: _____ Date: _____
- ☑ Yes ☐ No* In form to receipt.

done

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☑ Idaho State Health Department. Copies sent by: _____ Date: _____
- ☐ Idaho Fish and Game Department.
- ☐ Idaho Department of Lands.
- ☐ U.S. Bureau of Land Management.
- ☐ U.S. Forest Service.
- ☑ Other _____

PROCESSING:

- ☐ Yes ☑ No Platted by: _____ Map No. _____
- ☑ Yes ☐ No Other rights on same place of use. BOISE WATER CORP & BOISE CITY CANAL, NONE FROM G.W. SOURCE ON PROPERTY.
- ☐ Yes ☐ No* In form for advertising.
  Final date for protests: 12/7/87
- ☐ Yes ☑ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☑ Affidavit of publication received. Date: 12/2/87
- ☑ Application published correctly. If not, record action taken: _____
- ☑ Fee amount, receipt date & number, recorded on application. 30/45638
- ☑ Publication dates and paper, recorded on application. I.D. Statesman 11/19 & 11/26/87
- ☐ Protests, dates, withdrawal, etc., recorded on application. None
- ☐ Recommendation & initial, recorded on application. Approve, DRT
- ☐ Yes ☒ No Measuring device required.
- ☐ Yes ☒ No Access port required.
- ☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
- 11/2/1987 Date of priority recommended.
- Special conditions of approval or cover letter. LOSO _____

By: DRT Date: 12/7/1987

STATE OFFICE REVIEW:

105,123,216 46

☐ See attached sheet for more information.

By: KW Date: 12/21/87

RECEIVED
DEC 18 1987
Department of Water Resources

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

November 10, 1987

Hillview Nazarene Church
3500 Good Street
Boise, ID 83703

Re: Application for Permit No. 63-10548

Dear Water Right Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification no. 63-10548. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Idaho Statesman on 11/19 & 11/26/87. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your receipt no. 45638 for the amount of $ 30.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,


MAR 01 1988

David R. Tuthill

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure:



MAR 04 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

NOVEMBER 10, 1987

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 7, 1987.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED
MAR 01 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before

R. KEITH HIGGINSON, Dir.

MICROFILMED
MAR 01 1988

Published 11/19 & 11/25/87.

63-10548

HILLVIEW NAZARENE CHURCH

3500 GOOD ST., BOISE, ID 83703

Source: GROUNDWATER

Diversion Pt: NWNWSW Sec 33 T 04N R 02E

Use: IRRIGATION (0.060 CFS)

Date Filed: 11/02/1987

In: NWSW Sec 33 T 04N R 02E FOR 2 ACRES

MICROFILMED
MAR 01 1988

3/83

IDENT. NO. 63-10548

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT DATA ENTRY LOG

Initials	Date	Item
SP	11/10/87	Original form entered
		Edit Report Correct
		Date Protested
		Date of Hearing
		Date Approved/Denied (Proof due date, stage and/or status, conditions of approval, water district)
kw	1/27/88	Record Verified
		Amendment Approved
		Extension Approved
		Partial Proof
		Proof Complete
		Field Exam Received
		Field Exam Accepted and changes entered
		License Updated
		Transfer Updated
		Keypunched by State Office