


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

O. J. Beaubien
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: O.J. +/or Camille Beaubien Permit No. 63-10531
 Current Address: 508 Central Midland Blvd. Nampa Id. 83651 Phone No. 466-7008
 2. Accompanied by: O.J. Beaubien EXAM. DATE: 7-2-90
 Address: Same Phone No. Same
 Relationship to Permit Holder: Owner
 3. Source: Clear Creek tributary to Grimes Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
 2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
 Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
 (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
 (required for irrigation of 10 acres or more).


RECEIVED
DEC 09 1992



RETURNED

DEC 09 1992

63-10531



Picture of main line + hose located
in front of cabin. Picture taken
looking West

UNRECORDED

DEC 09 1992

63-10531



picture of cabin & yard where
water is used. Pump & well area
can be seen in background.
Picture taken looking South

UNRECORDED

DEC 09 1992

63-10531



Picture of area north of yard
thats watered for fire protection.

Picture taken looking South east
from front of cabin.

MICROFILMED

DEC 09 1992


63-10531



Picture of pump + diversion from
clear creek . Picture taken looking
north east .

MICROFILMED

DEC 09 1992



This
Right has been
Decreed in the
SRBA.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10531

Priority: August 28, 1987

Maximum Diversion Rate:

0.12 CFS

This is to certify, that O J BEAUBIEN
CAMILLE BEAUBIEN

508 CENTRAL MIDLAND BLVD

NAMPA ID 836510000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 28, 1987; and has submitted Proof of Beneficial Use on February 23, 1989. An examination indicates that the works have a diversion capacity of .160 cfs of water from:

CLEAR CREEK

tributary to GRIMES CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FIRE PROTECTION	01/01 to 12/31	0.12 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 21, Township 05N, Range 04E
BOISE County

PLACE OF USE: FIRE PROTECTION

TWN RGE SEC

05N 04E 28

SWNW

05N 04E 21

SWSW

SESW

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
5. Use of water under this right is authorized only to suppress an active fire.
6. Place of use is within Lot 28, Clear Creek Subdivision No. 1.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of NOVEMBER, 1992.

Acting for

R. Keith Higginson
R. Keith Higginson, Director

DEC 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant O.J. BEAUBIEN AND OR CAMILLE BEAUBIEN Phone 466-7008
Post office address 508 CENTRAL MIDLAND BLVD Nampa, ID 83651
2. Source of water supply CLEAR CREEK which is a tributary of GRIMES CREEK
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 27 Township T5N Range R4E B.M. Boise County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .12 for IRRIGATION purposes from 4/1 to 11/1 * (both dates inclusive)
(cfs or acre-feet per annum)
Amount .12 for FIRE PROTECTION purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .12 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PUMP FROM CREEK INTO PIPELINE.
AND SPRINKLER SYSTEM
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

AUG 05 1988

* SEE LETTER DATED 9/14/87. Jp

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. FIRE PROTECTION FOR HOUSE & LOT.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>5N</u>	<u>4E</u>	<u>21</u>											<u>2</u>	<u>2</u>					<u>4</u> *
<u>5N</u>	<u>4E</u>	<u>21</u>											<u>F</u>	<u>F</u>					

Total number of acres to be irrigated 4

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


RECORDED

AUG 05 1988

12. Remarks: _____

* SEE LETTER DATED 9/14/87. JS

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

O. J. Beaman
(Applicant)

AUG 05 1988

Proposed Priority 8/28/87

Received by Ans Date 8/28/87 Time 12:30 PM Preliminary check by Op

Fee \$ 30.00 Received by Ans # 43909 Date 8/28/87

Publication prepared by AG Date 12/19/87 Published in The Idaho World
12/16 & 12/23/87

Publication approved AG Date 1/5/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10531, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Use of water under this permit is subject to control by the watermaster of State Water District No. 63, Boise River.

Use of water under this permit is authorized for fire protection purposes only.

Witness my hand this 4th day of February, 1988.

[Signature]
Director

MICROFILMED

AUG 05 1988

Clear Creek Corporation

405 NORTH ORCHARD • PHONE (208) 375-7801 • BOISE, IDAHO 83704

December 31, 1969

To Whom it may concern:


As of the above date this is to confirm that the undersigned hereby waives all rights, title and interest in that certain piece of property legally described as follows:

Lot No. 28

A tract of land in the $E^2E^2SW^4SW^4$ and the $S^2W^2W^2SE^4SW^4$ all in Section 21, T. 5 N., R. 4 E., B.M., Boise County, Idaho, more particularly described as follows:

Commencing at the southwest corner of Section 21, T. 5N., R. 4E., B.M., Boise County, Idaho, thence S $89^{\circ}58'40''$ E. along the south section line of said Section 21, 969.38 feet to a point; thence N. $00^{\circ}05'18''$ E., 69.23 feet to the real point of beginning on the northeasterly side of Lot 1-A, Block 2 Clear Creek Estates Subdivision No. 1, according to the official plat thereof on file in the Recorder's Office of Boise County, Idaho, said point bears S. $57^{\circ}11'44''$ E. (same as S. $57^{\circ}17'50''$ E. on plat), 16.12 feet from the most northerly corner of said Lot 1-A; thence S $57^{\circ}11'44''$ E. (same as S. $57^{\circ}17'50''$ E. on plat) along the northeasterly side of said Lot 1-A, 73.88 feet to a steel pin; thence N. $71^{\circ}09'$ E., 136.20 feet to a steel pin; thence N. $65^{\circ}12'30''$ E., 102.62 feet to a steel pin; thence N. $35^{\circ}13'$ E., 105.97 feet to a steel pin; thence N. $50^{\circ}49'$ E., 190.44 feet to a steel pin; thence N. $26^{\circ}37'$ E., 58.18 feet to a steel pin; thence N. $50^{\circ}49'$ W., 85.71 feet to a steel pin; thence N. $17^{\circ}54'$ E., 100.58 feet to a steel pin; thence N. $82^{\circ}03'30''$ W., 119.43 feet to a steel pin; thence S. $72^{\circ}40'$ W., 248.20 feet to a steel pin; thence N. $88^{\circ}35'$ W., 127.64 feet to a steel pin; thence S $00^{\circ}05'18''$ W., 401.49 feet to the real point of beginning. Said tract contains 4.097 acres more or less.

Having no further interest, I have hereunto set my hand and seal


Ray L. Andrews

STATE OF IDAHO)
County of) SS

On this 3rd day of January, 1970, before me, a Notary Public in and for Said State, personally appeared Ray L. Andrews known to me to be the person whose name subscribed to the within instrument, and acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, the day and year in this certificate first above written

Robert F. Wells Notary Public for Idaho, residing at Kassida, Idaho

MICROFILMED

AUG 05 1988

CLEAR CREEK SUBDIVISION #1 LOT 28

RECEIVED

IDAHO WORLD-DECEMBER 16 & 23, 1987

LEGAL NOTICES

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION
FOR WATER RIGHTS

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

45-12814
BLOEM, LARRY
JC33 BOX 2419, BOISE, ID 83706
Source: SPRING trib. to SINKS
Diversion Pt: NWSESW Sec 19 T 64N R 04E
Use: DOMESTIC (0.040 CFS)
Date Filed: 11-23-1987
In: LOT 01 (NWSESW) Sec 19 T 64N R 04E

45-12815
BEAUBIEN, O. J. & or CAMILLE
588 CENTRAL MIDLAND BLVD., NAMPA, ID 83651
Source: CLEAR CREEK trib. to GRIMES CREEK
Diversion Pt: SWSW Sec 21 T 06N R 04E
Use: FIRE PROTECTION (0.120 CFS)
Date Filed: 08-28-1987
In: SWSW SESEW Sec 21 T 06N R 04E

45-12814
FRY, RONALD & or TONIE
HC 76 BOX 2948, GARDEN VALLEY, ID 83422
Source: GROUNDWATER
Diversion Pt: LOT 10 (SESENE) Sec 10 T 06N R 05E
Use: IRRIGATION (0.190 CFS)
COMMERCIAL (0.2 CFS)
HEATING (0.2 CFS)
DOMESTIC (0.040 CFS)
Date Filed: 11-27-1987
In: LOT 10 (SENE) Sec 10 T 06N R 05E
FOR 5 ACRES

45-12816
KING, DAVID J. & or MARCELLE A.
P.O. BOX 365, HORSESHOE BEND, ID 83429
Source: SHAFER CREEK trib. to PAYETTE RIVER
Diversion Pt: LOT 02 (SWNE) Sec 34 T 07N R 02E
Use: IRRIGATION (0.054 CFS)
Date Filed: 11-20-1987
In: LOT 02 (SWNE) Sec 34 T 07N R 02E
FOR 2 ACRES

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, 2735 Airport Way, Boise,
Idaho 83705 on or before January 4, 1988.
R. KEITH HIGGINSON, Dir.

Published in the IDAHO WORLD, Idaho
City, Idaho, December 16 & 23, 1987.

STATE OF IDAHO,

County of Boise

Maely Shachar
....., being
duly sworn, deposes and says:
that he is the manager and principal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Idaho;
the said paper has been and
is in general circulation in the
county aforesaid, and in the vicinity
of Idaho City; that the advertisement,
a copy of which is hereto attached,
was published in said newspaper
once a week for
consecutive weeks in the entire
and regular issue of every number
of said paper during the period
and time of publication and was
published in the newspaper and not
a supplement; that said paper has
been established and regularly and
continuously published for more
than seventy-eight weeks past
previous to the first publication
of this notice. Such notice was
published in the issue beginning with
.....
Dec 14, 1987, and ending with
the issue of Dec 23 1987.

Maely Shachar
Subscribed and sworn to before
me this 23 day of Dec, 1987
.....
Resides in Idaho City
Commission Expires 7/18/88

MICROFILMED

AUG 05 1988

This
Right has been
Decreed in the
SRBA.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 24, 1992

O J BEAUBIEN
CAMILLE BEAUBIEN
508 CENTRAL MIDLAND BLVD
NAMPA ID 83651

RE: WATER RIGHT NO. 63-10531

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Please note condition No. 5, use of water under this right is authorized only to suppress an active fire. Irrigation of land is not authorized by this license.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

DEC 09 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10531

Date 11-13-92
38

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	<u>.12 cfs (FP) per permit</u>
	☐	☒	Disagree with Theoretical?
	☐	☒	Limited by Capacity? <u>.16 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
	☒	☐	<u>NA - (FP)</u>
	☒	☐	Limited by Flow?
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>FP/Active Fire-Suppression</u>
	☒	☐	Special Overlap Condition
	☒	☐	Other <u>P/U</u>
CONDITIONS	☐	☒	Measuring Device
	<u>BO4</u>	☐	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
		<u>63</u>	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:			
<u>Prepare (FP) per J. Johnson</u>			
License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence ☐			

**IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)**

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	O J BEAUBIEN	08/28/1987	FIRE PROTECTION	01-01 12-31	0.12 CFS	
C	CAMILLE BEAUBIEN					
	508 CENTRAL MIDLAND BLVD					
	NAMPA ID 836510000			TOTAL DIVERSION:	0.12 CFS	
	(208) 466-7008					

Stage: LICENSE

[illegible]

R04 - Use of water under this water right will be regulated by the
- watermaster of State Water District No. 63.

Dates: App. Received: 08/28/1987 Priority Date: 08/28/1987
Proof Due Date: 03/01/1989 Proof Made Date: 02/23/1989
Exam Made Date: 07/02/1990 Exam Sent to S.O.: 06/17/1992
Licensed Date:

Audit: 11/13/92 SKAGGS



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 30, 1992

Mr. O J Beaubien
Mrs. Camille Beaubien
508 Central Midland Blvd
Nampa Idaho
83651

RE: Permit No. 63-10531

Dear Mr. and Mrs. Beaubien:

I have been reviewing your water right No. 63-10531 listing water used for fire protection on your property on Clear Creek. I find that when the Department's field examiner inspected your water system he observed that you were diverting water from Clear Creek for irrigation of your lawn. I must inform you that your water right for fire protection does not allow diversion of water for irrigation. I do understand that using water for this purpose can be construed as fire prevention, however, the intent of fire protection listed under your water right is more limited. Your water right only allows water diversion for fire suppression.

At one time diversions of small amounts of Clear Creek water for irrigation of lawns were not a concern because of limited impact on other water rights. However, due to continued growth in the number of water diversions by property owners located upstream from Lucky Peak, the accumulated impact has become significant. The Department, in 1977, issued a Moratorium prohibiting new surface water diversions for irrigation and other consumptive uses in the Upper Boise River Drainage Basin. Yet, the Department continued to issue surface water rights for fire protection and restricted domestic purposes on the basis that such small diversions are not consumptive.

To legally irrigate your lawn or other vegetation you have a two options;

1. Transfer an existing surface water right with a priority date that is early enough to allow diversion without shut off.
2. Use groundwater


The last option is preferred due to minimum risk of injury to existing water right holders.

MICROFILMED

DEC 09 1992

Since you do not currently have a water right authorizing diversion of surface water for irrigation it is imperative that you take immediate action to make your irrigation legal. You can contact me at 327-7947 to arrange for an appointment to further discuss possible remedies.

Sincerely,



Jim Johnson
Water Rights Supervisor

MICROFILMED

DEC 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 63-10531
Phone No. 466-7008
1. Owner: O.J. +/or Camille Beaubien
Current Address: 508 Central Midland Blvd. Nampa Id. 83651
2. Accompanied by: O.J. Beaubien EXAM. DATE: 7-2-90
Address: Same Phone No. Same
Relationship to Permit Holder: Owner
3. Source: Clear Creek tributary to Grimes Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

RECEIVED
DEC 09 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

pump supplies water from clear creek up a hill (approx. 10' above pump) to a cabin area for fire protection. The water is used to green up native plants to prevent them from catching on fire during the dry season. 28 sprinklers 1/8" are used for this purpose with a 1" line between each head.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sears	2	7D86	Sears	2"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	21	5N	4E	Boise	maps / on site inspection

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	4E	21											F	F					

UNRECORDED

Do not use this space

DEC 09 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
pilot tube & gage						

2. Measurements:

28 sprinklers @ 2.56 gpm/sprinkler (from table) = 71.7 gpm = 0.16 cfs -
 30 psi from sprinklers & pilot tube measurement

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$(28)(2.56)/449 = 0.16 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\text{Theoretical} = \frac{\#P(8.8)(\text{Eff})}{1.44 + 2.3(\text{psi})} = \frac{2(8.8)(17)}{10 + 2.3(30)} = 0.16 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

No volume for fire protection

MICROFILMED

DEC 09 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlaps

limit to permit amount

Note: This system is being used for irrigation, not fire protection. Recommend that the license specifically prohibit use of the system except when there is an active forest fire within 5 miles of the site.

Over

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afs)
	From	To		
Fire Protection	1-1	12-31	0.12	—
Totals:			0.12	—

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Larry L. Waters
Signature Larry L. Waters
Certification Date 8-1-70
Field Report Preparation Date 8-1-70



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DEC 09 1991

63-10531



Picture of main line + hose located
in front of cabin. Picture taken
looking west

PAID 10/10/92

DEC 09 1992

63-10531



picture of Cabin + yard where
water is used. Pump + well area
can be seen in background.
Picture taken looking South

DEC 09 1992

63-10531



Picture of area north of yard
that's watered for fire protection.

Picture taken looking South east
from front of cabin.

MICROFILMED

DEC 09 1992

63-10531



Picture of pump + diversion from
clear creek . Picture taken looking
north east .

RECEIVED

DEC 09 1992

Form 20
03/86

RECEIVED

FEB 23 1989

Fee Paid 50.00 LW
Department of Water Resources
Western Regional Office

RECEIVED

MAR 02 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

For Office Use Only

Fee Received 2/23/89

Date 2/23/89

Receipt # W002232

Receipt by RBW 50

Reviewed by JS

Sent to region

PROOF OF BENEFICIAL USE

Copy Retained @ Western
RW

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10531

Name(s) of Permit Holder: O.J. BEAUBIEN OR CAMILLE BEAUBIEN

Post Office Address: 508 C. MIDLAND BLVD

NAMPA, IDAHO 83651 Telephone No. 466-7008

Source of Water: CLEAR CREEK WHICH IS A TRIBUTARY OF GRIMES CREEK

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark FIRE PROTECTION

AROUND CABIN, GARAGE AND WOODSHED

Total rate and/or volume for which proof is submitted 12 cts _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: JUNE 1988

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

C.J. BEAUBIEN OR CAMILLE M. BEAUBIEN Home 466-7008 Work 465-2229
(Name) (Telephone Number)

508 CENTRAL MIDLAND BLVD, NAMPA IDAHO 83651
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 16 1989

6 FEB 1989
Date

O.J. Beaubien
Signature of Permit Holder (and title, if appropriate)

O. J. BEAUBIEN
CAMILLE BEAUBIEN
508 CENTRAL MIDLAND BLVD.
NAMPA, ID 836510000

December 31, 1988

138838

PROOF DUE NOTICE

RE: PERMIT NO. 63-10531

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 16 1989

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MARCH 01, 1988

BEAUBIEN, D. J. & CAMILLE
508 CENTRAL MIDLAND BLVD.
NAMPA, ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10531

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MAILED
AUG 02 1988

3/79

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan SkuteAPPLICATION NUMBER: 63-10531

CHECK:

- ☒ Source.
☒ Point of diversion. NO LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO LOTS
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area (NO IRRIGATION ALLOWED - UPPER BOISE R. DRAINAGE).

☐ Yes ☒ No Request dam safety information. Sent by: _____

Date: _____

☒ Yes ☐ No In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

The letter dated 9/14/87. The Beauvieu did not respond, therefore, the irrigation system has been removed and the application will be processed for fire protection only.

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

☐ Yes ☒ No

Platted by: _____

Map No. _____

☒ Yes ☐ No
Other rights on same place of use. 63-5336 - BOISE CATCHER 1923 RIGHT
☒ Yes ☐ No

In form for advertising. _____

Final date for protests: 11/1/88
☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 12/31/87
☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application. 30/43509
☒ Publication dates and paper, recorded on application. THE IDAHO WORLD
☒ Protests, dates, withdrawal, etc., recorded on application. 12/16 & 12/23/87
☒ Recommendation & Initial, recorded on application.

☐ Yes ☒ No

Measuring device required.

☐ Yes ☒ No

Access port required.

☒ Yes ☐ No
Will water be delivered by watermaster? If yes, what district? 63, Boise River
☒ 8/28/1987 Date of priority recommended.

☒ Special conditions of approval or cover letter. 05 (63, Boise River)

Note: No meas device needed because use is fire protection only.

Processing was delayed awaiting applicants response to delete irrigation

By: DMDate: 1/13/88

STATE OFFICE REVIEW:

Willoto Colman (signed)05 (63, Boise River)

RECEIVED

☐ See attached sheet for more information.
By: KWDate: 1/26/88

JAN 15 1988
Department of Water Resources

63-10531

BEAUBIEN, O. J. &/or CAMILLE

508 CENTRAL MIDLAND BLVD., NAMPA, ID 83651

Source: CLEAR CREEK trib. to GRIMES CREEK

Diversion Pt: SWSW Sec 21 T 05N R 04E

Use: FIRE PROTECTION (0.120 CFS)

Date Filed: 08/28/1987

In: SWSW SESW Sec 21 T 05N R 04E

RECORDED

AUG 03 1988



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

September 14, 1987

O.J. &/or Camille Beaubien
508 Central Midland Blvd.
Nampa, ID 83651

Dear Mr. & Mrs. Beaubien:

Recently you came to our office and filed an application for permit for the use of the waters from Clear Creek tributary to Grimes Creek.

This application was filed for irrigation of 4 acres and fire protection purposes. The area that your proposed use lies within is the Upper Boise River Drainage Basin. In 1977 this area was closed to further appropriation of surface water for irrigation purposes. Please see the enclosed copy of the interoffice memorandum explaining this closure. At the time you were in our office, Mike Stubblefield who handles our dam safety program, was not aware of this memorandum. He did say that you were not as interested in the irrigation portion of your filing, but were mainly filing for the fire protection portion. Due to this memorandum, the irrigation portion of your permit must be removed in order for this permit to be approved.

If you have any objections to this deletion, please contact us within two weeks. If we do not hear from you within that time period, we will advertise this application and continue the processing for fire protection use only.

Sincerely,

Jan Shurte

Jan Shurte

Sr. Water Resource Agent

JS:eh

Enclosure

AUG 05 1988

NO RESPONSE IN TWO WEEKS, IRRIGATION USE WILL
BE OMITTED. JS CALL-UP WAS NOT DONE UNTIL
NOVEMBER 26TH.

JUN 20 1960

CLAIM TO A WATER RIGHT

The filing of this claim does not confirm the water right claimed but failure to file may result in forfeiture of a water right.

P.O. BOX 50, Boise, ID 83728 Telephone No. (208) 384-645
(Mailing Address) (Zip Code)

(1) Date of priority: (When was the water first applied to a beneficial use) 1923

A claim is not acceptable on a ground water source with a priority later than March 25, 1963 or on a surface water source with a priority later than May 20, 1971. An exception is that a claim may be filed on single family domestic use from a ground water source.

Quantity		Use	Period of Use From		To	
(cfs. per day)		(Domestic, Irrigation, Stock, Etc.)	(Mo., Day)		(Mo., Day)	
Quantity	<u>20</u>	Use <u>COMMERCIAL</u>	Period of Use From	<u>MAY 1</u>	To	<u>NOV. 30</u>
Quantity	<u>07</u>	Use <u>LIVESTOCK</u>	Period of Use From	<u>MAY 1</u>	To	<u>NOV. 30</u>
Quantity	<u>20</u>	Use <u>FIRE PROTECTION</u>	Period of Use From	<u>MAY 1</u>	To	<u>NOV. 30</u>
Quantity		Use	Period of Use From		To	
Quantity		Use	Period of Use From		To	

B) Describe means of diversion of water: (Pump and pipeline, well, diversion dam, reservoir, length of ditch and field, etc.). Give sizes and capacities: be as specific as possible. Describe any changes in the system and give the date of the change.

[illegible]

8) If water is used for other than irrigation, fully describe that use, being as specific as possible: COMMERCIAL = DUST ABATEMENT FOR ROADS, FIRE PROTECTION AND LIVESTOCK

AUG 05 1988

[illegible]

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

}
 } ss.
 }

BOISE CASCADE CORPORATION

(Claimant)


Joyce Seaman
Notary Public
Residing at Boise, Idaho

My commission expires June 6, 1986

Received by nn Date 6-29-83 Exception filed by: Forwarded to Date
 Prelim. check by lch Date 3/14/84 claimant by:
 \$30.00 fee received by JP Date 6/29/83 # 32233
 Published in Ind. 10/2/83
 Dates 3/28 & 4/4/84

SECRET

Feb 5 1988



ATTACHMENT 1

1. Date of priority: 1923
2. Describe source of water supply: (name of stream, lake, spring, etc.):

	Tributary of
1. <u>N. Fork Clear Creek</u>	<u>Clear Creek / Grimes Creek</u>
2. <u>S. Fork Clear Creek</u>	<u>Clear Creek / Grimes Creek</u>
3. <u>Clear Creek</u>	<u>Grimes Creek / Mingo Creek</u>
4. <u>Grimes Creek</u>	<u>Mingo Creek</u>
5.	
6.	
7.	
8.	
9.	
10.	
11.	
12.	
13.	
14.	
15.	
16.	
17.	
18.	
19.	
20.	

MICROFILMED

AUG 05 1988

ATTACHMENT 2

Point of diversion (Location of point where water is diverted from its source):

	Township	Range	Section	40
1.	5N	3E	25	NE 1/4
2.	5N	3E	25	SE 1/4
3.	5N	4E	30	NE 1/4
4.	5N	4E	21	NE 1/4
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				

RECEIVED
AUG 05 1988

6. Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. Place "S" in 40s where there is stock development.
Management Unit Name or Major Drainage: CLEAR CR

TOWNSHIP	RANGE	SECTION	N E				N W				S W				S E			
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
1. <u>5N</u>	<u>2E</u>	<u>22</u>		X	X						X		X	X		X	X	
2.		<u>25</u>	X	X	X		X	X	X	X	X	X	X	X			X	
3.		<u>26</u>	X	X	X	X	X	X	X	X	X			X	X	X		X
4. ↓	↓	<u>35</u>					X	X										
5. <u>5N</u>	<u>4E</u>	<u>20</u>																X
6.		<u>21</u>											X	X	X	X	X	
7.		<u>22</u>										X	X	X				
8.		<u>27</u>		X	X	X	X			X					X	X		X
9.		<u>29</u>	X	X	X				X	X	X	X				X		
10.		<u>30</u>			X	X	X	X	X	X	X		X	X	X	X		
11.		<u>34</u>	X			X												
12. ↓	↓	<u>35</u>						X	X									
13.																		
14.																		
15.																		
16.																		
18.																		
19.																		

ATTACHMENT 3

AUG 05 1988