


DECLASSIFIED



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Should questions arise during the processing of this application please contact:

Form 219
6/86 SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

RECEIVED RECEIVED
DEC 15 1987 DEC 10 1987

STATE OF IDAHO *NO H NCD. 92* Department of Water Resources
DEPARTMENT OF WATER RESOURCES Western Regional Office
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10517

1. Owner: Ralph Smeed

Phone No. 459-2001

Current Address: 1201 S. Kimball, Caldwell, Idaho 83605

2. Accompanied by: N/A

EXAM. DATE: _____

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground water tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: Pioneer Irrigation District water

☐ Copies Attached


2. Other water rights with same point of diversion: 63-9981

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☐ Photo of Diversion and System Attached


(required for all but single household domestic groundwater, and stockwater.
NOT AVAILABLE - WATER MEASUREMENT SUBMITTED 1-29-86



MICROFILMED

JUL 18 1989

T. 4 N.



BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 63-10517) ORDER
IN THE NAME OF RALPH SMEED)

WHEREAS, on September 28, 1987 the Department of Water Resources issued Permit No. 63-10517 in the name of Ralph Smeed with the requirement that:


Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

and,

WHEREAS, the Department of Water Resources has determined that a flow measurement port or other device is not required at this time for a determination of the quantity of water appropriated under the permit;

NOW THEREFORE, the condition of approval on Permit No. 63-10517 requiring that a flow measurement port or other device be installed is hereby REMOVED.

Dated this 21st day of January, 1988.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED
JUL 18 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10517

Priority: July 21, 1987

Maximum Diversion Rate: 0.38 CFS
Maximum Diversion Volume:¹ 159.0 AF

This is to certify, that RALPH SMEED
1201 S. KIMBALL

CALDWELL, ID 836050000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 21, 1987; and has submitted Proof of Beneficial Use on December 10, 1987. An examination indicates that the works have a diversion capacity of 2.030 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.38 CFS	159.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 25, Township 04N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION


<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	03W	25	NWSE	35.3		35.3

Total number of acres irrigated: 35.3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The right to use water confirmed by this license is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14th day of JULY, 1989.


R. Keith Higginson, Director

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT**

To appropriate the public waters of the State of Idaho

APPROVED

Should questions arise during the processing of this application please contact:

SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

1. Name of applicant Ralph Smeed Phone 459-2001
Post office address 1201 S. Kimball, Caldwell, Idaho 83605

2. Source of water supply Ground water which is a tributary of N/A

3. Location of point of diversion is 1/4 of SW 1/4 of NE 1/4, Govt. Lot
Sec. 25 Township 4N Range 3W B.M. Canyon County; additional
points of diversion if any: none

4. Water will be used for the following purposes:

Amount .8 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .8 and/or (b) 100
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Drilled well - portable engine - concrete ditches

b. Height of storage dam N/A feet; active reservoir capacity acre-feet; total
reservoir capacity acre-feet; period of year when water will be diverted to storage:
 to inclusive.

c. Proposed well diameter is 12 inches; proposed depth of well is --- feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

RECORDED

OCT 13 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	3W	25														40			40

Total number of acres to be irrigated 40

10. Describe any other water rights used for the same purposes as described above. Pioneer Irrigation District


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: WELL WAS DRILLED IN 1965.

RECORDED

OCT 13 1987

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ralph Sweet
(Applicant)

Proposed Priority 7/21/87

Received by nl Date 7-21-87 Time 9:00 am Preliminary check by [Signature]

Fee \$ 45.00 Receipted by LL # 43823 Date 7/22/87

Publication prepared by LL Date 7/29/87 Published in Press-Tribune
8/5 + 8/12/87

Publication approved LL Date 8/12/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10517, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
October 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 28th day of September, 1987.

[Signature]
Chief, Operations Bureau

MICROFILMED

OCT 13 1987

RECEIVED

AUG 13 1987

Department of Water Resources

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times
in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

August 5, 12, 1987

NOTICE OF APPLICATION
FOR WATER RIGHT
The following applications have
been filed to appropriate the public
waters of the State of Idaho:
P.O. BOX 189, CALDWELL, ID
83606
Source: GROUNDWATER
Diversion Pt: SWSE Sec 20 T 04N
R 04W SWSW SESW Sec 21 T 04N R
04W
Use: IRRIGATION (0.440 CFS)
Date Filed: June 11, 1987
In: SWSE Sec 20 T 04N R 04W FOR
22 ACRES
P.O. BOX 63-10517
SMEED, RALPH
7201 S. KIMBALL, CALDWELL,
ID 83605
Source: GROUNDWATER
Diversion Pt: SWNE Sec 25 T 04N
R 03W
Use: IRRIGATION (0.8 CFS)
Date Filed: July 21, 1987
In: NWSE Sec 25 T 04N R 03W
FOR 40 ACRES
The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before AUGUST 24, 1987.
KEN DUNN
Director
August 5, 12, 1987

RECEIVED

AUG 14 1987

Department of Water Resources
Western Regional Office

MICROFILMED

OCT 13 1987

Debra Martin del Campo

Subscribed and sworn to before me this
12th day of August
1987

Jeanne Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991

July 17, 1989

RALPH SMEED
1201 S. KIMBALL
CALDWELL, ID 836050000

RE: PERMIT NO. 63-10517

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 18 1989

March ³⁰~~27~~, 1989

RALPH SMEED
1201 S. KIMBALL
CALDWELL, ID 836050000

RE: PERMIT NO. 63-10517

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 18 1989

Sherl L. Chapman

CONSULTANT

410 S. ORCHARD / SUITE 144 / BOISE, IDAHO 83705 / PHONE 345-6915

RECEIVED
DEC 15 1987

Department of Water Resources

November 24, 1987


Mr. Jim Johnson
Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Johnson:

Please consider this letter a formal request for ~~waiver of the~~
~~measuring device requirement for permit #63-10517~~ in behalf of Mr.
Ralph Smeed. The permit, as approved, required a measuring device in
order to allow the Department of Water Resources to measure the flow
of the well for proof of beneficial use. Since measurement for proof
of beneficial use has already been made and certified and the well is
used for supplemental water purposes, we feel that the requirement is
unnecessary and of no use to the Department or Mr. Smeed.

If you need additional information, please don't hesitate to
contact me at any time.

Sincerely yours,



Sherl L. Chapman
Consultant

SLC:kje

MICROFILMED

JUL 18 1989

RECEIVED

DEC 10 1987

Department of Water Resources
Western Regional Office

Should questions arise during the processing of this application please contact:

SHERL L. CHAPMAN
Form 219
6/86 410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

RECEIVED RECEIVED
DEC 15 1987 DEC 10 1987

STATE OF IDAHO *NO B NCD 93* Department of Water Resources
DEPARTMENT OF WATER RESOURCES Western Regional Office
Department of Water Resources
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 63-10517
1. Owner: Ralph Smeed Phone No. 459-2001
Current Address: 1201 S. Kimball, Caldwell, Idaho 83605
2. Accompanied by: N/A EXAM. DATE: _____
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Ground water tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: Pioneer Irrigation District water ☐ Copies Attached
2. Other water rights with same point of diversion: 63-9981 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.
NOT AVAILABLE - WATER MEASUREMENT SUBMITTED 1-29-86
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well pumps into a lateral canal for distribution to fields through open ditches. Well is equipped with a right angle gear drive SN 46221-KH. The pump is a Holloshaft 20HP (rated) ID #940393C-A-381 R059734.

MICROFILMED

JUL 18 1989

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	Portable	20	N/A	Holloshaft	940393C-A-381

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SW	NE	25	4N	3W	Canyon	field/map

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	3W	25															35.3		35.3

Do not use this space

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Existing PD is used for both this permit and 63-9981. The water is used as a supplemental supply to surface water from the Pioneer Irrigation District.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.38	159
Totals:			.38	159


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

J. AUTHENTICATION

Field Examiner's Name Sheri L. Chapman
Signature *Sheri L. Chapman*
Certification Date 5/5/87
Field Report Preparation Date 11/18/87



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JOM 2/1/89

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
10" x 7" orifice	Orifice	Machined	---	---	10"x7"	--

2. **Measurements:**

Measurement made with 10" x 7" orifice plate using Layne of Idaho published orifice charts for flow determination.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

WHP = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 35.3 \times 4.5 = 159$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 183$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 159$

2. Volume Calculations for Other Uses:

Sherl L. Chapman

RECEIVED

CONSULTANT

JUL 02 1987

410 S. ORCHARD / SUITE 144 / BOISE, IDAHO 83705 / PHONE 344-8890


Department of Water Resources

TO: Ms. Jan Grover
Department of Water Resources

FROM: Sherl L. Chapman, Consultant

DATE: January 29, 1986

SUBJECT: Proof of Beneficial Use Permit #63-9981



The flow from the well described under this permit was measured by Sherl L. Chapman, consulting geologist, October 9, 1985. The well is equipped with a well line pump, serial #46221, stage-KH. The pump unit itself is a Holloshaft, right angle gear drive rated 20 horsepower at 1760 RPM, identification number 940393C-A-381 R059734. The pump is set at 80 feet below land surface and has a 1-1 ratio. The unit discharges to atmospheric pressure into a ditch where water is carried to the land to be irrigated by gravity. The measurement was made utilizing a 10" x 7" orifice plate and operation of the unit and measurements occurred over a one hour period. Stabilized flow was produced from 67 feet below land surface at 910 gallons per minute or 2.03 cubic feet per second.


If any questions arise regarding this measurement, please contact Sherl L. Chapman Consulting, 410 S. Orchard, Suite 144, Boise, Idaho 83705.

MICROFILMED

JUL 18 1989

SPECIALIST IN


GROUND-WATER HYDROLOGY / WATER RIGHTS / WATER WELL DESIGN / GEOTHERMAL RESOURCES



MICROFILMED

JUL 18 1989

GARDEN CITY 20 MI.
BOISE (STATE CAPITOL) 23 MI.



PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10517

Date: 1-11-1988

General Considerations:

- Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
N Proof received after proof due date, if so prepare priority calculation

Source of Water:

- Y Surface water
Y Groundwater
N 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use:

- Y Same as permit

Rate of Diversion:

- _____ Amount same as permit, if no:
_____ Is the amount of water in same fee range?
_____ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- NA Is a measuring device or access port required?
NA Has one been installed?
NA Waiver or modification of measuring device requested

Remarks: - Need a copy of well log if available

John Beal found no well log with this
well or owner.

NA Priority Calculation:

Date proof received _____
Date proof due _____ + _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

MICROFILMED

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

JUL 18 1989

Form 217

03/86

Should questions arise during
the processing of this applica-
tion please contact:

SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83706
344-6390

RECEIVED RECEIVED
DEC 15 1987 DEC 10 1987

No # rec'd 9/7
Department of Water Resources
STATE OF IDAHO Western Regional Office

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by _____

Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10517Name(s) of Permit Holder: Ralph SmeedPost Office Address: 1201 S. Kimball, Caldwell, Idaho 83605Telephone No. 459-3840Source of Water: Ground water

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 35.3 (acres) Other/Remark _____Total rate and/or volume for which proof is submitted .38 cfs 159 acre-feetShow the date water was first diverted and beneficially used under this permit: 1983

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Waiver requested with this exam.

Person to contact to accompany the Department representative during the field examination:

N/A

(Name)

(Telephone Number)

MICROFILMED

(Address)

The above information JUL 18 1989 is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11/18/87

Date

Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
OCTOBER 02, 1987

SMEED, RALPH
1201 S. KIMBALL
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10517

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

OCT 13 1987

10 DAY

WATER RIGHT NO. 63-10517 ✓

Priority: July 21, 1987 ✓ Amount: ^{0.38}0.80 CFS 159 AFA

This is to certify, that RALPH SMEED ✓
1201 S. KIMBALL ✓
✓ CALDWELL, ID 836050000

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated July 21, 1987, and has submitted proof to the Department of Water Resources on December 10, 1987, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .000 cfs of water from a GROUNDWATER source and that a water right has been established as follow: 2 2.03

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>	
✓ IRRIGATION	✓ 03/15 to 11/15	^{0.38} 0.80 CFS	159 AFA	
<u>LOCATION OF POINT OF DIVERSION(S):</u>		✓ SWNE , Sec. 25, Township 04N, Range 03W CANYON County		
<u>PLACE OF USE:</u> IRRIGATION				
<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
✓ 04N 03W 25	NWSE 40 35.3			40 35.3
Total number of acres irrigated:				40 35.3

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

DELETE

ADD R27

RECORDED
JUL 18 1989

PAGE 2

WATER RIGHT NO. 63-10517

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this _____ day of _____, 19____.

Director

MICROFILMED

JUL 18 1989

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Shute

APPLICATION NUMBER: 63-10517

CHECK:

- ☒ Source.
☒ Point of diversion. NO LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*
☐ Yes ☒ No

Platted by: _____

Map No. _____

Other rights on same place of use. 63-9981 - THIS IS FOR SAME P.D.

BUT ADDITIONAL TO ACRE. ONLY PIONEER IRR. DIST. FOR NEW IRR. USE.

In form for advertising.

Final date for protests: August 24, 1987

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: August 14, 1987

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application. 45/43823

☒ Publication dates and paper, recorded on application. PRESS-TRIBUNE 8/5 & 8/12/87

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No

Measuring device required.

☒ Yes ☐ No

Access port required.

☒ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? 63

7/21/1987

Date of priority recommended.

Special conditions of approval or cover letter. OIC

MICROFILMED

OCT 15 1987

Recommend that 1 year be allowed for completion of this project.

By: Dna

Date: 9/16/87

STATE OFFICE REVIEW:

L05 DAB L03, L1K6

NA well is existing.
OIC

RECEIVED
SEP 25 1987

☐ See attached sheet for more information.

By: Kew

Date: 9/24/87

Department of Water Resources

63-10517

SMEED, RALPH

1201 S. KIMBALL, CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SWNE Sec 25 T 04N R 03W

Use: IRRIGATION (0.8 CFS)

Date Filed: 07/21/1987

In: NWSE Sec 25 T 04N R 03W FOR 40 ACRES

MICROFILMED

OCT 13 1987

WATER RIGHT
DATA ENTRY LOG

[illegible]