


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Helen B Pasley
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 06 1990

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 3-10502


1. Owner: RODCO INC Phone No. 459-3441
Current Address: P.O. Box 189, CALDWELL, ID. 83606
2. Accompanied by: DAN DIXON EXAM. DATE: 9-5-88
Address: SAME Phone No. SAME
Relationship to Permit Holder: MANAGER
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: WILDER IRRIGATION DISTRICT WATER ONLY. ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).


MICROFILMED

JUN 05 1990

C. DIAGRAMS


1. Measurement Location

Scale: _____ = _____



2. Cross-Section of Measurement

Scale _____ = _____



D. SUMMARY INFORMATION

1. Measurement rated _____ excellent _____ X good _____ fair _____ poor

2. Remarks: FLOW THROUGH STRUCTURE UNIFORM

3. Width: 19" Area: 1.99 sq ft Discharge in cubic feet per second: 2.92 cfs

9-5-88
DATE

Kelly K. Christensen
SIGNATURE OF PERSON CONDUCTING MEASUREMENT



TRANSFER TOWNEE

32.0

T847
A663

T752
A588

T756
A449

T716
A556

T480
A374

T204
A194

T706
A597

T758
A658

T458
A362

T807
A623

T777
A608

T851
A629

T880
A681

T751
A588

T571
A456

T725
A565

T761
A595

T506
A669

RECORDED
JUN 05 1990

'P/D 123' FROM CORNER
PIPE LINE
CEMENT DITCH
MEASUREMENT LOCATION

FOUND
24A

T762
A595

3.5A

T825
A472

12.9

12.0

29

28

2

33

Map X-4
Notes
4N-4W

2671 III NW (WILDER)
WILDER 2.3 MI.
1.8 MI. TO U.S. 95

63-10502

MICROFILMED
JUN 05 1990

PIPE LINE
MEASUREMENT LOCATION

Greenleaf Academy
Greenleaf School

Benson Slough
Greenleaf Gulch
Golden Ridge
Deer Ridge
Bartlett Ridge
Spoon Bank
Gate
Lower
Upper
Middle
Daily
Buckup
Dren
Dren

Allen Lateral
Union Lateral
Pacific Lateral
Dixie Road
Greenleaf Road
Golden Road

Greenleaf Academy
Greenleaf School
Greenleaf Cemetery

Greenleaf Slough
Greenleaf Gulch
Golden Ridge
Deer Ridge
Bartlett Ridge
Spoon Bank
Gate
Lower
Upper
Middle
Daily
Buckup
Dren
Dren

Greenleaf Academy
Greenleaf School
Greenleaf Cemetery

Greenleaf Slough
Greenleaf Gulch
Golden Ridge
Deer Ridge
Bartlett Ridge
Spoon Bank
Gate
Lower
Upper
Middle
Daily
Buckup
Dren
Dren

2479
UNRECORDED
JUN 05 1990
DRAIN

Hand-drawn map showing the location of the measurement point. The map includes a 'School' label, a 'P/O' (Point of Origin) label, and a 'PIPE LINE' label. A 'MEASUREMENT LOCATION' is marked with a dot and labeled. The map shows a road network and a river.

P/D



P/U & MEASUREMENT LOCATION



MEASUREMENT LOCATION

MICROFILMED
JUN 05 1990

P/U

LOOKING NORTH WEST



MICROFILMED
JUN 05 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10502

Priority: June 11, 1987

Maximum Diversion Rate: 1.86 CFS
Maximum Diversion Volume:¹ 418.5 AF

This is to certify, that HELEN B. PASLEY
404 HALSTEAD

CALDWELL, ID 836050000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 11, 1987; and has submitted Proof of Beneficial Use on July 28, 1988. An examination indicates that the works have a diversion capacity of 2.920 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.86 CFS	418.5 AF

LOCATION OF POINT(S) OF DIVERSION: NWSE , Sec. 29, Township 04N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	04W	29	NESW 32	SESW 24	NWSE 37	93

Total number of acres irrigated: 93

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

JUN 05 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10502

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8th
day of MAY, 1990.

Director for

R. Keith Higginson, Director

MICROFILMED

JUN 05 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Helen B. Pasley Phone 459 3441
Post office address 404 Halstead Caldwell, ID 83605

2. Source of water supply Ground Water which is a tributary of N/A

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 29 Township 4n Range 4 WBM B.M. Canyon County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.9 for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.9 and/or (b) n/a
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 10" to 12" inches; proposed depth of well is 400' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 year years (minimum 1 year).

RECORDED

SEP 28 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4 N	4 WBM	29														X			38. acres
4 N	4 WBM	29								X									32. acres
4 N	4 WBM	29												X					26.45 acres

Total number of acres to be irrigated 96.45 acres

10. Describe any other water rights used for the same purposes as described above. _____

Boise Project Board of Control - Wilder Irrigation District 1.0 second ft.

11. a. Who owns the property at the point of diversion? Helen B. Pasley


b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

SEP 28 1981

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Helen B Pasley
(Applicant)

Proposed Priority 6/11/87

Received by nl Date 6-11-87 Time 12:00 Preliminary check by BD
Fee \$ 65.00 Received by JA # 44936 Date 6-10-87
Publication prepared by JA Date 6/24/87 Published in Press-Tribune
7/1 + 7/8/87
Publication approved JA Date 8/7/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10502, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 19th day of September, 1987.

J. Allen Saxton
Chief, Operations Bureau

RECEIVED
SEP 28 1987

RECEIVED
JUL 13 1987

Department of Water Resources
Western Regional Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10490

CHASE, JOHN L.
RT. 7 BOX 412, CALDWELL, ID
83605

Source: GROUNDWATER
PT of DIVERSION: NWSE Sec 04
T 05N R 03W

Use: IRRIGATION (2.0 CFS)

Date Filed: May 18, 1987

PLACE OF USE: Lot 2 (NWNE)
SWNE NWSE Twp. 5N., Rge.
3W., Sec. 4 Total of 105 acres.

63-10501

DYER, JOHN A.
RT. 5 BOX 5278, NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SESENE Sec 31 T
04N R 02W

Use: IRRIGATION (1.6 CFS)

Date Filed: June 10, 1987

In: NENE SENE Sec 31 T 04N R
02W FOR 80 ACRES

63-10502

PASLEY, HELEN B.
404 HALSTEAD, CALDWELL, ID
83605

Source: GROUNDWATER
Diversion Pt: NWSE Sec 29 T 04N
R 04W

Use: IRRIGATION (1.9 CFS)

Date Filed: June 11, 1987

In: NWSE NESW SESW Sec 29 T
04N R 04W FOR 96 ACRES

63-10508

SHUPE, DWAYNE &/or LINDA
RT. 11 BOX 5, CALDWELL, ID
83605

Source: GROUNDWATER
Diversion Pt: NWNW Sec 12 T 04N
R 03W

Use: COMMERCIAL (0.3 CFS)

Date Filed: June 17, 1987

In: NWNW Sec 12 T 04N R 03W

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before JULY 20, 1987.

KEN DUNN
Director

July 1, 8, 1987

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninterru-
ptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

July 1, 8, 1987

Debra Martin del Campo
Subscribed and sworn to before me this

8th

day of July

19 87

Janet Lusk
Notary Public, Residing at Nampa, Idaho

MICROFILMED

SEP 28 1987

MY COMMISSION EXPIRES
JULY 12th, 1991

May 9, 1990

HELEN B. PASLEY
404 HALSTEAD
CALDWELL, ID 836050000

RE: PERMIT NO. 63-10502

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

JUN 05 1990

April 9, 1990

HELEN B. PASLEY
404 HALSTEAD
CALDWELL, ID 836050000

RE: PERMIT NO. 63-10502

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED
JUN 05 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 06 1990

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 3-10502


1. Owner: RODCO INC Phone No. 459-3441
Current Address: P.O. Box 189, CALDWELL, ID. 83606
2. Accompanied by: DAN DIXON EXAM. DATE: 9-5-88
Address: SAME Phone No. SAME
Relationship to Permit Holder: MANAGER
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: WELDER IRRIGATION DISTRICT WATER ONLY. ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

JUN 05 1990

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM IS A WELL WITH A PUMP SET AT 220 FE. DELIVERING WATER THROUGH AN 8" PIPE FLAIED TO A 10" PIPE GOING UNDER GROUND. LINE RUNS SOUTH TO CORNER (APP 123 FE) AND THEN TURNS WEST RUNNING 397' TO OPEN DISCHARGE INTO A SPLIT TANK. WATER CAN BE DIVERTED EITHER EAST OR WEST THROUGH A CEMENT LINED DITCH. FIELDS ARE IRRIGATED VIA TUBE IRRIGATION.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	WAKASHAW (PROPANE)	100	UNKNOWN	JOHNSON	SER- 29035

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NW	SE	29	4N	4W	CANYON	AERIAL PHOTO

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	4W	29									32			24		37			93

MICROFILMED

JUN 05 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PIGMY METER		SCIENTIFIC INST. INC		090198		

2. Measurements:

SEE OPEN CHANNEL DISCHARGE MEASUREMENT NOTES.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2.92 CFS

2. Alternate Method for Checking Purposes:

100 HP FROM GEAR DRIVE
PUMP RATING

$$\frac{100 \text{ HP} \times 8.8 \times .4 (\text{EFFEC})}{100 \text{ Ft} + (2.31 \times 0 (\text{OPEN DISCHARGE}))} = 3.52 \text{ CFS}$$

F. PUMP EFFICIENCY DATA (Optional) NOT DONE, DIESEL

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 93 \times 4.5 = 418.5 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.86 \times 245 \times 1.9835 = 903 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 418.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

MICROFILMED

JUN 05 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

ONLY OVERLAP IS WITH WILDER IRRIGATION DISTRICT
WATER LICENSE UNDER "R 32"

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	1.86 cfs	418.5
		Totals:	1.86 cfs	418.5 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN
Signature Kelly K. Christensen
Certification Date _____
Field Report Preparation Date 11-30-88



K. **Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.**

MICROFILMED

JUN 05 1990

63-10502
Water Right No.
(if applicable)

.90

1. Name of stream or ditch: PRIVATE DITCH ON PROPERTY IDENTIFIED AS PASLEY .92
2. Location: 4N 4W SEC 29 SE/NE/SE
3. Person conducting measurement: KELLY K. CHRISTENSEN .94
4. Date and time of measurement: 9-5-88 10:00 AM
5. Accompanied by: DAN DIXON .96
6. Measuring device size and ID no.: PIGMY METER 90198
7. Spin test before measurement OK? YES after measurement OK? YES .97
8. Purpose of measurement: DIVERSION RATE DETERMINATION FOR LICENSE EXAM .98

.99


[illegible]

MICROFILMED
JUN 05 1990

C. DIAGRAMS


1. Measurement Location

Scale: _____ = _____



2. Cross-Section of Measurement

Scale _____ = _____



D. SUMMARY INFORMATION

1. Measurement rated _____ excellent ☒ good _____ fair _____ poor

2. Remarks: FLOW THROUGH STRUCTURE UNIFORM


3. Width: 19" Area: 1.99 sq ft Discharge in cubic feet per second: 2.92 cfs

DATE


9-5-88

SIGNATURE OF PERSON CONDUCTING MEASUREMENT

Kelly K. Christensen



Map X-4
Notes
4N-4W



63-10502

RECEIVED
JUN 05 1990

PIPE LINE
MEASUREMENT LOCATION

P/D



P/u & MEASUREMENT LOCATION



MEASUREMENT LOCATION

MICROFILMED

JUN 05 1990

P/U

LOOKING NORTH WEST



JUN 05 1990
MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 19, 1988

63-10502
Helen B. Pasley
404 Halstead
Caldwell, ID 83605

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

DEC 06 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10502

Date: 10/21/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
_____ Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

JUL 28 1988

For Office Use Only
Fee Received 1125.00
Date 7/26/88
Receipt # W000546
Receipt by ARS
Reviewed by JS
Sent to region

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10502

Name(s) of Permit Holder: HELEN B. PASLEY

Post Office Address: 404 HANSTAD, CARMACK, ID
83605 Telephone No. 459-3441

Source of Water: GROUNDWATER

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 96.45 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 1.9 cfs acre-feet

* Show the date water was first diverted and beneficially used under this permit: 7-6-88

Measuring Device: Required? ☒ Yes ☐ No WEIR Fee enclosed \$ 125.00
Installed? ☒ Yes ☐ No (See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

DAN DIXON 459-7890
(Name) (Telephone Number)

P.O. Box 189, CARMACK, ID 83606
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

July 25, 1988
Date

Helen B. Pasley DEC 02 1988
Signature of Permit Holder (and title, if appropriate)

RECEIVED

APR 13 1988

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED

APR 13 1988

Department of Water Resources
Western Regional Office

(Authorizing Construction of a Well)*

Department of Water Resources
Phone No: _____

1. Applicant GREENLEAF FARMS
2. Address P.O. Box 189, CANNONWELL, ID 83606

() Well Owner ☒ Well Operator () Other, specify _____

3. Water right permit no.
- 63-10502
- Injection well permit no. _____

4. Proposed well location 1/4 NW 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 29, Twp. 4N, Rge. 4W, County CANYON,
Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

() Domestic () Stockwater () Monitoring
☒ Irrigation () Industrial () Municipal
 () Injection () Other, Specify _____

6. Well construction information:

☒ New well () Deepen () ReplaceProposed surface diameter 16" Proposed depth 350'-450'

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
 () 85°F to 212°F (Low temp. geothermal well)
 () 212°F or more (Geothermal well)

7. Anticipated construction start date
- APRIL 18TH (WEEK OF)

8. Well Driller (if known)
- PETE COPE

Address 6505 W. CHINDEN BLVD. MERIDIAN, IDDate 4/13/88 Applicant's signature Don M. Dyer 83642Title President

* After other pre-requisite approvals have been obtained.

DEC 02 1988

ACTION OF IDWR

(X) Approved

() Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 13th day of April, 1988.

Signed

Title

Don Thunte
For Western Regional Mgr.

Received by [Signature] Fee 100.00 Date 4/13/88

Receipt No. W000098 Construction start date WEEK OF 4/18/88

Construction start extension to _____

Extension approved by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR
RECEIVED
JUL 18 1988

1. WELL OWNER

Name Greenleaf Farms, Inc. (Dan Dixon)
304 E. Caldwell Blvd.
Address Caldwell, ID 83605

Owner's Permit No. 63-10502

7. WATER LEVEL

27' Department of Water Resources
Static water level XXX feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK 63-88-4-58

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

Department of Water Resources
Western Regional Office

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG Pg 1 of 2

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28	0	5	Sand		
	5	20	Sand, Clay & Calciche		
	20	30	Sand, Gravel, Sma. Rock		
	30	80	Gray Clay, Streaks Hard		
	80	82	Gray Sand-Fine		
	82	91	Gray Clay		
	91	93	Gray Sand - Fine		
	93	98	Gray Clay & Sand		
	98	112	Gray Clay		
	112	113	Gray Sand-Fine to Med.		
	113	116	Brn. Sand-Fine to Med.		
	116	123	Brn. Clay		
	123	134	Blue Clay		
	134	139	Blue & Brn. Clay		
	139	148	Brn. Clay		
	148	161	Brn. Sand - Fine to Med.		
	161	168	Gray Sand-Fine to Coarse		
	168	173	Blue Sand- Fine to Coarse		
	173	181	Blue Sand - Fine		
	181	193	Blue Clay-Some Sand		
	193	213	Blue Clay & Sand		
	213	251	Blue Clay		
	251	253	Blue Sand - Fine		
	253	298	Blue Clay		
	298	301	Blue Sand		
	301	363	Blue Clay - Some Sand		
	363	373	Blue Clay		
	373	383	Blue Clay -Some Sand-Fine		
	383	423	Blue Clay		
	423	433	Blue Clay-Stk.of gray clay		
	433	529	Blue Clay		
	529	533	Blue Fine to Crse. Sand		
			& Sma.Gravel & Clay mxd.		
	533	543	Blue Sand-Fine to crse.		
			w/small gravel		
	543	546	Blue Sand-Fine to crse.		

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION (See attached sheet)

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	16 inches	18" feet	109 feet
.250 inches	16 inches	119 feet	149 feet
.250 inches	16 inches	179 feet	199 feet
.250 inches	16 inches	209 feet	239 feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No attached
Manufacturer's name Roscoe Moss (See sheet)
Type Wirewrap Model No. _____
Diameter 16 Slot size .040 Set from 149 feet to 179 feet
Diameter 16 Slot size .040 Set from 239 feet to 249 feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8 Minus
Placed from 18 feet to 613 feet
Surface seal depth 18' Material used in seal: ☐ Cement grout
☐ Bentonite ☒ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port 2"

10. Work started 5/23/88 finished 5/28/88

6. LOCATION OF WELL

Sketch map location must agree with written location.

N
W E
S

Subdivision Name _____
Lot No. _____ Block No. DEC 02 1988
County _____ Canyon _____
NW 1/4 SE 1/4 Sec. 29, T. 4N N/S, R. 4W E/W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Pete Cope Drilling Co., Inc.
Firm Name _____ Firm No. 213
6505 West Chinden Blvd.
Address Meridian, ID Date _____
Signed by (Firm Official) Pete Cope
and
(Operator) Joshua

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
SEPTEMBER 17, 1987

FASLEY, HELEN B.
404 HALSTEAD
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10502

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

SEP 28 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: BD

APPLICATION NUMBER: 63-10502

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- N/A* { ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* Surface water rights for Wilder Irr Dist
In form for advertising. _____
Final date for protests: July 20, 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: July 15, 1987
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 65/44936
☒ Publication dates and paper, recorded on application. PROSS TRIBUNE 7/1 + 7/8/87
None ☐ Protests, dates, withdrawal, etc., recorded on application.
Approve, DRR ☐ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/11/1987 Date of priority recommended.
☒ Special conditions of approval or cover letter. OIC


By: DRR

Date: 9/4/87

STATE OFFICE REVIEW:

123,103,1116

OIG 43



☐ See attached sheet for more information.

By: KW

Date: 9/10/87

Department of Water Resources

Form No. 202a Temp
4/87

Ident. No. 63-10502

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater
Management Area boundaries?
☐ Yes ☐ No County has been declared a drought emergency area by the
Governor's Office?

Remarks: _____

Application Initially Received Date 6-11-87 Time 12:00
File Prepared By gg Date 6-12-87 Time 9:00 a.m.
Staff Review By BD Date 6/15/87 Time 11:01 AM
Temporary Approval Prepared By HA Date 6/15/87 Time 12:00 p.m.
Temporary Approval Signed By DM Date 6/16/87 Time 9:00 a
Temporary Approval Mailed By HA Date 6/15/87 Time 2:00 p.m.
Index Updated By DM Date 6/16/87 Time 9:00 a

MicroFILMED

SEP 28 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2266

June 15, 1987

Helen B. Pasley
404 Halstead
Caldwell, ID 83605

Re: Water Right No. 63-10502

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

RECORDED

SEP 28 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10502

This is to certify that I have examined Application for Permit to
Appropriate the public waters of the State of Idaho No. 63-10502 and a
temporary approval to divert groundwater is granted until October 12, 1987
subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more that the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

RECEIVED
SEP 28 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 15th day of June, 1987.


DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

MICROFILMED

SEP 28 1987

63-10502

PASLEY, HELEN B.

404 HALSTEAD, CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWSE Sec 29 T 04N R 04W

Use: IRRIGATION (1.9 CFS)

Date Filed: 06/11/1987

In: NWSE NESW SESW Sec 29 T 04N R 04W FOR 96 ACRES

MicroFILMED

SEP 28 1987