


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David R. Durrant
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

FEB 06 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10498

1. Owner: DAVID & RUSSELL DURRANT

Phone No. 888-1710

Current Address: 7590 S. 10 MILE RD MERIDIAN, ID 83642

2. Accompanied by: RICHARD DURRANT

EXAM. DATE: 6-22-89

Address: SAMS

Phone No. SAME

Relationship to Permit Holder: SON

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: DITCH Co. WATER ONLY (BOISE-KUNA IRR. DIST.)

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).



4826

35'

4825

4824

4823

4822

32' 30"

4820

T3
T2



AUG 28 1941

MICROFILMED

Columbia School

P/D LOOKING WEST

PICTURE No. 1



P/U LOOKING NORTH

PICTURE No. 2

P/D



AUG 20 1990

MICROFILMED

P/4 LOOKING SOUTH EAST

PICTURE #3



-P/D

MICROFILMED

AUG 28 1990

Form 20-7
9-62

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

Owner has received that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Russell Durant 293-2045
Address Columbia Rd.
Medford, Id.
Owner's Permit No. _____

7. WATER LEVEL

Static water level 75 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ of. Quality _____
Describe previous or temperature record below _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as
materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Sailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Flow Period
<u>30</u>	<u>100 ft.</u>	<u>2:30-3:00</u>

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Aug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>6</u> inches	<u>1</u> foot	<u>100'</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing of two shoes used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____ Model No. _____

Type _____ Diameter _____ Set from _____ feet to _____ feet

Diameter _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 6-4 Material used in seal: ☐ Cement grout

☐ Bentonite ☒ Purifying clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overhaul to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent


Weld _____

☐ Connected between shoes

Describe casing per _____ Sanitary well seal

6. LOCATION OF WELL

Sketch map location _____ agree with surface location.



Subdivision Name _____

Lot No. _____ Block No. 1388

County SV & SW 1/4 Sec 1 T. 2 S. R. 2 E. S. 1

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was operated.

For Name Carlisle Hill Date 3/1/66

Witness R. L. Kasey on 3/1/66

Signed by (Firm Official) Earl Skinner

and Earl Skinner

RECEIVED
JUN 2 1966

Department of Water Resources
Boise, Idaho 83720

Work started 2/10/66 and 2/21/66

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10498

Priority: June 4, 1987

Maximum Diversion Rate:
Maximum Diversion Volume:¹

1.44 CFS
382.5 AF

This is to certify, that DAVID DURRANT
RUSSELL DURRANT

7590 S. TEN-MILE
MERIDIAN, ID 836420000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 4, 1987; and has submitted Proof of Beneficial Use on June 16, 1988. An examination indicates that the works have a diversion capacity of 1.440 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.44 CFS	382.5 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 1, Township 02N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01W	1	NESW 3	NWSW 26	SWSW 36	85
			SESW 20			
Total number of acres irrigated:						85

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

AUG 28 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10498

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 31st
day of July, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

AUG 28 1990

State of Idaho
Department of Water Resources

RECEIVED
JUL 26 1990

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10498

Department of Water Resources

Date of Priority: June 4, 1987

Maximum Diversion Rate: 1.44 CFS
Maximum Diversion Volume: 382.5 AF

Comes now

DAVID DURRANT
RUSSELL DURRANT

7590 S. TEN-MILE
MERIDIAN, ID 836420000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10498, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.44 CFS	382.5 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 1, Township 02N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01W	1	NESW 3	NWSW 26	SWSW 36	85
			SESW 20			

Total number of acres irrigated: 85

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Meridian, this 24 day of July, 1990.

MICROFILMED

AUG 28 1990

David R Durrant
(Signature)
C R Durrant

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10498

FOR DEPARTMENT USE ONLY

C017809

Preliminary check by SA Fee = \$20.00

Received by C. Wong Date 7/26/90

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10498 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 31st day of July, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED

AUG 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant David and Russell Durrant Phone 888-1710
Post office address 7590 S. 10 mile, Meridian, Idaho 83642
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SW 1/4 of SW 1/4, Govt. Lot _____
Sec. 1 Township 2N Range 1W B.M. ADA County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.70 for Irrigation purposes from April 1 to Oct. 30 (both dates inclusive)
(cfs ~~acre-feet per annum~~)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.70* and/or (b) 1.70*
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP & PIPELINE
TO PLACE OF USE.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 12 inches; proposed depth of well is 150 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECORDED

AUG 21 1987

*kw 7/13/87

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	1W	1										22	40	23					85

Total number of acres to be irrigated 85

10. Describe any other water rights used for the same purposes as described above. New York

& Boise River

11. a. Who owns the property at the point of diversion? David & Russell Durrant


b. Who owns the land to be irrigated or place of use? David & Russell Durrant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

AUG 21 1967

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David R. Durrant
(Applicant)

Proposed Priority 6/4/87
Received by [Signature] Date 6/4/87 Time 3:32 Preliminary check by [Signature]
Fee \$ 125.00 Receipted by [Signature] # 44910 Date 6/4/87
Publication prepared by [Signature] Date 6/10/87 Published in ID Statesman
618 - 6/25/87
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10498, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 20th day of July, 1987.

[Signature]
Chief, Operations Bureau

MASTFILMED

AUG 21 1987

JUN 26 1987

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources

LEGAL ADVERTISING INVOICE

Amount Due

87.40

Account Name Idaho Department of Water Resources (Western)			Account Number #47628	
Address Statehouse		City/State Boise, ID		Zip 83720
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1987 June 18, 25	
Identification Notice of Application for Water Rights			Estimated Inches	Real Inches
1 Number of Affidavits Requested				Legal Number #5636

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10474
Vanderkooy, Simon
8190 S. Ten Mile Rd.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWNW Sec. 11
T 02N R 01W
Use: Irrigation (2.0 CFS)
Date Filed: 05/05/1987
In: NWNW SWNW SENW NESW
SESW Sec. 11 T 02N R 01W — for
200 acres.

63-10480
Hodges, Gayle S. &/or Zelma C.
2820 S. Locust Grove, Rt. 2
Kuna, ID 83634
Source: Groundwater
Diversion Pt: SWSW Sec. 32 T 02N
R 01E
Use: Irrigation (2.0 CFS)
Date Filed: 05/08/1987
In: NWSW SWSW Sec. 32 T 02N R
01E NWNE SWNE SENE NESE
NWSE SWSE Sec. 31 T 02N R 01E
— for 201 acres

63-10498
Durrant, David &/or Russell
7590 S. Ten Mile
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SWSW Sec. 01 T 02N
R 01W
Use: Irrigation (1.7 CFS)
Date Filed: 06/04/1987
In: NWSW SWSW SESW Sec. 01 T
02N R 01W — for 85 acres

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on, or before, July 6, 1987.

KEN DUNN
Director
Pub. June 18, 25, 1987 5636

RECEIVED

JUN 26 1987

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Sharon M. Hill

being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of June 18, 19 87

and ending with the issue of June 25, 19 87

Subscribed and sworn to before me this 25th

day of June, 19 87 AUG 21 1987

Notary Public for Idaho, Residing at Boise, Idaho

July 31, 1990

DAVID DURRANT
RUSSELL DURRANT
7590 S. TEN-MILE
MERIDIAN, ID 836420000

RE: PERMIT NO. 63-10498

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

AUG 28 1990

July 19, 1990

DAVID DURRANT
RUSSELL DURRANT
7590 S. TEN-MILE
MERIDIAN, ID 836420000

RE: PERMIT NO. 63-10498

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

FEB 06 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: DAVID E RUSSELL DURRANT Permit No. 63-10498
Current Address: 7590 S. 10 MILE RD MERIDIAN, ID 83642 Phone No. 888-1710
2. Accompanied by: RICHARD DURRANT EXAM. DATE: 6-22-89
Address: SAME Phone No. SAME
Relationship to Permit Holder: SON
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: DITCH CO. WATER ONLY (BOISE-KUNA IRR. DIST.) ☐ Copies Attached
2. Other water rights with same point of diversion: NONE. ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE SYSTEM IS A WELL DELIVERING WATER TO THE P/U VIA 8" GATED PIPE & OPEN DISCHARGE INTO A CEMENT DETCH SYSTEM. P/U IS THE SW 1/4 OF SEC 1 THAT IS SOUTH & WEST OF MASON DETCH. (SEE ORTHO PHOTO FOR LAYOUT.)

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Motors	30	3143859	JOHNSTON	8"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	1	2N	1W	ADA	ORTHO PHOTOGRAPHIC QUAD MAP.

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	1W	1									3	26	36	20					85 AC.

MICROFILMED

AUG 28 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ANNUBAR				91414	8"	
MANOMETER			4'			

2. Measurements:

SEE SUPPLEMENTAL ANNUBAR MEASUREMENT SHEET

UNABLE TO REMOVE PLUG ON ACCESS PORT
DYNAMIC LEVEL ESTIMATED AT 100 FT

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

MEASURED 1.44 CFS

2. Alternate Method for Checking Purposes:

$$\frac{30 \times 8.8 \times .8}{100 \times (2.3 \times 8)} = \underline{\underline{1.78 \text{ CFS}}}$$

F. PUMP EFFICIENCY DATA (Optional)

NOT MADE DYNAMIC LEVEL UNAVAILABLE.

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{85 \text{ AC.} \times 4.5 \text{ AF}} = \underline{382.5 \text{ AFA}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{1.44 \times 214 \times 1.9835} = \underline{611.2 \text{ AFA}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{382.5 \text{ AFA}}$$

2. Volume Calculations for Other Uses:

MICROFILMED

AUG 28 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

MEASURED = 1.44 CFS (RECOMMENDED RATE)

FEES PD FOR MAX OF = 2.00 CFS

$$\text{ACRES IRR. (85)} * 0.02 \text{ CFS} = 1.7 \text{ CFS}$$

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	APR 1	OCT 31	1.44 CFS	382.5 AFA

Totals:	1.44 CFS	382.5 AFA
---------	----------	-----------

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN
JFW 1-18-90 Signature Kelly K. Christensen
Certification Date _____
Field Report Preparation Date 7-12-89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

AUG 28 1990

7/87

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: KELLY K. CHRISTENSENDate 6-22-89Owner: DAVID & RUSSELL DURRANTPermit No. 63-10498

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = _____

T = Pipe Thickness in Inches = _____

ID = $2 [(0.1592 \times \text{CIR}) - T] = \dots\dots\dots$ 7.625ANNUBAR DESCRIPTION & CONSTANT (C)Size Used in Test 8"State ID No. 91414

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.37
10"	3.94
12"	3.99
14" - 16"	4.01
18" - 24"	4.02
30" or larger	4.03

C selected 3.87DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)High Reading = 16.6Low Reading = 8.4High - Low = H = ... 8.2CALCULATION OF DISCHARGE IN CFS (Q)


$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.3}$$

$$Q = \frac{(7.625)^2 \cdot (\sqrt{8.2}) \cdot (3.87)}{448.3} = 1.44 \text{ CFS}$$

SKETCH (If not shown on Field Report)

MICROFILMED

AUG 28 1990





4825

4824

23

22

32' 30"

4820

2.1 MI. TO SOUTH CLOVERDALE

T3
T2



MICROFILMED

AUG 28 1991

P/D LOOKING WEST

PICTURE No.1



P/U LOOKING NORTH

PICTURE No.2



AUG 20 1990

MICROFILMED

P/U LOOKING SOUTH EAST

PICTURE #3



-P/D

MICROFILMED

AUG 28 1990

State of Idaho

Department of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 2N, Rge. 1W,
Sec. 1, Qtr./Qtr. SW/SW or Lot _____
2. Owner DAVID & RUSSELL DURRANT
Address 7590 So. 10 MILE RD., City MERIDIAN, State ID.
3. Approx. date of well construction SEPT 89
Well Driller TOD KNEI
4. Casing: Diameter 12" Condition GOOD
5. Casing length above land surface 6" (CEMENTED IN)
6. Well depth (ft) 180 Flowing NO Temp. _____
Access port YES BUT UNABLE TO REMOVE
7. Condition of piping and valving GOOD
8. Evidence of well seal _____
9. Shut in pressure or static water level ? 85 EST
10. Evidence of leakage around the casing NO
11. Does well need repair NO
12. Comments _____

(OVER)

MICROFILMED

AUG 28 1990

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

MICROFILMED

AUG 28 1990

Inspected by _____ Date _____



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

November 19, 1988

63-10498
David/Russell Durrant
7590 S. 10 Mile Rd.
Meridian, ID 83642

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jip

RECEIVED
NOV 21 1988
DEPT. OF WATER RESOURCES
BOISE, IDAHO

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10498

Date: 10/14/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
Y 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
N Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/85

RECEIVED

JUN 16 1988

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received \$125.00
Date 6/16/88
Receipt # 0601404
Receipt by [signature]
Reviewed by [signature]
Sent to region [signature]

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10498-

Name(s) of Permit Holder: David & Russell Durrant -

Post Office Address: 7590 S. 10 mile Rd. -

Meridian ID 83642 Telephone No. (208) 888-1710

Source of Water: Ground -

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 85 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 1.70 cfs 1.70 acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Fee enclosed \$ 125.00 -
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

David R Durrant 888-1710
(Name) (Telephone Number)

7590 S. 10 mile Meridian ID 83642
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 08 1988

6-14-88
Date

David R Durrant
Signature of Permit Holder (and title, if appropriate)

To: File 63-10498

From: Groundwater Protection

Date: 10/14/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK
JB

RECEIVED

DEC 02 1988

Department of Water Resources

[illegible]



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 23, 1988

Todd Knie
K & H Well Drilling
815 Plymouth St.
Caldwell, ID 83605

RE: Well Driller Reports

Dear Mr. Knie:

Please respond to the enclosed letter dated August 17, 1988. I need a copy of the Durrant log so that their water permit can be processed.

If you did not drill this well, contact me. If I do not hear from you within 30 days, I will refer this matter to the Attorney General's Office for action.

Sincerely,

A handwritten signature in cursive script that reads "John E. Beal".

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP12-1.129)

Enclosure

CC: File 63-10498



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

August 17, 1988

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

Todd Knie
K & H Well Drilling
815 Plymouth St.
Caldwell, ID 83605

RE: Well Driller Reports

Dear Mr. Knie:

Please submit reports for all wells you have completed but have not filed the reports. Specifically, I need the report for the well you drilled for the Durrants in 1987, in Section 1, T2N, R1W.

Please submit these at once, to my attention. All logs are due within 30 days after the well is completed.

Sincerely,

A handwritten signature in cursive script that reads 'John E. Beal'.

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP12-1.39)

CC: File 63-10498

A faint, rectangular stamp or seal, possibly a departmental or archival mark, located below the signature.

DEC 02 1988

To: File 63-10498

From: Groundwater Protection

Date:

Drilling Permit: ☐ Not Applicable
☐ Found and in file
☒ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☒ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

8/11 -

I spoke to owners.

Todd Knice drilled.

About July '87

I told them we may need sp.
but we will get back with them
go.

MICROFILMED

DEC 02 1988

NOTE: DETACH THIS STATEMENT BEFORE DEPOSITING CHECK

DAVID OR ANN DURRANT
DBA BIG D RANCH

DATE	ACCOUNT OR INVOICE NO.	DESCRIPTION	AMOUNT	DISCOUNT OR DEDUCTION	NET AMOUNT
		<i>Fee</i>			

EMPLOYEE'S
NAME

DAVID OR ANN DURRANT
DBA BIG D RANCH

PAY PERIOD ENDING	HOURS	RATE	GROSS EARNINGS							NET EARNINGS PAID
				F.I.C.A.	FED. WITH. TAX	STATE WITH. TAX				
	REG. T. O. T.									

VPR

EMPLOYEE: THIS IS A STATEMENT OF YOUR EARNINGS AND DEDUCTIONS FOR PERIOD INDICATED. KEEP THIS FOR YOUR PERMANENT RECORD.

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resource

Receipt No: C001404

Date: 06/16/88
Time: 15:03:49

Received

From: DURRANT, DAVID OR ANN

Type of Payment	Program Acct	Amount
PROOF OF B/U 63-10498	0620122 1238 6490	\$125.00
Total		\$125.00

CHECK 1121

Idaho Department of Water Resources

Region: State

Signature: Ray Walker



MICROFILMED
DEC 02 1988

Open 200-7
6-62

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE PREVIOUS EDITIONS
OBSOLETE

Print law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Russell B. Baird 111-2046</u> Address <u>Columbia St. Mediacrest</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>75</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Arterial closed-in pressure <u>2.51</u> Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature <u>59</u> °F. Quality _____ Describe anomalous or extraordinary cases below																																									
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Water Level</th></tr></thead><tbody><tr><td><u>30</u></td><td><u>100 ft</u></td><td><u>2.51</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Water Level	<u>30</u>	<u>100 ft</u>	<u>2.51</u>																																		
Discharge G.P.M.	Pumping Level	Water Level																																									
<u>30</u>	<u>100 ft</u>	<u>2.51</u>																																									
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection (specify type) _____ ☐ Other _____		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>From</th><th>Depth</th><th>To</th><th>Material</th><th>Remarks</th></tr></thead><tbody><tr><td>9</td><td>0</td><td>2</td><td>Top soil</td><td> </td></tr><tr><td>9</td><td>2</td><td>11</td><td>gray clay</td><td> </td></tr><tr><td>9</td><td>11</td><td>62</td><td>Black sand rock</td><td> </td></tr><tr><td>6</td><td>62</td><td>90</td><td>dry sand gravel fault in</td><td> </td></tr><tr><td>6</td><td>90</td><td>90</td><td>sand & gravel</td><td> </td></tr><tr><td>6</td><td>90</td><td>101</td><td>gravelly</td><td> </td></tr><tr><td>6</td><td>101</td><td>104</td><td>sand & gravel</td><td> </td></tr></tbody></table>		From	Depth	To	Material	Remarks	9	0	2	Top soil		9	2	11	gray clay		9	11	62	Black sand rock		6	62	90	dry sand gravel fault in		6	90	90	sand & gravel		6	90	101	gravelly		6	101	104	sand & gravel	
From	Depth	To	Material	Remarks																																							
9	0	2	Top soil																																								
9	2	11	gray clay																																								
9	11	62	Black sand rock																																								
6	62	90	dry sand gravel fault in																																								
6	90	90	sand & gravel																																								
6	90	101	gravelly																																								
6	101	104	sand & gravel																																								
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Aug ☐ Other _____																																											
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Quantity</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>250</u> inches</td><td><u>6</u> inches</td><td><u>1</u> foot</td><td><u>100 1/2</u> feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing driven thru sand? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet Placed from _____ feet to _____ feet Surface seal depth <u>64</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overburn to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Seamed ☐ _____ ☐ Connected between slugs Describe screen part <u>Sanitary well seal</u>				Thickness	Quantity	From	To	<u>250</u> inches	<u>6</u> inches	<u>1</u> foot	<u>100 1/2</u> feet													Number	From	To																	
Thickness	Quantity			From	To																																						
<u>250</u> inches	<u>6</u> inches			<u>1</u> foot	<u>100 1/2</u> feet																																						
Number	From	To																																									
6. LOCATION OF WELL Sketch map location (see also with surface location).  Subdivision Name _____ Lot No. _____ Block No. _____ County _____ <u>SK 2 SK 2 sec 1 T. 2 S. 10 N. 1 E.</u>		11. DRILLER'S CERTIFICATION I hereby certify that all information on construction materials was checked with me at the time the report was made. Print Name <u>Earl H. Baird</u> Print Name <u>Earl H. Baird</u> Address <u>611 Ketchikan</u> on <u>Highway</u> Signed by Print Name <u>Earl H. Baird</u> <u>Earl H. Baird</u>																																									

138737
CERTIFIED MAIL
May 31, 1988

DURRANT, DAVID & RUSSELL
7590 S. TEN-MILE
MERIDIAN, ID 83642

PROOF DUE NOTICE

RE: Permit No. 63-10498

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED
JUL 02 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 24, 1987

DURRANT, DAVID & RUSSELL
7590 S. TEN-MILE
MERIDIAN, ID 83642

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10498

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

FILED
AUG 21 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

REGISTERED

AUG 21 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Thurtell

APPLICATION NUMBER: 63-10498

CHECK:

- ☒ Source.
☒ Point of diversion. NO G.W. LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO G.W. LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None for G.W.
☒ Yes ☐ No* In form for advertising.
Final date for protests: July 6, 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: June 26, 1987
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 65/44910
☒ Publication dates and paper, recorded on application. ID STATESMAN 6/18 & 6/25/87
None ☒ Protests, dates, withdrawal, etc., recorded on application.
Approved, DCR ☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
LO5 ☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 63
6/4/1987 Date of priority recommended.
Special conditions of approval or cover letter. OIC

MED

AUG 21 1987

By: DCR

Date: 7/8/87

STATE OFFICE REVIEW:

LO5, LO3, L16

new g.w. condition & paragraph

OIC

JUL 10 1987

☐ See attached sheet for more information.

By: KW

Date: 7/13/87

Department of Water Resources

Form No. 202a Temp
4/87

Ident. No. 63-10498

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks:

Ada County Irig. Propland
map does show these lands as
covered by the New York Irig. Dist.
& close or bordering the Boise-Kuna
Irig. District.

Application Initially Received Date 6-4-87 Time 3:32 PM

File Prepared By HA Date 6-5-87 Time 8:00 AM

Staff Review By JP Date 6/5/87 Time 10:48 AM

Temporary Approval Prepared By HA Date 6/5/87 Time 2:00 PM

Temporary Approval Signed By JP Date 6/5/87 Time 2:30 PM

Temporary Approval Mailed By JP Date 6/5/87 Time 3:35 PM

Index Updated By DRS Date 6/8/87 Time 8:40 AM

REPROFILMED

AUG 21 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

June 5, 1987

David and Russell Durrant
7590 S. 10 Mile
Meridian, ID 83642

Re: Water Right No. 63-10498

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,



DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

RECEIVED
AUG 21 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10498

This is to certify that I have examined Application for Permit to
Appropriate the public waters of the State of Idaho No. 63-10498 and a
temporary approval to divert groundwater is granted until October 2, 1987
subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

FILED
AUG 21 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 5th day of June, 1987.


DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

MICROFILMED

AUG 21 1987

63-10498

DURRANT, DAVID &/or RUSSELL

7590 S. TEN-MILE, MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt: SWSW Sec 01 T 02N R 01W

Use: IRRIGATION (1.7 CFS)

Date Filed: 06/04/1987

In: NWSW SWSW SESW Sec 01 T 02N R 01W FOR 85 ACRES

MICROFILMED

AUG 21 1987