




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: James E. Kapucka Permit No. 63-10482
Current Address: 809 Busnell; Caldwell, Idaho 83605 Phone No. 459-2517
2. Accompanied by: Jim Kapucka EXAM. DATE: 8-29-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-2294 ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = not to scale


MICROFILMED
DEC 09 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

PHOTO ID. X6

DEC 09 1992

63-10482
System Diagram



NOT FILMED
T2341 DEC 09 1992

63-10482



#1
P10



#2
P14

MICROFILMED
DEC 09 1992

63-10482



#3

P14

MICROFILMED
DEC 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10482

Priority: May 8, 1987

Maximum Diversion Rate: 2.58 CFS
Maximum Diversion Volume: 580.5 AF

This is to certify, that JAMES E KAPICKA
809 BUSHNELL ST
CALDWELL ID 836050000

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 8, 1987; and
has submitted Proof of Beneficial Use on August 16, 1988. An examination indicates
that the works have a diversion capacity of 6.160 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.58 CFS	580.5 AF

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 28, Township 04N, Range 02W
CANYON County

<u>PLACE OF USE:</u>	<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
IRRIGATION	04N	02W	28	NENW 29	NWNW 32	SWNW 28	129
				SEnw 40			
Total number of acres irrigated:							129

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.


RECEIVED

DEC 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10482

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25TH
day of NOVEMBER, 1992.

Acting for  R. Keith Higginson, Director

DEC 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by CU
Date 7/27/88
Receipt # 10001975

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-10482

Name(s) of Permit Holder: JAMES KARICKA

Post Office Address: 809 BUSHNELL ST

CALDWELL ID 83605 Telephone No. 456-2577

Date Proof is Due: 1 Aug 88

Describe what work has been completed toward the development of this water right: Power ENGINEERED
(This must be filled out! If no work has been completed, show "none".)

9 PAID, pumps ordered, motor ordered, well
DRILLER TO BEGIN WORK APPROX. 30 JULY 88

Costing \$ 23,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

DRILLER SCHEDULE ALTERED DUE TO EMERGENCY
CIRCUMSTANCES

Permit holder(s) request an extension to 1 Aug, 19 88
(1 yr. minimum)

James Karicka
(Signature)

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

AUG 05 1988

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to August 1, 1989.

Signed this 28th day of July, 19 88.

J. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JAMES E. KAPICKA Phone 459-2517
Post office address 809 BUSHNELL STREET, CALDWELL, IDAHO 83605
2. Source of water supply GROUND WATER which is a tributary of N/A
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 28 Township 4N Range 2W B.M. CANYON County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 3 CFS for IRRIGATION purposes from MARCH 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 3 CFS and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. TO BE PUMPED INTO A CEMENT DITCH
AND USED FOR GRAVITY FLOW IRRIGATION
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 16" inches; proposed depth of well is 125' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 YEARS years (minimum 1 year).

MICROFILMED

AUG 21 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	2W	28					30	40	40	40									150


Total number of acres to be irrigated 150

- Describe any other water rights used for the same purposes as described above. IRRIGATION WATER RIGHT VIA PIONEER IRRIGATION DISTRICT, CALDWELL, IDAHO
- Who owns the property at the point of diversion? JAMES E. KAPICKA AND ROY L. KAPICKA
 - Who owns the land to be irrigated or place of use? JAMES E. KAPICKA AND ROY L. KAPICKA
 - If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. CO-OWNERS OPERATING A JOINT VENTURE

12. Remarks: _____

AUG 21 1987

4N-2W



T2187

C 33.3

A 10.3

B 3.6

D 13.6
E 2.6

20.8

C76
1046

T2214

C 15.6

B 15.0

B 33.3

C59
75612194

D 20.9

C 10.1

B 19.5

F 7.9

C60
766146

A 9.5

C61
7776

B 15.8

D 37.7

D 4.2

C72

20.0

1861 12 5

A large grid of graph paper, consisting of 20 columns and 20 rows of squares. In the bottom left corner, there is a rectangular stamp. The stamp contains the word "RECEIVED" in a bold, sans-serif font, oriented horizontally. Below the word "RECEIVED", the date "AUG 21 1991" is printed in a smaller, sans-serif font. The stamp is slightly tilted to the right. The grid lines are thin and black, and the background is white.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James E. Rosicki
(Applicant)

Proposed Priority 5/8/87

Received by AMS Date 5/8/87 Time 3:00 P.M. Preliminary check by [Signature]

Fee \$ 85.00 Receipted by AP # 44826 Date 5/8/87

Publication prepared by [Signature] Date 6/10/87 Published in PRESS-TRIBUNE
6/17 + 6/24/87

Publication approved [Signature] Date 7/7/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10482, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1988.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 23rd day of July, 1987.

[Signature]
Chief, Operations Bureau

MICROFILMED

AUG 21 1987

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public water of the State of Idaho:

63-10464
BOONE MEMORIAL PRESBY-
TERIAN CHURCH, INC.
14TH AVE. & DEARBORN,
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: SENENW Sec 27 T
04N R 03W
Use: IRRIGATION (0.020 CFS)

Date Filed: 04/30/1987
In: NENW Sec 27 T 04N R 03W
FOR 1 ACRE

63-10466
DELBERT MOORE FARMS INC.
3600 JUANITA WAY, NAMPA, ID
83651

Source: GROUNDWATER
Diversion Pt: NWNW Sec 32 T 03N
R 02W

Use: IRRIGATION (2.6 CFS)
Date Filed: 05/01/1987
In: NENW NWNW SWNW SENW
Sec 32 T 03N R 02W FOR 130
ACRES

63-10473
GME INC.
4242 S. EAGLESON RD. #108,
BOISE, ID 83705

Source: GROUNDWATER
Diversion Pt: SESESW SWSESW
Sec 06 T 05N R 05W

Use: IRRIGATION (0.4 CFS)
DOMESTIC (0.040 CFS) FISH
PROP. (0.620 CFS)

Date Filed: 05/05/1987
In: SWSW SESESW Sec 06 T 05N R
05W FOR 20 ACRES

63-10476
LOWBER, WILLIAM L.
RT. 4 BOX 4434, NAMPA, ID 83651

Source: GROUNDWATER
Diversion Pt: NENESE Sec 16 T
02N R 02W

Use: IRRIGATION (0.680 CFS)
Date Filed: 05/05/1987
In: NESW NWSE Sec 16 T 02N R
02W FOR 34 ACRES

63-10477
SCHUBERT, ROSS M.
RT. 2 BOX 2095A, NAMPA, ID
83651

Source: GROUNDWATER
Diversion Pt: SENESW Sec 06 T
03N R 01W

Use: IRRIGATION (2.040 CFS)
Date Filed: 05/06/1987
In: NESW LOT 06 (NWSW) LOT 07
(SWSW) SESESW Sec 06 T 03N R
01W FOR 117 ACRES

63-10482
KAPICKA, JAMES E.
809 BUSHNELL ST., CALDWELL,
ID 83605

Source: GROUNDWATER
Diversion Pt: SENW Sec 28 T 04N
R 02W

Use: IRRIGATION (3.0 CFS)
Date Filed: 05/08/1987
In: NENW NWNW SWNW SENW
Sec 28 T 04N R 02W FOR 150
ACRES

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JULY 6, 1987.

KEN DUNN
Director
June 17 25, 1987

RECEIVED
JUN 26 1987

Department of Water Resources

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Kalousek
of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper
Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
June 17, 25, 1987

Subscribed and sworn to before me this

25th day of June

19 87

AUG 21 1987

Jeanne Lusk
Notary Public, Residing at Nampa, Idaho

RECEIVED
JUN 26 1987

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 2, 1992

JAMES E KAPICKA
809 BUSHNELL ST
CALDWELL ID 836050000

RE: WATER RIGHT NO. 63-10482

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

DEC 9 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 9, 1992

JAMES E KAPICKA
809 BUSHNELL ST
CALDWELL ID 836050000

RE: WATER RIGHT NO. 63-10482

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED MED

DEC 09 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10482

Date 11-02-92

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance?
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
			<u>129 x .02 = 2.58 cfs (FRP)</u>
	<u> </u>	<u>✓</u>	Disagree with Theoretical?
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>6.16 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
			<u>129 x 4.5 = 580.5</u>
	<u> </u>	<u>✓</u>	Limited by Flow?
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use?
	<u> </u>	<u>✓</u>	Amendment Needed?
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u>✓</u>	Non-Irr. Uses
	<u> </u>	<u>✓</u>	Special Overlap Condition
	<u> </u>	<u>✓</u>	Other
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R32</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
		<u> </u>	<u> </u> Water Dist.
		<u> </u>	<u> </u> App Rec'd
		<u> </u>	<u> </u> Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres, rate

License 10-Day ✓ 15-Day Special Correspondence

OWNER CODE NAME & ADDRESS
C JAMES E KAPICKA
809 BUSHNELL ST
CALDWELL ID 836050000
(208) 459-2517

PRIORITY DATE WATER USE
05/08/1987 IRRIGATION

USE PERIOD FROM TO
03-15 11-15

DIVERSION RATE
2.58 CFS

DIVERSION VOLUME
580.5 AFA

TOTAL DIVERSION:
2.58 CFS 580.5 AFA

Water Source: GROUNDWATER

Tributary to:

Point(s) of Diversion Capacity: 6.16 CFS

Point(s) of Diversion: T04N R02W S28 SE NW

Place of use Legal Description for: IRRIGATION

NE		NW		SW		SE		SUM	
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt
04N	02W	28	:	29	32	28	40	:	:
				NESE		NWSE		SESE	
				Lt		Lt		Lt	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW		SW		SW	
				L		L		L	
				Ac		Ac		Ac	
				S		S		S	
				SW					

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: James E. Kapicka Permit No. 63-10482
Current Address: 809 Bushnell, Caldwell, Idaho 83605 Phone No. 459-2517
2. Accompanied by: Jim Kapicka EXAM. DATE: 8-29-91
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to none

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-2294 ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = not to scale

DEC 09 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 25 Hp pump diverts water to a 10" steel pipe that empties into a concrete ditch approx. 10' East of the well site. The concrete ditch flows West and also South then West from the well site to provide water for gravity irrigation by siphon tube. Approx $\frac{3}{8}$ mile Northwest of the well water is diverted across a Pioneer Irrigation ditch by culvert to a concrete delivery ditch. All irrigation is by gravity from siphon tubes. Ditch water is added to

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. Elec	25	F421A05PD	Layne	8"
			96R001F		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	28	4N	2W	Canyon	Aerial photo and map.

6. **Place(s) of Use:**

Indicate Method of Determination

Aerial and overlay

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	2W	28					29	32	28	40									129

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

No measurement taken

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{25 \times 8.8 \times .7}{25 + (2.3 \times 0)} = 6.16 \quad \text{ALLOW } \underline{2.58} \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 129 \times 4.5 = 580.5 \text{ ofa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.58 \times 246 \times 1.9835 = 1,258.9$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 580.5$$

2. Volume Calculations for Other Uses:

NA

MICROFILMED

DEC 09 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

the system at a headgate located about 1000' South of the well site. This permit supplements Pioneer Irrigation District water.

63-2294 is Pioneer Irrigation Dist license that provides water to the same P/U as this permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	2.58 cfs	580.5 afa
Totals:			2.58 cfs.	580.5 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte

lw 1/10/92

Signature

Melvin T. Schulte

Certification Date

Field Report Preparation Date

11-12-91

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.




PHOTO ID. X6

2411

26

WEYMOUTH

News in brief

P/4

P/O

MADDEN

28

MIDGEM

DEC 09 1992

1

BALING

173

245

PERMIT 63-10482 INIT

T. R. S. 0/2

P/D 4W 2W 28 NW 4

SCALE


PHOTO ID.



MIAMI FILMED

DEC 09 1992

System Diagram



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10482

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 2W, Sec 28, SE 1/4 NW 1/4 or Lot .

2. Owner: Jim Kapickie

Address 809 Rushnell St., City Calwell, St Id.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Yes ☒ No ☐	Static Water Level:	<u>8'</u>
Pressure Gauge:	Yes ☐ No ☒	Casing Diameter:	<u>16"</u>
Flowing:	Yes ☐ No ☒	Temperature:	<u> </u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

RECORDED

DEC 09 1992

63-10482

#1
P1Q




#2
P14



RECEIVED
DEC 09 1992

63-10482



#3

P14

RECEIVED
DEC 09 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 19, 1988

63-10482
James E. Kapticka
809 Bushnell St.
Caldwell, ID 83605

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

DEC 09 1992

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10482

Date: 10/4/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
? Has one been installed?
N Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

RECEIVED

AUG 17 1988

AUG 16 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received \$150.00
Date 8/18/88
Receipt # 0002272
Receipt by CP
Reviewed by JS
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10482

Name(s) of Permit Holder:

JAMES E. KAPICKA

Post Office Address:

809 Bushnell St.

Caldwell Idaho

Telephone No.

459-2517

Source of Water:

Well

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 160 (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted 3.0 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit:

13 Aug 88

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 150.00 (See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

JAMES KAPICKA 459-2517 / 459-0558

(Name)

(Telephone Number)

809 Bushnell St Caldwell Idaho

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

16 Aug 88
Date

James E. Kapicka
Signature of Permit Holder (and title, if appropriate)

06111 1988

To: File 63-10482

From: Groundwater Protection

Date: 9/6/88

Drilling Permit: ☐ Not Applicable
☒ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
☒ probably not available
☐ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK
JB

RECEIVED

OCT 11 1988

Drilling Permit No. 63-88-Z-134
Water Permit No. 63-10482
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant JAMES E. KAPICKA
2. Address 809 BUSHNELL ST.
CALDWELL ID 83605 Telephone 459-2517
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location ~~R~~ 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 28, Twp. 4N, Rge. 2W, County CANYON,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☐ Domestic ☐ Stockwater ☐ Monitoring
☒ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 16" Maximum depth 200'
Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date 29 July 88
7. Well Driller (if known) Pete Cope 213
Address STAR IDAHO
8. Applicant's signature James E. Kapick **MICROFILMED**
Title owner
Date 29 July 88 OCT 11 1988

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

Kita Johnson

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 29th day of July, 19 88.

Signed

Bary Spackman

Title

Water Allocation Section Manager

Received by

CP

Fee

\$100.00

Date

7/29/88

Receipt No.

0002015

Construction start extension to

Extension approved by

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.RECEIVED
TYPEWRITER OR
DUPLOPOINT PEN

SEP 12 1988

1. WELL OWNER

Name Kapicka Farms
Rt. #3 - Box 125
Address Caldwell, ID 83605
Owner's Permit No. 63-10482
63-88-2-134

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

METHOD DRILLED

- ☐
- Rotary
- ☐
- Air
- ☐
- Hydraulic
- ☒
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	16 inches	+2 feet	142 feet
.250 inches	16 inches	162 feet	182 feet
.250 inches	16 inches	202 feet	218 feet
.250 inches	16 inches	258 feet	263 feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ NoManufacturer's name Roscoe MossType Wirewrap Model No. _____Diameter 16 Slot size .040 Set from 142 feet to 162 feetDiameter 16 Slot size .040 Set from 182 feet to 202 feetGravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8Placed from 125 feet to 268 feetSurface seal depth 18 Material used in seal: ☐ Cement grout☐ Bentonite ☒ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent18' to 125' - 12 c.y. Re-jointed☐ Cemented between strataDescribe access port 2"

7. WATER LEVEL

Department of Water Resources

Static water level 8' feet below land surface.Flowing? ☐ Yes ☐ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG


Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28	0	10	Topsoil		
	10	15	Sand, Gravel		
	15	23	Sand, Gravel, Rock		
	23	33	Sand, Gravel, Rock		
	33	43	Lt. Brn. Sand & Clay		
	43	53	Lt. Brn. Clay		
	53	56	Lt. Brn. Sand		
	56	61	Lt. Brn. Clay		
	61	63	Lt. Brn. Sand		
	63	72	Lt. Brn. Clay		
	72	73	Lt. Brn. Sand		
	73	80	Lt. Brn. Clay		
	80	81	Lt. Brn. Sand		
	81	83	Lt. Brn. Clay		
	83	93	Lt. Brn. Clay		
	93	103	Lt. Brn. Sand		
	103	123	Lt. Brn. Clay		
	123	125	Clay w/fine sand		
	125	128	Lt. Brn. Sand		
	128	133	Clay w/fine sand		
	133	141	Lt. Brn. Clay		
	141	143	Clay w/ Sand Streak	X	
	143	163	Lt. Brn. Sand	X	
	163	165	Lt. Brn. Sand	X	
	165	183	Lt. Brn. Clay	X	
	183	201	Sand - Coarse	X	
	201	212	Clay		
	212	213	Clay w/fine sand		
	213	218	Clay		
	218	220	Lt. Brn. Sand w/stk. of clay		
	220	223	Coarse Sand	X	
	223	227	Lt. Brn. Sand	X	
	227	233	Lt. Brn. Clay	X	
	233	238	Lt. Brn. Sand	X	
	238	242	Lt. Brn. Clay	X	
	242	263	Sand w/some pea gravel	X	
	263	268	Lt. Brn. Clay		

10.

Work started 8/2/88 finished 8/5/88

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. 11 1988

County _____ Canyon _____

SE 1/4 NW 1/4 Sec. 28, T. 4N N/S, R. 2W E/W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Pete Cope Drilling Co., Inc.

Firm Name _____ Firm No. 213

6505 West Chinden Blvd.

Address Meridian, ID Date 8/8//88Signed by (Firm Official) Pete Cope

and

(Operator) Frank Fasten



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

September 7, 1988

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

Pete Cope
Pete Cope Drilling Co., Inc.
6505 West Chinden Blvd.
Meridian, ID 83642

RE: Well Log 63-10482 (Kapicka)
63-88-Z-134

Dear Mr. Cope:

Please submit a well drillers report for the James Kapicka well in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 28, T4N, R2W. I believe you just completed the well in August.

Thank you.

Sincerely,

A handwritten signature in cursive script that reads "John E. Beal".

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP12-1.85)

CC: 63-10482



OCT 11 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

July 29, 1988

James Kapicka
809 Bushnell St.
Caldwell, ID 83605

Dear Mr. Kapicka:

Re: Permit No. 63-10482

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to August 1, 1989.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Encl.

RECEIVED
AUG 05 1988

Drilling Permit No. 63-88-Z-134
Water Permit No. 63-10482
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant JAMES E. KAPICKA
2. Address 809 BUSHNELL ST.
CALDWELL ID 83605 Telephone 459-2517
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SE 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 28, Twp. 4N, Rge. 2W, County CANYON,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply) .
☐ Domestic ☐ Stockwater ☐ Monitoring
☒ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 16" Maximum depth 200'
Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date 29 July 88
7. Well Driller (if known) Pete Cope
Address STAR IDAHO
8. Applicant's signature James E. Kapick **MICROFILMED**
Title owner **AUG 05 1988**
Date 29 July 88

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 29th day of July, 19 88.

Signed Gary Spackman
Title Water Allocation Section Manager

Received by CP Fee \$100.00 Date 7/29/88

Receipt No. 1002015 Construction start extension to _____

Extension approved by _____

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 63-10482Reviewed by [Signature]Date 7-28-1988

BASIC INFORMATION

Y Date stamp received
Y Extension received timely
(not prior to 6 month before proof due date or after reinstatement period)
Y Fee received and receipted
Y Name and signature same as permit
Y Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

Y Has adequate work been completed to demonstrate due diligence?
Y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

N/A Is delay by a government agency?
Is supporting documentation needed to complete the file? _____
Requested? _____

ACTION TAKEN Recommend approval based on due diligence for one year

Special conditions or remarks:

N/A Reinstate Date extension received _____ = _____
Proof due date _____ = _____
No. of days late _____ = _____
Priority date _____ = + _____
ADJUSTED PRIORITY DATE _____ = _____

____ Prepare coding sheet
____ Change rolodex cards

138733
CERTIFIED MAIL
May 31, 1988

KAPICKA, JAMES E.
809 BUSHNELL ST.
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: Permit No. 63-10482

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MAILED

AUG 05 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 30, 1987

KAPICKA, JAMES E.
809 RUSHFILL ST.
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10482

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

MAILED

AUG 21 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

AUG 21 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Shute

APPLICATION NUMBER: 63-10482

CHECK:

- ☒ Source.
☒ Point of diversion. No lots
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. No lots
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. Pinner Tring. Road Rt. No G.W. not shown
☒ Yes ☐ No In form for advertising.
Final date for protests: July 1, 1987
☒ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: June 26, 1987
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 85/44826
☒ Publication dates and paper, recorded on application. PRESS TRIBUNE 6/17 + 6/24/87
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
5/18/1987 Date of priority recommended.
Special conditions of approval or cover letter. OIC

FILMED

AUG 21 1987

OK Recommend that one year be allowed for completion of this project.

By: Dra

Date: 7/13/87

STATE OFFICE REVIEW:

103, 123, 105, 116

43 OIG

RECEIVED

- ☐ See attached sheet for more information.

By: KW

Date: 7/22/87

JUL 21 1987

Department of Water Resources

Form No. 202a Temp
4/87

Ident. No. 63-10482

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks:

Canyon Co. Irig. Cropland map
shows the land under this application
irrigated under the Pioneer Irig. Dist.

Application Initially Received Date 5-8-87 Time 3:00 p.m.
File Prepared By gg Date 5-11-87 Time 9:00 a.m.
Staff Review By [Signature] Date 5-11-87 Time 2:00 PM
Temporary Approval Prepared By [Signature] Date 5-11-87 Time 3:00 p.m.
Temporary Approval Signed By [Signature] Date 5-11-87 Time 3:30 pm
Temporary Approval Mailed By [Signature] Date 5-11-87 Time 3:40 p.m.
Index Updated By [Signature] Date 5-11-87 Time 3:30 PM

RECORDED

AUG 21 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

May 11, 1987

James E. Kapicka
809 Bushnell St.
Caldwell, ID 83605

Re: Water Right No. 63-10482

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

RECEIVED

AUG 21 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10482

This is to certify that I have examined Application for Permit to
Appropriate the public waters of the State of Idaho No. 63-10482 and a
temporary approval to divert groundwater is granted until September 7, 1987,
subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

MAILED
AUG 21 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 11th day of May, 1987.

David R. Tuthill Jr.
DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

RECEIVED

AUG 21 1987

63-10482

KAPICKA, JAMES E.

809 BUSHNELL ST., CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SENW Sec 28 T 04N R 02W

Use: IRRIGATION (3.0 CFS)

Date Filed: 05/08/1987

In: NENW NWNW SWNW SENW Sec 28 T 04N R 02W FOR 150 ACRES

RECORDED

AUG 21 1987