


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

AUG 27 1987

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William L. Lawlor
(Applicant)

**MICROFILMED**

AUG 27 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Permit No. 63-10476

A. GENERAL INFORMATION


1. Owner: WILLIAM L LOWBER Phone No. 466-6943
Current Address: Rt 4 Box 4434 NAMPA, ID 83651
2. Accompanied by: WILLIAM L. LOWBER EXAM. DATE: 10-12-88
Address: SAME Phone No. SAME
Relationship to Permit Holder: OWNER
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: IRRIGATION DISTRICT WATER ONLY
(NAMPA-MERIDIAN IRRIGATION DIST.) ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED

MAR 14 1990

Scale: 1" = Not to scale.

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).



ical Survey

metric methods
hs taken 1954

n
, west zone
s.


APPROXIMATE MEAN
DECLINATION, 1958

MICROFILMED


MAR 14 1990

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER 25, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOIS IS AVAILABLE ON REQUEST

SCALE 1:24 000



CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL



D37 53D T3366
A 303
47 B
D36 54D T3366
A 14.2

D543 55D T3366
41 A
B 7.0
C 4.7
D 14.2
D42 60D T3373
53
B 14.2

D45 63D T3375
B 9.9
A 10.1
D 4.3
C 0.0
D46 64D T3376
B 6.9
A 4.3

D47 4078
65D T3377
B 13.3
D49 60D T3379
34.5
A 33.1

D49 60D T3379
34.5
A 33.1
D51 60D T3379
34.5
B 29.5
D 11.0
E 8.2

D52 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D53 60D T3379
34.5
B 29.5
D 11.0
E 8.2

D54 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D55 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D56 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D57 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D58 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D59 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D60 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D61 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D62 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D63 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D64 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D65 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D66 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D67 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D68 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D69 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D70 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D71 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D72 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D73 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D74 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D75 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D76 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D77 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D78 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D79 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D80 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D81 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D82 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D83 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D84 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D85 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D86 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D87 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D88 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D89 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D90 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D91 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D92 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D93 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D94 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D95 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D96 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D97 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D98 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D99 60D T3379
34.5
B 29.5
D 11.0
E 8.2
D100 60D T3379
34.5
B 29.5
D 11.0
E 8.2

MAR 14 1990

P/D

LOOKING WEST



P/U

LOOKING S/W



MICROFILMED

MAR 14 1990

P/u


LOOKING EAST



MICROFILMED
MAR 14 1990

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by

Kelly K. Christensen

Date 10-12-88

MICROFILMED

MAR 14 1980

5a = waste road & ditch

TO NAMP	STATE HWY. NO 45
---------	------------------

T.
2
N.

16

20

3 P.D.

Subdivisions = 2

Area = 38 acres

Q = .74 cfs. amt filed on

MICROFILMED

MAR 14 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10476

Priority: May 5, 1987

Maximum Diversion Rate: 0.68 CFS
Maximum Diversion Volume:¹ 153.0 AF

This is to certify, that WILLIAM L. LOWBER
RT. 4 BOX 4434
NAMPA, ID 836510000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 5, 1987; and has submitted Proof of Beneficial Use on June 27, 1988. An examination indicates that the works have a diversion capacity of 1.320 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.68 CFS	153.0 AF

LOCATION OF POINT(S) OF DIVERSION: NENESW , Sec. 16, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	16	NESW 19	NWSE 15		34
Total number of acres irrigated:						34

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.


MICROFILMED

MAR 14 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10476

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of FEBRUARY, 1990.

Director 
R. Keith Higginson, Director

MICROFILMED

MAR 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant William L. Lowber Phone 466-6943
Post office address R. 4, Box 4434 Nampa, Idaho 83651
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE 1/4 1/4 of NE 1/4 1/4 of SW 1/4 1/4, Govt. Lot _____
Sec. 16 Township 2N Range 2W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 34⁴
40⁴ .68 cfs. for Irrigation purposes from April 1 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .68 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 8" WELL w/ PUMP &
6" PIPELINE TO GATED PIPE IRRIGATION.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8" inches; proposed depth of well is 60' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

MICROFILMED

AUG 27 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2W	16									19					15			34

Total number of acres to be irrigated 33.48 (34)

10. Describe any other water rights used for the same purposes as described above. NAMPA-MERIDIAN IRRIGATION DISTRICT.


- Who owns the property at the point of diversion? William L. Lowber
- Who owns the land to be irrigated or place of use? William L. Lowber
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED

AUG 27 1987

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED

AUG 27 1987

Scale: 2 inches equal 1 mile.

8

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William L. Lawlor

(Applicant)

Proposed Priority 5/5/87

Received by nl Date 5/5/87 Time 10:30 am Preliminary check by [signature]

Fee \$ 45.00 Receipted by HH # 44807 Date 5-6-87

Publication prepared by HH Date 6/10/87 Published in Press-Tribune
6/17 + 6/24/87

Publication approved HH Date 7/7/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10476, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.


Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 13th day of August, 1987.

[signature]
Chief, Operations Bureau

MICROFILMED

AUG 27 1987



REF FILMED

AUG 27 1987

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public water of the State of Idaho:

63-10464
BOONE MEMORIAL PRESBY-
TERIAN CHURCH, INC.
14TH AVE. & DEARBORN,
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt: SENENW Sec 27 T
04N R 03W
Use: IRRIGATION (0.020 CFS)

Date Filed: 04/30/1987
In: NENW Sec 27 T 04N R 03W
FOR 1 ACRE

63-10466
DELBERT MOORE FARMS INC.
3600 JUANITA WAY, NAMPA, ID
83651
Source: GROUNDWATER
Diversion Pt: NWNW Sec 32 T 03N
R 02W

Use: IRRIGATION (2.6 CFS)
Date Filed: 05/01/1987
In: NENW NWNW SWNW SENW
Sec 32 T 03N R 02W FOR 130
ACRES

63-10473
GME INC.
4242 S. EAGLESON RD. #108,
BOISE, ID 83705
Source: GROUNDWATER
Diversion Pt: SESESW SWSESW
Sec 06 T 05N R 05W
Use: IRRIGATION (0.4 CFS)
DOMESTIC (0.040 CFS) FISH
PROP. (0.620 CFS)
Date Filed: 05/05/1987
In: SWSW SESESW Sec 06 T 05N R
05W FOR 20 ACRES

63-10476
LOWBER, WILLIAM L.
RT. 4 BOX 4434, NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: NENESE Sec 16 T
02N R 02W

Use: IRRIGATION (0.680 CFS)
Date Filed: 05/05/1987
In: NESW NWSE Sec 16 T 02N R
02W FOR 34 ACRES

63-10477
SCHUBERT, ROSS M.
RT. 2 BOX 2095A, NAMPA, ID
83651

Source: GROUNDWATER
Diversion Pt: SENESW Sec 06 T
03N R 01W

Use: IRRIGATION (2.040 CFS)
Date Filed: 05/06/1987
In: NESW LOT 06 (NWSW) LOT 07
(SWSW) SESESW Sec 06 T 03N R
01W FOR 117 ACRES

63-10482
KAPICKA, JAMES E.
809 BUSHNELL ST., CALDWELL,
ID 83605

Source: GROUNDWATER
Diversion Pt: SENW Sec 28 T 04N
R 02W

Use: IRRIGATION (3.0 CFS)
Date Filed: 05/08/1987
In: NENW NWNW SWNW SENW
Sec 28 T 04N R 02W FOR 150
ACRES

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JULY 6, 1987.

KEN DUNN
Director
June 27 25, 1987

RECEIVED
JUN 26 1987

Department of Water Resources

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Kalousek
of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper
Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
June 17, 25, 1987

Debra Kalousek
Subscribed and sworn to before me this

25th day of June
19 87

Janet Lusk
Notary Public, Residing at Nampa, Idaho

AUG 27 1987

RECEIVED
JUN 26 1987

Department of Water Resources

February 26, 1990

WILLIAM L. LOWBER
RT. 4 BOX 4434
NAMPA, ID 836510000

RE: PERMIT NO. 63-10476

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT



A. GENERAL INFORMATION

Department Permit No. 63-10476

1. Owner: WILLIAM L LOWBER

Phone No. 466-6943

Current Address: Rt 4 Box 4434 NAMPA, ID 83651

2. Accompanied by: WILLIAM L. LOWBER

EXAM. DATE: 10-12-88

Address: SAME

Phone No. SAME

Relationship to Permit Holder: OWNER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: IRRIGATION DISTRICT WATER ONLY
(NAMPA-MERIDIAN IRRIGATION DIST.) ☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

MAR 14 1990

Scale: 1" = Not to SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached

(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM IS A WELL DELIVERING WATER TO P/U THROUGH AN 8" GATED PIPE SYSTEM. THE MAIN LINE TEE'S AT THE WELL WITH VALVES ON EITHER SIDE ALLOWING WATER TO BE DIVERTED EITHER EAST OR WEST. THE MAIN LINE RUNS ALONG THE SOUTH BORDER OF THE P/U. 5 PSI WAS MEASURED AT ^{THE} MANOMETER. MAINLINE GATES WERE REGULATED TO CREATE A DIFF PRESSURE TO OBTAIN A READING ON THE MANOMETER.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	HITACHI	10	G89184E	STA-RITE	8"

**Code to correspond with No. on map and aerial photo*

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination

[illegible]

INFORMED

Do not use this space

MAR 14 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
COX/HALL METER		CW-COX		120382	TIP 5 HOLE	
MANOMETER						

2. Measurements:

SEE SUPPLEMENTAL MEASUREMENT NOTES:

MEASURED 1.32 CFS

MEASURED THROUGH A GATE IN PIPE, PSI WAS 50 PSI AND PACKING AROUND METER WAS A CLOTH RAG. A SMALL AMOUNT OF SEAPAGE AROUND METER WAS PRESENT.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

MEASURED 1.32 CFS

2. Alternate Method for Checking Purposes:

$$\frac{10 \times 8.8 \times .8}{40(\text{EST}) + (2.3 \times 5)} = \underline{1.7 \text{ CFS}}$$

F. PUMP EFFICIENCY DATA (Optional) meter No B56759

Discharge Pressure: 5 psi x 2.31 = 11.55 ft (1); Dynamic pumping level: 30 ft (2)

Total Head: (1) + (2) = 41.5 (3) ; Flow rate: 1.32 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 6.23 (5)

Meter Input KW: 3.6 x 28.8 KH x _____ CTR or _____ MULT x _____ PTR x 5 N/ 41 T = 12.64 (6)

Meter Input HP: (6) x 1.34 = 16.9 (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = 37 %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{34 \times 4.5 = 153 \text{ AFA}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{.68 \times 228 \times 1.9835 = 308 \text{ AFA}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{153 \text{ AFA}}$$

2. Volume Calculations for Other Uses:

MICROFILMED

MAR 14 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THIS RIGAT IS TO SUPPLEMENT NAMPA-MERIDIAN
IRRIGATION DISTRICT WATER.

MEASURED = 1.32 CFS

FOUND 34 ACRES IRRIGATED.

34 ACRES @ .02 CFS = .68 CFS (RECOMMENDED)

FEES PAID = 1.0 CFS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>4-1</u>	<u>11-15</u>	<u>0.68 CFS</u>	<u>153 AFA</u>

Totals: 0.68 CFS 153 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

KELLY K. CHRISTENSEN

SFW
1/17/90


Signature

Kelly K. Christensen

Certification Date

Field Report Preparation Date

11-25-88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

MAR 14 1990

7/87

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR COX/HALL MEASUREMENT

Measured by: KELLY K. CHRISTENSENDate 10-12-88Owner: WILLIAM L. LOWBERPermit No. 63-10476

CW COX

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE RADIUS IN INCHES

(IR)

CIR = Pipe Circumference in Inches = 25.5I = Pipe Thickness in Inches = .25IR = [(0.1592 X CIR) - I] = ... 3.81DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O

(H)

High Reading = 20.5Low Reading = 2.8High - Low = H = ... 7.5

COX/HALL DESCRIPTION & FACTOR DETERMINATION

(H#)

State ID No. 120382Size of tip used 5/16"Number of holes in
meter taped or blocked 0

To determine Cox/Hall Factor (H#) use table to the right.
Using the Differential Pressure Reading (H) find appropriate
Row and Column to determine (H#).
(example: H = 12.4 then H# = 17.0)

Determine (H#) and enter here: 13

CALCULATION OF DISCHARGE IN CFS

(Q)

$$Q = \frac{(3.1416)(IR)^2(H\#)}{(448.8)}$$

$$Q = \frac{(3.1416)(3.81)^2(13)}{(448.8)} = 1.32 \text{ CFS}$$

SKETCH (If not shown on Field Report)

MICROFILMED

MAR 14 1990

	.8	.1	.2	.3	.4	.5	.6	.7	.8	.9
0	0.8	0.8	1.3	1.8	2.2	2.5	2.9	3.3	3.7	4.0
1	4.3	4.5	4.8	5.0	5.2	5.4	5.6	5.8	6.0	6.2
2	6.3	6.5	6.7	6.9	7.0	7.2	7.3	7.5	7.6	7.7
3	7.9	8.0	8.2	8.3	8.5	8.6	8.7	8.8	9.0	9.1
4	9.3	9.4	9.5	9.6	9.7	9.8	10.0	10.1	10.2	10.3
5	10.4	10.5	10.6	10.7	10.9	11.0	11.1	11.2	11.3	11.4
6	11.5	11.6	11.7	11.8	11.9	12.0	12.1	12.2	12.3	12.4
7	12.5	12.6	12.7	12.8	12.9	13.0	13.1	13.2	13.3	13.4
8	13.5	13.5	13.6	13.7	13.8	13.9	14.0	14.0	14.1	14.2
9	14.3	14.4	14.5	14.5	14.6	14.7	14.8	14.9	15.0	15.0
10	15.1	15.2	15.3	15.4	15.5	15.5	15.6	15.7	15.8	15.9
11	15.9	16.0	16.1	16.2	16.3	16.3	16.4	16.5	16.5	16.6
12	16.7	16.7	16.8	16.9	17.0	17.0	17.1	17.2	17.3	17.3
13	17.4	17.5	17.5	17.6	17.7	17.8	17.8	17.9	18.0	18.1
14	18.1	18.2	18.3	18.3	18.4	18.5	18.5	18.6	18.7	18.7
15	18.8	18.9	18.9	19.0	19.1	19.1	19.2	19.3	19.3	19.4
16	19.5	19.5	19.6	19.6	19.7	19.7	19.8	19.9	19.9	20.0
17	20.1	20.1	20.2	20.2	20.3	20.4	20.4	20.5	20.5	20.6
18	20.7	20.7	20.8	20.9	20.9	21.0	21.0	21.1	21.2	21.2
19	21.3	21.3	21.4	21.4	21.5	21.6	21.6	21.7	21.7	21.8
20	21.9	21.9	22.0	22.0	22.1	22.2	22.2	22.3	22.3	22.4
21	22.4	22.5	22.5	22.6	22.6	22.7	22.7	22.8	22.9	22.9
22	23.0	23.0	23.1	23.1	23.2	23.2	23.3	23.4	23.4	23.5
23	23.5	23.6	23.6	23.7	23.7	23.8	23.8	23.9	23.9	24.0
24	24.0	24.1	24.2	24.2	24.3	24.3	24.4	24.4	24.5	24.5
25	24.6	24.6	24.7	24.7	24.8	24.8	24.9	24.9	25.0	25.0
26	25.1	25.1	25.2	25.2	25.3	25.3	25.4	25.4	25.5	25.5
27	25.6	25.6	25.7	25.7	25.8	25.8	25.9	25.9	26.0	26.0
28	26.1	26.1	26.2	26.2	26.3	26.3	26.4	26.4	26.5	26.5
29	26.6	26.6	26.7	26.7	26.8	26.8	26.9	26.9	27.0	27.0
30	27.0	27.1	27.1	27.2	27.2	27.3	27.3	27.4	27.4	27.5
31	27.5	27.5	27.6	27.6	27.7	27.7	27.8	27.8	27.9	27.9
32	28.0	28.0	28.0	28.1	28.1	28.2	28.2	28.3	28.3	28.4
33	28.4	28.5	28.5	28.5	28.6	28.6	28.7	28.7	28.8	28.8
34	28.9	28.9	29.0	29.0	29.0	29.1	29.1	29.1	29.2	29.2
35	29.3	29.3	29.3	29.4	29.4	29.5	29.5	29.5	29.6	29.6
36	29.7	29.7	29.8	29.8	29.9	29.9	30.0	30.0	30.0	30.1
37	30.1	30.2	30.2	30.3	30.3	30.4	30.4	30.5	30.5	30.5
38	30.6	30.6	30.7	30.7	30.8	30.8	30.9	30.9	31.0	31.0
39	31.0	31.0	31.1	31.1	31.2	31.2	31.3	31.3	31.4	31.4
40	31.4	31.5	31.5	31.5	31.6	31.6	31.7	31.7	31.8	31.8
41	31.8	31.9	31.9	31.9	32.0	32.0	32.1	32.1	32.2	32.2
42	32.2	32.3	32.3	32.3	32.4	32.4	32.5	32.5	32.5	32.6
43	32.6	32.6	32.7	32.7	32.7	32.8	32.8	32.9	32.9	33.0
44	33.0	33.0	33.1	33.1	33.2	33.2	33.3	33.3	33.3	33.4
45	33.4	33.5	33.5	33.5	33.6	33.6	33.7	33.7	33.7	33.8
46	33.8	33.9	33.9	33.9	34.0	34.0	34.1	34.1	34.1	34.2
47	34.2	34.2	34.2	34.3	34.3	34.4	34.4	34.5	34.5	34.5
48	34.6	34.6	34.6	34.7	34.7	34.8	34.8	34.9	34.9	35.0

LI
Sec 16
TAN p

RESERVED

MAR 14 1990

D47 4078
-650 T

D543
-600 T390
4.1 A

13.3
B

A
10.4

C
4.7

B
7.0

D46
-640 T3370

D45
-630 T3370
B
9.9

D42
-600 T3373
A
5.3

D30
-510 T
A
14.2

E D
8.2 11.0

A
10.1

B
14.2

D
4.3

D44
-620 T3374
A
16.4

D597
-610 T4008

A
7.4
B
3.4


D43
-610 T3373

G

B


P/D

LOOKING WEST



P/U

LOOKING S/W



MAR 14 1990

MICROFILMED

P/U

LOOKING EAST



MICROFILMED
MAR 14 1990

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 2N, Rge. 2W,
Sec. 16, Qtr./Qtr. NE/NE/SW or Lot _____
2. Owner WILLIAM L. LOWBER
Address Rt 4 Box 4434, City NAMPA, State ID
3. Approx. date of well construction APR 88
Well Driller DAVE ADAMS
4. Casing: Diameter 12" Condition GOOD
5. Casing length above land surface 21"
6. Well depth (ft) 72' Flowing No Temp. _____
Access port YES
7. Condition of piping and valving NEW (GOOD)
8. Evidence of well seal No
9. Shut in pressure or static water level 20'
10. Evidence of leakage around the casing No
11. Does well need repair No
12. Comments ACCES PORT HAS A GUIDE PIPE INSTALLED
(+00 SMALL FOR M.SCOPE PROBE)


MICROFILMED

(OVER)

MAR 14 1990

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by

Kelly K. Christensen

Date _____

10-12-88

MICROFILMED

MAR 14 1980

State of Idaho
License and Certificate of Water Right

Water License No. 21606

Amount .74 c.f.s.

Water District No.

Priority July 18, 1950

THIS IS TO CERTIFY that FRANK D. DOUGLAS
of Nampa, Idaho, made application for a permit to appropriate the
public waters of the State of Idaho, dated July 18, 1950; that Permit No. 21606
was issued under said application; that Certificate of Completion of works, with a carrying capacity of
0.74 second feet, was issued thereunder on July 15, 1955, showing that said works
were completed on the 8th day of July, 1955; and that on the 14
day of May, 1960,

FRANK D. DOUGLAS

of Nampa, State of Idaho, made proof to the satisfaction of the
State Reclamation Engineer of Idaho, of the right to use the waters of a well
, a tributary of subterranean flow, for the purpose of irrigation & domestic use
, under Use Permit No. 21606 of the Department of Reclamation
and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume
11 of Licenses at page 6904, on the 24 day of June, 1960;
The right hereby confirmed dates from July 18, 1950;

The Point of Diversion is located
in the NW 1/4 SE 1/4, Sec. 16, Tp. 2 N., R. 2 W., B. M. Canyon County

That the amount of water to which such right is entitled and hereby confirmed, for the purposes
aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall
not exceed 0.74 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
2 N.	2 W.	16	NW 1/4 SE 1/4 NE 1/4 SW 1/4	X X	18 20
			Total number of	acres irrigated:	38

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place
of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

24 day of June, 1960

MICROFILMED

/s/ GEO. N. CARTER

State Reclamation Engineer.

(SEAL)

MAR 14 1960

63 2822

1 1A 1

11 = 1A 2


7 = 1B.

5a = waste road & ditch

R-2W.

TO Nampa
STATE HWY. NO 45

T.
2
N.



Subdivisions = 1

Area = 38 acres

Q = .74 cfs. amt filed on.

MICROFILMED

MAR 14 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10476

Date: 8/29/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
_____ Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
N Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received _____

Date proof due _____ + _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

RECEIVED

JUN 27 1988

Department of Water Resources
Western Regional Office

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received \$100

Date 6/27/88

Receipt # W000402

Receipt by SL

Reviewed by of

Sent to region

copy at regional office

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10476 ^{new drilled permit}

Name(s) of Permit Holder: William L. Lauer

Post Office Address: Rt 4 Box 4434

Nampa, Idaho

Telephone No. 466-6943

Source of Water: Well

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation X (34) _____ (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted .68 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 5/3/88

Measuring Device: Required? X Yes _____ No
Installed? X Yes _____ No

Fee enclosed \$ 100⁰⁰
(See License Examination Fee Schedule)

Flow Measurement Port: Required? X Yes _____ No
Installed? X Yes _____ No

Person to contact to accompany the Department representative during the field examination:

Same as above

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/27/88

Date

William L. Lauer - SEP 30 1988
Signature of Permit Holder (and title, if appropriate)

To: File 63-10476

From: Groundwater Protection

Date:

Drilling Permit: ☐ Not Applicable
☒ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 11, 1987.

SEP 30 1988

[illegible][illegible]

138061
CERTIFIED MAIL
June 30, 1988

LOWBER, WILLIAM L.
RT. 4 BOX 4434
NAMPA, ID 83651

PROOF DUE NOTICE

RE: Permit No. 63-10476

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures


RECORDED

SEP 30 1988

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*



MAR -1 1988

Department of Water Resources

1. Applicant William Lowber
2. Address R. 4 Box 4434
Nampa 83651
- (X) Well Owner () Well Operator () Other, specify _____
3. Water right permit no. 63-10476; Injection well permit no. _____
4. Proposed well location NE 1/4 NE 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 16, Twp. 2N, Rge. 2W, County Canyon,
Lot, block and subdivision _____
5. Proposed use of well: (Check all that apply)
() Domestic () Stockwater () Monitoring
(X) Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
6. Well construction information:
(X) New well () Deepen () Replace
Proposed surface diameter 12" Proposed depth 80'
Anticipated bottom hole temperature:
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
7. Anticipated construction start date ASAP #457
8. Well Driller (if known) ASAP Dave Adamson #197 operator
Address Nampa
Date 2/27/88 Applicant's signature William L. Lowber
Title _____

ACTION OF IDWR

(X) Approved

() Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 29th day of Feb, 1988.

Signed

D. R. Tuttle

Title

Mgr, Western Reg, IDWR

Received by BD Fee \$100.00 Date 2/29/88

Receipt No. W000006 Construction start date _____

Construction start extension to _____

Extension approved by _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
AUGUST 19, 1987

LOWBER, WILLIAM D.
RT. 4 BOX 4434
NANPA, ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10476

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

RECEIVED
AUG 27 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

AUG 27 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Thurtell

APPLICATION NUMBER: 63-10476

CHECK:

- ☒ Source.
☒ Point of diversion. NO LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. 63-2822 same lands
☒ Yes ☐ No but looks like a different well. Had to tell from old file.
☐ Yes ☐ No In form for advertising.
☐ Yes ☒ No Final date for protests: July 6, 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: June 26, 1987
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45/44807
☒ Publication dates and paper, recorded on application. PRESS TRIB. - 6/17/87 + 6/24/87
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
☒ Yes ☒ No Date of priority recommended. 5/5/1987
☒ Special conditions of approval or cover letter. 26A, OIC

OK
(Require flow measurement port because 6" pipe will be used.)

allow 1 yr. for B/U development

By: Drs Date: 7/13/1987

STATE OFFICE REVIEW:

L23, L03, L16, L05

43 OIC

RECEIVED

☐ See attached sheet for more information.

By: KW Date: 8/10/87

AUG 07 1987

Department of Water Resources

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks:

Canyon Co. irrigated woodland
map does show these lands irrigated
under the Nampa-Meridian Spring
District.

See letter dated 5/14/87 for delay in
processing.

Application Initially Received Date 5-5-87 Time 10:30 a.m.
File Prepared By gg Date 5-7-87 Time 8:00 a.m.
Staff Review By js Date 5/22/87 Time 3:08 PM
Temporary Approval Prepared By LA Date 5-22-87 Time 3:20 p.m.
Temporary Approval Signed By DET Date 5-22-87 Time 3:30 P.M.
Temporary Approval Mailed By LA Date 5-22-87 Time 3:35 p.m.
Index Updated By DM Date 5/24/87 Time 12:00pm

MICROFILMED

AUG 27 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

May 22, 1987

William L. Lowber.
Rt. 4 Box 4434
Nampa, ID 83651

Re: Water Right No. 63-10476

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MICROFILMED

AUG 27 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10476


This is to certify that I have examined Application for Permit to
Appropriate the public waters of the State of Idaho No. 63-10476 and a
temporary approval to divert groundwater is granted until September 18, 1987
subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more that the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

14-00711MED
AUG 27 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 20th day of May, 1987.


DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

RECEIVED
AUG 2 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

May 14, 1987

William L. Lowber
Rt. 4, Box 4434
Nampa, ID 83651

Dear Mr. Lowber:

We have received the application for permit for a well that you recently submitted. However, before we can process this application, more information is needed.

On the amount of water to be used, you have requested 40 inches. The Idaho Code states that we can allow filing for up to 1" per acre. Therefore, for your 34 acres you could file on a maximum of 34 inches. In cubic feet per second this would be .68 cfs. Please change and initial this item accordingly. Also if you could complete Item #6a and 7, and return the application to this office, a temporary permit will be issued within 48 hours.

Please do not hesitate to contact me if you have any questions on this matter.

Sincerely,

JAN SHURTE
Senior Water Resource Agent

JS:jp

MICROFILMED

AUG 27 1987

63-10476

LOWBER, WILLIAM L.

RT. 4 BOX 4434, NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: NENESW Sec 16 T 02N R 02W

Use: IRRIGATION (0.680 CFS)

Date Filed: 05/05/1987

In: NESW NWSE Sec 16 T 02N R 02W FOR 34 ACRES

MICROFILMED

AUG 27 1987