



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

FEB 00 1988

Department of Water Resources
Permit No. 63-10474

A. GENERAL INFORMATION

1. Owner: SIMON VANDERKOOY Phone No. 888-7074
Current Address: 8190 So. TENMILE RD MERIDIAN, ID 83642
2. Accompanied by: SIMON VANDERKOOY EXAM. DATE: 10-5-88
Address: SAME Phone No. SAME
Relationship to Permit Holder: OWNER
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: IRRIGATION DISTRICT WATER ONLY

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale.

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED

JUN 04 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)




RECORDED
JUN 04 1990

B15

NOT TO SCALE

P/D & P/U LOOKING SOUTHEAST



P/D LOOKING SOUTH



MICROFILMED
JUN 0 1990

PU

SOUTH END LOOKING NORTH



MICROFILMED

JUN 04 1990

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by Kelly K Christensen Date 10-5-88

REPRODUCED

JUN 04 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10474

Priority: May 5, 1987

Maximum Diversion Rate: 1.66 CFS
Maximum Diversion Volume:¹ 806.7 AF

This is to certify, that SIMON VANDERKOOY
8190 S. TEN-MILE RD.

MERIDIAN, ID 836420000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 5, 1987; and has submitted Proof of Beneficial Use on June 27, 1988. An examination indicates that the works have a diversion capacity of 1.660 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.66 CFS	806.7 AF

LOCATION OF POINT(S) OF DIVERSION: NWNW , Sec. 11, Township 02N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N 01W 11	NWNW 33	SWNW 40	SENW 38	
	NESW 40	SESW 38		189

Total number of acres irrigated: 189

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED


JUN 04 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10474

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of MAY, 1990.


R. Keith Higginson, Director

RECEIVED
JUN 14 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

63-10474
Ident. No. 63-10474

To appropriate the public waters of the State of Idaho

APPROVED
888-5170 BARN
888-7074 HOME

1. Name of applicant SIMON VANDERKOOY Phone 888-7074
Post office address 8190 S. TEN-MILE RD., MERIDIAN, ID 83642
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NW 1/4 of NW 1/4, Govt. Lot _____
Sec. 11 Township 2N Range 1W B.M. ADA County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2.0 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.0 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP IN WELL & PIPELINE TO SPRINKLER SYSTEM.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 12 inches; proposed depth of well is 200 feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

AUG 21 1981

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	1W	11					40	40	40	40			40						200

Total number of acres to be irrigated 200

10. Describe any other water rights used for the same purposes as described above. BOISE-KUNA IRRIGATION DISTRICT

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: THIS FILING IS FOR A SUPPLEMENTAL WELL.

RECORDED

AUG 21 1981

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Proposed Priority 5/5/87

Received by [Signature] Date 5/5/87 Time 12:00PM Preliminary check by [Signature]

Fee \$ 65.00 Received by [Signature] # 44803 Date 5/5/87

Publication prepared by [Signature] Date 6/10/87 Published in ID Statesman
6/18 + 6/25/87

Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10474, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 20th day of July, 1987.

[Signature]
Chief, Operations Bureau

MICROFILMED

AUG 21 1987

JUN 26 1987

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources

LEGAL ADVERTISING INVOICE

Amount Due

87.40

Account Name			Account Number		
Idaho Department of Water Resources (Western)			#47628		
Address		City/State		Zip	
Statehouse		Boise, ID		83720	
Ordered By	P.O. Number	Rate	Run Dates		
Judy Pense		NT	1987 June 18, 25		
Identification			Estimated Inches	Real Inches	
Notice of Application for Water Rights					
Number of Affidavits Requested			Legal Number		
1			#5636		

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10474 OK

Vanderkaay, Simon
8190 S. Ten Mile Rd.
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NWNW Sec. 11
T 02N R 01W
Use: Irrigation (2.0 CFS)
Date Filed: 05/05/1987
In: NWNW SWNW SENW NESW
SESW Sec. 11 T 02N R 01W — for
200 acres

63-10475

Taylor, Carlos &/or Helen
9615 N. Wright St.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SWNE Sec. 26
T 03N R 01E
Use: Irrigation (0.120 CFS)
Date Filed: 05/05/1987
In: SWNE Sec. 26 T 03N R 01E —
for 4 acres.

63-10478

Jensen, N.L.
9920 Lake Hazel
Boise, ID 83709
Source: Groundwater
Diversion Pt: SESW Sec. 35 T 03N
R 01E
Use: Irrigation (1.3 CFS)
Date Filed: 05/06/1987
In: NESW SESW Sec. 03 T 03N R
01E — for 65 acres.

63-10479

Waterman, Leon L.
805 E. McMillan
Meridian, ID 83642
Source: Groundwater
Diversion Pt: NENW Sec. 31 T 04N
R 01E
Use: Irrigation (0.120 CFS)
Date Filed: 05/05/1987
In: Lot 01 (NENW) Sec. 31 T 04N
R 01E — for 4 acres.

63-10480

Hodges, Gayle S. &/or Zelma C.
2820 S. Locust Grove, Rt. 2
Kuna, ID 83634
Source: Groundwater
Diversion Pt: SWSW Sec. 32 T 02N
R 01E
Use: Irrigation (2.0 CFS)
Date Filed: 05/08/1987
In: NWSW SWSW Sec. 32 T 02N R
01E NWNE SWNE SENE NESE
NWSE SWSE Sec. 31 T 02N R 01E
— for 201 acres

63-10498

Durrant, David &/or Russell
7590 S. Ten Mile
Meridian, ID 83642
Source: Groundwater
Diversion Pt: SWSW Sec. 01 T 02N
R 01W
Use: Irrigation (1.7 CFS)
Date Filed: 06/04/1987
In: NWSW SWSW SESW Sec. 01 T
02N R 01W — for 85 acres

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on, or before, July 6, 1987.

KEN DUNN
Director

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Sharon M. Hill

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of June 18, 19 87

and ending with the issue of June 25, 19 87

Subscribed and sworn to before me this 25th

day of June, 19 87

Notary Public for Idaho, Residing at Boise, Idaho

Pub. June 18, 25, 1987

5636



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

May 5, 2000

TIM FARRELL
UNITED WATER IDAHO
PO BOX 7488
BOISE ID 83707

RECEIVED

MAY 9 - 2000

Re: Use of Irrigation Well No. 63-10474 for Fire Protection

Department of Water Resources

Dear Tim:

This letter replies to Roger Dittus's recent request regarding temporary use of the above referenced well for fire protection in the vicinity of Danskin Subdivision. The well is located in T2N, R1W, Section 11, NW ¼ of NW ¼, Ada County. Roger suggested that a reply be addressed to you.

The Idaho Department of Water Resources (IDWR) has traditionally responded to the incidental fire protection question by stating that an existing system can be used to fight an existing fire. This concept was codified by the Idaho Legislature in House Bill No. 400. The bill was signed by the Governor on April 14, 2000, and takes effect on July 1, 2000. The bill amended I.C. § 42-201 by adding the following subsection:

(3) Notwithstanding the provisions of subsection (2) of this section, water may be used at any time, with or without a water right, to extinguish an existing fire on private or public lands, structures, or equipment, or to prevent an existing fire from spreading to private or public lands, structures, or equipment endangered by an existing fire.

The statutory language does not expressly allow for construction to deliver water to fight a future fire. You may want to consult with your own attorney for additional interpretation.

IDWR suggests that you obtain a temporary water right to add a temporary structure to an existing system. A temporary right would be limited to five (5) acre-feet of water. The enclosed application form can be used. The filing fee is \$50, and the time frame is relatively short since most temporary appropriation applications do not involve the legal notice process. Please submit the application to this office.

Please contact this office if you have any questions about this letter.

Sincerely,

Steve Lester
Water Rights Supervisor

Enclosure

MICROFILMED
JUN 22 2000

May 17, 1990

SIMON VANDERKOOY
8190 S. TEN-MILE RD.
MERIDIAN, ID 836420000

RE: PERMIT NO. 63-10474

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

INDEXED

JUN 04 1990

April 9, 1990

SIMON VANDERKOOY
8190 S. TEN-MILE RD.
MERIDIAN, ID 836420000

RE: PERMIT NO. 63-10474

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
FILMED

JUN 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources
Permit No. 63-10474

A. GENERAL INFORMATION


1. Owner: SIMON VANDERKOOY Phone No. 888-7074
Current Address: 8190 So. TENMILE RD MERIDIAN, ID 83642
2. Accompanied by: SIMON VANDERKOOY EXAM. DATE: 10-5-88
Address: SAME Phone No. SAME
Relationship to Permit Holder: OWNER
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: IRRIGATION DISTRICT WATER ONLY ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM IS A WELL DELIVERING WATER TO THE FIELDS THROUGH A PIPELINE AND WHEEL LINES. AN EIGHT INCH LINE RUNS EAST TO A PIPE LINE THAT IS USED TO DELIVER WATER FROM THE IRRIGATION DISTRICT CANAL. THE MAIN LINE STARTS AS 10" THEN AFTER APPROX 1/2 MI. REDUCES TO 8". AFTER A LONG 1/4 MILE THE LINE REDUCES TO 6" AND RUNS TO THE SOUTH BORDER OF THE PROPERTY HE ALSO CAN DELIVER WATER TO PROPERTY VIA A 6"

☒ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	75	CJJ321550	G04LDS	ENT-87-171

**Code to correspond with No. on map and aerial photo*

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination

[illegible]

UNFILMED

JUN 04 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
ANNUBAR		DOVER CORP.	7517-316-SS	191413	7.981	
MANOMETER						

2. Measurements:

SEE ANNUBAR MEASUREMENT NOTES

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

MEASURED 1.66 CFS

2. Alternate Method for Checking Purposes:

4 WHEEL LINES @ 30 HEADS = 120 HEADS @ 7.18 = 1.92 CFS

F. PUMP EFFICIENCY DATA (Optional) NOT MADE

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 189 \times 4.5 = 850.5 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.66 \times 245 \times 1.9835 = 806.7 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 806.7 \text{ AFA}$

2. Volume Calculations for Other Uses:

RECEIVED

JUN 04 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

LINE RUNNING NORTH FOR APPROX 100 FT, CROSSING UNDER THE ROAD AND THEN REDUCING TO 4" RUNNING EAST FOR 1/4 MI. FOR IRRIGATION OF RENTED PROPERTY. IT WAS RECOMMENDED THAT HE FILE AN APPLICATION FOR A PERMIT FOR THE ADDITIONAL USE. NORMAL OPERATION IS 4 WHEEL LINES WITH 30 TO 33 HEADS PER LINE OPERATING AT 50 PSI. HEADS USED ARE RAINBIRD 30-BW TWT; @ 50 PSI THEY DELIVER 7.18 GPM (3/16" NOZZLE SIZE).

THIS WATER SUPPLEMENTS WATER FROM BOISE-KUNA IRRIGATION DISTRICT.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	1.66 CFS	806.7 AFA
Totals:			1.66 CFS	806.7 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name
JFW 1-16-90

Signature

Certification Date

Field Report Preparation Date

KELLY K. CHRISTENSEN
Kelly K. Christensen


11-25-88

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
FILMED

JUN 04 1990



(Applicant)




B15

NOT TO SCALE

P/O & P/U

LOOKING SOUTHEAST




P/D LOOKING SOUTH



RECORDED
JUN 04 1990

PU

SOUTH END LOOKING NORTH



MICROFILMED

JUN 04 1990

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 2N, Rge. 1W,
Sec. 11, Qtr./Qtr. NW/NW or Lot _____
2. Owner SIMON VANDERKOOY
Address 8190 S. TENMILE RD, City MERIDIAN, State ID
3. Approx. date of well construction AUG 1987
Well Driller DAVE ADAMSON
4. Casing: Diameter 12" Condition Good
5. Casing length above land surface 8"
6. Well depth (ft) 215 Flowing No Temp. _____
Access port Yes
7. Condition of piping and valving Good
8. Evidence of well seal on cement base
9. Shut in pressure or static water level 70'
10. Evidence of leakage around the casing No
11. Does well need repair Yes
12. Comments ACCESS HOLE CUT INTO SIDE OF
CASING RECOMMENDED PATCHING & NOTIFIED R&B
WHITNEY (WESTERN OFFICE)


MICROFILMED

(OVER)

JUN 04 1990

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by Kelly K. Christensen

Date 10-5-88

FILED

JUN 04 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10474

Date: 11/2/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change If yes, prepare a data entry
Y Proof received timely
 Reinstated

Source of Water:

 Surface water
Y Groundwater
 1. well log in file
Y 2. drilling permit
Y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

RECEIVED

JUN 27 1988

For Office Use Only
Fee Received \$125.00
Date 6/28/88
Receipt # C001616
Receipt by Jim
Reviewed by JS
Sent to region

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10474

Name(s) of Permit Holder: Simon Rander Kooy

Post Office Address: 8905 10th St. N. Murdin

Telephone No. 888 5170

Source of Water: groundwater

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 200 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 2.0 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 4-5-88

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? X Yes No
Installed? X Yes No

Person to contact to accompany the Department representative during the field examination:

Same as above

(Name)

888-5170

(Telephone Number)

(Address)

DEC 02 1988

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Signature of Permit Holder (and title, if appropriate)

(owner)

To: File 63-10474

From: Groundwater Protection

Date: 11/2

Drilling Permit: ☐ Not Applicable
☒ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 11, 1987.

Mr. Van der Kooy L.A.S
A domestic well & An
Irrigation well

OK

JB

RECEIVED

DEC 02 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

August 4, 1988

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

Ed Holder
E. Holder & Son Drilling
811 W. Plymouth
Caldwell, ID 83605

RE: Well Logs

Dear Ed:

Please send reports for the following wells as soon as you can:

- o Simon Vanderkooy irrigation well (63-87-z-028).
- o Tom Lyon well (63-87-z-065).

Thank you.

Sincerely,

A handwritten signature in cursive script, reading 'John E. Beal'.

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP12-1.5)

CC: File 63-10474



0000000000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 14, 1988

Ed Holder
E. Holder & Son Drilling
811 W. Plymouth
Caldwell, ID 83605

RE: Well Logs

Dear Mr. Holder:

Please submit the well logs for the Vanderkooy well and the Lyon well as requested previously. These must be submitted to me within 30 days. Thank you.

Sincerely,

A handwritten signature in cursive script that reads 'John E. Beal'.

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP12-1.99)

CC: File 63-10474

DEC 02 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

July 29, 1988

David Adamson
Adamson Pump & Drilling
1310 Smith Avenue
Nampa, ID 83651

RE: Well Logs

Dear Dave:

Please submit the following two well reports to my attention as soon as you can. If you did not drill the wells, let me know.

- o Simon Vanderkooy irrigation well (63-87-Z-028). I have a log for the well you drilled for 63-88-W-075.
- o Pat Lyon well 63-87-Z-065.

Thank you.

Sincerely,

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP11-1.100)

CC: File 63-10474

*Dave said
E Holder drilled*

RECEIVED

DEC 02 1988

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name SIMON Vanderkay
Address Ten Mile 4
Owner's Permit No. 63-87-2-028

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>12</u> inches +	<u>1</u> feet	<u>215'</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation inches by inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No
 Manufacturer's name Rosco Moss
 Type Shutter screen Model No. _____
 Diameter 12 Slot size 1/8 Set from 1.35 feet to 215 feet
 Diameter _____ Slot size _____ Set from _____ feet to _____ feet
 Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 1/2 pea
 Placed from 30' feet to 215 feet
 Surface seal depth 30' Material used in seal: ☒ Cement grout
☐ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
 Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
 Weld

☐ Cemented between strata

Describe access port 1 1/2 Nipple with Cap

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

_____ DEC 04 1988 _____

Lot No. _____ Block No. _____

County Ada
NW 1/4 NW 1/4 Sec. 11 T. 2N N/S. R. 1W E/W.

7. WATER LEVEL

Static water level 90 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ OF. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
1000		24

9 LITHOLOGIC LOG

[illegible]

10.

Work started 7/15/88 finished 8/1/88

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Holder Drilling Firm No. 199
Address Caldwell Id Date 8/7/88
Signed by (Firm Official) Ed Holder
and
(Operator) Sam

7/21/88

I spoke to Mr. VanderKooij
today -

He had two wells drilled
this past year. Both by
Anderson.

63-10474-
63-87-2-028 } For irrigation Ad
vt As indicated

63-88-W-075- For Don & St.
no wr at this time
but he did pay \$100
A-L may get wr in
future. (This is in
File 63-10474

RECORDED

DEC 02 1988

DRILLING PERMITS

mm/dd/yy

NUMBER 63-88-W-075

DATE WELL LOG RECEIVED 07/21/88

LAST NAME VANDERKODY

FIRST NAME SIMON

ADDRESS 8190 S. TEN MILE RD.

CITY MERIDIAN

STATE ID ZIP 83642

TELEPHONE NO (208)888-5170

WATER RIGHT NUMBER 63-

INJECTION WELL NO

QTRQTR NWNW GOVT LOT

LOT&BLOCK

SUBDIVISION

SECTION 11 TWP 02N RGE 01W

COUNTY ADA

USE 43 04 DESCRIBE USE DOM/STOCK

NEW, DEEPENED OR REPLACED (N,D,R) R

HOT (Y OR N) N

DRILLER NUMBER 457 DRILLER NAME ADAMSON

CONDITIONS (Y OR N) Y

COMMENTS

mm/dd/yy

mm/dd/yy

FEE\$100

APPROVAL DATE 05/06/88

EXTENSION DATE

/ /

EDIT

#<D:>#DRILPERM

#Rec: 1188/2064

#

#NumCaps

RECEIVED

DEC 02 1988

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Simon Vanderkooij
2. Address 8196 S. Ten Mile Rd. Mayapo

☒ Well Owner () Well Operator () Other, specify _____

3. Water right permit no. 63-10474; Injection well permit no. _____

4. Proposed well location 1/4 NW 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 11, Twp. 2N, Rge. 1W, County Adz,
Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

() Domestic () Stockwater () Monitoring
☒ Irrigation () Industrial () Municipal
() Injection () Other, Specify _____

6. Well construction information:

☒ New well () Deepen () Replace

Proposed surface diameter 12 Proposed depth 150-200

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

7. Anticipated construction start date 3/15/87

8. Well Driller (if known) Holder Drilling #197

Address 811 W. Plymouth, Caldwell 83605

Date 3/10/87 Applicant's signature Ed Holder

Title Driller

ACTION OF IDWR

(u) Approved

() Denied

63-87-2-028

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

7. Item 3 Above is not required
8. Use of water from this well shall be as described by water right permit 63-10474.

Dated this 6 day of August, 1987.

Signed

J. E. Bel

Title

SECTION MANAGER

GROUNDWATER PROTECTION

Received by sq Fee 100⁰⁰ Date 8-6-87

Receipt No. 44167 Construction start date _____

Construction start extension to _____

Extension approved by _____

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

138729
CERTIFIED MAIL
May 31, 1988

VANDERKOORY, SIMON
8190 S. TEN-MILE RD.
MERIDIAN, ID 83642

PROOF DUE NOTICE

RE: Permit No. 63-10474

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED

DEC 02 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 24, 1987

VANDERKOOY, SIMON
8190 S. TEN-MILE RD.
MERIDIAN, ID 83642

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10474

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

WILSON/MLMED

AUG 21 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

APPROVED

AUG 21 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Shute

APPLICATION NUMBER: 63-10474

CHECK:

- ☒ Source.
☒ Point of diversion. NO LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. NONE SHOWN FOR THIS LAND.
☒ Yes ☐ No In form for advertising.
Final date for protests: July 6, 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: June 26, 1987
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 65/44803
☒ Publication dates and paper, recorded on application. ID STATESMAN 6/18 & 6/25/87
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 63
5/5/1987 Date of priority recommended.
Special conditions of approval or cover letter. OIC

RECEIVED

AUG 21 1987

By: Dra

Date: 7/8/87

STATE OFFICE REVIEW:

105, 103, 216

new g.w. condition

OIC

RECEIVED

JUL 10 1987

☐ See attached sheet for more information.

By: KW

Date: 7/13/87

Department of Water Resources

State of Idaho

Department of Water Resources

Temporary Approval Analysis Sheet

- ☒ Yes ☐ No Basin No. Correct?
- ☒ Yes ☐ No Source is Groundwater?
- ☒ Yes ☐ No Lands are irrigated with surface water rights?
- ☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
- ☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks:

Ada Co. Inug. Propland map
does show the quarter-quarters in this
app as irrigated under Boise River
Inug. Dist.

Application Initially Received Date 5-5-87 Time 12:00 p.m.

File Prepared By gg Date 5-6-87 Time 8:30 a.m.

Staff Review By [Signature] Date 5-6-87 Time 2:30 p.m.

Temporary Approval Prepared By JA Date 5-6-87 Time 3:00 p.m.

Temporary Approval Signed By DRT Date 5-6-87 Time 4:00

Temporary Approval Mailed By JA Date 5-6-87 Time 4:05

Index Updated By DRT Date 5-6-87 Time 4:00

MICROFILMED

AUG 21 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

May 6, 1987

Simon VanderKooy
8190 S. Ten-Mile Rd.
Meridian, ID 83642

Re: Water Right No. 63-10474

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MAKROFILMED

AUG 21 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10474

This is to certify that I have examined Application for Permit to
Appropriate the public waters of the State of Idaho No. 63-10474 and a
temporary approval to divert groundwater is granted until September 3, 1987,
subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 6th day of May, 1987.

David R. Tuthill

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

RECORDED

AUG 21 1987

63-10474

VANDERKOOY, SIMON

8190 S. TEN-MILE RD., MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt: NWNW Sec 11 T 02N R 01W

Use: IRRIGATION (2.0 CFS)

Date Filed: 05/05/1987

In: NWNW SWNW SENW NESW SESW Sec 11 T 02N R 01W FOR 200 ACRES

RECORDED

AUG 21 1987