


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)
Max M. Takasugi

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 09 1990
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: MAX M TAKASUGI Permit No. 63-10463
Current Address: Rt 6 Box 268 CALDWELL, ID. 83605 Phone No. 459-7120
2. Accompanied by: SAME EXAM. DATE: 9-26-88
Address: _____ Phone No. _____
Relationship to Permit Holder: OWNER
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: MORA & HIGH-LINE CANAL WATER ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).





C
18.6

519C

D
18.3

E
38.8

E
38.0

520C
A
19.1

B
24.2

CEMENT
DITCH

MEASUREMENT LOCATION

INCLUDED IN IRRIGATION

CEMENT
DITCH

C
28.4

C260
868C J2451

P/D 8" BURIED
PIPE LINE

C538

869C J2115

C
19.2

B
13.5

C536
865C

C531
867C

5.0

4.4

JUN 04 1990

C534

P/D & P/U



MEASUREMENT DEVICE

, P/D



JUN 04 1990

NOV 20 1990

P/D P/u



RECEIVED

JUN 04 1990

Well Log Form 1
32-3/63

APR 5 1965

WELL LOG AND REPORT TO THE Department of Reclamation
STATE RECLAMATION ENGINEER OF IDAHO

SUBMIT WITHIN 30 DAYS AFTER COMPLETION OF WELL: SEE IDAHO STATUTES 42-236

Permit No. _____ Well No. 159 County Canyon

Owner NICHIO TAKASUGI

Address RT. 2, MTINER, IDAHO

Driller R. A. M. EQUIPMENT CO., INC.

Address P.O. BOX 973, CALDWELL, IDAHO

Well location SE 1/4 SW 1/4 Sec. 11 T. 3 N. 4 E. 1 W. 4

Size of drilled hole 12-1/4"

Locate well in section

NW 1/4	NE 1/4
Sec. 11	
SW 1/4	SE 1/4
I	

Total depth of well 200

Give depth to standing water from the ground 61 Water temp. _____ °Fahr.

Test delivery was _____ g.p.m. or _____ c.f.s. Drawdown was _____ feet. Pump? _____ Bail? _____

Size of pump and motor used to make test _____

Length of time of test _____ hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____

(TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Domestic Weight of casing per lineal foot 7.2

Thickness of casing 10 ga Casing material Steel
(STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 5" x 199' from ground level
(CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER;
CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Diam. Casing	From Foot	To Foot	Length	Remarks—seals, grouting, etc.
5"	0	199	199	Gravel packed from 200' to 36' from ground level. 4' row cement seal from 36' to 32' from ground level, cement, bentonite and gravel slurry from 32' to ground level

Number and size of perforations 200 1/8" x 6" located 179 feet to 199 feet from ground

Date of commencement of well March 20, 1965 Date of completion of well March 21, 1965

63 **INDEXED**

SE SW 5.11 3N 4W

W.H.H.

SEP 30 1988

WELL LOG

From Foot	To Foot	Type of Material	Water-bearing Formation Adv. Yes or No	Casing Perforated Adv. Yes or No
0	10	Top soil	no	no
10	20	Hard pan, clay	no	no
20	50	Sand and clay	no	no
50	60	Sand	yes	no
60	70	Clay and sand	yes	no
70	100	Clay and lime stone	no	no
100	110	Lime rock and clay	no	no
110	120	Brown rock, ~~HEM~~	no	no
120	130	Brown rock, sand	yes	no
130	140	Sand with clay streaks	yes	no
140	150	Clay with gravel	yes	no
150	160	Hard yellow clay	no	no
160	170	Yellow clay and sand	yes	no
170	180	yellow clay and sand	yes	no
180	190	Clay and sand	yes	yes
190	200	Gray sand	yes	yes
If more space is required use Sheet No. 2				

WELL DRILLER'S STATEMENT

This well was drilled under my supervision and the above information is complete, true and correct to the best of my knowledge and belief.

Signed E. & M. EQUIPMENT CO., INC.

By Russell Haworth

Dated April 2, 1965

License No. 221

Well Driller's Helper Warren Thomas

RECEIVED

SEP 30 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10463

Priority: April 27, 1987

Maximum Diversion Rate: 1.62 CFS
Maximum Diversion Volume:¹ 405.0 AF

This is to certify, that MAX M. TAKASUGI

RT. 6 BOX 268

CALDWELL, ID 836050000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 27, 1987; and has submitted Proof of Beneficial Use on June 6, 1988. An examination indicates that the works have a diversion capacity of 1.690 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.62 CFS	405.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 11, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	04W	11	NWSW 39	SWSW 36	SESW 6	81

Total number of acres irrigated: 81

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.


MICROFILMED

JUN 04 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10463

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of MAY, 1990.



R. Keith Higginson, Director



MICROFILMED

JUN 04 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Max M. Takasugi Phone 459-7120
Post office address Rt. 6, Box 268, Caldwell, ID 83605
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 11 Township 3N Range 4W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1.72 for Irrig. purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.72 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well, pump & ditches.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 12 inches; proposed depth of well is 250 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

RECORDED

AUG 21 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	4W	11									40	40	6						86

Total number of acres to be irrigated 86

10. Describe any other water rights used for the same purposes as described above. Mora & High-line Canal water

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Applicant requests temporary approval of application so he can appropriate the water this irrigation season. In 1977 he filed app. 63-8621 but never developed the well.

37 JUL 11 1981


405 401 1887

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)
Max M. Takasugi

Received by nl kw Date 4-27-87 Time 10:00 A.M. Proposed Priority 4/27/87
Date 4/27/87 Time 9:45 Preliminary check by Jim
Fee \$ 65.00 Received by kw # 44711 Date 4/27/87
Publication prepared by SS Date 5-27-87 Published in Press-Tribune
Publication approved SS Date 6/26/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10463, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 23rd day of July, 1987.

A. Glen Saylor
Chief, Operations Bureau

NOT FILMED

AUG 21 1987

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10460
WARN, DUANE W.
Rt. 3 Box 3441, Nampa, ID 83651
Source: GROUNDWATER
Diversion Pt: SWSW Sec 13 T 02N
R 02W
Use: IRRIGATION (1.580 CFS)
Date Filed: April 29, 1987
In: SWSW Sec 13 T 02N R 02W
SESE Sec 14 T 02N R 02W NENE
Sec 23 T 02N R 02W FOR
79 ACRES

63-10461
**MARTENS, LEONARD H. &/or
JUNE F.**

Rt. 1 Box 1340, Nampa, ID 83651
Source: GROUNDWATER
Diversion Pt: NWSW Sec 24 T 03N
R 03W
Use: IRRIGATION (1.0 CFS)
Priority Date: April 24, 1987
In: SWNW NESW NWSW Sec 24 T
03N R 03W FOR 50 ACRES

63-10463
TAKASUGI, MAX M.
Rt. 6 Box 268, Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt: SWSW Sec 11 T 03N
R 04W
Use: IRRIGATION (1.720 CFS)
Date Filed: April 27, 1987
In: NWSW SWSW SESE Sec 11 T
03N R 04W FOR 86 ACRES

63-10465
GOODING FARMS, INC.
Rt. 1 Box 1312, Parma, ID 83660
Source: GROUNDWATER
Diversion Pt: SWNW Sec 03 T 04N
R 05W
Use: IRRIGATION (1.6 CFS)
Date Filed: May 1, 1987
In: SWNW SENW Sec 03 T 04N R
05W FOR 80 ACRES

63-10467
TISH, ALVA &/or AGNES
Rt. 6 Box 184, Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt: NENW Sec 28 T 04N
R 04W
Use: IRRIGATION (5.0 CFS)
Priority Date: May 1, 1987
In: NENE NWNE SWNE SENE
NENW NWNW SWNW SENW
Sec 28 T 04N R 04W FOR
278 ACRES

63-10468
SHAFFER FARM
SHAFFER, RICHARD L.
3571 E. Mardonna Way, Salt Lake
City, UT 84109
Source: GROUNDWATER
Diversion Pt: NWSE Sec 14 T 03N
R 03W
Use: IRRIGATION (1.6 CFS)
Date Filed: April 30, 1987
In: SWNE NWSE Sec 14 T 03N R
03W FOR 80 ACRES

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before JUNE 22, 1987.

KEN DUNN
Director
June 4, 11, 1987

RECEIVED
JUN 12 1987

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Kalousek

of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

June 4, 11, 1987

Debra Kalousek
Subscribed and sworn to before me this

11th day of June

19 87

Gannon Lusk
Notary Public, Residing at Nampa, Idaho

NOT RECORDED
AUG 21 1987

MY COMMISSION EXPIRES
JULY 12th, 1991

May 17, 1990

MAX M. TAKASUGI
RT. 6 BOX 268
CALDWELL, ID 836050000

RE: PERMIT NO. 63-10463

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

JUN 04 1990

April 9, 1990

MAX M. TAKASUGI
RT. 6 BOX 268
CALDWELL, ID 836050000

RE: PERMIT NO. 63-10463

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED
INDEXED

JUN 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 09 1988

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: MAX M TAKASUGI Permit No. 63-10463
Current Address: Rt 6 Box 268 CALDWELL, ID. 83605 Phone No. 459-7120
2. Accompanied by: SAME EXAM. DATE: 9-26-88
Address: _____ Phone No. _____
Relationship to Permit Holder: OWNER
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: MORA E HIGH-LINE CANAL WATER ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM IS WELL DESIGNED FOR OPEN DISCHARGE INTO A CEMENT DITCH SYSTEM. DISCHARGE LOCATION IS AT THE WELL SITE AND THE OTHER IS APPROX 990' NORTH-EAST OF WELL. THE LINE IS ^{BURIED} UNDER THE FIELD WATER COMES UP INTO THE WEIR POOL, CROSSES THE WEIR AND THEN ENTERS THE DITCH SYSTEM. THE 8" PIPE LINE IS VALVED TO CONTROL WHICH DITCH THE WATER IS DIVERTED TO. THERE IS A 2"

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US ELECTRICAL MOTORS	50	1145165	MISSING	8" DIS.

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	SW	11	3N	4W	CANYON	QUAD MAP AERIAL PHOTO
		SW							

6. **Place(s) of Use:**

Indicate Method of Determination AERIAL PHOTO, QUAD MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	4W	11											39	36	6				81

MICROFILMED

JUN 9 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
CIPOLLETTI WEIR					2'	

2. Measurements:

MEASURED HEAD = ~~0.04'~~ 0.40'

FLOW DATA FROM WATER MEASUREMENT HANDBOOK
BULLETIN No 552 (FEB 1976)
UNIVERSITY OF IDAHO.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

FOR 0.40' HEAD

OVER A 2' CIPOLLETTI WEIR CFS = 1.69

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 0 psi x 2.31 = 0 ft (1); Dynamic pumping level: 145 ft (2)

Total Head: (1) + (2) = 145 (3) ; Flow rate: 1.69 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 27.8 (5)

Meter Input KW: 3.6 x 43.5 KH x _____ CTR or _____ MULT x _____ PTR x 5 N/ 21.5 T = 36.4 (6)

Meter Input HP: (6) x 1.34 = 48.8 (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = 57 %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 81 \times 5 = 405$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.62 \text{ cfs} \times 245 \text{ DAY} \times 1.9835 = 787.25$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 405 \text{ AFA}$

2. Volume Calculations for Other Uses:

RECORDED
JUN 04 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

LINE VALVED & TAPPED INTO THE UNDERGROUND LINE
ALLOWING A PORTION OF THE WATER TO BE SPLIT
INTO THE DITCH AT THE WELL SITE.

PERMITS PURCHASED 6 ACRES SOUTH OF CANAL AND IRRIGATES UNDER THIS
THIS WELL SUPPLEMENTS DITCH CO. WATER ONLY. SYSTEM.

MEASURED ~ 1.69 CFS

FOUND 81 ACRES IRRIGATED $\times .02 \text{ CFS/acre} = 1.62 \text{ CFS}$

$1.62 \text{ CFS} < 1.69 \text{ CFS}$ THEREFORE RECOMMEND 1.62 CFS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	1.62	405
Totals:			1.62 CFS	405 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN

Signature Kelly K. Christensen

Certification Date _____


Field Report Preparation Date 11-10-88


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUN 04 1990





18.6

E
38.8

E
38.

MEASUREMENT LINE

INCLUDED IN IRRIGATION

C260

8686

P/D 8" BURIED
PIPE LINE

4 A

13.5

JUN 04 1990

C534


8686

P/D & P/U



MEASUREMENT DEVICE

, P/D



RECEIVED
JUN 6 1950

P/D P/u



REPRODUCED

JUN 04 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10463

Date: 8/19/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
 Y 1. well log in file
 Y 2. drilling permit
 Y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
 Y Is rate or volume and fee appropriate?
N Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
? Has one been installed?
N Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+ _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
JUN - 6 1988

For Office Use Only
Fee Received EEB
Date 6/2/88
Receipt # W000326
Receipt by JP
Reviewed by EEB gs
Sent to region

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10463

Name(s) of Permit Holder: Max M. Takasugi

Post Office Address: Rt. 6 Box 268 Caldwell, Idaho 83605

Telephone No. 459-7120

Source of Water: Ground water

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 86 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 1.72 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit:

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Max M. Takasugi
(Name)

459-7120
(Telephone Number)

Rt. 6 Box 268 Caldwell, ID 83605
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2 June 88
Date


Signature of Permit Holder (and title, if appropriate)

SEP 30 1988

To: File 63-10463

From: Groundwater Protection

Date:

Drilling Permit: ☐ Not Applicable
☒ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 21, 1987.

OK
JB

RECEIVED

SEP 30 1988

Form 235-1
4/88

Drilling Permit No. 63-88-2-149
Water Permit No. 63-10963
Injection Permit No. _____

State of Idaho
Department of Water Resources
DRILLING PERMIT

RECEIVED
AUG - 8 1988

(Authorizing Construction of a Well)*

Department of Water Resources

1. Applicant _____

2. Address _____

Max M. Takasugi
4 M Farms Route 6, Box 268
Caldwell, ID 83605

Telephone 208-459-7120

() Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 11, Twp. 03N, Rge. 04W, County Craig,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)

() Domestic () Stockwater () Monitoring
(☒) Irrigation () Industrial () Municipal
() Injection () Other, Specify _____

5. Well construction information:

(☒) New well () Deepen () Replace

Proposed surface diameter 16 Maximum depth 263
Anticipated bottom hole temperature: _____

(☒) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date 5/10/88 - 5/13/88

7. Well Driller (if known) Pete Cope #213

Address _____

8. Applicant's signature _____

Title Owner of Farm

Date Aug 04, 1988

SEP 30 1988

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

REC
JUL 18 1988

1. WELL OWNER

Name Max Takasugi - 4 M Farms
Rt. #6 - Box 268
Address Caldwell, ID 83605
Owner's Permit No. 63-10463
63-88-2-149

7. WATER LEVEL

Static water level 74 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as
materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☒ Pump	☐ Bailer	☐ Air	☐ Other
Discharge G.P.M.	Pumping Level	Hours Pumped	
470	120		
850	140		
1060	140		

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
28	0	9	Sandy Loam Soil		
	9	11	Caleche		
	11	14	Cemented Gravel		
	14	30	Hrd.Brn.Clay Mxd. w/Gravel		
	30	50	Sma. Gravel & Sand		
	50	60	Sandstone w/crse.snd.-Vry.Hrd		
	60	64	Hrd.Brnish.White Clay-Softer		
	64	84	Sand,Gravel,Sme. Clay		
	84	94	Sand,Gravel,Caleche		
	94	108	Sand & Gravel		
	108	112	Caleche		
	112	138	Cemented Sand & Gravel		
	138	143	Fine Sand		X
	143	158	Clay		
	158	167	Fine Sand		X
	167	176	Clay		
	176	198	Blue Clay		
	198	243	Blue Sand-Fine to Coarse		X
	243	249	Sand-Coarse		X
	249	263	Blue Clay		

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION


Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
.250 inches 16 inches + +2 feet 158 feet
.250 inches 16 inches 168 feet 208 feet
.250 inches 16 inches 248 feet 254 feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☒ Yes ☐ No
Manufacturer's name Roscoe Moss
Type Wirewrap Model No. _____
Diameter 16 Slot size .04 Set from 158 feet to 168 feet
Diameter 16 Slot size .04 Set from 208 feet to 248 feet
Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8 Minus
Placed from 18 feet to 263 feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☐ Bentonite ☒ Pudding clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port 2"

10.

Work started 5/10/88 finished 5/13/88

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Canyon

SW 1/4 SW 1/4 Sec. 11 T. 3N N/S, R. 4W E/W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Pete Cope Drilling Co., Inc.

Firm Name _____ Firm No. 213

6505 West Chinden Blvd.

Address Meridian, Idaho Date 5/17/88

Signed by (Firm Official) _____

and

(Operator) _____



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

August 1, 1988

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

Max Takasugi
Route 6, Box 268
Caldwell, ID 83605

RE: 63-10463
Drilling Permit

Dear Mr. Takasugi:

Mr. Pete Cope has submitted a well driller report for a well drilled for you in May 1988. Certain legal requirements must be met before this report is filed.

Beginning July 1, 1987, Section 42-235 of Idaho Code requires that a drilling permit and fee be submitted to the Department for all wells drilled. This requirement is mentioned on your approved water permit 63-01463. The fee for this well is \$100. Enclosed is a partially completed drilling permit application. Please complete and sign the form and return it to me with the appropriate fee.

If you have any questions or comments, please contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read 'John E. Beal'.

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP11-1.108)

Enclosure

CC: Pete Cope

RECEIVED

SEP 30 1988

138725
CERTIFIED MAIL
May 31, 1988

TAKASUGI, MAX M.
RT. 6 BOX 268
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: Permit No. 63-10463

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

SEP 30 1988

Well Log Form 1
3E-3/63

APR 5 1965

WELL LOG AND REPORT TO THE DEPARTMENT OF RECLAMATION
STATE RECLAMATION ENGINEER OF IDAHO

SUBMIT WITHIN 30 DAYS AFTER COMPLETION OF WELL: SEE IDAHO STATUTES 42-236

Permit No. _____ Well No. 159 County Canyon

Owner NICHIO TAKASUGI

Address RT. 2, P. MILLER, IDAHO

Driller R. A. M. EQUIPMENT CO., INC.

Address P.O. BOX 973, CALDWELL, IDAHO

Well location SE 1/4, SW 1/4 Sec. 11, T. 3, N. 42 E. W. 4

Size of drilled hole 12-1/4"

Locate well in section

NW 1/4		NE 1/4	
	Sec.		
SW 1/4		SE 1/4	
	X		

Total depth of well 200

Shut depth to standing water from the ground 61 Water temp. 48.4

Test delivery was _____ g.p.m. or _____ c.f.s. Drawdown was _____ feet. Pump? _____ Bail? _____

Size of pump and motor used to make test _____

Length of time of test _____ hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____

(TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Domestic

Weight of casing per lineal foot 7.2

Thickness of casing 10 ER

Casing material

Steel

(STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 5" x 199' from ground level

(CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER;
CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

CASING RECORD

Blk.	From	To	Length	Remarks—casing, grouting, etc.
5"	0	199	199	Gravel packed from 200' to 36' from ground level. 4' row cement seal from 36' to 32' from ground level, cement, bentonite and gravel slurry from 32' to ground level

Number and size of perforations 200 1/8" x 6" located 179 feet to 199 feet from ground

Date of commencement of well March 20, 1965 Date of completion of well March 24, 1965

SE SW 5.11 3N 4W

ndd.

WELL LOG

From Foot	To Foot	Type of Material	Water- bearing Zone Yes or No	Oil- bearing Zone Yes or No
0	10	Top soil	no	no
10	20	Hard pan, clay	no	no
20	50	Sand and clay	no	no
50	60	Sand	yes	no
60	70	Clay and sand	yes	no
70	100	Clay and lime stone	no	no
100	110	Lime rock and clay	no	no
110	120	Brown rock, ~~SH~~	yes	no
120	130	Brown rock, sand	yes	no
130	140	Sand with clay streaks	yes	no
140	150	Clay with gravel	yes	no
160	160	Hard yellow clay	no	no
160	170	Yellow clay and sand	yes	no
170	180	yellow clay and sand	yes	no
180	190	Clay and sand	yes	yes
190	200	Gray sand	yes	yes
If more space is required use Sheet No. 2				

WELL DRILLER'S STATEMENT

This well was drilled under my supervision and the above information is complete, true and correct to the best of my knowledge and belief.

Signed R. & M. EQUIPMENT CO., INC.

By Russell H. H. H.

Dated April 2, 1965

License No. 221

Well Driller's Helper Harvey Thomas

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 30, 1987

TAKASUGI, MAX M.
RT. 6 BOX 268
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10463

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

RECORDED

AUG 21 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY.

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECEIVED

AUG 21 1987

State of Idaho
Department of Water Resources

Requests Temporary Approval

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: *Jan Shute*

APPLICATION NUMBER: 63-10463

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. *63-8621 - relinquished*
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: *June 22, 1987*
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: *June 12, 1987*
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. *63-44111*
☒ Publication dates and paper, recorded on application. *Pub. 6/4 & 6/11/87*
None ☐ Protests, dates, withdrawal, etc., recorded on application.
Approve, Date ☐ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
105 ☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? *63*
4/27/1987 Date of priority recommended.
Special conditions of approval or cover letter *OIC*

RECEIVED

AUG 21 1987

OK

Recommend that 1 year be allowed for the development of this project
By: *OK* Date: *7/13/87*

STATE OFFICE REVIEW:

103, 123, 105, 116 *OIG 43*

RECEIVED
JUL 21 1987

- ☐ See attached sheet for more information.

By: *KW* Date: *7/22/87* Department of Water Resources

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks:

Canyon Co. Irrigated Cropland
map does show the land covered by
this app. as being irrigated under
the Wilder Irrig. Dist. 63-8621

Application Initially Received Date 4-29-87 Time 10:00 AM
File Prepared By EH Date 4-30-87 Time 9:00 AM
Staff Review By Op Date 4-30-87 Time 1:00 AM
Temporary Approval Prepared By VP Date 4/30/87 Time 2:00 PM
Temporary Approval Signed By DNA Date 5/1/87 Time 8:30 am
Temporary Approval Mailed By EA Date 5/1/87 Time 8:55 AM
Index Updated By DNA Date 5/1/87 Time 8:30 am

RECORDED
FILMED

AUG 21 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 30, 1987

Max M. Takasugi
Rt. 6, Box 268
Caldwell, ID 83605

Re: Water Right No. 63-10463

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MICROFILMED

AUG 21 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10463

This is to certify that I have examined Application for Permit to
Appropriate the public waters of the State of Idaho No. 63-10463 and a
temporary approval to divert groundwater is granted until August 28, 1987,
subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

AUG 21 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 30th day of April, 1987.


DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

RECEIVED
AUG 21 1987

63-10463

TAKASUGI, MAX M.

RT. 6 BOX 268, CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SWSW Sec 11 T 03N R 04W

Use: IRRIGATION (1.720 CFS)

Date Filed: 04/27/1987

In: NWSW SWSW SESW Sec 11 T 03N R 04W FOR 86 ACRES

RECORDED & INDEXED

AUG 21 1987