

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

40 40

P.D.

Sec. 14

T. 2N

R. 1W

MICROFILMED

AUG 21 1981

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

RECEIVED

JUL 29 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 7 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10462

1. Owner: F. J. Fazzio Phone No. 922-4061

Current Address: 2800 S. Ten Mile Rd. Luna Idaho 83634

2. Accompanied by: F. J. Fazzio EXAM. DATE: 6-25

Address: SAME Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached


(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached


(required for irrigation of 10 acres or more).

RECEIVED

SEP 09 1994



PERMIT 03-10462 INIT DM
 T. R. S. Q/Q
 P/D 2r 1w 1d 1s
 SCALE _____
 PHOTO ID. _____



Copies Of These Maps Can Be Obtained
 At Bonneville Blue Print, Boise Idaho


THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY, MENLO PARK CALIF. 94025

SEP 09 1994

QUADRANT 1

the Idaho Department of Water Resources pursuant to
 units in filing notices of claims and objections in the Snake
 into either a project or a project.

16001-424



PERMIT 63-10273 INIT

T. R. S. Q/Q

P/D

SCALE

PHOTO ID.

Not To scale

SEP 09 1994

63-10462



View to the east of
PROPERTY.



View to the west of
PROPERTY.

SEP 09 1994

63-10462



View of well: PIPE.

SEP 09 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10462

Priority: April 29, 1987

Maximum Diversion Rate: 0.72 CFS
Maximum Diversion Volume: 328.5 AF

This is to certify, that F J FAZZIO
2800 S TEN MILE RD
KUNA ID 83634

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 29, 1987; and has submitted Proof of Beneficial Use on July 20, 1989. An examination indicates that the works have a diversion capacity of .720 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.72 CFS	328.5 AF

LOCATION OF POINT(S) OF DIVERSION: NWNW , Sec. 14, Township 02N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01W	14	NENW 40	NWNW 33		73

Total number of acres irrigated: 73

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.


SEP 09 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10462

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 31st
day of AUGUST, 1974.

Acting for  R. Keith Higginson, Director



19 1994

For Office Use Only
Fee Received 125.00
Date 7/20/89
Receipt # C008416
Receipt by C. W.
Reviewed by JS-3-2-90
Sent to region

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10462

Name(s) of Permit Holder: Frank J. Fazzio

Post Office Address: 2800 South Ten Mile Rd., Kuna, ID 83634

Telephone No. 378-2824 wk 922-4061 (home)

Source of Water: g.w.

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 80 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 1.6 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: October 1987

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? X Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

same as above

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

MAR 14 1990

Date

Signature of Permit Holder (and title, if appropriate)

RECEIVED

JUL 19 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESFor Office Use Only
\$15 FEE Received by 7-19-88
Date 7-19-88
Receipt # COOK75

REQUEST FOR EXTENSION OF TIME

Department of Water Resources

To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-10462Name(s) of Permit Holder: FRANK J FAZZIO, JR.Post Office Address: 2800 S. 10 MILE RDKUNA, ID, 83634 Telephone No. 922-4061Date Proof is Due: AUG 1 - 1988

Describe what work has been completed toward the development of this water right: _____
(This must be filled out! If no work has been completed, show "none".)

WELL DRILLED, Cased, GRAVEL PACKED; TEMPORARY PUMP
INSTALLED AND CONTINUED PUMPING TO CLEAR SAND.

Costing \$ 19 000 00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

TEMPORARY PUMP PULLED YESTERDAY; WELL HAS APPARENTLY
FILLED WITH SAND TO A LEVEL PREVENTING INSTALLATION OF
THE PERMANENT UNDER PUMP TO A PROPER DEPTH. THE SAND WILL

NEED TO BE BORED OUT. I AM UNABLE TO ARRANGE A WELL DRILLER
Permit holder(s) request an extension to 60-90 DAYS, 19 90.
AUG 1
(1 yr. minimum)

FEE: \$15.00

(Signature)*
*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

AUG 05 1988

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to August 1, 1990.

Signed this 19th day of July, 19 88.A. Glen Santon
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

378-2834 (work)

922-4061 (home)

1. Name of applicant F.J. Fazzio Phone 378-2834 (work)
Post office address 2800 S. Ten Mile Rd, Kuna ID 83634

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of NW 1/4 of NW 1/4, Govt. Lot _____
Sec. 14 Township 2N Range 1W B.M. Ada County; additional
points of diversion if any: NENW Sec. 14, T. 2N, R. 1W

4. Water will be used for the following purposes:

Amount 1.6 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.6 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 8" wells;
gated pipe, wheel lines

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

AUG 21 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	W	14					40	40											80

Total number of acres to be irrigated 80

10. Describe any other water rights used for the same purposes as described above. Boise-Kuna Irrigation Dist. (Application is for supplemental water)


- Who owns the property at the point of diversion? applicant
- Who owns the land to be irrigated or place of use? applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

APPROVED

AUG 21 1981

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

J. F. Lewis, Jr.
(Applicant)

Proposed Priority 4/29/87

Received by BD Date 4/29/87 Time 10:00 AM Preliminary check by [Signature]

Fee \$ 65.00 Receipted by BD # 42383 Date 4/29/87

Publication prepared by [Signature] Date 5-27-87 Published in JO STATESMAN
6/4 + 6/11/87

Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10462, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 20th day of July, 1987.

[Signature]
Chief, Operations Bureau

MICROFILMED

AUG 21 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 1, 1994

F J FAZZIO
2800 S TEN MILE RD
KUNA ID 83634

RE: WATER RIGHT NO. 63-10462

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

SEP 09 1994

(WATER RIGHT NUMBERS THAT BEGIN WITH AN 'A' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6310462	T02N R01W S14 GROUNDWATER	:						40	33	:				:				73
6302388	BOISE RIVE :	:								:				:				:
A6302388	BOISE RIVE :	:								:				:				:
6310462	GROUNDWATE :	:						40	40	:				:				80
A6310462	GROUNDWATE :	:						40	40	:				:				80
6311675	GROUNDWATE :	:								:				:	30	40		70
M6311675	GROUNDWATE :	:								:				:	30	40		70

No overlaps

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-10462 DATE 8-11-94



NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? <u>Delete NENW p/d</u> Overlaps? ☐
PLACE OF USE	☐ ☒	Amendment needed? ☐ Overlaps? ☐
DIV RATE	☐ ☒	Measurement Q = ☐ Theoretical Q = <u>.72</u> <u>73 x .02 = 1.46</u>
Capacity: <u>.72</u> Combined rates exceed capacity ☐ Permit/fee limits: <u>1.6</u> Allowable: <u>.72</u>		
ANNUAL VOLUME	☐ ☒	Season of use: <u>D/4.5</u> <u>3-15 to 11-15</u> Calculations: <u>73 x 4.5 = 328.5</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	☐ ☒	Multiple p/d(s) in $\frac{1}{4}$ $\frac{1}{4}$? ☐ <u>WB3</u> Other <u>BOISE - KUNA Irr District</u>
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ <u>R32</u> Irrigation Overlap ☐ Water Quality ☐ Other ☐
COMMENTS: <u>REDUCE ACRES AND rate to capacity</u>		

RECOMMENDED

CFS

VOLUME

Irrigation

.72

328.5

LICENSE ☒

1ST AMENDMENT LETTER ☐

FINAL AMENDMENT LETTER ☐

RECEIVED

JUL 28

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 7 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10462

1. Owner: F. J. Fazzio

Phone No. 922-4061

Current Address: 2800 S. Ten Mile Rd. LUNA Idaho 83634

2. Accompanied by: F. J. Fazzio

EXAM. DATE: 6-25

Address: SAME

Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system makes use of 25hp, 8" well. The well is 116' deep with a static level of 75' and a pumping head that is estimated at 100'. The system is connected with irrigation pipe to sprinklers; it can also be pumped into a ditch system.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		25			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	14	2n	1w	ADA		Quads; Aerials

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2n	1w	14					40	33	40										73

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$$\text{Theoretical: } 25 \times 8.8 \times .70 = \frac{154}{100' + (2.2 \times 50\text{ps.})} = \frac{154}{215} = .72 \text{ cfs}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical ; .72 cfs

2. Alternate Method for Checking Purposes:

None Available ; Polysonic had too much turbulence ; the ditches were already being used.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 73 \times 4.5 = 328.5 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .72 \times 245 \times 1.9835 = 347.9 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 328.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

None

SEP 09 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* other measurements were attempted at the time of the exam; only theoretical was applicable.

* Note; In the Application two wells were indicated; I noticed only one at time of the exam. The owner gave no indication there were two.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.72 cfs	328.5 AFA
Totals:			.72 cfs	328.5 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name DAVID GRAY

Signature [Signature]

Certification Date _____


Field Report Preparation Date 8-14-92

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

SEP 09 1994



PERMIT 03-10462 INIT Don


T. 2r R. 1w S. 14 Q/Q 2/2

P/D 2r 1w 14 2/2

SCALE 1:24000

PHOTO ID.

SCALE 1:24000



Copies Of These Maps Can Be Obtained
At Bonneville Blue Print, Boise Idaho


THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, MENLO PARK, CALIF. 94025

the Idaho Department of Water Resources pursuant to
cants in filing notices of claims and objections in the Snake

SEP 09 1994

QUADRANGLE

PERMIT 63-10273 INIT _____
T. R. S. Q/Q
P/D _____
SCALE _____
PHOTO ID. _____



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-104/62

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2n, Rge 1w, Sec. 14, nw 1/4 nw 1/4 or Lot _____.

2. Owner: F. J. Fazzio

Address 2800 S Ten Mile Rd, City KUNA, St Ida

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: 75'
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 8"
Flowing: Yes _____ No ☒ Temperature: _____


5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

SEP 09 1994

62-10462




View to the east of
PROPERTY.



View to the west of
PROPERTY.

SEP 08 1994

63-10462



View of well: PIPE.

SEP 08 1994

March 12, 1990

F. J. FAZZIO
2800 S. TEN MILE RD.
KUNA, ID 836340000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10462

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAR 14 1990

WELL DRILLER'S REPORT

OCT 16 1987

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Frank Frazzio Jr.
Address Kuna, Idaho
Owner's Permit No. 63-10462

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
.250W inches 8 inches + 2 feet 161 feet
inches inches feet feet
!250W inches 12 inches 1 feet 16 feet
inches inches feet feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☒ Factory ☐ Knife ☐ Torch
Size of perforation 1/4" inches by 3" inches

Number From To
480 perforations 120 feet 150 feet
perforations feet feet
perforations feet feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter Slot size Set from feet to feet

Diameter Slot size Set from feet to feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 3/8 minus

Placed from feet to feet

Surface seal depth 16 Material used in seal: ☒ Cement grout

☐ Bentonite ☐ Pudding clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

SEE WAIVER ATT: Weld

☐ Cemented between strata

Describe access port _____

7. WATER LEVEL

Department of Water Resources

Static water level 75 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
200+		6

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
12	0	8	Soil		X
12	8	75	Rock		X
12	75	90	Gravel		X
12	90	95	Gravel	X	
8	95	166	Sand	X	

RECEIVED

NOV 09 1987


Department of Water Resources

6/23/87 waiver of standards was
granted by John E. Real
Ground Water Protection Service

10. Rotary Cable 6/8/87 6/11/87
Work started 6/16/87 finished 7/7/87

6. LOCATION OF WELL

Sketch map location must agree with written location



Subdivision Name AUG 03 1988

Lot No. _____ Block No. _____

County Ada

NW ¼ NW ¼ Sec. 14, T. 2N N/S, R. 1W E/W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name Bill Doty Drilling Firm No. 42

Address Rt. 7 Box 311 Date 10/1/87

Caldwell, ID 83605

Signed by (Firm Official) _____

and

(Operator) Bob Doty

July 21, 1988

Frank J. Fazzio, Jr.
2800 S. Ten Mile Rd.
Kuna, ID 83634

Dear Mr. Fazzio:

Re: Permit No. ~~57-1448~~ 63-10462

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to August 1, 1990.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enc.

RECEIVED

AUG 05 1988

FROM

Peter Fleck

TO

File 63-10462

SUBJECT

Drilling Permit

DATE

7-19-1988

Per conversation with permit holder,
the well was started prior to July 1, 1987
and started pumping in August.
Consequently, no drilling permit was needed.

RECEIVED

AUG 05 1988

SIGNATURE

138724
CERTIFIED MAIL
May 31, 1988

FAZZIO, F. J.
2800 S. TEN MILE RD.
KUNA, ID 83634

PROOF DUE NOTICE

RE: Permit No. 63-10462

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED
AUG 05 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

63-10462
Permit No. _____
Name(s) of Permit Holder(s): F. J. FAZZIO JR
Post Office Address: 2800 S. TEN MILE RD
KUNA, IDAHO 83634 Tel. No. 222-4061

- ☒ I hereby certify that construction of diversion works on the above referenced permit began on 6-9-87 (date) I understand that I must continue to develop the water system with diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

7/21/87
Date

[Signature]
Signature of Permit Holder

F J F 221

2800 S. TEN MILE RD

KUNA, IDAHO 83634



ALWAYS
ZIP CODE



RECEIVED

AUG 05 1988



RECEIVED

JUL 28 1987

Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 20, 1987

RE: Permit No. 63-10462

F. J. Fazzio
2800 S. Ten Mile Rd.
Kuna, ID 83634

Dear Permit Holder(s):

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

A drilling permit must be obtained from the Department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Construction of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

AUG 21 1987

Page 2

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN
Supervisor, Water Allocation Section

GS:sc
Enclosures

MICROFILMED

AUG 21 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 30, 1987

F. J. Fazzio
2800 S. Ten Mile Rd.
Kuna, ID 83634

Re: Water Right No. 63-10462

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

RECEIVED

AUG 21 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10462

This is to certify that I have examined Application for Permit to
Appropriate the public waters of the State of Idaho No. 63-10462 and a
temporary approval to divert groundwater is granted until August 28, 1987,
subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 30th day of April, 1987.

David R. Tuthill Jr.

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

RECEIVED

JUN 12 1987

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Department of Water Resources

Amount Due

125.83

Account Name Idaho Department of Water Resources (Western)			Account Number #47628	
Address Statehouse		City/State Boise, ID		Zip 83720
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1987 June 4, 11	
Identification Applications for Water Rights			Estimated Inches	Real Inches
Number of Affidavits Requested 1				Legal Number #5519

RECEIVED

JUN 16 1987

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10455
Lundgren, Gerald
5880 S. Cloverdale Rd.
Boise, ID 83709
Source: Groundwater
Diversion Pt: SWSW Sec 34 T. 03N R 01E
Use: Irrigation (0.2 CFS)
Date Filed: 04/28/1987
In: SWSW Sec 34 T. 03N R 01E
for 10 Acres

63-10462
Fazzio, F. J.
2800 S. Ten Mile Rd.
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NWNW NENW Sec 14 T. 02N R 01W
Use: Irrigation (1.6 CFS)
Date Filed: 04/29/1987
In: NENW NWNW Sec 14 T. 02N R 01W
for 80 Acres

63-10470
Relk, John Michael
Route 1
Kuna, ID 83634
Source: Groundwater
Diversion Pt: NESW Sec 29 T. 02N R 01W
Use: Irrigation (1.420 CFS)
Date Filed: 05/04/1987
In: NESW SESW Sec 29 T. 02N R 01W
for 71 Acres

63-10488
Holder, Edward E.
811 W. Plymouth
Caldwell, ID 83605
Source: Groundwater
Diversion Pt: Govt. Lot 2(NWNE) Sec 21 T. 01N R 03W
Use: Fish Propagation (0.45 CFS)
Date Filed: 05/18/1987
In: Govt. Lot 02(NWNE) Sec 21 T. 01N R 03W

63-10489
Collins, Arthur
1623 Artesian Rd.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: Govt. Lot 2(NWNE) Sec 21 T. 01N R 03W
Use: Fish Propagation
Date Filed: 05/18/1987
In: Govt. Lot 2(NWNE) Sec 21 T. 01N R 03W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Regional, Statehouse, Boise, Idaho 83720 on, or before, June 22, 1987.

KEN DUNN
Director
Pub. June 4, 11, 1987

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Deborah Gregory, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of June 4, 1987

and ending with the issue of June 11, 1987

Deborah Gregory

Subscribed and sworn to before me this 11th

day of June, 1987

Connie Blackburn 8/92
Notary Public for Idaho, Residing at Boise, Idaho

MICROFILMED

AUG 21 1987

63-10462

FAZZIO, F. J.

2800 S. TEN MILE RD., KUNA, ID 83634

Source: GROUNDWATER

Diversion Pt: NWNW NENW Sec 14 T 02N R 01W

Use: IRRIGATION (1.6 CFS)

Date Filed: 04/29/1987

In: NENW NWNW Sec 14 T 02N R 01W FOR 80 ACRES

MICROFILMED

AUG 21 1987