


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

AUG 27 1987

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wm W. Warr

(Applicant)



MICROFILMED

JUL 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1990
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: DUANE WARN Permit No. 63-10460
Current Address: 9053 SOUTH SIDE BLVD. NAMPA ID. 83686 Phone No. 466-1819
2. Accompanied by: DUANE WARN EXAM. DATE: 6-22-89
Address: _____ Phone No. _____
Relationship to Permit Holder: OWNER
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: DITCH CO WATER ☐ Copies Attached
2. Other water rights with same point of diversion: NONE. ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

MICROFILMED
JUL 24 1990

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.




Inspected by

Kelly K. Christensen

Date

6-22-89

JUL 21 1990



PICTURE # 1

LOOKING SOUTH WEST



PICTURE # 2

LOOKING SOUTH WEST



JUL 24 1960

RECORDED

PICTURE #3

LOOKING SOUTH WEST



PICTURE # 4

LOOKING NORTH



PICTURE # 5

LOOKING WEST



NOT FILMED

JUL 24 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10460

Priority: April 29, 1987

Maximum Diversion Rate: 0.82 CFS
Maximum Diversion Volume:¹ 279.0 AF

This is to certify, that DUANE W. WARN
9053 SOUTHSIDE BLVD.
NAMPA, ID 836860000

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 29, 1987; and
has submitted Proof of Beneficial Use on August 22, 1988. An examination indicates
that the works have a diversion capacity of .820 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.82 CFS	279.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 13, Township 02N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	02W	13	SWSW	32		32
		14	SESE	16		16
		23	NENE	14		14

Total number of acres irrigated: 62

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED


JUL 24 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10460

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 11TH
day of July, 19 90.

Attest:


R. Keith Higginson, Director

RECORDED

JUL 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Duane W. Warn Phone 466-1819
Post office address Rt. 3 Box 3441 Nampa, Idaho 83651
2. Source of water supply Ground Water which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 13 Township 2N Range 2W B.M. Canyon County; additional
points of diversion if any: none
4. Water will be used for the following purposes:
(1.58 CFS ALLOWABLE)*
Amount 1.6 cfs for Irrigation purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.6 1.58 cfs* and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PTO Powered Pump, Pumping
into concrete ditch lining conveyance and application system.
 - b. Height of storage dam n/a feet; active reservoir capacity n/a acre-feet; total
reservoir capacity n/a acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 12" inches; proposed depth of well is about 100' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? no
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 yr years (minimum 1 year).

MICROFILMED

AUG 27 1987

* 1.58 CFS ALLOWABLE FOR 79 AC AT 1"/ACRE. *JP*

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	2W	13											40						40
2N	2W	14																231	23.1
2N	2W	23	16																15.9 (16)

Total number of acres to be irrigated 79.1

10. Describe any other water rights used for the same purposes as described above. Irrigation water right with Nampa-Meridian and Kuna-Meridian Irrigation districts


- Who owns the property at the point of diversion? Dean V. Warn
- Who owns the land to be irrigated or place of use? Same
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Son and operator of the farm.

12. Remarks: _____

RECEIVED

27 1987

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

AUG 27 1987

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wm. W. Warr

(Applicant)

Received by ml Date 4-29-87 Time 10:00 am Proposed Priority 4/29/87 Preliminary check by [signature]
Fee \$ 65.00 Receipted by ja # 42385 Date 4/30/87
Publication prepared by [signature] Date 5-27-87 Published in PRESS-TRIBUNE
Publication approved [signature] Date 6/26/87 6/4 + 6/11/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10460, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

The maximum rate of diversion for irrigation purposes under this permit shall not exceed 1.58 cfs.

Witness my hand this 13th day of August, 1987.

[Signature]
Chief, Operations Bureau

MICROFILMED

AUG 27 1987

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10460
WARN, DUANE W.
Rt. 3 Box 3441, Nampa, ID 83651
Source: GROUNDWATER
Diversion Pt: SWSW Sec 13 T 02N R 02W
Use: IRRIGATION (1.580 CFS)
Date Filed: April 29, 1987
In: SWSW Sec 13 T 02N R 02W
SESE Sec 14 T 02N R 02W NENE
Sec 23 T 02N R 02W FOR
79 ACRES

63-10461
MARTENS, LEONARD H. &/or
JUNE F.

Rt. 1 Box 1340, Nampa, ID 83651
Source: GROUNDWATER
Diversion Pt: NWSW Sec 24 T 03N R 03W
Use: IRRIGATION (1.0 CFS)
Priority Date: April 24, 1987
In: SWNW NESW SWSW Sec 24 T 03N R 03W FOR 50 ACRES

63-10463
TAKASUGI, MAX M.
Rt. 6 Box 268, Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt: SWSW Sec 11 T 03N R 04W
Use: IRRIGATION (1.720 CFS)
Date Filed: April 27, 1987
In: NWSW SWSW SESW Sec 11 T 03N R 04W FOR 86 ACRES

63-10465
GOODING FARMS, INC.
Rt. 1 Box 1312, Parma, ID 83660
Source: GROUNDWATER
Diversion Pt: SWNW Sec 03 T 04N R 05W
Use: IRRIGATION (1.6 CFS)
Date Filed: May 1, 1987
In: SWNW SENW Sec 03 T 04N R 05W FOR 80 ACRES

63-10467
TISH, ALVA &/or AGNES
Rt. 6 Box 184, Caldwell, ID 83605
Source: GROUNDWATER
Diversion Pt: NENW Sec 28 T 04N R 04W
Use: IRRIGATION (5.0 CFS)
Priority Date: May 1, 1987
In: NENE NWNE SWNE SENE
NENW NWNW SWNW SENW
Sec 28 T 04N R 04W FOR
278 ACRES

63-10468
SHAFFER FARM
SHAFFER, RICHARD L.
3571 E. Mardonna Way, Salt Lake City, UT 84109
Source: GROUNDWATER
Diversion Pt: NWSE Sec 14 T 03N R 03W
Use: IRRIGATION (1.6 CFS)
Date Filed: April 30, 1987
In: SWNE NWSE Sec 14 T 03N R 03W FOR 80 ACRES

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JUNE 22, 1987.
KEN DUNN
Director
June 4, 11, 1987

RECEIVED
JUN 12 1987

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Kalousek

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

June 4, 11, 1987

Debra Kalousek

Subscribed and sworn to before me this

11th

day of

June

19 87

Jannel Lusk
Notary Public, Residing at Nampa, Idaho

FILED

AUG 27 1987

MY COMMISSION EXPIRES
JULY 12th, 1991

July 12, 1990

DUANE W. WARN
9053 SOUTHSIDE BLVD.
NAMPA, ID 836860000

RE: PERMIT NO. 63-10460

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 14 1990

MEMORANDUM

TO: FILE 63-10460

FROM: JIM JOHNSON

RE: ADJUSTMENT TO FIELD EXAM

DATE: May 1, 1990

=====

The permit holder contacted me on April 18, 1990 expressing concern over the number of acres listed on the prelicense correspondence. I agreed to send him a copy of the field exam for his review. On April 25, 1990 I received from him a map showing the place of use he believed he was irrigating. A close inspection of the aerial photo submitted with the examiners' report shows that 3.6 acres are irrigated in the SESE of section 14 which was not included on the examiners' report. This place of use has been added to the water right.

MICROFILMED

JUL 24 1990

RECEIVED
APR 25 1990

Department of Water Resources

April 23, 1990

RE: Permit No. 63-10460


Jim Johnson
Water Rights Supervisor
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

Dear Mr. Johnson:

Thank you for sending me an updated version of the aerial photo of the farm. I have made a tracing of the map and hatched out the parts of the farm that are not either useable or able to irrigate. I have no way of accurately measuring these areas, but it should make some compromise of our estimations. Some parts of the farmsteads have orchards on them which I have included since we irrigate.

I appreciate your consideration in this project.


Sincerely,


Duane Warn
9053 Southside Blvd.
Nampa, ID 83686

Enclosure

MICROFILMED

JUL 24 1990



MICROFILMED

JUL 24 1990

MEMORANDUM

TO: FILE 63-10460

FROM: JIM JOHNSON

RE: CONVERSATION WITH PERMIT HOLDER

DATE: April 18, 1990

=====

The permit holder, Duane Warn, called today disagreeing with the acres listed on the pre-license correspondence. I agreed to send him a copy of the field examination. He will review it and let me know if he has further questions.

MICROFILMED

JUL 24 1990

April 11, 1990

DUANE W. WARN
9053 SOUTHSIDE BLVD.
NAMPA, ID 836860000

RE: PERMIT NO. 63-10460

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10460
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval

yes Well Inspection Form Needed

- ☒ Copy of U.S.G.S. Quad

none Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 6-21-89 KRC (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index 6-21-89 KRC (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: DITCH Co. WATER ONLY

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

- ☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed 6-29-89 Kelly K. Christensen (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent SR 2-12-90 (Initial and date)

Exam Reviewed by Manager of Regional Office DM 2/16/90 (Initial and date)

Exam Date Entered in Computer 3-9-90 ST (Initial and date)

Exam sent to State Office 3-9-90 ST (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1990
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-10460
Phone No. 466-1819
1. Owner: DUANE WARN
Current Address: 9053 SOUTH SIDE BLVD. NAMPA ID 83686
2. Accompanied by: DUANE WARN EXAM. DATE: 6-22-89
Address: _____ Phone No. _____
Relationship to Permit Holder: OWNER
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: DITCH Co WATER
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE.
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

- 3. Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM IS A WELL DELIVERING WATER TO THE P/D VIA GATED PIPE AND OPEN DITCHES. DIAGRAM OF SYSTEM ON QUAD MAP. THIS SYSTEM IS TO SUPPLEMENT DITCH CO WATER AND USES MOST OF THE EXISTING SYSTEM. THE ONLY UNIQUE PORTION IS THE GATED PIPE RUNNING NORTH FROM P/D TO THE CEMENT DITCH. PICTURE LOCATIONS IDENTIFIED ON AERIAL PHOTO.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	RED JACKET	10	—	RED JACKET	4"

**Code to correspond with No. on map and aerial photo*

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination AERIAL PHOTO.

[illegible]

MICROFILMED

Do not use this space

JUL 24 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
55 GAL DRUM						
STOP WATCH						

2. Measurements:

55 GAL ÷ 9 SEC = 366.7 GPM / 448.8 = 0.82 CFS

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Permit No H54284
Pole No 1669

2. Alternate Method for Checking Purposes:

meter No 50 763 340

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 0 psi x 2.31 = 0 ft (1); Dynamic pumping level: 69 ft (2)

Total Head: (1) + (2) = 69 (3) ; Flow rate: 0.82 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 6.43 (5)

Meter Input KW: 3.6 x 14.4 KH x 2 CTR or 2 MULT x 5 PTR x 58 N/ 58 T = 4.41 (6)

Meter Input HP: (6) x 1.34 = 5.91 (7) 11.98

Panel Input KW: 5.91 Ave PF x 11.98 Ave Volts x 0.001732 = 0.102 (6)

Panel Input HP: (6) x 1.34 = 0.137 (7) Efficiency: (5)/(7) x 100 = 54 %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 58 \times 4.5 = 261$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.82 \times 214 \times 1.9835 = 348$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 261 \text{ AFA}$

2. Volume Calculations for Other Uses:

MICROFILMED

JUL 24 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

PERMIT RATE = 1.58 CFS
FEE PAID FORMAX = 2.00 CFS
MEASURED = ~~0.842~~ CFS .82 CFS RECOMMENDED RATE
FOUND 58 Acres @ .02 = 1.16 MAX. ALLOWABLE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4-1	11-1	0.82 cfs	261
		Totals:	0.82 cfs	261 AFA.

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN

Signature Kelly K. Christensen

Certification Date _____


Field Report Preparation Date 6-29-1989

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



JUL 24 1990



State of Idaho

Department of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 2N, Rge. 2W,
Sec. 13, Qtr./Qtr. SW/SW or Lot _____
2. Owner DUANE WARM
Address 9053 SOUTHSIDE BLVD, City NAMPA, State ID
3. Approx. date of well construction 6-11-87
Well Driller JOHNSTON DRILLING
4. Casing: Diameter 12" Condition GOOD
5. Casing length above land surface 20"
6. Well depth (ft) 117 Flowing NO Temp. _____
Access port YES
7. Condition of piping and valving GOOD
8. Evidence of well seal _____
9. Shut in pressure or static water level 67
10. Evidence of leakage around the casing NONE NOTED
11. Does well need repair NO
12. Comments _____


MISSOURI

JUL 24 1987

(OVER)


Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

SCHEMATIC



MICROFILMED

Inspected by *Kelly J. [illegible]* Date *6-22-89* JUL 2 1990



T. 3 N.

32'30"
T. 2 N.

KUNA 6.8 MI.

RECEIVED
MAR 7, 19
Department of Re

MICROFILMED

JUL 24 1990

4817000 N.

N

1 MILE

6000 7000 FEET

KUNA 8.8 MI.
MELBA 8.7 MI.

15380000 M. E.

INTERIOR-GEOLOGICAL SURVEY, WASHINGTON, D. C. - 1960-NSI
MR 1345


43° 30'
116° 30'

(KUNA)

ROAD CLASSIFICATION

Heavy-duty

Light-duty



PICTURE # 1

LOOKING SOUTH WEST



PICTURE # 2

LOOKING SOUTH WEST




JUL 24 1960

RECORDED

PICTURE #3

LOOKING SOUTH WEST



PICTURE # 4

LOOKING NORTH



PICTURE # 5

LOOKING WEST



DEVELOPED

JUL 24 1990

December 7, 1988

Duane W. Warn
9053 Southside Blvd.
Nampa, ID 83686

Dear Mr. Warn:

Re: Permit No. 63-10450

Enclosed is your receipt No. C003652 for \$25. The proof of beneficial use form has been amended to reflect the increase in payment of the fee. Also, for your information is a copy of the proof of beneficial use.

In your letter which accompanied the additional fee, you state, "didn't clearly understand that the licensed was based on permit size rather than pump size". The license, when issued, will be based on the maximum capacity that the well will produce under the present conditions. The permit proposes the amount of water that the department can issue a license for based on the amount of land irrigated. The proof should indicate the maximum capacity of the well up to the amount proposed by the permit. If you know your well will not produce 1.58 cfs (771 gpm), then the proof should reflect the actual amount of water the well will produce.

The proof indicated that the well produces 1.58 cfs and the department accepted the proof and fee. However, since the fee was \$25 short for the amount of water diverted as indicated on the proof and after writing several letters with no response, the department would have issued the license for one cfs since that the the maximum amount of water covered by a licensing examination fee of \$100. Since the additional \$25 has been paid, the license will be issued based on the recommendation of the field inspector for up to 1.58 cfs.

I know how confusing this matter can be. If you still have questions, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

RECEIVED

DEC 23 1988

Nov. 25, 1988

State of Idaho
Dept. of Water Resources
1301 N. Orchard St.
Statehouse Mail
Boise, Idaho 83720

Dear Lexis:

Re: Permit No. 63-10460

I was totally frustrated when I read your letter of Nov. 22, 1988. I thought I had sent all the money required for the licensing of the well. The letter stated that money was to be sent by Oct. 23, 1988. As I, the check writer in this transaction, clearly understand that the license was based on permit size rather than pump size

RECEIVED

DEC 23 1988

would you please reconsider
the deadline and accept a
check for \$25.00 to clear up
the matter. (I don't recall
getting a letter that specifically
stated that \$25 more was
needed.)

Thank you for your consideration
in this situation.

Sincerely,

Mrs. Beverly Wark

Please note address change

REPROFILMED

DEC 23 1988

1/88.

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10460

Date: 11/23/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
 Y 1. well log in file
 N/A 2. drilling permit
 _____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
 Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
? Has one been installed?
N Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

- On May 29, 1988, the dept. received additional fees. If there is an advancement of priorities as a result of these late fees, it should be calculated and addressed at the time of licensing.

Form 217
03/86

RECEIVED
AUG - 2 1988

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
25.00 Fee Received \$100.00
11/29/88 Date 8/02/88
C003652 Receipt # C002112
CP Receipt by BW
Reviewed by JS
Sent to region 7

Amended

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-18460

Name(s) of Permit Holder: Duane W. Warn

Post Office Address: Rt. 3, Box 3441

Nampa Idaho

Telephone No. 466-1819

Source of Water: irrigation Well

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 79 (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted 1.58 cfs 29 acre-feet

Show the date water was first diverted and beneficially used under this permit: July 1, 1987

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Duane Warn
(Name)

466-1819
(Telephone Number)

Rt. 3, Box 3441 Nampa, Id. 83651
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

DEC 20 1988

7-29-88
Date

Duane W. Warn
Signature of Permit Holder (and title, if appropriate)

November 22, 1988

Duane W. Warn
Rt. 3 Box 3441
Nampa, ID 83651

Dear Mr. Warn:

Re: Permit No. 63-10460

On August 2, 1988, the department received the proof of beneficial use form for the above referenced permit. On September 23, 1988, the department advised you that the licensing exam fee paid was less than what was needed based on the rate of diversion.

The department requested the difference of \$25 to be submitted by October 23, 1988. No additional fee was received.

The department will conduct the licensing exam, but will limit the amount of water a water right license can be issued for to one cubic foot per second as per fee paid.

The proof of beneficial use form has been forwarded to the regional office. The permit will be included on inventory on pending licensing exams.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: region

MICROFILMED

DEC 26 1988

September 23, 1988

Duane W. Warn
Rt. 3, Box 3441
Nampa, ID 83651

RE: Permit No. 63-10460

Dear Permit Holder:

Enclosed is your Proof of Beneficial Use form received in this office on August 2, 1988 requesting water use at a rate of 1.58 cfs. The file shows that the examination fee which you paid was in the amount of \$100. Please note the enclosed instruction sheet which lists the fee for 1.58 cfs as \$125.

Please submit the difference in the fees to the department, i.e. \$125 minus \$100 which equals \$25 by October 23, 1988 to have your permit reinstated.

If you have any questions feel free to call me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: W. Region


Enclosure

*no penstatement
necessary - proof
received
timely.*

MICROFILMED

DEC 26 1988

Duane Warn
9053 Southside Blvd.
Nampa, Id. 83686



State of Idaho
Dept of Water Resources
1301 W. Orchard St.
Statehouse Mail
Boise, Idaho 83720

Re. Permit No. 12-10-11-11

To: File 63-10460

From: Groundwater Protection

Date:

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☒ ~~Not Found~~

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

Follow-up

☒ Request from permit holder the well
drillers report and/or the name of the
well driller.
☒ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July ~~14~~, 1987.

9/8 Log Rec from M- Warn.

Date shows no drilling
permit required JEB

O K. JEB

MICROFILMED

DEC 20 1988

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

SEP 08 1988

[illegible]

August 24, 1988

Duane W. Warn
Rt. 3, Box 3441
Nampa, ID 83651

RE: Permit No. 63-10460

Dear Permit Holder:

The department received your Proof of Beneficial Use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

You need to be aware that you may be subject to the drilling permit requirement indicated on page 4 of your approved Application for Permit. Please provide the requested information by September 24, 1988 to keep your permit from losing priority.

If you have any questions, feel free to call me.

Sincerely,

RITA FLECK
Secretary/Records Manager

c: W. Region

MICROFILMED

DEC 20 1988

138059
CERTIFIED MAIL
June 30, 1988

WARN, DUANE W.
RT. 3 BOX 3441
Nampa, ID 83651

PROOF DUE NOTICE

RE: Permit No. 63-10460

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED
DEC 20 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
AUGUST 19, 1987

WARN. CUANE W.
RT. 3 BOX 3441
NANPA. ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10460

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

MICROFILMED

AUG 27 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

AUG 27 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Shute

APPLICATION NUMBER: 63-10460

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No In form for advertising. _____
☐ Yes ☒ No Final date for protests: June 22, 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: June 12, 1987
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. _____
☒ Publication dates and paper, recorded on application. 6/4 + 6/11/87
☒ Protests, dates, withdrawal, etc., recorded on application. _____
☒ Recommendation & initial, recorded on application. _____
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
☒ Yes ☒ No Date of priority recommended. 4/29/87
Special conditions of approval or cover letter. OIC

MICROFILMED

AUG 27 1987

By: DW

Date: 7/13/87

STATE OFFICE REVIEW:

123, 103, 105, 116

04 28 (irrig.)

OIG 43

AUG 07 1987

- ☐ See attached sheet for more information.

By: KW

Date: 8/10/87

Department of Water Resources

State of Idaho

Department of Water Resources

Temporary Approval Analysis Sheet

- ☒ Yes ☐ No Basin No. Correct?
- ☒ Yes ☐ No Source is Groundwater?
- ☒ Yes ☐ No Lands are irrigated with surface water rights?
- ☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
- ☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks:

Canyon Co. Irrigated cropland
map does show the land covered
by this app. as irrigated under both
the Boise-Kuna & Nampa-Meridian
Irig. Districts.

Application Initially Received Date 4-29-87 Time 10:00 AM

File Prepared By EH Date 4-30-87 Time 9:00 AM

Staff Review By GP Date 4-30-87 Time 1:00 PM

Temporary Approval Prepared By AK Date 4/30/87 Time 2:00 PM

Temporary Approval Signed By DM Date 5/1/87 Time 8:30 am

Temporary Approval Mailed By EH Date 5/1/87 Time 8:55 AM

Index Updated By DM Date 5/1/87 Time 11:30 AM

MICROFILMED

AUG 27 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 30, 1987

Duane W. Warn
Rt. 3 Box 3441
Nampa, ID 83651

Re: Water Right No. 63-10460

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MICROFILMED

AUG 27 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10460


This is to certify that I have examined Application for Permit to
Appropriate the public waters of the State of Idaho No. 63-10460 and a
temporary approval to divert groundwater is granted until August 28, 1987,
subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more that the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

MICROFILMED
AUG 27 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 30th day of April, 1987.



DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

MICROFILMED

AUG 27 1987

63-10460

WARN, DUANE W.

RT. 3 BOX 3441, NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: SWSW Sec 13 T 02N R 02W

Use: IRRIGATION (1.580 CFS)

Date Filed: 04/29/1987

In: SWSW Sec 13 T 02N R 02W SESE Sec 14 T 02N R 02W NENE Sec 23 T 02N R 02W
FOR 79 ACRES

MICROFILMED

AUG 27 1987