


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAR 01 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don Muller

(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION

Don & or Bertha E. Mullin

Permit No. 63-10459

1. Owner: Michael Van Wassenhove No Assignment

Phone No. 495-2775

Current Address: 7198 Melmont Rd. Melba Id 83641

2. Accompanied by: Michael Van Wassenhove

EXAM. DATE: 7-24-92

Address: same

Phone No. same

Relationship to Permit Holder: same

3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

- ☐ Aerial Photo Attached

(required for irrigation of 10 acres or more).



Plu pld
↓

PERMIT 63 10457 INIT JD
T. R. S. Q/Q
P/D 10/20 22 renew
SCALE APR 19 1993
PHOTO ID. _____

T3808

P-16
1992
FN-3628
67.44
Acres

T3749

T3805

T3854

T39

T3808

T4453

T4916

T3845

T3751

T3820

T3750

T3816

T3821

T3858

APR 19 1993

RECEIVED

NON CROP

2
30.0

3
4.2

4
59.0

T3859 2

14.9

5
20.8

4
15.2

5
32

18.2

2
14.3

3
9.3

6
5.6

6
3.7

7
8.2

3
8.4

4
11.1

2
3.9

1
4.1

23.1

2
3.0

5.5

2
4.8

9
9.8

8
12.5

7
14.8

8
3.9

9
10

10
13.3

11
16.3

1
11.9

2
9.8

3
12.7

4
1.4

5
2.4

6
2.8

1
8.5

3
15.9

4
6.9

2
21.8

1
20.1

3
7.5

2
23.5

4.7

3
11.0

4
4.7

2
12.6

5.6

6
13.0

5
4.1

3
6.5

1
10.5

3
1.8

2
1.9

1
2.0

4
4.4

5
2.2

6
1.6

4
20.1

63-10459



View of well.
well has measuring
device installed



View of field.

NOT RECORDED

APR 19 1993

63-10459

*view of
fields.*



WFO

APR 19 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10459

Priority: April 29, 1987

Maximum Diversion Rate:

1.35 CFS

Maximum Diversion Volume:

303.3 AF

This is to certify, that DON MULLIN
BERTHA E MULLIN

RT 1 BOX 202

MELBA ID 836410000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 29, 1987; and has submitted Proof of Beneficial Use on September 7, 1988. An examination indicates that the works have a diversion capacity of 1.930 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.35 CFS	303.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 22, Township 01N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	02W	22	NENE 36	NWNE 31.4		67.4

Total number of acres irrigated: 67.4

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.


APR 19 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10459

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17TH
day of MARCH, 1993.

Acting for  R. Keith Higginson, Director

RECEIVED

19 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant DON & OR BERTHA E. MULLIN Phone 495-2775
Post office address ROUTE 1, Box 202, MELBA, ID 83641
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 22 Township 1N Range 2W B.M. CANYON County; additional
points of diversion if any: NWNE, S. 22, T. 1N, R. 2W.
4. Water will be used for the following purposes:
Amount 6.44 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.44 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WELL W/ PUMP & PIPE -
LINE TO PLACE OF USE.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECORDED

MAR 01 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	2W	22	36	36															72

Total number of acres to be irrigated 72

10. Describe any other water rights used for the same purposes as described above. BOISE - KUNA IRRIGATION DISTRICT - THIS IS A SUPPLEMENTAL WELL.


- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

REPROFILMED

MAR 01 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAR 01 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don Mullin
(Applicant)

Proposed Priority 4/29/87

Received by [Signature] Date 4/29/87 Time 10:00AM Preliminary check by [Signature]

Fee \$ 65.00 Received by [Signature] # 42384 Date 4/29/87

Publication prepared by [Signature] Date 5-27-87 Published in PRESS-TRIBUNE

Publication approved [Signature] Date 9/30/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10459, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 22nd day of October, 1987.

[Signature]
Director

MICROFILMED

MAR 01 1988

NOTICE OF APPLICATION FOR WATER RIGHT
 The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10472 ✓
RASGORSHEK, JOSEPH R.
 Rt. 1 Box 1287, Nampa, ID 83651
 Source: GROUNDWATER
 Diversion Pt: SESE Sec 14 T 03N R 03W
 Use: IRRIGATION (0.8 CFS)
 Date Filed: May 4, 1987
 In: SESE Sec 14 T 03N R 03W FOR 40 ACRES

63-10448
JESENKO, PAUL
 Star Rt., Melba, ID 83641
 Source: GROUNDWATER
 Diversion Pt: SENE Sec 23 T 01S R 02W
 Use: IRRIGATION (1.0 CFS)
 Date Filed: April 27, 1987
 In: SWNE SENE NESE NWSE Sec 23 T 01S R 02W FOR 160 ACRES

63-10450
PANCHERI, DARWIN &/or JOAN L.
 Rt. 4 Box 4261, Nampa, ID 83651
 Source: GROUNDWATER
 Diversion Pt: NWNE Sec 28 T 02N R 02W
 Use: IRRIGATION (0.8 CFS)
 Date Filed: April 27, 1987
 In: NWNE Sec 28 T 02N R 02W FOR 40 ACRES

63-10451
ANDRAE, BRENT
 Rt. 8 Box 224, Caldwell, ID 83605
 Source: GROUNDWATER
 Diversion Pt: SWNW Sec 11 T 03N R 03W
 Use: IRRIGATION (1.0 CFS)
 Date Filed: April 28, 1987
 In: NWNW SWNW Sec 11 T 03N R 03W FOR 80 ACRES

63-10452
WILLIAMS, FULTON &/or TRUKSA
 c/o ROGER WILLIAMS, 396 Holland Dr., Nampa, ID 83651
 Source: GROUNDWATER
 Diversion Pt: SWNE Sec 26 T 03N R 03W
 Use: IRRIGATION (0.440 CFS)
 Date Filed: April 28, 1987
 In: NWNE SWNE NWSE Sec 26 T 03N R 03W FOR 94 ACRES

63-10453
WOLLESON, ELEANOR
 Rt. 6 Box 92, Caldwell, ID 83605
 Source: GROUNDWATER
 Diversion Pt: Lot 04 (SWSW) Sec 31 T 04N R 03W
 Use: IRRIGATION (4.040 CFS)
 Date Filed: April 28, 1987
 In: Lot 01 (NWNW) Lot 02 (SWNW) NESW Lot 03 (NWSW) Lot 04 (SWSW) SESW Sec 31 T 04N R 03W FOR 202 ACRES

63-10459
MULLIN, DON &/or BERTHA E.
 Rt. 1 Box 202, Melba, ID 83641
 Source: GROUNDWATER
 Diversion Pt: NENE NWNE Sec 22 T 01N R 02W
 Use: IRRIGATION (1.440 CFS)
 Date Filed: April 29, 1987
 In: NENE NWNE Sec 22 T 01N R 02W FOR 72 ACRES

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JUNE 22, 1987.

KEN DUNN
 Director

RECEIVED

JUN 12 1987

Department of Water Resources
 Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
 County of Canyon)

Debra Kalousek
 of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper
Two times
 in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
June 4, 11, 1987

Debra Kalousek
 Subscribed and sworn to before me this
11th day of June
 19 87

Gannee Lusk
 Notary Public, Residing at Nampa, Idaho

FILED
 AUG 21 1987

MY COMMISSION EXPIRES
 JULY 12th, 1991

MAR 01 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 18, 1993

DON MULLIN
BERTHA E MULLIN
RT 1 BOX 202
MELBA ID 836410000

RE: WATER RIGHT NO. 63-10459

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

Pamela Skaggs

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

APR 19 1993

WR0749NP
No. 63-10459

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/25/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C DON MULLIN C BERTHA E MULLIN RT 1 BOX 202 MELBA ID 836410000	04/29/1987 IRRIGATION	03-15 11-15	1.35 CFS	303.3 AFA		
TOTAL DIVERSION:				1.35 CFS	303.3 AFA	

Water Source: GROUNDWATER

Point(s) of Diversion Capacity: 1.93 CFS

Point(s) of Diversion: T01N R02W S22 NE NE

Place of use Legal Description for: IRRIGATION

T	R	S	ENE	WNE	SENE	ENE	WNE	SENE	ENE	WNE	SENE	SUM
01N	02W	22	36	31								67.4
TOTAL ACRES												67.4

Pou County: CANYON

Other Rights: BOISE-KUNA IRRIGATION DISTRICT

Other Water Rights with Same Point(s) of Diversion and Source:
63-10459

Other Water Rights Listing Overlapping Place(s) of use:
63-10459

Conditions of Approval:

R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates: App. Received: 04/29/1987 Priority Date: 04/29/1987
Proof Due Date: 11/01/1988 Proof Made Date: 09/07/1988
Exam Made Date: 07/24/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 02/25/93 SKAGGS

028 0-25-93

(7)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION

Don & or Bertha E. Mollin

Permit No. 63-10459

1. Owner: Michael Van Wassenhove No Assignment

Phone No. 495-2775

Current Address: 7198 Melmont Rd. Millie Id 83641

2. Accompanied by: Michael Van Wassenhove

EXAM. DATE: 7-24-92

Address: SAME

Phone No. SAME

Relationship to Permit Holder: SAME

3. Source: groundwater tributary to -NA-

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system has a 25 hp well with a 14" casing. The well is 220' deep while the static is 121' the dynamic is 125' (owner est.). The water is pumped into a 4" line & then to the P.M.'s. The owner had installed a measurement device that read 866 gpm.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NA	25	NA	—	—

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			14	14	22	1n	2w	Canyon	Arrows; Arrows

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1n	2w	22	36	31.4															67.4

APR 19 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure tube	—	plastic	—	—	1/2"	

2. Measurements:

$$\text{Theoretical} = \frac{25 \times 9.5 \times .70}{125 + (2.23 \times 0) \over 175} = \frac{154}{175} = 1.23 \text{ cfs}$$
$$\text{Pressure tube: } 866 \text{ gpm} / 448 \text{ gpm} = 1.93 \text{ cfs capacity}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\text{Pressure tube} = 1.93 \text{ cfs}$$

$$\text{need} = 67.4 \text{ A} \times .02 = \underline{1.35 \text{ cfs}}$$

2. Alternate Method for Checking Purposes:

$$\text{Theoretical} = 1.23 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 167.4 \times 4.5 = 303.3 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.35 \times 245 \times 1.9835 = 656.04 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{303.3 \text{ AFA (IRR)}}$$

2. Volume Calculations for Other Uses:

None.

APR 9 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* The measuring device the owner had installed is consistent with the theoretical calculations.

Remarks - WB3/GW Supplemental

Conditions - R32

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	1.35 cfs	303.3 AFA
Totals:			1.35 cfs	303.3 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 19 1993

T3808

P-16
1992 67.44
FN-3628 100%

T3808

T3820

T3821

T3808

T3750


T3751

T3806

T3858

T3859

APR 19 1993



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-16459
Otherwise provide legal description and a sketch map and/or address
so that the well can be located easily.


1. Legal Description: TWP 1n, Rge 2w, Sec. 22, ne 1/4 ne 1/4
or Lot _____.
2. Owner: Michael Van Wassentove
Address Rt. 1 Box 202, City Melba, St Ida
3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____
4. Access Port: Yes ☒ No _____ Static Water Level: 121
Pressure Gauge: Yes _____ No ☒ Casing Diameter: _____
Flowing: Yes ☒ No _____ Temperature: _____
5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes _____ No _____

If answer to Item 5 is Yes, describe in remarks and attach
photo.


Remarks: _____

APR 19 1993

63-10459



*View of well.
well has measuring
device installed*



view of field.

APR 19 1993

63-10459

*view of
fields.*



APR 1963

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10459

Date: 11-17-88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

SEP 07 1988

For Office Use Only
Fee Received 125.00
Date 2/16/88
Receipt # 46080
Receipt by AMB
Reviewed by JS
Sent to region

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10459

Name(s) of Permit Holder: DON & /OR BERTHA MULLIN

Post Office Address: RT. 1 BOX 202 MELBA, ID 83641

Telephone No. 495-2275

Source of Water: GROUNDWATER

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 12 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 1.44 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: JUNE 1987

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No
Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

PERMIT HOLDER
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 06 1988

2/16/87
Date

Don Mullin
Signature of Permit Holder (and title, if appropriate)

To: File 63-10459

From: Groundwater Protection

Date: 11/17/88

100

20

22

Drilling Permit: ☒ Not Applicable June 1987
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
? ☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, And date drilled.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

The log A-d nr have
different Legals.


Log may be incorrect JB.

MICROFILMED

DEC 08 1988

Form 9 82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL IDENTIFICATION Name <u>Don Mullen</u> Address <u>Rt 1 Box 232 Melba Ida. 83641</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>121</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure ☐ p.s.i. _____ Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature <u>56</u> °F. Quality <u>HARD</u> (Show the artesian or temperature zones below)																																																																																						
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Repairment Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>900</u></td><td><u>125</u></td><td><u>24</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>900</u>	<u>125</u>	<u>24</u>																																																																															
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																						
<u>900</u>	<u>125</u>	<u>24</u>																																																																																						
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From</th><th>Depth To</th><th>Material</th><th>Water Yield</th></tr></thead><tbody><tr><td></td><td>0</td><td>2</td><td>Top Soil</td><td></td></tr><tr><td></td><td>2</td><td>5</td><td>Broken Basalt</td><td></td></tr><tr><td></td><td>5</td><td>44</td><td>Hard Basalt</td><td></td></tr><tr><td></td><td>44</td><td>51</td><td>Brown Cinders</td><td></td></tr><tr><td></td><td>51</td><td>52</td><td>Hard Basalt</td><td></td></tr><tr><td></td><td>52</td><td>70</td><td>Broken Basalt</td><td></td></tr><tr><td></td><td>70</td><td>151</td><td>Hard Basalt</td><td></td></tr><tr><td></td><td>151</td><td>153</td><td>Soft Black Cinders</td><td>✓</td></tr><tr><td></td><td>153</td><td>177</td><td>Firm Black Cinders</td><td>✓</td></tr><tr><td></td><td>177</td><td>178</td><td>Basalt</td><td></td></tr><tr><td></td><td>178</td><td>180</td><td>Soft Black Cinders</td><td>✓</td></tr><tr><td></td><td>180</td><td>199</td><td>Med Hard Basalt</td><td>✓</td></tr><tr><td></td><td>199</td><td>200</td><td>Soft Black Cinders</td><td>✓</td></tr><tr><td></td><td>200</td><td>213</td><td>Med Basalt</td><td>✓</td></tr><tr><td></td><td>213</td><td>215</td><td>Black Cinders</td><td>✓</td></tr><tr><td></td><td>215</td><td>217</td><td>1/2" dia broken rocks</td><td>✓</td></tr></tbody></table>		Bore Diam.	Depth From	Depth To	Material	Water Yield		0	2	Top Soil			2	5	Broken Basalt			5	44	Hard Basalt			44	51	Brown Cinders			51	52	Hard Basalt			52	70	Broken Basalt			70	151	Hard Basalt			151	153	Soft Black Cinders	✓		153	177	Firm Black Cinders	✓		177	178	Basalt			178	180	Soft Black Cinders	✓		180	199	Med Hard Basalt	✓		199	200	Soft Black Cinders	✓		200	213	Med Basalt	✓		213	215	Black Cinders	✓		215	217	1/2" dia broken rocks	✓
Bore Diam.	Depth From	Depth To	Material	Water Yield																																																																																				
	0	2	Top Soil																																																																																					
	2	5	Broken Basalt																																																																																					
	5	44	Hard Basalt																																																																																					
	44	51	Brown Cinders																																																																																					
	51	52	Hard Basalt																																																																																					
	52	70	Broken Basalt																																																																																					
	70	151	Hard Basalt																																																																																					
	151	153	Soft Black Cinders	✓																																																																																				
	153	177	Firm Black Cinders	✓																																																																																				
	177	178	Basalt																																																																																					
	178	180	Soft Black Cinders	✓																																																																																				
	180	199	Med Hard Basalt	✓																																																																																				
	199	200	Soft Black Cinders	✓																																																																																				
	200	213	Med Basalt	✓																																																																																				
	213	215	Black Cinders	✓																																																																																				
	215	217	1/2" dia broken rocks	✓																																																																																				
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dig ☐ Other _____																																																																																								
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.250</u> inches</td><td><u>12</u> inches</td><td><u>1.5</u> feet</td><td><u>19</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>1" plug in cap</u>		Thickness	Diameter	From	To	<u>.250</u> inches	<u>12</u> inches	<u>1.5</u> feet	<u>19</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																							
Thickness	Diameter	From	To																																																																																					
<u>.250</u> inches	<u>12</u> inches	<u>1.5</u> feet	<u>19</u> feet																																																																																					
_____ inches	_____ inches	_____ feet	_____ feet																																																																																					
_____ inches	_____ inches	_____ feet	_____ feet																																																																																					
_____ inches	_____ inches	_____ feet	_____ feet																																																																																					
Number	From	To																																																																																						
_____ perforations	_____ feet	_____ feet																																																																																						
_____ perforations	_____ feet	_____ feet																																																																																						
_____ perforations	_____ feet	_____ feet																																																																																						
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Canyon</u> <u>NE 1/4 NW 1/4 Sec 22, T. 1 N, N.B. R. 2 W E.W.</u>		10. Work started <u>5-3-87</u> finished <u>5-23-87</u>																																																																																						
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Johnston Drilling Firm No. 92</u> Address <u>Rt 1 Box 232 Melba Ida. 83641</u> Date <u>6/1/87</u> Signed by (Firm Official) <u>Charles Johnston</u> and (Operator) <u>Don Johnston</u>																																																																																								

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

11/9/88

RECEIVED

TO: RITA FLECK

FROM: MIKE ST.

NOV 10 1988

RE: 63-10459

Department of Water Resources

MRS MULLIN WAS IN THE OFFICE TODAY
WITH A LETTER FROM YOU INDICATING
THEY STILL NEEDED TO PAY THE EXAM
FEE. AS YOU CAN SEE, THIS HAS ALREADY
BEEN DONE. COULD YOU PLEASE TAKE
CARE OF THIS MATTER. THANKS.

MSB

DON MULLIN
SSN. 519-42-2253
ROUTE 1 495-2775
MELBA, ID 83641

6909
2-16 1988 92-324/1241

Pay to the order of Dept of Water Resources \$ 125.00
One Hundred and Twenty Five & 00/100 Dollars

For Don Mullin

PAID
IDaho STATE BANK
P.O. BOX 128
KUNA, IDAHO 83641
92-324

124103 6909 03067106 0000012500

Rocky Mountain Bank Note #

STATE OF IDAHO
Department of Water Resources
Boise, Idaho, 2/16/, 1988

Acct. No. 1238-121
46080

RECEIVED FROM DON MULLIN of MELBA \$ 125.00
One Hundred & Twenty Five & 00/100 DOLLARS

FOR

LICENSE EXAM.	\$	
FEE (63-10459)	\$	125 00
	\$	
	\$	
TOTAL - - -	\$	125 00

CHE NO. 6909
92-324/1241
A. Michael S. [Signature]

DEC 08 1988

138339

August 31, 1988

DON MULLIN
BERTHA E. MULLIN
RT. 1 BOX 202
MELBA, ID 836410000

PROOF DUE NOTICE

RE: PERMIT NO. 63-10459

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

DEC 06 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
OCTOBER 30, 1987

MULLIN, DON & BERTHA E.
RT. 1 BOX 202
MELBA, ID 83641

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10459

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

SECTION 42-235, IDAHO CODE, REQUIRES THAT A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

FILED

MAR 01 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Thute APPLICATION NUMBER: 63-10459

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. Boise - Kuna Irr Dist
☐ Yes ☐ No Final date for protests: June 22 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/12/87
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 25/42387
☒ Publication dates and paper, recorded on application. 6/4 + 6/11/87
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ Date of priority recommended. 4/29/1987
Special conditions of approval or cover letter. OIC

MAR 01 1988

By: Dar

Date: 9/30/1987

STATE OFFICE REVIEW:

103, L16, L23

46 OIG

RECEIVED

- ☐ See attached sheet for more information.

By: CW

Date: 10/20/87

OCT 07 1987

State of Idaho

Department of Water Resources

Temporary Approval Analysis Sheet

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks:

Canyon County Irrigated Cropland
map does show the land covered by
this app. as being irrigated under
the Boise - Kuna Irrigation Dist.

Application Initially Received Date 4/29/87 Time 10:00 AM
File Prepared By EH Date 4/30/87 Time 9:00 A.M.
Staff Review By JP Date 4/30/87 Time 1:00 PM
Temporary Approval Prepared By P Date 4/30/87 Time 2:00 PM
Temporary Approval Signed By DM Date 5/1/87 Time 8:30 AM
Temporary Approval Mailed By EH Date 5/1/87 Time 8:55 AM
Index Updated By DM Date 5/1/87 Time 11:00

RECEIVED

MAR 01 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 30, 1987

Don &/or Bertha E. Mullin
Rt. 1 Box 202
Melba, ID 83641

Re: Water Right No. 63-10459

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MICROFILMED

MAR 01 1988

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10459

This is to certify that I have examined Application for Permit to
Appropriate the public waters of the State of Idaho No. 63-10459 and a
temporary approval to divert groundwater is granted until August 28, 1987,
subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

MAR 01 1988

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 30th day of April, 1987.

David R. Tuthill, Jr.
DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

MAR 01 1988

63-10459

MULLIN, DON &/or BERTHA E.

RT. 1 BOX 202, MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt: NENE NWNE Sec 22 T 01N R 02W

Use: IRRIGATION (1.440 CFS)

Date Filed: 04/29/1987

In: NENE NWNE Sec 22 T 01N R 02W FOR 72 ACRES

MICROFILMED

MAR 01 1988