


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Don Grant
(Applicant)

RECEIVED
JAN 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Duane Yamamoto Permit No. 63-10449
Current Address: PO Box 64 Kuna ID 83634 Phone No. 922-5514
2. Accompanied by: Same EXAM. DATE: 9-10-91
Address: _____ Phone No. _____
Relationship to Permit Holder: Owner
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-02388 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = none

PROPERTY MED

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more). **FEB 01 1993**
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

PERMIT NO. 63-10449

WORKSHEET FOR
TRAPEZOIDAL CEMENT DITCH VOLUME CALCULATIONS
AND
DIVERSION RATE CALCULATIONS

#2 SWNE

- A. Measured time to fill 6.996.5 ----- = 6.7 sec.
- B. Cross sectional area calculations.
1. Side W length determination

$$(\{V \underline{2.5}\} - \{Y \underline{1.8}\}) / 2 = \underline{.35} \quad (W)$$
 2. Area determination of sections A and C


$$(W \underline{.35}) * (X \underline{.42}) = \underline{.15} \text{ Sq. Ft.}$$
 3. Area determination of section B

$$(X \underline{.42}) * (Y \underline{1.8}) = \underline{.76} \text{ Sq. Ft.}$$
 4. Total of cross sectional area

$$(B. 2.) + (B. 3.) = \underline{.91} \text{ Sq. Ft.}$$
- C. Length of ditch segment ----- = 12 Ft. (Z)
- D. Total volume of ditch segment.
 Area times length of section.

$$(B. 4.) * (Z) = \underline{10.92} \text{ Cu. Ft.}$$
- D. Diversion rate calculation
 Total ditch volume / Time to fill.

$$(D.) / (A) = \frac{1.63}{(81'')} \text{ CFS} \quad \checkmark$$



V = 2.5'
 Y = 1.8'
 X = .42'
 Z = 12'

(4" water running in ditch -
 X & y measures modified accordingly.
 Timing began when 2nd dam board
 set in place - Fill rate taken
 between 2 dam boards
 using 9" tall dams)

ERMIT NO. 63-10449

WORKSHEET FOR
TRAPEZOIDAL CEMENT DITCH VOLUME CALCULATIONS
AND
DIVERSION RATE CALCULATIONS

#1 SESE

- A. Measured time to fill 17.25 & 15.94 ----- = 16.6 sec.
- B. Cross sectional area calculations.
1. Side W length determination

$$(\{V \underline{3}\} - \{Y \underline{1.75}\}) / 2 = \underline{.63} \quad (W)$$
 2. Area determination of sections A and C

$$(W \underline{.63}) * (X \underline{.83}) = \underline{.52} \text{ Sq. Ft.}$$
 3. Area determination of section B


$$(X \underline{.83}) * (Y \underline{1.75}) = \underline{1.50} \text{ Sq. Ft.}$$
 4. Total of cross sectional area

$$(B. 2.) + (B. 3.) = \underline{2.02} \text{ Sq. Ft.}$$
- C. Length of ditch segment ----- = 12 Ft. (Z)
- D. Total volume of ditch segment.
 Area times length of section.

$$(B. 4.) * (Z) = \underline{24.24} \text{ Cu. Ft.}$$
- D. Diversion rate calculation
 Total ditch volume / Time to fill.

$$(D.) / (A) = \underline{1.46} \text{ CFS}$$

 (73")





Survey
0,000-scale aerial
Idaho
Mercator grid, zone 11
American Datum 1983 move
and 77 meters east
Planning
e occur use the
nt
ed 1971
en positions on land lines

2N 1W

NORTH

SCALE 1:24 000

1000 0 1000 2000 3000 4000 5000 6000


Copies Of These Maps Can Be Ol
At Bonneville Blue Print, Boise I

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, MENLO PARK, CALIF. 9

This map has been prepared by the Idaho Department of Water Resources pursuant to Idaho Code §42-1410 to assist claimants in filing notices of claims and objections in the Snake River Basin Adjudication. No warranty, either express or implied, is made and no legal responsibility is assumed by IDWR, its employees, its agents, contractors, and reproduction firms particularly Bonneville Blueprint Supply Co. Inc. or its employees for the accuracy, completeness, or usefulness of any information set forth on this map.

PROPERTY WFO

FEB 01 1993



Not To Scale

FEB 01 1993

63-10449

1. P/D #1, SESE



2. Place of Measurement
at P/D #1



3. P/D #2, SWNE



PROPERTY MED

1 1993

63-10449



4. Place of measurement
at P/O #2



5. Place of use
in SWNE

RECEIVED

FEB 01 1993

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10449

Priority: May 21, 1987

Maximum Diversion Rate: 2.70 CFS

Maximum Diversion Volume: 607.5 AF

This is to certify, that DUANE YAMAMOTO
PO BOX 64

KUNA ID 836340000

KUNA ID 836340000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 27, 1987; and has submitted Proof of Beneficial Use on August 25, 1989. An examination indicates that the works have a diversion capacity of 3.090 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.70 CFS	607.5 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 16, Township 02N, Range 01W
SESE , Sec. 16, Township 02N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
02N	01W	16	NWNE	32	SWNE	37	NESE	28	
			SESE	38					135

Total number of acres irrigated: 135

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water

FEB 01 1993

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-10449

CONDITIONS/REMARKS:

under this right.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27TH
day of JANUARY, 1993.

Acting for  R. Keith Higginson, Director

FILED 1993

State of Idaho
Department of Water Resources

RECEIVED

NOV 23 1992

Department of Water Resources

APPROVED

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 63-10449

Date of Priority: May 21, 1987

Maximum Diversion Rate:

2.70 CFS

Maximum Diversion Volume:

607.5 AF

Comes now

DUANE YAMAMOTO

PO BOX 64

KUNA ID 836340000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10449, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.70 CFS	607.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 16, Township 02N, Range 01W
SESE , Sec. 16, Township 02N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01W	16	NWNE 32	SWNE 37	NESE 28	135
			SESE 38			

Total number of acres irrigated: 135

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Idaho Department of Water Resources, this 16 day of NOVEMBER, 1992.

Idaho Department of Water Resources
(Signature)

REC-11 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10449

FOR DEPARTMENT USE ONLY

Preliminary check by CR Fee = \$20.00 Received by Kj # 6026102 Date 11-24-92


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10449 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 27TH day of January, 1993.


Acting for R. Keith Higginson, Director

728 01 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10449 IN THE
NAME OF DUANE YAMAMOTO

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1989; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, on August 1, 1989 the permit lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 25, 1989;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10449 be REINSTATED and the priority advanced to May 21, 1987.

Dated this 30th day of October, 1989.

MICROFILMED

NOV 21 1989


L. GLEN SAXTON, Chief
Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Receipted by CP
Date 6-30-1988
Receipt # C001673

JUN 30 1988

REQUEST FOR EXTENSION OF TIME

Department of Water Resources provides additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted
an additional period of time in which to complete development of a water right under the provisions of Section
42-204, Idaho Code.

Permit No. 63-10449

Name(s) of Permit Holder: DUANE YAMAMOTO

Post Office Address: P.O. Box 64 Kuna Idaho 83634

Telephone No. 922-5514

Date Proof is Due: Aug. 1 1988

Describe what work has been completed toward the development of this water right: WELL HAS BEEN
(This must be filled out! If no work has been completed, show "none".)

DRILLED. WELL IS NOW POWERED BY DIESEL MOTOR & PUMPING WATER.
WELL HAS NOT BEEN DEVELOPED TO ITS FULL POTENTIAL AS IT
IS STILL PUMPING SAND. IT WILL REQUIRE MORE PUMPING
TIME TO REACH ITS HIGHEST OUTPUT. Costing \$ 14000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Permit holder(s) request an extension to Aug 1, 19 1988
(1 yr. minimum)

Duane Yamamoto
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within
which to submit proof of beneficial use is extended to August 1, 1989.

DEC 02 1988

Signed this 13th day of October, 1988.

J. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant DUANE YAMAMOTO Phone 922-5514

Post office address P.O. Box 64, KUNA, ID 83634

2. Source of water supply GROUNDEWATER which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SE 1/4 of SE 1/4, Govt. Lot _____

Sec. 16 Township 21N Range 1W B.M. ADA County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.92 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs ~~acre-feet per annum~~)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.92 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP & PIPELINE
TO PLACE OF USE.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

APPROVED

AUG 21 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	1W	16		36	37										33			40	146

Total number of acres to be irrigated 146

10. Describe any other water rights used for the same purposes as described above. _____

BOISE-KUNA IRRIGATION DISTRICT

11. a. Who owns the property at the point of diversion? APPLICANT


b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: SUPPLEMENTAL WELL

AUG 21 1987

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Susan Yount
(Applicant)

Proposed Priority 4/27/87

Received by [Signature] Date 4/27/87 Time 3:15 PM Preliminary check by _____

Fee \$ 85.00 Received by [Signature] # 42374 Date 4/27/87

Publication prepared by [Signature] Date 5-27-87 Published in Idaho Statesman
6/4 - 6/11/87

Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10449, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 20th day of July, 1987.

[Signature]
Chief, Operations Bureau

REFILMED

AUG 21 1987

JUN 12 1987

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

Department of Water Resources

LEGAL ADVERTISING INVOICE

Amount Due

125.83

Account Name Idaho Department of Water Resources (Western)				Account Number #47628	
Address Statehouse		City/State Boise, ID		Zip 83720	
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1987 June 4, 11		
Identification Applications for Water Rights			Estimated Inches	Real Inches	
1 Number of Affidavits Requested					Legal Number #5519

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10486

Nowierski, L. William D.
1719 Gekeler Ln.
Boise, ID 83706

Source: Groundwater
Diversion Pt: SWNE Sec. 33 T 05N R 01E

Use: Irrigation (0.7 CFS)
Use: Stockwater (0.020 CFS)
Use: Domestic (0.040 CFS)
Date Filed: 05/15/1987
In: SWNE Sec 33 T 05N R 01E — for 35 Acres

63-10447

Wilde, Gorth
359 Stillwell Dr.
Eagle, ID 83616

Source: Groundwater
Diversion Pt: NWSE Sec 33 T 05N R 01E

Use: Irrigation (0.4 CFS)
Date Filed: 04/27/1987
NWSE Sec 33 T 05N R 01E — for 20 Acres

63-10449

Yamamoto, Duane
P.O. Box 64
Kuna, ID 83634

Source: Groundwater
Diversion Pt: SESE Sec 16 T 02N R 01W

Use: Irrigation (2.920 CFS)
Date Filed: 04/27/1987
In: NWNE SWNE NESE SESE Sec 16 T 02N R 01W — for 146 Acres

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on, or before, June 22, 1987.

KEN DUNN
Director

Pub. June 4, 11, 1987

5519

RECEIVED

JUN 16 1987

STATE OF IDAHO)

SS.

COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Deborah Gregory

being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2)

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of June 4, 1987

and ending with the issue of June 11, 19 87

Deborah Gregory

Subscribed and sworn to before me this 11th

day of June, 19 87

AUG 21 1987

Connie Blackburn 8/92
Notary Public for Idaho, Residing at Boise, Idaho



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 28, 1993

DUANE YAMAMOTO
PO BOX 64
KUNA ID 836340000

RE: WATER RIGHT NO. 63-10449

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 15, 1992

DUANE YAMAMOTO
PO BOX 64
KUNA ID 836340000

RE: WATER RIGHT NO. 63-10449

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FEB 01 1993

LICENSE REVIEW CHECKLIST

Permit # 63-10449

Date 11-02-92
C8

	Yes	No	
NAME	___	<u>✓</u>	Address Change?
PRIORITY DATE	___	<u>✓</u>	Advance? _____
	___	<u>✓</u>	Memo to Advance
	___	<u>✓</u>	Order to Reinstate Needed? <u>DONE</u>
TOTAL CFS	___	<u>✓</u>	Incorrect Fee for rate recommended?
	___	<u>✓</u>	Disagree with Actual Measurement?
	___	<u>✓</u>	<u>135x.02 = 2.7 cfs (IRR)</u>
	___	<u>✓</u>	Disagree with Theoretical?
	___	<u>✓</u>	Limited by Capacity? <u>3.09 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	<u>✓</u>		Disagree with Examiner's Calculations?
			<u>135x4.5 = 607.5 cfs (IRR)</u>
	<u>✓</u>		Limited by Flow? _____
SOURCE	___	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	___	<u>✓</u>	<u>Intended</u> source
	___	<u>✓</u>	Notice of Intent to Void.
P/D			Verify with Map
	<u>✓</u>		Amendment Needed? <u>Add 2nd P/D in SWNE, S16</u>
	___	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	___	<u>✓</u>	Amendment Needed? _____
	___	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	___	<u>✓</u>	Change(s) in Nature of Use? _____
	___	<u>✓</u>	Amendment Needed? _____
REMARKS	___	<u>✓</u>	Multiple P/Ds in 1/4 1/4? _____
	___	<u>✓</u>	Non-Irr. Uses _____
	<u>WR3</u>	<u>✓</u>	Special Overlap Condition <u>GW/supplemental</u>
	___	<u>✓</u>	Other _____
CONDITIONS	___	<u>✓</u>	Measuring Device
	___	<u>✓</u>	W/Master Control
	<u>R32</u>	___	Overlap
	___	<u>✓</u>	Water Quality
			DATES/MISC
			Water Dist.
			App Rec'd
			Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres rate Amend P/O

License 10-Day 15-Day ☒ Special Correspondence

WR0749NP
No. L63-10449

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/01/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	DUANE YAMAMOTO PO BOX 64 KUNA ID 836340000 (208) 922-5514	05/21/1987	IRRIGATION	03-15 11-15	2.70 CFS	607.5 AFA
TOTAL DIVERSION:					2.70 CFS	607.5 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 3.09 CFS

Point(s) of Diversion: T02N R01W S16 SW NE SE SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE							
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM		
02N	01W	16	:			32		37										28		38	:	135.0	
																				TOTAL ACRES		135.0	

Pou County: ADA

Other Rights: BOISE-KUNA IRRIGATION DISTRICT.

Other Water Rights with Same Point(s) of Diversion and Source:
63-10449

Other Water Rights Listing Overlapping Place(s) of use:
63-10449

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	04/27/1987	Priority Date:	05/21/1987	(Priority Date Advanced.)
	Proof Due Date:	08/01/1989	Proof Made Date:	08/25/1989	(Proof Received Late.)
	Exam Made Date:	09/10/1991	Exam Sent to S.O.:	01/13/1992	
	Licensed Date:				

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 11/01/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 22 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Duane Yamamoto Permit No. 63-10449
Current Address: 20 Boy 64 Lane ID 83634 Phone No. 922-5514
2. Accompanied by: Same EXAM. DATE: 9-10-91
Address: _____ Phone No. _____
Relationship to Permit Holder: Owner
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-02388 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = none

☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

FEB 01 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two pumping Stations supply supplemental water via concrete ditch, buried & gated pipe for surface irrigation. Each system is designed to irrigate mostly unique acreage but may be integrated & combined to water any parcel. Pumps at this time are operated by diesel engine but may be converted to electric at a later date. ~~The overlap is Boise-Kuna Irrigation District~~ HP unknown. Theoretical formulas based on stamped motor HP

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	U.S. Elec.	40	9515-00-D-991	Holloshoff	12" 2 Stage 8"
2	U.S. Elec	80	9487-00-H-075	Holloshoff	12" 2 Stage 8"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1		SE	SE	SE	16	2N	1W	Ada	Topo map/owner assist
2		SW	NE	NE	16	2N	1W	Ada	" "

6. **Place(s) of Use:**

Indicate Method of Determination Above

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	1W	16		32	37										28			38	135

MICROFILMED

Do not use this space

FEB 01 1993

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Stopwatch						

2. Measurements:

Trapezoidal rate of fill, concrete ditch

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

well #1 1.46 cfs
well #2 1.63 cfs > 3.09 cfs total -

2. Alternate Method for Checking Purposes:

HP #1 $\frac{40 \times 8.8 \times .7}{80 + (20 \times 2.31)} = 1.95 \text{ cfs}$ -

Both open discharge
Pump #2 with
oversized motor
probably not capable
of this much.

F. PUMP EFFICIENCY DATA (Optional)

HP #2 $\frac{80 \times 8.8 \times .7}{80 + (20 \times 2.31)} = 3.9 \text{ cfs}$ -

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

(135 x .02 = 2.7 max diversion)

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 135 \times 4.5 = 607.5$ -

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.7 \times 246 \times 1.9835 = 1317.4$ -

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 607.5$

2. Volume Calculations for Other Uses:

MICROFILM

FEB 01 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Well #2 drilled this year & needs to be added to permit.
Flow measurement port requirement not necessary
for open discharge system.

Set up

Well #2 ~~operating~~ ^{probably} with oversized motor & therefore
will ~~probably~~ not produce theoretical capacity but actually
closer to Well #1. Both well log test pumps are at ~2 cfs.

P/A overlap is Boise-Kuna Irrigation District

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	2.7	607.5
Totals:			2.7	607.5

2. Recommended Amendments

☐ Change P.D. as reflected above

☒ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name


CINDY HODGES

Signature

Cynthia J. Hodges

Certification Date

Field Report Preparation Date



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

FEB 01 1993

PERMIT NO. 63-10449

WORKSHEET FOR
TRAPEZOIDAL CEMENT DITCH VOLUME CALCULATIONS
AND
DIVERSION RATE CALCULATIONS

#2 SWNE

- A. Measured time to fill 6.75 6.5 ----- = 6.7 sec.
- B. Cross sectional area calculations.
1. Side W length determination

$$((V \underline{2.5}) - (Y \underline{1.8})) / 2 = \underline{.35} \quad (W)$$
 2. Area determination of sections A and C


$$(W \underline{.35}) * (X \underline{.42}) = \underline{.15} \text{ Sq. Ft.}$$
 3. Area determination of section B

$$(X \underline{.42}) * (Y \underline{1.8}) = \underline{.76} \text{ Sq. Ft.}$$
 4. Total of cross sectional area

$$(B. 2.) + (B. 3.) = \underline{.91} \text{ Sq. Ft.}$$
- C. Length of ditch segment ----- = 12 Ft. (Z)
- D. Total volume of ditch segment.
 Area times length of section.

$$(B. 4.) * (Z) = \underline{10.92} \text{ Cu. Ft.}$$
- D. Diversion rate calculation
 Total ditch volume / Time to fill.

$$(D.) / (A) = \underline{\frac{1.63}{(81'')}} \text{ CFS } \checkmark$$



(4" water running in ditch -
 X & y measures modified accordingly.
 Timing began when 2nd dam board
 set in place - Fill rate taken
 between 2 dam boards
 using 9" tall dams)

ERMIT NO. 63-10449

WORKSHEET FOR
TRAPEZOIDAL CEMENT DITCH VOLUME CALCULATIONS
AND
DIVERSION RATE CALCULATIONS

#1 SESE

- A. Measured time to fill 17.25 & 15.94 ----- = 16.6 sec.
- B. Cross sectional area calculations.
1. Side W length determination

$$((V \ 3) - (Y \ 1.75)) / 2 = \underline{.63} \quad (W)$$
 2. Area determination of sections A and C

$$(W \ .63) * (X \ .83) = \underline{.52} \text{ Sq. Ft.}$$
 3. Area determination of section B


$$(X \ .83) * (Y \ 1.75) = \underline{1.50} \text{ Sq. Ft.}$$
 4. Total of cross sectional area

$$(B. 2.) + (B. 3.) = \underline{2.02} \text{ Sq. Ft.}$$
- C. Length of ditch segment ----- = 12 Ft. (Z)
- D. Total volume of ditch segment.
 Area times length of section.

$$(B. 4.) * (Z) = \underline{24.24} \text{ Cu. Ft.}$$
- D. Diversion rate calculation
 Total ditch volume / Time to fill.

$$(D.) / (A) = \underline{1.46} \text{ CFS}$$

 (73")



$$\begin{aligned} V &= 3' \\ Y &= 21'' = 1.75' \\ X &= 10'' = .83' \\ Z &= 12' \end{aligned}$$

(2" Standing water
in ditch before
fill-compensated by
modified X & Y measures)
using 1 ft high dams



Survey
 1:24,000-scale aerial
 Idaho
 Mercator grid, zone 11
 American Datum 1983 move
 and 77 meters east
 Planning
 occur use the
 nt
 and 1971
 n positions on land lines

2N 1W

NORTH

SCALE 1:24 000

1000 0 1000 2000 3000 4000 5000 6000

1 5 0 1

Copies Of These Maps Can Be Obtained
 At Bonneville Blue Print, Boise Idaho

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY, MENLO PARK, CALIF. 9

This map has been prepared by the Idaho Department of Water Resources pursuant to Idaho Code §42-1410 to assist claimants in filing notices of claims and objections in the Snake River Basin Adjudication. No warranty, either express or implied, is made and no legal responsibility is assumed by IDWR, its employees, its agents, contractors, and reproduction firms particularly Bonneville Blueprint Supply Co. Inc. or its employees for the accuracy, completeness or usefulness of any information set forth on this map.

SEP 9 1 1983

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10449 #1
Otherwise provide legal description and a sketch map and/or address
so that the well can be located easily.

1. Legal Description: TWP 2N, Rge 1W, Sec. 16, SE 1/4 SE 1/4
or Lot _____.
2. Owner: Duane Yamamoto
Address _____, City _____, St _____
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: 70'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 12"
Flowing: Yes ☐ No ☒ Temperature: COLD
5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach
photo.

Remarks: _____

RECORDED

FEB 01 1993

Holloshaft 40 HP

US ELEC. 1760 RPM

9515-00-D-991

2 Stage

8" Bowls Set @ 100 ft

$$\frac{40 \times 8.8 \times .7}{75 + \underset{\substack{\uparrow \\ \text{psi}}}{(20 \cdot 2.31)}} = 2.03 \text{ cfs}$$

$$@ 80' = 1.95 \text{ cfs} = 9.7''$$

MICROFILMED

FEB 11 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10449 #2

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2N, Rge 1W, Sec. 16, SW_{1/4} NE_{1/4} or Lot _____.
2. Owner: Duane Yamamoto
Address _____, City _____, St _____
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: 69'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 12"
Flowing: Yes ☐ No ☒ Temperature: COLD
Properly Valved: Yes ☐ No ☐
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

RECEIVED

FEB 01 1993

US electric ● HP
1760 RPM

ID# 9487-00-H-075

2 Stage

Bowl 8" @ 120


MICROFILMED

FEB 01 1993



63-10449

1. P/D #1, SESE



2. Place of Measurement
at P/D #1



3. P/D #2, SWNE

RECEIVED

1 1993

63-10449



4. Place of measurement
at P/O #2



5. Place of use
in SWNE

FEB 11 1950

October 31, 1989

DUANE YAMAMOTO
P.O. BOX 64
KUNA, ID 836340000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10449

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

MINUTEMED

NOV 21 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10449

Date: 10-26-89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
Y 1. well log in file
Y 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
No Has one been installed?
Y/w Waiver or modification of measuring device requested

Remarks:

- Needs a flow measurement port
- Reinstated
- Proof acceptable

Y/H Priority Calculation:

Date proof received	<u>Aug 25</u>	_____
Date proof due	<u>Aug 1</u>	_____
No. of days late		= <u>24</u>
Priority date	<u>Apr 27, '87</u>	+ <u>117</u>
NEW PRIORITY DATE	<u>May 21, 87</u>	= <u>141</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

For Office Use Only
Fee Received 150.00
Date 8-25-1989
Receipt # W004954
Receipt by RR
Reviewed by 10-26-89
Sent to region ✓
Copy Kept at Region

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10449

Name(s) of Permit Holder: DUANE YAMAMOTO

Post Office Address: P.O. Box 64, KUNA IDAHO 83634

Telephone No. 922-5514

Source of Water: GROUNDWATER

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 146 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 2.92 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: MAY 1988

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 150.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

SAME AS ABOVE
(Name) (Telephone Number)

SAME AS ABOVE
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOT RECORDED

NOV 21 1989

8/25/89
Date

Duane Yamamoto
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
→ 1.01 - 2.0	101 - 200	125.00
→ 2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

03/11/2012

138281
May 31, 1989

DUANE YAMAMOTO
P.O. BOX 64
KUNA, ID 836340000

PROOF DUE NOTICE

RE: PERMIT NO. 63-10449

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

NOV 21 1989

October 14, 1988

Duane Yamamoto
P. O. Box 64
Kuna, ID 83634

Dear Mr. Yamamoto:

Re: Permit No. 63-10449

Enclosed is a copy of the approved request for extension of time. The time within which to submit the proof of beneficial use form is extended to August 1, 1989.

If you have any questions or concerns regarding the permit, please contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

DEC 14 1988

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 63-10449

Reviewed by JG

Date 10-12-1988

BASIC INFORMATION

- 4 Date stamp received
4 Extension received timely
 (not prior to 6 month before proof due date or after reinstatement period)
4 Fee received and receipted
4 Name and signature same as permit
N Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

- 4 Has adequate work been completed to demonstrate due diligence?
4 Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- N/A Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested _____

ACTION TAKEN

Recommend approval based on due diligence for one year

Special conditions or remarks:

N/A Reinstatement Date extension received _____ = _____
 Proof due date _____ = -
 No. of days late _____ = _____
 Priority date _____ = +
 ADJUSTED PRIORITY DATE _____ = _____

____ Prepare coding sheet
 ____ Change rolodex cardf

State law requires that this report be filed with the Director, Department of Water Resources
 20 within 30 days after the completion or abandonment of the well.

1994 2 3 1998

JUL 18 1988

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

138719
CERTIFIED MAIL
May 31, 1988

YAMAMOTO, DUANE
P.O. BOX 64
KUNA, ID 83634

PROOF DUE NOTICE

RE: Permit No. 63-10449

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

DEC 02 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 24, 1987

YAMAMOTO, DUANE
P.O. BOX 64
KUNA, ID 83634

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10449

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA. BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

MAILED

AUG 21 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECORDED

AUG 21 1987

3/79

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan ShuntAPPLICATION NUMBER: 63-10449

CHECK:

- ☒ Source.
☒ Point of diversion, NO G.C.T. LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated, NO G.C.T. LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use.
Boise-Kuna Terr Dist rights.
☒ Yes ☐ No* In form for advertising.
 Final date for protests: June 22, 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: June 16, 1987
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 6/4 + 6/11/87
☒ Publication dates and paper, recorded on application.
None ☐ Protests, dates, withdrawal, etc., recorded on application.
Approve, Dept ☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
4/27/1987 Date of priority recommended.
 Special conditions of approval or cover letter. OIC

RECEIVED
AUG 21 1987

OK Recommend that one year be allowed for the completion of this project.

By: DraDate: 7/8/87

STATE OFFICE REVIEW:

New g.w. condition & paragraph

RECEIVED
JUL 10 1987

- ☐ See attached sheet for more information.

By: KWDate: 7/13/87

Department of Water Resources

103, 105, 110

OIC

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks: Ada Co. Irrigated Cropland map
shows the E 1/2 SE 1/4, Sec. 16 as irrigated
under Boise-Runa Irrig. Dist. and the
W 1/2 NE 1/4, Sec. 16, T. 2 N, R. 1 W as irrigated
under the New York Irrig. Dist.

Application Initially Received Date 4/27/87 Time 3:15 pm
File Prepared By jp Date 4/28/87 Time 9:30 am
Staff Review By JP Date 4/29/87 Time 10:00 AM
Temporary Approval Prepared By JP Date 4/29/87 Time 1:00 pm
Temporary Approval Signed By DM Date 4/29/87 Time 1:30 pm
Temporary Approval Mailed By CH Date 4/29/87 Time 1:35 PM
Index Updated By DM Date 4/29/87 Time 1:30 p

MAINTAINED

AUG 21 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 29, 1987

Duane Yamamoto
P.O. Box 64
Kuna, ID 83634

Re: Water Right No. 63-10449

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

RECEIVED

AUG 21 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10449


This is to certify that I have examined Application for Permit to
Appropriate the public waters of the State of Idaho No. 63-10449 and a
temporary approval to divert groundwater is granted until August 27, 1987,
subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

RECEIVED
AUG 21 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 29th day of April, 1987.



DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

RECEIVED

APR 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MAY 27, 1987

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 22, 1987.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

AUG 21 1987

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JUNE 22, 1987.

KEN DUNN, Dir.

MICROFILMED

Published 06/04 & 06/11/87.

AUG 21 1987

63-10449

YAMAMOTO, DUANE

P.O. BOX 64, KUNA, ID 83634

Source: GROUNDWATER

Diversion Pt: SESE Sec 16 T 02N R 01W

Use: IRRIGATION (2.920 CFS)

Date Filed: 04/27/1987

In: NWNE SWNE NESE SESE Sec 16 T 02N R 01W FOR 146 ACRES

RECORDED

AUG 21 1987