

T 4N R 2W
 40 40 40 40 ← P/D
 20 20
 26

REFILED
 AUG 21 1981

Wayne Nangle
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

MAY 18 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: WAYNE NAUGLE Permit No. 63-10437
Current Address: Rt 2 Box 2184 NAMPA, ID 83651 Phone No. 466-9075
2. Accompanied by: KENNETH NAUGLE EXAM. DATE: 08-05-88
Address: SAME Phone No. _____
Relationship to Permit Holder: SON
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-2614 ARTESIAN WELL IRRIGATES 80 ACRES.
63-2529 & 63-2891 PIONEER IRRIGATION CO. (PHYLLIS CANAL) ☒ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).


MICROFILMED

MAR 18 1991

DITCH GRADE NEARLY LEVEL
DAM BOARD WAS HIGH SIDE

DRAWING NOT TO SCALE.

CROSS SECTION OF
CEMENT DITCH.



TEST ONE.

1 min 20 SEC TO FILL TO MARK

TEST Two


SAME TIME

$$\begin{aligned} \text{VOLUME} &= \frac{190 \text{ ft}^3}{80 \text{ SEC}} = \underline{\underline{2.4 \text{ CFS}}} \end{aligned}$$

DITCH FILL WAS GOOD NO APPRECIABLE WAVES NOTED BY THE TIME WATER REACHED THE 1.5 ft MARK ON THE SIDE OF THE DITCH. DITCH SEAL AT EITHER END WAS GOOD.

MICROFILMED

MAR 18 1991



63-10437
4N-2W
SEC 26
PD = NE 1/4
Phyllis

CEMENT
DITCHES

IRR

END
OF IRRIGATION
Artesian
Well

MICROFILMED
MAR 18 1991

63-10437

House Hold &
Buildings

5.6 Acres
EXCLUDED
FROM IRRIGATION 25.0

DITCH COMPANY
DITCH

DITCH COMPANY
WATER FLOW

P/D

IRRIGATED
3 DIRECTLY

CEMENT
DITCH

END OF DITCH

P/D FOR
LICENSE
63-2619
(OVERLAP)

T2211

END
OF
DITCH

MICROFILMED

MAR 18 1991

T2148

T2208

T2197

T2129

T2204

T2153

T2152

T2227

T2206

T2247

T2236

T2219

T2228

T2227

6

5

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3

2

1

4

3


2

1

4

63-10437

P/D LOOKING SOUTH, SOUTH EAST



LOOKING SOUTH WEST.



RECEIVED

MAR 18 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10437

Priority: April 22, 1987

Maximum Diversion Rate: 2.00 CFS
Maximum Diversion Volume:¹ 792.0 AF

This is to certify, that WAYNE NAUGLE
RT. 2 BOX 2184

NAMPA, ID 836510000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 22, 1987; and has submitted Proof of Beneficial Use on August 6, 1987. An examination indicates that the works have a diversion capacity of 2.400 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.00 CFS	792.0 AF

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 26, Township 04N, Range 02W
NWNE , Sec. 26, Township 04N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	02W	26	NENE 33	NWNE 40	SWNE 15	
			NENW 37	NWNW 34	SWNW 17	176

Total number of acres irrigated: 176

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

MAR 18 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10437

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13TH
day of MARCH, 1991.

Acting for


R. Keith Higginson, Director



RECEIVED
MAR 13 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant WAYNE NAUGLE Phone 466-9075
Post office address RT 2 Box 2184 Nampa ID 83651
2. Source of water supply GROUND WATER which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 26 Township 4N Range 2W B.M. CANYON County; additional
points of diversion if any: NWNE S. 26 T4N R2W
4. Water will be used for the following purposes:
Amount 2.0 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.0 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well, pump - cement
ditches and pipeline
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 12 inches; proposed depth of well is 250 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

WATER PERMIT

AUG 21 1987

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in KW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; show name of municipality. _____
 - Domestic; show number of households. _____
 - Other; describe fully. _____

9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	2W	26	40	40	20		40	40	20										200

Total number of acres to be irrigated 200

10. Describe any other water rights used for the same purposes as described above. SHARES IN
PIONEER IRRIGATION DISTRICT - SUPPLEMENTAL APP.
11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

T 4N		R 2W		
40	40	40	40	P/D
20		20		
26				

1. FILMED
 AUG 21 1981

Wayne Nangle
(Applicant)

Proposed Priority 4/22/87

Received by Jim Date 4-22-87 Time 3:50 Preliminary check by [Signature]

Fee \$ 65.00 Receipted by [Signature] # 42358 Date 4/22/87

Publication prepared by AA Date 5/13/87 Published in Press-Tribune
5/20 + 5/27/87

Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10437, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Witness my hand this 20th day of July, 1987.

[Signature]
Chief, Operations Bureau

MICROFILMED

AUG 21 1987

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10434 ✓ *JS*
LYONS FARMS INC.
RT. 4 BOX 240, CALDWELL, ID
83605

Source: GROUNDWATER
Diversión Pt: NWNE Sec 08 T 02N
R 03W
Use: IRRIGATION (2.0 CFS)
Date Filed: April 20, 1987
In: NENE NWNE SWNE NENW
SENE Sec 08 T 02N R 03W
FOR 175 ACRES

63-10436 ✓ *JS*
REINEKE, RICHARD L. &/or
JANICE I.
RT. 1 BOX 125, MELBA, ID 83641
Source: GROUNDWATER
Diversión Pt: SWNW Sec 34 T 01N
R 02W
Use: IRRIGATION (2.0 CFS)
Date Filed: April 22, 1987
In: SWNW SENW NESW NWSW
Sec 34 T 01N R 02W FOR
160 ACRES

63-10437 ✓ *JS*
NAUGLE, WAYNE
RT. 2 BOX 2184, NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: NENE NWNE Sec 26
T 04N R 02W
Use: IRRIGATION (2.0 CFS)
Date Filed: April 22, 1987
In: NENE NWNE SWNE NENW
NWNW SWNW Sec 26 T 04N R
02W FOR 200 ACRES

63-10438 ✓ *JS*
SWENSON, NEIL J. &/or
BARBARA A.
RT. 1 BOX 1348A, NAMPA, ID
83651
Source: GROUNDWATER
Diversión Pt: NWSW Sec 14 T 03N
R 03W
Use: IRRIGATION (1.0 CFS)
Date Filed: April 22, 1987
In: SWNW NWSW SWSW Sec 14 T
03N R 03W FOR 54 ACRES

63-10439 ✓ *JS*
OBERST, JOSEPH M.
RT. 3 BOX 3822, NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: SWSE Sec 01 T 02N
R 02W
Use: IRRIGATION (1.260 CFS)
Date Filed: April 17, 1987
In: NWSE SWSE Sec 01 T 02N R
02W FOR 63 ACRES

63-10441 ✓ *JS*
CALLAWAY, ARTHUR M. &/or
LUCILLE E.
MOORE, JOHN M. &/or
GWENDOLYN L.
8811 12TH AVE. RD., NAMPA, ID
83651
Source: GROUNDWATER
Diversión Pt: NENE Sec 21 T 02N
R 02W
Use: IRRIGATION (0.760 CFS)
Date Filed: April 24, 1987
In: NENE Sec 21 T 02N R 02W
FOR 38 ACRES

63-10442 ✓ *JS*
WADE, KEITH
RT. 3 BOX 3633, NAMPA, ID 83651
Source: GROUNDWATER
Diversión Pt: NWSE Sec 24 T 02N
R 02W
Use: IRRIGATION (0.8 CFS)
Date Filed: April 22, 1987
In: NWSE Sec 24 T 02N R 02W
FOR 40 ACRES

63-10444 ✓ *JS*
ASUMENDI, U.D. &/or DOLORES
1515 N. 21ST ST., BOISE, ID 83702
Source: GROUNDWATER
Diversión Pt: NENW Sec 18 T 03N
R 04W
Use: IRRIGATION (1.0 CFS)
Date Filed: April 23, 1987
In: NWNE NENW Sec 18 T 03N R
04W FOR 51 ACRES

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before JUNE 8, 1987.

KEN DUNN
Director
May 20, 27, 1987

JUN 11 1987
Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times
in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

May 20, 27, 1987

Debra Martin del Campo
Subscribed and sworn to before me this

27th day of May

1987

Janet Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991

MICROFILMED

AUG 21 1987

March 14, 1991

WAYNE NAUGLE
RT. 2 BOX 2184
NAMPA, ID 836510000

RE: WATER RIGHT NO. 63-10437

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

MAR 18 1991

February 26, 1991

WAYNE NAUGLE
RT. 2 BOX 2184
NAMPA, ID 836510000

RE: WATER RIGHT NO. 63-10437

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right. The draft reflects the actual use of water found by a representative of our department at the time of the field examination. Please review the draft and if you do not concur with the information or if you have any questions, let me know within 10 days.

The claim you filed on this right under the ongoing Snake River Basin Adjudication contains the same information that you listed on the original permit. Before the Department will issue a license reflecting the actual development occurring under this right, you should amend your claim to match the information on the proposed license. Enclosed for your signature is the Amended Claim form with the license information already listed.

Once I receive the signed amended claim, the water right license will be issued and your claim to this right will be included in the Director's Report summarizing the water uses in the Snake River Basin. (See the attached table for a summary of the water appropriation process.)

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

MAR 18 1991

LICENSE REVIEW CHECKLIST

Permit No. 63-10437

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance N/A

Blue sheet inserted N/A

Order to reinstate needed? yes no ☒

Total cfs Limited by fee 2.0 ok

Limited by capacity permit ☒

Total volume Limited by flow

Chart checked for AF rate/ac 4.5

Capacity Actual measurement checked ☒

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 1/4? Remember remark

Check p/d overlap

Uses Check irrigation period of use w/ chart ☒

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap

Remarks More than one p/d in 1/4 ☒

Description of non-irrig uses

Special overlap condition

Conditions Measuring device

W.Master control

Overlap 32

Water quality

Other

Dates/Misc Water district

App Rec'd date

Proof Rec'd date

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed? ☒

Reviewer J. Curtis Date 11-7-90

Review time 13 minutes

claim needs to be amended

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM	
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
L6310437																								
6302529	PIONEER IRRIGATION DIS	L	GROUNDWATER	04N	02W	26																		
6302614	NAUGLE	L	GROUNDWATER	04N	02W	26	40	40													80			
6302891	PIONEER IRRIGATION DIS	L	WILSON SLOUGH DRAIN	04N	02W	26																		
6308440	SANDRETTO	L	GROUNDWATER	04N	02W	26				40											40			
6309650	MC KELLIP FARM INC.	L	GROUNDWATER	04N	02W	26														38	35	73		
~~6310437~~	~~NAUGLE~~	~~P~~	~~GROUNDWATER~~	~~04N~~	~~02W~~	~~26~~	~~40~~	~~40~~	~~20~~		~~40~~	~~40~~	~~20~~								~~200~~			
L6310437	NAUGLE	L	GROUNDWATER	04N	02W	26	33	40	15		37	34	17								176			
	1986 MAPPING DATA ---	-	COUNTY 27 QUAD X	6	04N	02W	26	34	40	41	42	39	35	39	32	40	40	36	35	33	39	38	39	602

63-2614 also has p/d. ^{NENE}overlap but examiner states that its well is an artesian one - diff. p/d, therefore, and this license can be issued w/ standard overlap cond. #32. examiner also states that p/d under 63-10437 is close to $\frac{1}{4}$ line but probably. NUNE is the most accurate.

WR0722NP
(OD-22)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY POINT OF DIVERSION

DATE: 11/08/90
PAGE: 1

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	P F	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
63-02614	NAUGLE	L	06/08/1944		GROUNDWATER	IRR	1.50		04N	02W	26		NENE
~~63-10437~~	~~NAUGLE~~	~~P~~	~~04/22/1987~~		~~GROUNDWATER~~	~~IRR~~	~~2.00~~		~~04N~~	~~02W~~	~~26~~		~~NENE~~
L63-10437	NAUGLE	L	04/22/1987		GROUNDWATER	IRR	2.00	2.40	04N	02W	26		NENE

RECEIVED
MAR 18 1991

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	P F	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
L63-10437	NAUGLE	L	04/22/1987		GROUNDWATER	IRR	2.00	2.40	04N	02W	26	NWNE	
~~63-10437~~	~~NAUGLE~~	~~P~~	~~04/22/1987~~		~~GROUNDWATER~~	~~IRR~~	~~2.00~~		~~04N~~	~~02W~~	~~26~~	~~NWNE~~	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10437
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

4N1-2.W

SEC. 26

NE/NE

P.D.

USE

NE/NE
NW/SW

NE/NE
NW/SW

201 AC.

Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report.
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 06/07/88 KKC (Initial and date)

- Overlap? ☒ yes ☐ no If yes: ☒ copy of exam(s) attached?
- Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 06/07/88 KKC (Initial and date)

- Overlap? ☒ yes ☐ no If yes: ☒ copy of water right(s) attached?
- Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☒ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 10-11-88 Kelly K Christensen (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent GP 1-25-90 (Initial and date)

Exam Reviewed by Manager of Regional Office Don 2/6/90 (Initial and date)

Exam Data Entered in Computer Yes (Initial and date)

Exam sent to State Office LW 5-15-90 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
 Re filed in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

MAY 18 1990
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: WAYNE NAUGLE Permit No. 63-10437
Current Address: Rt 2 Box 2184 NAMPA, ID 83651 Phone No. 466-9075
2. Accompanied by: KENNETH NAUGLE EXAM. DATE: 08-05-88
Address: SAME Phone No. _____
Relationship to Permit Holder: SON
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-2614 ARTESIAN WELL IRRIGATES 80 ACRES.
63-2529 & 63-2891 PIONEER IRRIGATION CO. (PHYLLIS CANAL) ☒ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

MICROFILMED

MAR 18 1991

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

NORMAL OPERATION WAS DIRECT IRRIGATION OF MOST OF NW¹/₄/NE¹/₄ OF SEC 26. THE BALANCE OF THE PERMITTED ACREAGE FOUND TO BE IRRIGATED WAS THROUGH AN AGREEMENT WITH PIONEER IRRIGATION. WELL WATER IS PUMPED INTO THE PIONEER DITCH AT THE WELL SIGHT AND THE WATER IS EXCHANGED FOR DITCH CO. WATER ABOVE LANDS IN NE¹/₄ NE¹/₄ OF SEC 26. LANDS IN NW¹/₄ ARE IRRIGATED BY DUMPING WELL WATER AT WELL SIGHT INTO PIONEER DITCH

See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US ELECTRICAL MOTORS INC	25	900338	ID PLATE MISSING	8"

*Code to correspond with No. on map and aerial photo.

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	NE	26	4N	2W	CANYON	QUAD MAP - AERIAL PHOTO
SAME P/D		NW	NE	NE	"	"	"		
WELL IS ON THE Q/Q LINE BUT BEST ESTIMATE OF LOCATION IS THE FIRST ENTRY									

6. Place(s) of Use:

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				Totals
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
4N	2W	26	33	40	15		37	34	17										176

MICROFILMED

MAR 18 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

SEE ATTACHMENT

CFS = 2.4 MEASURED, PROOF SUBMITTED FOR
2.0 CFS LICENSE FOR 2.0 CFS

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: THEORETICAL $\frac{25HP \times 8.8 \times .8}{47ft + (0 \times 2.31)} = \underline{\underline{3.57CFS}}$

F. PUMP EFFICIENCY DATA (Optional) NOT DONE

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{176 \text{ ACRES} \times 4.5 = 792 \text{ AFA}}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{2.0 \text{ CFS} \times 245 \text{ days} \times 1.9835 = 972 \text{ AFA}}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{792 \text{ AFA}}$

2. Volume Calculations for Other Uses:

MICROFILMED

MAR 18 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

AND WATER DIVERTING THE WATER OUT OF PIONEER DITCH INTO CEMENT FIELD BORDER DITCHES. THIS WATER IS USED TO SUPPLEMENT PIONEER DITCH CO. WATER (LICENSES 63-2529 & 63-2891 PHYLLIS CANAL) AND GROUND WATER FROM A WELL IN THE SE/NE OF SEC 26 (LICENSE 63-2614) AND SHOULD BE LICENSED WITH CONDITION R32.
No P/D OVERLAP FOUND

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	2 CFS	792 AFA
Totals:			2.0 CFS	792 AFA.

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN



Signature Kelly K. Christensen

Certification Date _____

Field Report Preparation Date 10-14-88

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.




DITCH GRADE NEARLY LEVEL

DAM BOARD WAS HIGH SIDE

DRAWING NOT TO SCALE.

CROSS SECTION OF CEMENT DITCH.



TEST ONE.

1 min 20 SEC TO FILL TO MARK

TEST Two


SAME TIME

$$\text{VOLUME} = \frac{190 \text{ ft}^3}{80 \text{ SEC}} = \underline{\underline{2.4 \text{ CFS}}}$$

DITCH FILL WAS GOOD NO APPRECIABLE WAVES NOTED BY THE TIME WATER REACHED THE 1.5 ft MARK ON THE SIDE OF THE DITCH. DITCH SEAL AT EITHER END WAS GOOD.

MICROFILMED

MAR 18 1991



63-10437

T2148

DETACH COMPANY
DITCH

House Hold &
BUILDINGS

5.6 ACRES
EXCLUDED
FROM IRRIGATION

DITCH COMP
WATER FLOW

P/D FOR
LICENSE

T2211

END
OF
DITCH

T2212

T2227

MICROFILMED

MAR 18 1964

T2237

T2228

63-10437

P/D LOOKING SOUTH, SOUTH EAST



LOOKING SOUTH WEST.



RECEIVED
MAR 18 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region

CECIL D. ANDRUS
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

R. KEITH HIGGINSON
Director

October 15, 1987

83-10437
NAUGLE, WAIVE
Rt. 2 BOX 2184
NAMPA, ID 83651

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

RECEIVED

OCT 18 1987

03/86

For Office Use Only
 Fee Received \$ 125.00
 Date 8-3-87
 Receipt # 43854
 Receipt by CS
 Reviewed by AV
 Sent to region 9-14-87

AUG 06 1987

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10437Name(s) of Permit Holder: Wayne NauglePost Office Address: Rt 2 Box 2184, Nampa, ID 83651Telephone No. 466-9075Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 200 / _____ (acres) Other/Remark 14" casing 224' deepTotal rate and/or volume for which proof is submitted 2.00 cfs _____ acre-feetShow the date water was first diverted and beneficially used under this permit: 7-10-87

Measuring Device: Required? ☒ Yes ☐ No Fee enclosed \$ 125.00
 Installed? ☐ Yes ☒ No, but will be (See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
 Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Wayne Naugle 466-9075
 (Name) (Telephone Number)

Rt 2 Box 2184 Nampa Id 83651
 (Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

AUG 21 1987

8-3-87
 Date

Wayne Naugle
 Signature of Permit Holder (and title, if appropriate)

● T A T E O F I D A H O ●

DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 24, 1987

NAUGLE, WAYNE
RT. 2 BOX 2184
NAMPA, ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10437

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

MICROFILMED

AUG 21 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

PROFILMED

AUG 4 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Shute APPLICATION NUMBER: 63-10437

CHECK:

- ☒ Source.
☒ Point of diversion NO LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
Pioneer Irr Dist water
☒ Yes ☐ No* In form for advertising.
Final date for protests: June 8, 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: June 2, 1987
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 65/42358
☒ Publication dates and paper, recorded on application. PROSS TRIBUNE 5/20 & 5/27/87
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
4/22/1987 Date of priority recommended.
Special conditions of approval or cover letter. _____

RECORDED

AUG 21 1987

Recommend that 1 year be allowed for completion of project

By: DW Date: 6/29/1987

STATE OFFICE REVIEW:

103, 105, 116

OIG

RECORDED

JUL 01 1987

- ☐ See attached sheet for more information.

By: KW

Date: 7/7/87 Department of Water Resources

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks:

Canyon Co. Irig. Cutoff map
shows irrigated land covered by this app.
lying within the Pioneer Irig. Dist.

Application Initially Received Date 4/22/87 Time 3:50 pm
File Prepared By jp Date 4/23/87 Time 9:00 am
Staff Review By JP Date 4/23/87 Time 11:00 AM
Temporary Approval Prepared By DR Date 4/23/87 Time 1:00 pm
Temporary Approval Signed By DR Date 4/23/87 Time 1:55 pm
Temporary Approval Mailed By JP Date 4/23/87 Time 2:05 pm
Index Updated By DR Date 4/23/87 Time 2:10 pm

MAILED

AUG 21 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 23, 1987

Wayne Naugle
Rt 2 Box 2184
Nampa, ID 83651

Re: Water Right No. 63-10437

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

REPROFILMED

AUG 21 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10437


This is to certify that I have examined Application for Permit to
Appropriate the public waters of the State of Idaho No. 63-10437 and a
temporary approval to divert groundwater is granted until August 20, 1987,
subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

AUG 21 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 23rd day of April, 1987.



DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

APR 21 1987

APR 21 1987

63-10437

NAUGLE, WAYNE

RT. 2 BOX 2184, NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: NENE NWNE Sec 26 T 04N R 02W

Use: IRRIGATION (2.0 CFS)

Date Filed: 04/22/1987

In: NENE NWNE SWNE NENW NWNW SWNW Sec 26 T 04N R 02W FOR 200 ACRES

MICROFILMED

AUG 21 1987

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

[illegible]