


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard Kincheloe
(Applicant)

Richard L. Kincheloe

RECEIVED
SEP 07 1989

Form 219
6/86

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 08 1989

Department of Water Resources
63
Permit No. 83-10426

A. GENERAL INFORMATION


1. Owner: Richard L. Kincheloe Phone No. (208) 459-2857
Current Address: Route 10 Box 354 Caldwell, Idaho 836050000
2. Accompanied by: Cecil A. Thomas P.E. EXAM. DATE: Sept. 5, 1989
Address: Box 868 Homedale, Idaho 83628 Phone No. (208) 337-3206
Relationship to Permit Holder: Certified water right examiner
3. Source: Well tributary to Boise River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

JUL 24 1990

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

UNITED STATES
THE INTERIOR
SURVEY


Range 4 West

Map of
Vicinity of Permit
No. 63-10426 near Huston
School, Idaho

Scale 1" = 2,000'



Township 3 North, Range 4 West
Scale, 1" = 1,000'





Looking westerly at the 2 pumps,
and settling pond



Looking westerly along Homedale Rd.
from well & pump on left to n.w.
corner of sec. 9 on hilltop



Looking easterly across High Line
at diversion and settling pond

MICROFILMED
JUL 24 1990

Pictures of well pump, diversion from Deer Flat High Line Canal and
diversion into Kincheloe's 12" pipe for Permit 63-1042

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10426

Priority: May 24, 1987

Maximum Diversion Rate: 1.60 CFS
Maximum Diversion Volume:¹ 495.0 AF

This is to certify, that RICHARD L. KINCHELOE
RT. 10 BOX 354

CALDWELL, ID 836050000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 16, 1987; and has submitted Proof of Beneficial Use on September 8, 1989. An examination indicates that the works have a diversion capacity of 1.600 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.60 CFS	495.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 10, Township 03N, Range 04W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	04W	9	NENW 39	NWNW 33	SWNW 12	110
			SEnw 26			

Total number of acres irrigated: 110

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

JUL 4 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10426

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17th
day of July, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

JUL 24 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
	)	
NO. 63-10426 IN THE NAME	)	ORDER OF REINSTATEMENT
	)	
OF RICHARD L. KINCHELOE	)	

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 63-10426 for the issuance of a license, the Department finds, concludes and orders as follows:

FINDINGS OF FACT

1. On March 18, 1987, the Department approved Application for Permit No. 63-10426 to appropriate the public waters of the State of Idaho with a proposed priority of April 16, 1987.

2. On May 31, 1989, the Department sent the permit holder a notice stating that submittal of proof of beneficial use was due on or before August 1, 1989. Whether or not the permit holder decided to have the Department conduct the field examination or have a certified examiner conduct the inspection, a proof of beneficial use form was required to be submitted to the Department on or before August 1, 1989.

3. The proof of beneficial use form was received on September 7, 1989, 38 days late.

CONCLUSIONS OF LAW

1. The permit should be reinstated with an advance in the date of priority pursuant to the provisions of Section 42-218, Idaho Code.

MICROFILMED

JUL 24 1990

2. The date of priority of Permit No. 63-10426 should be advanced a total of 38 days due to late submittal of proof of beneficial use.

ORDER

IT IS HEREBY ORDERED that Permit No. 63-10426 is REINSTATED.

IT IS FURTHER ORDERED that the date of priority of Permit No. 63-10426 is advanced to May 24, 1987.

Dated this 2nd day of April, 1990.

A. Glen Saxton
Chief, Water Allocation Bureau

MICROFILMED

JUL 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

459-7987

1. Name of applicant Richard L. Kincheloe Phone (208) 459-2269
Post office address 10 354
Route 4 Box 668, Caldwell, Idaho 83605

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 10 Township 3N Range 4W B.M. Canyon County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.5 cfs for Irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum) Frost

Amount 2.5 for protection purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.5 cfs and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 16" well, 75 HP Pump, ditch, pipe

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 16 inches; proposed depth of well is 300 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

AUG 21 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	4W	9					40	40	40	40									160

Total number of acres to be irrigated 160


10. Describe any other water rights used for the same purposes as described above. These lands are irrigated by Wilder Irrigation District water.

- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

AUG 21 1957

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard Kincheloe
(Applicant)

Richard L. Kincheloe

16/81 Check Rec'd 10:00 AM
3-25-87 8:00 am
Proposed Priority 4/16/87
Received by JF Date 3-18-87 Time 8:30 am Preliminary check by JD
Fee \$ 85.00 Receipted by DRT # 42330 Date 4/16/87
Publication prepared by AM Date 4-29, 1987 Published in Idaho Press-Tribune
5-7+5-14, 1987
Publication approved LL Date 7/6/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10426, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1989.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 23rd day of July, 1987.

J. Glen Saxton
Chief, Operations Bureau

MAICROFILMED

AUG 21 1987

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10406

MILLER LAND CO. INC.
RT. 1 BOX 137, MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt: SESW Sec 02 T 015 R 02W
Use: IRRIGATION (0.8 CFS)
Date Filed: 04/13/1987
In: SESW Sec 02 T 015 R 02W
NENW Sec 11 T 015 R 02W FOR
70 ACRES

63-10414

LITTLE, HARRY &/or MYRNA
2990 LEISURE DR., BOISE ID
83704
Source: GROUNDWATER
Diversion Pt: NWSE NESE SWNE
SENE Sec 25 T 03N R 03W
Use: IRRIGATION (4.0 CFS)
Date Filed: 04/09/1987
In: SWNE SENE NENW NWNW
S E N W
NESE NWSE Sec 25 T 03N R 03W
FOR 200 ACRES

63-10415

LITTLE, RALPH &/or LUCILLE
RT. 1 BOX 1393, NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SENE Sec 07 T 03N
R 02W
Use: IRRIGATION (.8 CFS)
Date Filed: 04/09/1987
In: NENE NWNE SENE Sec 07 T
03N R 02W FOR 40 ACRES

63-10418

SHOEMAKER, LARRY F.
RT. 1 BOX 1446, NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: LOT 04 (SWSW) Sec
30 T 03N R 02W

Use: IRRIGATION (.8 CFS)
In: 3ENW NESW Sec 26 T 05N R
04W FOR 80 ACRES

63-10426

KINCHELOE, RICHARD
RT. 10 BOX 354, CALDWELL, ID
83605
Source: GROUNDWATER
Diversion Pt: NWNW Sec 10 T 03N
R 04W
Use: IRRIGATION (2.5 CFS)
COMMERCIAL (2.5 CFS)
Date Filed: 04/16/1987
In: NENW NWNW SWNW SENW
Sec 09 T 03N R 04W FOR 160
ACRES

63-10456

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID 83706
Source: GROUNDWATER
Diversion Pt: SESW Sec 11 T 06N
R 04W
Use: DOMESTIC (0.050 CFS)
Date Filed: 04/06/1987
In: SESW Sec 11 T 06N R 04W

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before MAY 26, 1987.

KEN DUNN

Director

May 6, 13, 1987

RECEIVED

MAY 13 1987

Department of Water Resources
Western Regional Office

RECEIVED

MAY 15 1987

Department of Water Resources

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

May 6, 13, 1987

Debra Martin del Campo
Subscribed and sworn to before me this

13th

day of May

19 87

Jeanette Hunt
Notary Public, Residing at Nampa, Idaho

RECEIVED

AUG 21 1987

MY COMMISSION EXPIRES
JULY 12th, 1991

July 18, 1990

RICHARD L. KINCHELOE
RT. 10 BOX 354
CALDWELL, ID 836050000

RE: PERMIT NO. 63-10426

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 24 1990

July 3, 1990

RICHARD L. KINCHELOE
RT. 10 BOX 354
CALDWELL, ID 836050000

RE: PERMIT NO. 63-10426

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 24 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 12, 1990

RE: Permit No. 63-10426


Richard L. Kincheloe
Route 10 Box 354
Caldwell, ID 83605

Dear Mr. Kincheloe:

Enclosed is a copy of the Order of Reinstatement which advances the date of priority of the above referenced permit to May 24, 1987 due to late submittal of the exam fee.

If you have any questions concerning this matter, please feel free to contact our office.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 24 1990

Department of Water Resources
Bureau of Reclamation

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

SEP 08 1989

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10426

1. Owner: Richard L. Kincheloe

Phone No. (208) 459-2857

Current Address: Route 10 Box 354 Caldwell, Idaho 836050000

2. Accompanied by: Cecil A. Thomas P.E.

EXAM. DATE: Sept. 5, 1989

Address: Box 868 Homedale, Idaho

Phone No. (208) 337-3206

Relationship to Permit Holder: Certified water right examiner 83628

3. Source: Well tributary to Boise River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

JUL 24 1990

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
 Pump operating today. Discharge from the pump goes through 19 feet of 8" I.D. pipe to a stilling pool which can also be supplied by gravity from Deer Flat High Line Canal. From this pool a pump lifts water through the system irrigating land in the northwest $\frac{1}{4}$ of Section 9, Township 3 North, Range 4 West. Irrigation of a maximum of about 110 acres is anticipated. Irrigation season usually April 15 to Oct. 15. Because of cheaper cost, Mr. Kincheloe buys surplus water and uses it in the system when it is available in the adjacent Deer Flat High Line Canal, in lieu of water from the well. ☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Pump at well				
U.S. Electric Motors		50	6212J	Hollo Shaft.	
	Pump from stilling pool				
	Gould	75	7582464	Berkeley	6-323067-01

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		N	W	N	10	3 N	4 W	Canyon	S.C.S. and U.S.G.S. maps

6. **Place(s) of Use:** Indicate Method of Determination U.S.C.S. map

Twp.	Rge.	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
<u>3</u> ~~4~~ N	4 W	9					39	33	12	26									110

MICROFILMED

JUL 24 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flowmeter	Rotor	Grainland		11139		3/22/89
Flowmeter	Rotor	Macrometer	(On discharge line at pump)			

2. Measurements:

Both rotor type meters are calibrated for the 8" I.D. pipe to read rate of flow in 10s of gallons per minute and to totalize in 1000s of gallons.

My rotor was installed with the rotor axle installed at the recommended depth in the 8" pipe of 1 inch, which is the depth at which average velocity in the pipe cross-section has been found to occur.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: My meter read 72, equivalent to 720 gallons per minute or 1.60 cfs. The meter on line also read 72, or 720 gpm.

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED

JUL 24 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Mr. Richard Kincheloe says early in the pumping season before drawdown occurs that the pump in the well reaches rates of 1000 gpm. This rate is desirable at times for his orchards. He estimates duty of the tract to be 5.0 acre-feet per acre because of the loose, light, sandy soil. The growing season at 2600 feet is among the longest in Idaho.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
700 gpm for 180 days equals 557 acre feet or practically equivalent to 5 acre-feet for the 110 acres proposed.				
Totals: _____				

2. Recommended Amendments

- | | | |
|---|--|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name Cecil A. Thomas P.E.
Signature Cecil A. Thomas
Certification Date September, 1989
Field Report Preparation Date September 5, 1989



CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED


JUL 24 1990

TES
HE INTERIOR
URVEY


Range 4 West

Map of
Vicinity of Permit
No. 63-10426 near Huston
School, Idaho

Scale 1" = 2,000'




Township 3 North, Range 4 West
Scale, 1" = 1,000'





Looking westerly at the 2 pumps,
and settling pond



Looking westerly along Homedale Rd.
from well & pump on left to n.w.
corner of sec. 9 on hilltop



Looking easterly across High Line
at diversion and settling pond

MICROFILMED

JUL 24 1990

Pictures of well pump, diversion from Deer Flat High Line Canal and
diversion into Kincheloe's 12" pipe for Permit 63-1042

September 4, 1989

State of Idaho

Department of Water Resources

1301 North Orchard Street

Boise, Idaho 83720

This is to certify that Cecil A. Thomas has been authorized to represent me in preparing the proof of beneficial use for permit No. 63-10426.

Richard L. Kincheloe

A handwritten signature in cursive script, reading "Richard L. Kincheloe". The signature is written in dark ink and is positioned below the printed name.

MICROFILMED

JUL 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Richard Kincheloe</u> Address _____ Owner's Permit No. <u>63-10426</u>	7. WATER LEVEL Static water level _____ feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF Quality _____ Describe artesian or temperature zones below																																																																																																																																																																																																										
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																																							
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																																									
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>28"</td><td>349</td><td>355</td><td>Sand</td><td> </td><td> </td></tr> <tr><td></td><td>355</td><td>363</td><td>Blue Clay</td><td> </td><td> </td></tr> <tr><td></td><td>363</td><td>379</td><td>Blue Clay-w/Brn.Chunks</td><td> </td><td> </td></tr> <tr><td></td><td>379</td><td>386</td><td>Fine Sand w/some crse. Sandstone hunks & Small amt. of blue clay.</td><td> </td><td> </td></tr> <tr><td></td><td>386</td><td>388</td><td>Blue Clay</td><td> </td><td> </td></tr> <tr><td></td><td>388</td><td>389</td><td>Brn. Clay</td><td> </td><td> </td></tr> <tr><td></td><td>389</td><td>403</td><td>Blue Clay w/Brn.Sandwiched</td><td> </td><td> </td></tr> <tr><td></td><td>403</td><td>417</td><td>Sandstone w/sand,blue & brn. Clay</td><td> </td><td> </td></tr> <tr><td></td><td>417</td><td>453</td><td>Blue Clay</td><td> </td><td> </td></tr> <tr><td></td><td>453</td><td>463</td><td>Brown Vegetation Material</td><td> </td><td> </td></tr> <tr><td></td><td>463</td><td>473</td><td>Brn. & Blue Clay</td><td> </td><td> </td></tr> <tr><td></td><td>473</td><td>483</td><td>Blue Clay</td><td> </td><td> </td></tr> <tr><td></td><td>483</td><td>493</td><td>Blue to grey clay</td><td> </td><td> </td></tr> <tr><td></td><td>493</td><td>500</td><td>Blue to grey clay w/some Brown Chunks.</td><td> </td><td> </td></tr> <tr><td></td><td>500</td><td>504</td><td>Blue, grey & Brn. Clay</td><td> </td><td> </td></tr> <tr><td></td><td>504</td><td>505</td><td>Mostly brn. clay</td><td> </td><td> </td></tr> <tr><td></td><td>505</td><td>506</td><td>Blue Clay</td><td> </td><td> </td></tr> <tr><td></td><td>506</td><td>509</td><td>Brn. Clay</td><td> </td><td> </td></tr> <tr><td></td><td>509</td><td>536</td><td>Blue & Brn. Clay</td><td> </td><td> </td></tr> <tr><td></td><td>536</td><td>543</td><td>Sand</td><td> </td><td> </td></tr> <tr><td></td><td>543</td><td>553</td><td>Clay</td><td> </td><td> </td></tr> <tr><td></td><td>553</td><td>560</td><td>Blue Clay</td><td> </td><td> </td></tr> <tr><td></td><td>560</td><td>563</td><td>Sand, Med. Coarse</td><td> </td><td> </td></tr> <tr><td></td><td>563</td><td>565</td><td>Clay</td><td> </td><td> </td></tr> <tr><td></td><td>565</td><td>571</td><td>Sand</td><td> </td><td> </td></tr> <tr><td></td><td>571</td><td>573</td><td>Clay</td><td> </td><td> </td></tr> <tr><td></td><td>573</td><td>577</td><td>Fine S: 1</td><td> </td><td> </td></tr> <tr><td></td><td>577</td><td>583</td><td>Sand, Coarse</td><td> </td><td> </td></tr> <tr><td></td><td>583</td><td>598</td><td>Sand, (Med. Coarse)</td><td> </td><td> </td></tr> <tr><td></td><td>598</td><td>602</td><td>Sandy Clay</td><td> </td><td> </td></tr> <tr><td></td><td>602</td><td>605</td><td>Blue Clay</td><td> </td><td> </td></tr> <tr><td></td><td>605</td><td>608</td><td>Fine Sand</td><td> </td><td> </td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	28"	349	355	Sand				355	363	Blue Clay				363	379	Blue Clay-w/Brn.Chunks				379	386	Fine Sand w/some crse. Sandstone hunks & Small amt. of blue clay.				386	388	Blue Clay				388	389	Brn. Clay				389	403	Blue Clay w/Brn.Sandwiched				403	417	Sandstone w/sand,blue & brn. Clay				417	453	Blue Clay				453	463	Brown Vegetation Material				463	473	Brn. & Blue Clay				473	483	Blue Clay				483	493	Blue to grey clay				493	500	Blue to grey clay w/some Brown Chunks.				500	504	Blue, grey & Brn. Clay				504	505	Mostly brn. clay				505	506	Blue Clay				506	509	Brn. Clay				509	536	Blue & Brn. Clay				536	543	Sand				543	553	Clay				553	560	Blue Clay				560	563	Sand, Med. Coarse				563	565	Clay				565	571	Sand				571	573	Clay				573	577	Fine S: 1				577	583	Sand, Coarse				583	598	Sand, (Med. Coarse)				598	602	Sandy Clay				602	605	Blue Clay				605	608	Fine Sand		
Bore Diam.	Depth		Material	Water																																																																																																																																																																																																							
	From	To		Yes	No																																																																																																																																																																																																						
28"	349	355	Sand																																																																																																																																																																																																								
	355	363	Blue Clay																																																																																																																																																																																																								
	363	379	Blue Clay-w/Brn.Chunks																																																																																																																																																																																																								
	379	386	Fine Sand w/some crse. Sandstone hunks & Small amt. of blue clay.																																																																																																																																																																																																								
	386	388	Blue Clay																																																																																																																																																																																																								
	388	389	Brn. Clay																																																																																																																																																																																																								
	389	403	Blue Clay w/Brn.Sandwiched																																																																																																																																																																																																								
	403	417	Sandstone w/sand,blue & brn. Clay																																																																																																																																																																																																								
	417	453	Blue Clay																																																																																																																																																																																																								
	453	463	Brown Vegetation Material																																																																																																																																																																																																								
	463	473	Brn. & Blue Clay																																																																																																																																																																																																								
	473	483	Blue Clay																																																																																																																																																																																																								
	483	493	Blue to grey clay																																																																																																																																																																																																								
	493	500	Blue to grey clay w/some Brown Chunks.																																																																																																																																																																																																								
	500	504	Blue, grey & Brn. Clay																																																																																																																																																																																																								
	504	505	Mostly brn. clay																																																																																																																																																																																																								
	505	506	Blue Clay																																																																																																																																																																																																								
	506	509	Brn. Clay																																																																																																																																																																																																								
	509	536	Blue & Brn. Clay																																																																																																																																																																																																								
	536	543	Sand																																																																																																																																																																																																								
	543	553	Clay																																																																																																																																																																																																								
	553	560	Blue Clay																																																																																																																																																																																																								
	560	563	Sand, Med. Coarse																																																																																																																																																																																																								
	563	565	Clay																																																																																																																																																																																																								
	565	571	Sand																																																																																																																																																																																																								
	571	573	Clay																																																																																																																																																																																																								
	573	577	Fine S: 1																																																																																																																																																																																																								
	577	583	Sand, Coarse																																																																																																																																																																																																								
	583	598	Sand, (Med. Coarse)																																																																																																																																																																																																								
	598	602	Sandy Clay																																																																																																																																																																																																								
	602	605	Blue Clay																																																																																																																																																																																																								
	605	608	Fine Sand																																																																																																																																																																																																								
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>12" inches</td> <td>359 feet</td> <td>560 feet</td> </tr> <tr> <td>250 inches</td> <td>12" inches</td> <td>600 feet</td> <td>666 feet</td> </tr> <tr> <td>250 inches</td> <td>12" inches</td> <td>686 feet</td> <td>696 feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter <u>16</u> Slot size <u>40</u> Set from <u>217</u> feet to <u>237</u> feet Diameter <u>12</u> Slot size <u>40</u> Set from <u>349</u> feet to <u>359</u> feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	250 inches	12" inches	359 feet	560 feet	250 inches	12" inches	600 feet	666 feet	250 inches	12" inches	686 feet	696 feet	Number	From	To	perforations	_____ feet	_____ feet	perforations	_____ feet	_____ feet	perforations	_____ feet	_____ feet																																																																																																																																																																														
Thickness	Diameter	From	To																																																																																																																																																																																																								
250 inches	12" inches	359 feet	560 feet																																																																																																																																																																																																								
250 inches	12" inches	600 feet	666 feet																																																																																																																																																																																																								
250 inches	12" inches	686 feet	696 feet																																																																																																																																																																																																								
Number	From	To																																																																																																																																																																																																									
perforations	_____ feet	_____ feet																																																																																																																																																																																																									
perforations	_____ feet	_____ feet																																																																																																																																																																																																									
perforations	_____ feet	_____ feet																																																																																																																																																																																																									
6. LOCATION OF WELL Sketch map location must agree with written location N W E S Subdivision Name _____ Department of Water Resources Lot No. _____ Block No. _____ County _____ <u>NW & NW 1/4 Sec. 10, T. 3 N., R. 4 E.</u>	DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Pete Cope Drilling Co., Inc. Firm Name _____ Firm No. <u>213</u> Address _____ Date _____ Signed by (Firm Official) _____ and _____ (Operator)																																																																																																																																																																																																										

**USE TYPEWRITER OR
BALLPOINT PEN**

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

December 12, 1989

Richard L. Kincheloe
Rt. 10, Box 354
Caldwell, ID 83605

Dear Mr. Kincheloe:

Re: Permit No. 63-10426

This office acknowledges receipt of the proof of beneficial use form and the field report completed by Cecil Thomas on September 7, 1989.

The next step is for the department to review the field report and summarize the finding recommended for a license.

If you should have questions regarding the licensing process, please contact Jim Johnson at this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: Cecil Thomas
W. Region

MICROFILMED

JUL 24 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10426

Date: 11/24/89

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☐ Address change ☐ If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☒ Surface water
☒ Groundwater
1. well log in file 6/87
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate? BU. with field exam completed.
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☐ Is a measuring device or access port required?
☐ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

Priority Calculation:

Date proof received	<u>Sept 8, 1989</u>	<u>251</u>
Date proof due	<u>Aug 1, 1989</u>	<u>- 213</u>
No. of days late		<u>= 38</u>
Priority date	<u>April 16, 1987</u>	<u>+ 106</u>
NEW PRIORITY DATE	<u>May 24, 1987</u>	<u>= 144</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Check return

RECEIVED

Form SDP 8 1989
03/86

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10426

Name(s) of Permit Holder: Richard L. Kincheloe

Post Office Address: Route 10 Box 354, Caldwell, Idaho 836050000

Telephone No. (208) 459-2857

Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 110 acres (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted 2.23 cfs 550 acre-feet

Show the date water was first diverted and beneficially used under this permit: June 1, 1987

Measuring Device: Required? ☐ Yes ☒ No

Fee enclosed \$ _____

Installed? ☒ Yes ☐ No

(See License Examination Fee Schedule)

(Totalizer and gpm)

Flow Measurement Port: Required? ☐ Yes ☒ No

Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Cecil A. Thomas, P. E.
(Name)

(208) 337-3206

(Telephone Number)

Box 868, Homedale, Idaho 83628

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

September 5, 1989

Date

Richard Kincheloe - Sec-Treas.
Signature of Permit Holder (and title, if appropriate)

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

August 14, 1989

RICHARD L. KINCHELOE
RT. 10 BOX 354
CALDWELL, ID 836050000

LAPSE NOTICE

RE: PERMIT NO. 63-10426

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated May 31, 1989.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

MICROFILMED

JUL 24 1990

8-18-1989

John Fleck

138341
May 31, 1989

RICHARD L. KINCHELOE
RT. 4 BOX 668
CALDWELL, ID 836050000

PROOF DUE NOTICE

RE: PERMIT NO. 63-10426

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUL 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-10426
Name(s) of Permit Holder(s): Richard Kunkabe
Post Office Address: Rt 4 Box 668
Caldwell, Idaho 83605 Tel. No. 459-2857

☒ I hereby certify that construction of diversion works for the above referenced permit began on 5/3/88 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.


Date

Signature of Permit Holder

Richard [unclear]
Rt 4 [unclear]
Caldwell, Idaho 83605



Broad Wings 1880s
25 USA



JUN 30 1988



MICROFILMED

JUL 24 1990

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 30, 1987

KINCHELOE, RICHARD
RT. 10 BOX 354
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10426

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COME TO THE CONCLUSION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

AUG 21 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

AUG 21 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Shute

APPLICATION NUMBER: 63-10426

CHECK:

- ☒ Source.
☒ Point of diversion. NO GOUT LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO GOUT LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* Water rights via Wilder Irrigation District
In form for advertising. _____
Final date for protests: May 26, 1987
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: May 18, 1987
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 85/42330
☒ Publication dates and paper, recorded on application. PRESS TRIB. 5-7 & 14, 1987
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
4/16/1987 Date of priority recommended.
Special conditions of approval or cover letter. 26A, OIC

MAINTAINED

AUG 21 1987

By: DRS Date: 6/29/87

STATE OFFICE REVIEW:

103, 123, 105, 117

43 26 016

RECEIVED
JUL 21 1987

- ☐ See attached sheet for more information.

By: KW Date: 7/22/87

Department of Water Resources

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet .

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater
Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the
Governor's Office?

Remarks: Surface rights are Wilder Mig. Dist.
per Canyon Co. irrigated Cropland map.

Application Initially Received Date 3/18/87 Time 8:30 am
File Prepared By JP Date 4/21/87 Time 9:00 am
Staff Review By JP Date 4/21/87 Time 2:30 PM
Temporary Approval Prepared By JP Date 4/22/87 Time 4:00 pm
Temporary Approval Signed By DAT Date 4/22/87 Time 5:00 pm
Temporary Approval Mailed By E H Date 4/22/87 Time 5:25 P.M.
Index Updated By DAT Date 4/23/87 Time 8:00 AM

RECORDED
AUG 21 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 22, 1987

Richard L. Kincheloe
Rt. 10 Box 354
Caldwell, ID 83605

Re: Water Right No. 63-10426

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MICROFILMED

AUG 21 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10426

This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 63-10426; and a temporary approval to divert groundwater is granted until August 20, 1987, subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

AUG 15 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 22nd day of April, 1987.

David R. Tuthill
DAVID R. TUTHILL, JR., P. O.
Manager, Western Regional Office

MICROFILMED

AUG 21 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 10, 1987

Richard L. Kincheloe
Route #1, Box 668
Caldwell, ID 83605

Dear Mr. Kincheloe:

We have received the application for permit recently submitted for a well to be used for irrigation purposes. However, before processing can begin a few more items will be needed.

There is a fee for filing an application for permit based on the amount of water being applied for. The fee for 2.5 cfs is \$85.00 as shown on the enclosed fee sheet. On this application you were filing on 160 acres in the NW $\frac{1}{4}$, Sec. 10, Twp. 3N, Rge. 4W. The Department will allow up to 1" per acre to be filed on in an application. This would be 3.2 cfs for 160 acres or 160 inches of water. The fee for 3.2 cfs is \$95.00 as the cut-off for the \$85 fee is 3.0 cfs. You can either increase the 2.5 cfs to 3.0 cfs and have the same fee, or pay the \$95 fee for 3.2 cfs. If 2.5 cfs is the maximum rate the pump can put out, then the application should be left as is. Please be advised that once the fee is paid and the application processed, the Department cannot increase the cfs amount.

I am assuming the 160 acres shown under Item 9b is for the entire NW $\frac{1}{4}$ and have typed in 40 acres under each quarter-quarter in that quarter. This is normally how we show a 160-acre tract on applications. John Beal phoned concerning the frost protection you spoke to him about and I have added the use under Item No. 4 with no increase in the cfs. This would mean you could use it for frost protection when not irrigating.

Please return the application form with the required fee at your earliest convenience. If you have any questions concerning this matter, please do not hesitate to contact me.

Sincerely,

JAN SHURTE
Sr. Water Resource Agent

JS:j
Enc.

FILED

AUG 21 1987

KINCHELOE, RICHARD

RT. 10 BOX 354, CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NWNW Sec 10 T 03N R 04W

Use: IRRIGATION (2.5 CFS)
COMMERCIAL (2.5 CFS)

Date Filed: 04/16/1987

In: NENW NWNW SWNW SENW Sec 09 T 03N R 04W FOR 160 ACRES

MICROFILMED

AUG 21 1987