


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Moyd Edwards
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10425

1. Owner: FLOYD & MARVA EDWARDS

Phone No. 888-4352

Current Address: 5042 WEST AMITY Nampa ID 83687

2. Accompanied by: FLOYD'S SON

EXAM. DATE: 7-19-89

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: DETCH Co. WATER (BOISE PROJECT BOARD OF CONTROL) 63-10635 ☐ Copies Attached

2. Other water rights with same point of diversion: NONE 63-10635 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more).

MICROFILMED
OCT 27 1992



PU
OUTLEND IN REDD

P/D

CEMENT
DITCHES

BURIED
PIPE LINE
WITH RISERS
FOR LAWNS &
GARDENS

OCT 17 1992


PERMIT 63-10425 INIT KKC

T. R. S. Q/Q

P/D 3N 1E 38 NW/SE

SCALE 8" = 1 MI

PHOTO ID.



NOT TO scale

OCT 27 1992

P/D LOOKING SOUTH EAST

MEASUREMENT
SIGHT TUBE

Picture # 1



P/U LOOKING WEST

CEMENT DITCH

Picture # 2



RECEIVED
OCT 27 1992

RISER ON BURIED LINE
SOUTH OF HOME

Picture # 3



LOOKING NORTH EAST

Picture # 4



RECEIVED
OCT 27 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10425

Priority: April 20, 1987

Maximum Diversion Rate: 2.00 CFS
Maximum Diversion Volume: 652.5 AF

This is to certify, that MARVA EDWARDS
FLOYD EDWARDS

5042 W AMITY
NAMPA ID 836870000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 20, 1987; and has submitted Proof of Beneficial Use on July 17, 1989. An examination indicates that the works have a diversion capacity of 4.100 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.00 CFS	652.5 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 28, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	28	NESE 38	NWSE 38	SWSE 34	145
			SESE 35			

Total number of acres irrigated: 145

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECORDED


OCT 27 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10425

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19th
day of OCTOBER, 1992.


Acting for R. Keith Higginson, Director

RECEIVED
OCT 27 1992

State of Idaho
Department of Water Resources

RECEIVED **APPROVED**

OCT 07 1992

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10425

Date of Priority: April 20, 1987

Maximum Diversion Rate: 2.00 CFS
Maximum Diversion Volume: 652.5 AF

Comes now

MARVA EDWARDS
FLOYD EDWARDS

5042 W AMITY
NAMPA ID 836870000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-10425, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.00 CFS	652.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 28, Township 03N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	01W	28	NESE 38	NWSE 38	SWSE 34	145
			SESE 35			

Total number of acres irrigated: 145

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Nampa, Idaho, this 5 day of Oct, 1992.

RECEIVED

OCT 27 1992

Marva Edwards
(Signature)
Floyd Edwards

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESFor Office Use Only
\$15 FEE Received by CP
Date 9/20/88
Receipt # 0002628

REQUEST FOR EXTENSION OF TIME

SEP 19 1988

To provide additional time in which to submit proof
of beneficial use for a water right permit

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-10425Name(s) of Permit Holder: Floyd Edwards, Maria EdwardsPost Office Address: P.O. Box 6398,ampa, Idaho - 83651Telephone No. 888-4352Date Proof is Due: October 1, 1988

Describe what work has been completed toward the development of this water right: Well has been
(This must be filled out! If no work has been completed, show "none".)

drilled, pump installed and has been used for
2 seasons of irrigation on 155 acres of land.

Costing \$ 25,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

At this time the engine we have on the pump is not pumping
at full capacity so we will need to have some work done on
it this winter before starting it again in the spring.

Permit holder(s) request an extension to October 1, 1989. Maria Edwards
(1 yr. minimum) (Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to October 1, 1989.

DEC 04 1988

Signed this 17th day of October, 1988.

A. Glen Saxton
Chief, Operations Bureau

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10425

FOR DEPARTMENT USE ONLY

Preliminary check by es Fee = \$20.00 Receipted by J # 0025684 Date 10-7-92


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10425 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 19th day of OCTOBER, 1992.


Acting for R. Keith Higginson, Director

OCT 27 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant FLOYD & /or MARVA EDWARDS Phone 888-4352
Post office address Rt. # 6, Box 6398, NAMPA, ID 83651
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NW 1/4 of SE 1/4, Govt. Lot _____
Sec. 28 Township 3N Range 1E B.M. ADA County; additional
points of diversion if any: NESE, S. 28, T. 3N, R. 1E.
4. Water will be used for the following purposes:
Amount 2.0 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.0 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP & PIPELINE
TO PLACE OF USE.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 12 inches; proposed depth of well is 220 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECORDED

SEP 28 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1E	28													40	40	35	40	155


Total number of acres to be irrigated 155

10. Describe any other water rights used for the same purposes as described above. NAMPA-MERIDIAN
IRRIG DIST. - THIS FILING IS FOR A WELL TO SUPPLEMENT SURFACE WATER.

- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lloyd Edwards
(Applicant)

Proposed Priority 4/20/87

Received by [Signature] Date 4/20/87 Time 2:05 Preliminary check by [Signature]

Fee \$ 65.00 Received by [Signature] # 42340 Date 4/20/87

Publication prepared by HA Date 4-29, 1987 Published in I.D. STATESMAN

Publication approved HA 6/8/87 Date 6/8/87 5-7-15-14, 1987
7/16 + 7/23/87
8/19/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10425, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 14th day of September, 1987.

[Signature]
Chief, Operations Bureau

REPROFILMED

SEP 28 1987

MAY 15 1987

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

63-10425

Department of Water Resources

LEGAL ADVERTISING INVOICE

Amount Due

112.17

Account Name Idaho Dept. of Water Resources (Western Region)			Account Number #47628	
Address Statehouse		City/State Boise, ID		Zip 83720
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1987 May 7, 14	
Identification Applications for Water Rights			Estimated Inches	Real Inches
1 Number of Affidavits Requested				Legal Number #5240

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10419

Palmer, E.C.
350 Stillwell Dr.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: NWSE Sec. 33 T 05N R 01E
Use: Irrigation (0.2 CFS)
Use: Domestic (0.040 CFS)
Date Filed: 04/20/1987
In: NWSE SWSE Sec. 33 T 05N R 01E — for 30 acres

63-10425

Edwards, Floyd &/or Marva
Rt. 6 Box 6398
Nampa, ID 83651
Source: Groundwater
Diversion Pt: NESE Sec. 28 T 03N R 01E
Use: Irrigation (2.0 CFS)
Date Filed: 04/20/1987
In: NESE NWSE SWSE SESE Sec. 28 T 03N R 01E — for 155 acres

63-10430

Best, Michael R. &/or Anne L.
3881 Hall Dr.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SENE NENE Sec. 33 T 05N R 01E
Use: Irrigation (0.120 CFS)
Use: Domestic (0.020 CFS)
Date Filed: 04/21/1987
In: NENE SENE Sec. 33 T 05N R 01E — for 6 acres

63-10458

Gemmill, Bruce
8842 N. Eagle Rd.
Meridian, ID 83642
Source: Boise River trib. to Snake River
Diversion Pt: Lot 05 (NWSW) Sec. 16 T 04N R 01E
Use: Recreation (0.1 CFS)
Date Filed: 04/13/1987
In: Lot 05 (NWSW) Sec. 16 T 04N R 01E

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on, or before, August 26, 1986.

KEN DUNN
Director

May 26, 1987

ub. May 7, 14, 1987

5240

RECEIVED
MAY 13 1987

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Deborah Gregory, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of May 7, 19 87

and ending with the issue of May 14, 19 87

Deborah Gregory

Subscribed and sworn to before me this 14th

day of May, 19 87

MICROFILMED

SEP 28 1987

Connee Blackburn
Notary Public for Idaho, Residing at Boise, Idaho

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

RECEIVED

JUL 24 1987

Amount Due

1/1302 resources

Account Name Idaho Department of Water Resources (Western)			Account Number #47628		
Address Statehouse		City/State Boise, ID		Zip 83720	
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1987 July 16, 23		
Identification Applications for Water Rights			Estimated Inches	Real Inches	
1 Number of Affidavits Requested					Legal Number #5878

RECEIVED

JUL 27 1987

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Deborah Gregory, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of July 16, 19 87

and ending with the issue of July 23, 19 87

Deborah Gregory

Subscribed and sworn to before me this 23rd

day of July, 19 87 SEP 28 1987

Connie Helleman 8/92

Notary Public for Idaho, Residing at Boise, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10425
Edwards, Floyd &/or Marva
Rt. 6, Box 6398
Nampa, ID 83651
Source: Groundwater
Diversion Pt: NWSE NESE Sec 28
T 03N R 01E
Use: Irrigation (2.0 CFS)
Date Filed: 04/20/1987
In: NESE NWSE SWSE SESE Sec
28 T 03N R 01E — for 155 Acres
63-10430
Best, Michael R. &/or Anne L.
3881 Holl Dr.
Eagle, ID 83616
Source: Groundwater
Diversion Pt: SENE NENE Sec 33
T 05N R 01E
Use: Irrigation (0.120 CFS)
Use: Domestic (0.020 CFS)
Date Filed: 04/21/1987
In: NENE SENE Sec 33 T 05N R
01E — for 6 Acres
63-10458
Gemmill, Bruce
8842 N. Eagle Rd.
Meridian, ID 83642
Source: Boise River trib. to Snake
River
Diversion Pt: Lot 05 (NWSW) Sec
16 T 04N R 01E
Use: Recreation (0.1 CFS)
Date Filed: 04/13/1987
In: Lot 05 (NWSW) Sec 16 T 04N R
01E

The permit(s) will be subject to all prior water rights. Permits must be filed with the Director, Dept. of Water Resources, Western Regional Office, Statehouse, Boise, Idaho 83720 on or before August 3, 1987.

KEN DUNN
Director

Pub, July 16, 23, 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 23, 1992

MARVA EDWARDS
FLOYD EDWARDS
5042 W AMITY
NANPA ID 836870000

RE: WATER RIGHT NO. 63-10425

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

OCT 27 1992

September 28, 1992

MARVA EDWARDS
FLOYD EDWARDS
5042 W AMITY
NAMPA ID 836870000

RE: WATER RIGHT NO. 63-10425

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED

OCT 27 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10425

Date 9-18-92

CB

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	<u>145 x .02 = 2.9 / 2.0 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical?
	☐	☒	Limited by Capacity? <u>4.10 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	<u>145 x 4.5 = 652.5</u>
	☐	☒	Limited by Flow? <u>2 x 245 x 1.9835 = 976.9 > 652.5</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☒	☐	Verify with Map <u>Drop NWSE</u>
	☒	☐	Amendment Needed? <u>Change R1E to R1W</u>
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☒	☐	Verify with Map
	☒	☐	Amendment Needed? <u>Change R1E to R1W</u>
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R32</u>	☐	Overlap
	☐	☒	Water Quality
		☒	DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres, Amend P/D & P/U
Verified map as 1W /

License 10-Day 15-Day ☒ Special Correspondence

RT 26 1967

82

RECEIVED

SEP 25 1987

Department of Water Resources.

MONOTHEISM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10425

1. Owner: FLOYD & MARVA EDWARDS

Phone No. 888-4352

Current Address: 5042 WEST AMITY Nampa ID 83687

2. Accompanied by: FLOYD'S SON EXAM. DATE: 7-19-89

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: DITCH CO. WATER (BOISE PROJECT BOARD OF CONTROL) 63-10635 ☐ Copies Attached

2. Other water rights with same point of diversion: NONE 63-10635
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

OCT 27 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THIS SYSTEM IS A WELL DELIVERING WATER INTO A CEMENT DITCH SYSTEM TO SUPPLEMENT DITCH CO. WATER. IRRIGATION INCLUDES THE FIELDS, THE YARDS AROUND THE HOMES & THE GARDENS.

THE SYSTEM DELIVERS 2.31 CFS / LIMITING FACTOR IS PERMIT & FEES ARE FOR 2.00 CFS / THE PERMITTED RATE. LEGAL LIMIT FOR FLOW ACRES OF 145 * 0.2 = 2.90 CFS

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	CUMMINS	100	44401325	JACUZZI	8"
			HARD TO READ		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	28	3N	1W	ADA	AERIAL PHOTO

6. **Place(s) of Use:**

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	1W	28													38	38	34	35	145

Do not use this space

OCT 27 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
6" ORIFICE PLATE ON A 10" PIPE						

2. Measurements:

MEASURED 56" ON SIGHT TUBE

1036 GPM PER BOOK $1036 / 448.8 = 2.31$ CFS

OR 115.4 INCHES

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

SEE ABOVE

2. Alternate Method for Checking Purposes:

$$\frac{100 \times 8.8 \times .7}{1.50 \times (2.3 \times 0)} = 4.10 \text{ CFS}$$

PER OWNER

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 145 \times 4.5 = 652.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.00 \times 246 \times 1.9835 = 975.8$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 652.5$

2. Volume Calculations for Other Uses:

RECORDED
OCT 27 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

~~P/O OVERLAP WITH DITCH CO WATER ONLY.~~

P/O + P/U OVERLAP WITH PERMIT 63-10635.

~~This right when combined with 63-10635 is limited to the system capacity of 2.31 cfs~~

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	1-15	2.00	~~695.8~~ 653
				653 AFA
Totals:			2.00	~~695.8~~

2. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION


Field Examiner's Name KELLY K. CHRISTENSEN

lw 1/16/92


Signature Kelly K. Christensen

Certification Date _____

Field Report Preparation Date 3-27-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



PERMIT 63-10425 INIT KKC
T. R. S. Q/Q
P/D 3N 1E 38 NW/SE
SCALE 8" = 1 MI
PHOTO ID.

P/D

CEMENT
DITCH

B9

Not To Scale

OCT 27 1992

State of Idaho

Department of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 3N, Rge. 1W,
Sec. 28, Qtr./Qtr. NE/SE or Lot _____

2. Owner _____
Address _____, City _____, State _____

3. Approx. date of well construction MAY 1987
Well Driller ADAMSON PUMP

4. Casing: Diameter 12" Condition GOOD

5. Casing length above land surface 13"

6. Well depth (ft) 270' (EST) Flowing NO Temp. _____

Access port _____ AIR PRESSURE COLUMN FOR WATER LEVEL MEASUREMENT

7. Condition of piping and valving GOOD

8. Evidence of well seal -

9. Shut in pressure or static water level 145

10. Evidence of leakage around the casing NO

11. Does well need repair NO

12. Comments _____

(OVER)

OCT 27 1992

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

Inspected by _____ Date _____

RECORDED

OCT 27 1992

P/D LOOKING SOUTH EAST

MEASUREMENT
SIGHT TUBE


Picture # 1



P/U LOOKING WEST

CEMENT DITCH

Picture # 2



MAILED
OCT 27 1992

RISER ON BURIED LINE
SOUTH OF HOME

Picture # 3



LOOKING NORTH EAST

Picture # 4



NOV 11 1962
007278002

October 17, 1989

FLOYD EDWARDS
MARVA EDWARDS
RT. 6 BOX 6398
NAMPA, ID 836510000

RE: PERMIT NO. 63-10425

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

OCT 20 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 103-10425

Date: 7/19/89

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
☒ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
1. well log in file NO WELL LOG FOUND
N/A 2. drilling permit 6/87
N/A A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>N/A</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
JUL 17 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
FR

PROOF OF BENEFICIAL USE

For Office Use Only
 Fee Received 125⁰⁰
 Date 7-14-89
 Receipt # W003636
 Receipt by RKC
 Reviewed by DA 9/27/89
 Sent to region _____

Copy kept at
Western

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10425

Name(s) of Permit Holder: FLOYD & /OR MARVA EDWARDS

Post Office Address: 5042 WEST AMITY NAMPA ID 83687

Telephone No. 888 - 4352

Source of Water:

Extent of Use:

Domestic _____ (number of households)

Stockwater (number and type of stock)

Irrigation 155 (acres)

Other/Remark

Total rate and/or volume for which proof is submitted 2.00 cfs acre-foot

Show the date water was first diverted and beneficially used under this permit: June 1987

Measuring Device: Required? ~~X~~/Yes — No
Installed? Yes No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

SAME

{ Name }

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been completed and I relinquish any undeveloped portion of the permit to the state of Idaho.

THE OPTIMED

July 14, 1989

Harve Edwards

OCT 20 1989

Date: _____

Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 22, 1989

Floyd and Marva Edwards
5042 West Amity
Nampa, Ida. 83687

Dear Mr. and Mrs. Edwards:

Re: Permit No. 63-10425

This office acknowledges receipt of the proof of beneficial use form submitted on July 17, 1989.

Note the condition of approval of your permit which requires you to install a flow measurement port or other device to provide for the determination of the rate of diversion. The next step is for the department to conduct a field examination for licensing purposes. At the time the field examination is conducted, a type of measuring device must be installed. Failure to comply is reason for the department to cancel the permit.

The department understands, however, that certain methods of diversion make it impossible to install measuring devices. If this situation applies to you, discuss with the department representatives alternative techniques of measuring your diversion rate. At the time of the field inspection, the field examiner can be prepared with the appropriate measuring equipment.

If you have any questions concerning this matter, please feel free to contact the Western regional office at 334-2190.

Sincerely,

NINA K. SHIELDS
Clerical Assistant

C: Region

MICROFILMED

OCT 20 1989

RECEIVED
JUL 20 1989

Department of Water Resources

MEMORANDUM

TO: GARY SPACKMAN
FROM: JAN SHURTE *Jan*
SUBJECT: AMENDMENT OF PERMIT NO.'S 63-10425 & 63-10635

AN AMENDMENT WILL BE NEEDED FOR THE ABOVE PERMITS PRIOR TO LICENSING. THIS AMENDMENT IS TO CHANGE THE RANGE FROM 1E TO 1W ON BOTH PERMITS. I ORIGINALLY ASSISTED THE EDWARD'S IN FILING THE FIRST APPLICATION FOR THIS WELL(63-10425) AND AT THE TIME OF COMPLETION OF THE APP., I MADE AN ERROR IN THE RGE. THE EDWARD'S HAD OTHER PERMITS ALREADY ON FILE THAT I HAD WORKED WITH PREVIOUSLY AND THE ERROR IN THE RGE. IS DEFINITELY MY MISTAKE. THEREFORE, I DO NOT FEEL THEY SHOULD BE REQUIRED TO PAY THE AMENDMENT FEE WHEN THEY HAD GIVEN ME THE CORRECT RGE. AT THE TIME THE APPLICATION WAS COMPLETED. THEN, MR. EDWARDS NEEDED TO FILE AN ADDITIONAL APPLICATION FOR MORE WATER FOR THE SAME WELL. HE COMPLETED THE SECOND APPLICATION(63-10635) USING THE EARLIER PERMIT AS A GUIDE. AGAIN, I FEEL THEY SHOULD NOT BE REQUIRED TO PAY THE AMENDMENT FEE ON THIS ONE. THIS REQUEST IS UNUSUAL, BUT I KNOW THAT THE RGE. WAS INCORRECTLY LISTED AT THE TIME I COMPLETED THE FIRST APP. LET ME KNOW WHAT YOU THINK ABOUT THIS REQUEST.

P.S.- PERMIT NO. 63-10425 IS COMING UP FOR LICENSING SOON.

MICROFILMED

OCT 20 1989

October 17, 1988

Floyd and Marva Edwards
Rt. 6 Box 6398
Nampa, ID 83651

Dear Mr. and Mrs. Edwards:

Re: Permit No. 63-10425

Enclosed is a copy of the approved request for extension of time. The time within which to submit the proof of beneficial use form is extended to October 1, 1989.

If you have any questions or concerns regarding the permit, please contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

10/17/88

10/17/88

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 63-10425Reviewed by lyDate 10-14-88

BASIC INFORMATION

y Date stamp received
y Extension received timely
 (not prior to 6 month before proof due date or after reinstatement period)
ly Fee received and receipted
ly Name and signature same as permit
N Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

y Has adequate work been completed to demonstrate due diligence?
y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

N/A Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN

Recommend approval based on due diligence for one year - 10-1-1989.

Special conditions or remarks:

N/A Reinstatement Date extension received _____ = _____
 Proof due date _____ = -
 No. of days late _____ = _____
 Priority date _____ = +
 ADJUSTED PRIORITY DATE _____ = _____

/ Prepare coding sheet
/ Change rolodex cardf

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
Certified Mail
July 31, 1988

138217

FLOYD EDWARDS
MARVA EDWARDS
RT. 6 BOX 6398
NAMPA, ID 836510000

PROOF DUE NOTICE

RE: PERMIT NO. 63-10425

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

DEC 02 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
SEPTEMBER 17, 1987

EDWARDS, FLOYD & MARVA
RT. 6 BOX 6398
NAMPA, ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10425

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

SEP 28 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY:

Jan Shulte

APPLICATION NUMBER:

63-10425

CHECK:

- ☒ Source.
☒ Point of diversion. NO LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☒ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

Nampa - Meridian Irr Dist water

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: _____

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: May 18, 1987 July 24, 1987
☒ Application published correctly. If not, record action taken: no answer received 6/24/87
☒ Fee amount, receipt date & number, recorded on application. 65/42340
☒ Publication dates and paper, recorded on application. IO. STATESMAN 5-7+5-14, 1987
☒ Protests, dates, withdrawal, etc., recorded on application. Readmitted 7/16+7/23/87
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
☒ 4/20/1987 Date of priority recommended.
☒ Special conditions of approval or cover letter. OIC

By: DW

Date: 9/4/87

SEP 28 1987

STATE OFFICE REVIEW:

103, 123, 116

43 OIG

☐ See attached sheet for more information.

By: KW

Date: 9/9/87

SEP 09 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

June 24, 1987

The Idaho Statesman
Attn: Legal Dept., Sharon
P. O. Box 40
Boise, ID 83707

Re: Applications for Permit Nos. 63-10410, 10412, 10416, 10417, 10419, 10425, 10430, and 10458

Dear Sharon:

Enclosed is a copy of the original notice for the above-referenced applications and the affidavit of publication received by our office. Note that there is a discrepancy in the two notices.

Also, 63-10412 was listed as a total of 125 acres, whereas, the actual acres irrigated was 129. On 63-10425, one point of diversion was left off. It should read as NWSE, NESE, Sec. 28, T 03N., R 01W. The protest date on this list should read ~~July 28~~, 1987.

Aug 3

E (per 7/15/87 per telecon w/ Sharon)

So sorry to have to bother you with this and bring it to your attention after all your good service to us!

Sharon, if you have any questions, please don't hesitate to call.

Sincerely,

Judy Pense
Secretary

Enclosures: Original Notice
Affidavit
Legal Notice (correction)

INDEXED

SEP 28 1987

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks:

Ada Co. Irrig. Cropland map
shows the SE 1/4, S. 28, 31, 1E as irrigated
under the New York Canal Co.

Application Initially Received Date 4/20/87 Time 2:05 pm
File Prepared By jp Date 4/21/87 Time 9:00 am
Staff Review By [Signature] Date 4/21/87 Time 2:30 PM
Temporary Approval Prepared By JP Date 4/22/87 Time 4:00 pm
Temporary Approval Signed By DM Date 4/22/87 Time 5:00 pm
Temporary Approval Mailed By EH Date 4/22/87 Time 5:25 PM
Index Updated By DM Date 4/23/87 Time 8:00 AM

MICROFILMED

SEP 28 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 22, 1987

Floyd &/or Marva Edwards
Rt. 6 Box 6398
Nampa, ID 83651

Re: Water Right No. 63-10425

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.


As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit



SEP 28 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10425

This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 63-10425; and a temporary approval to divert groundwater is granted until August 20, 1987, subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

MICROFILMED

SEP 28 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 22nd day of April, 1987.

David R. Tuthill
DAVID R. TUTHILL, JR., P.O.E.
Manager, Western Regional Office

RECORDED

SEP 28 1987

EDWARDS, FLOYD &/or MARVA

RT. 6 BOX 6398, NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: NWSE Sec 28 T 03N R 01E
NESE Sec 28 T 03N R 01E
Use: IRRIGATION (2.0 CFS)

Date Filed: 04/20/1987

In: NESE NWSE SWSE SESE Sec 28 T 03N R 01E FOR 155 ACRES

MICROFILMED

SEP 28 1987