


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harry F. Shoemaker
(Applicant)

7187	20.50	20	40	70.00
7187	41.00			
7187	40.90	20	40	70.00
7187	40.80	20	40	70.00
7187	40.70	20	40	70.00
7187	40.60	20	40	70.00
7187	40.50	20	40	70.00
7187	40.40	20	40	70.00
7187	40.30	20	40	70.00
7187	40.20	20	40	70.00
7187	40.10	20	40	70.00
7187	40.00	20	40	70.00
7187	39.90	20	40	70.00
7187	39.80	20	40	70.00
7187	39.70	20	40	70.00
7187	39.60	20	40	70.00
7187	39.50	20	40	70.00
7187	39.40	20	40	70.00
7187	39.30	20	40	70.00
7187	39.20	20	40	70.00
7187	39.10	20	40	70.00
7187	39.00	20	40	70.00
7187	38.90	20	40	70.00
7187	38.80	20	40	70.00
7187	38.70	20	40	70.00
7187	38.60	20	40	70.00
7187	38.50	20	40	70.00
7187	38.40	20	40	70.00
7187	38.30	20	40	70.00
7187	38.20	20	40	70.00
7187	38.10	20	40	70.00
7187	38.00	20	40	70.00
7187	37.90	20	40	70.00
7187	37.80	20	40	70.00
7187	37.70	20	40	70.00
7187	37.60	20	40	70.00
7187	37.50	20	40	70.00
7187	37.40	20	40	70.00
7187	37.30	20	40	70.00
7187	37.20	20	40	70.00
7187	37.10	20	40	70.00
7187	37.00	20	40	70.00
7187	36.90	20	40	70.00
7187	36.80	20	40	70.00
7187	36.70	20	40	70.00
7187	36.60	20	40	70.00
7187	36.50	20	40	70.00
7187	36.40	20	40	70.00
7187	36.30	20	40	70.00
7187	36.20	20	40	70.00
7187	36.10	20	40	70.00
7187	36.00	20	40	70.00
7187	35.90	20	40	70.00
7187	35.80	20	40	70.00
7187	35.70	20	40	70.00
7187	35.60	20	40	70.00
7187	35.50	20	40	70.00
7187	35.40	20	40	70.00
7187	35.30	20	40	70.00
7187	35.20	20	40	70.00
7187	35.10	20	40	70.00
7187	35.00	20	40	70.00
7187	34.90	20	40	70.00
7187	34.80	20	40	70.00
7187	34.70	20	40	70.00
7187	34.60	20	40	70.00
7187	34.50	20	40	70.00
7187	34.40	20	40	70.00
7187	34.30	20	40	70.00
7187	34.20	20	40	70.00
7187	34.10	20	40	70.00
7187	34.00	20	40	70.00
7187	33.90	20	40	70.00
7187	33.80	20	40	70.00
7187	33.70	20	40	70.00
7187	33.60	20	40	70.00
7187	33.50	20	40	70.00
7187	33.40	20	40	70.00
7187	33.30	20	40	70.00
7187	33.20	20	40	70.00
7187	33.10	20	40	70.00
7187	33.00	20	40	70.00
7187	32.90	20	40	70.00
7187	32.80	20	40	70.00
7187	32.70	20	40	70.00
7187	32.60	20	40	70.00
7187	32.50	20	40	70.00
7187	32.40	20	40	70.00
7187	32.30	20	40	70.00
7187	32.20	20	40	70.00
7187	32.10	20	40	70.00
7187	32.00	20	40	70.00
7187	31.90	20	40	70.00
7187	31.80	20	40	70.00
7187	31.70	20	40	70.00
7187	31.60	20	40	70.00
7187	31.50	20	40	70.00
7187	31.40	20	40	70.00
7187	31.30	20	40	70.00
7187	31.20	20	40	70.00
7187	31.10	20	40	70.00
7187	31.00	20	40	70.00
7187	30.90	20	40	70.00
7187	30.80	20	40	70.00
7187	30.70	20	40	70.00
7187	30.60	20	40	70.00
7187	30.50	20	40	70.00
7187	30.40	20	40	70.00
7187	30.30	20	40	70.00
7187	30.20	20	40	70.00
7187	30.10	20	40	70.00
7187	30.00	20	40	70.00
7187	29.90	20	40	70.00
7187	29.80	20	40	70.00
7187	29.70	20	40	70.00
7187	29.60	20	40	70.00
7187	29.50	20	40	70.00
7187	29.40	20	40	70.00
7187	29.30	20	40	70.00
7187	29.20	20	40	70.00
7187	29.10	20	40	70.00
7187	29.00	20	40	70.00
7187	28.90	20	40	70.00
7187	28.80	20	40	70.00
7187	28.70	20	40	70.00
7187	28.60	20	40	70.00
7187	28.50	20	40	70.00
7187	28.40	20	40	70.00
7187	28.30	20	40	70.00
7187	28.20	20	40	70.00
7187	28.10	20	40	70.00
7187	28.00	20	40	70.00
7187	27.90	20	40	70.00
7187	27.80	20	40	70.00
7187	27.70	20	40	70.00
7187	27.60	20	40	70.00
7187	27.50	20	40	70.00
7187	27.40	20	40	70.00
7187	27.30	20	40	70.00
7187	27.20	20	40	70.00
7187	27.10	20	40	70.00
7187	27.00	20	40	70.00
7187	26.90	20	40	70.00
7187	26.80	20	40	70.00
7187	26.70	20	40	70.00
7187	26.60	20	40	70.00
7187	26.50	20	40	70.00
7187	26.40	20	40	70.00
7187	26.30	20	40	70.00
7187	26.20	20	40	70.00
7187	26.10	20	40	70.00
7187	26.00	20	40	70.00
7187	25.90	20	40	70.00
7187	25.80	20	40	70.00
7187	25.70	20	40	70.00
7187	25.60	20	40	70.00
7187	25.50	20	40	70.00
7187	25.40	20	40	70.00
7187	25.30	20	40	70.00
7187	25.20	20	40	70.00
7187	25.10	20	40	70.00
7187	25.00	20	40	70.00
7187	24.90	20	40	70.00
7187	24.80	20	40	70.00
7187	24.70	20	40	70.00
7187	24.60	20	40	70.00
7187	24.50	20	40	70.00
7187	24.40	20	40	70.00
7187	24.30	20	40	70.00
7187	24.20	20	40	70.00
7187	24.10	20	40	70.00
7187	24.00	20	40	70.00
7187	23.90	20	40	70.00
7187	23.80	20	40	70.00
7187	23.70	20	40	70.00
7187	23.60	20	40	70.00
7187	23.50	20	40	70.00
7187	23.40	20	40	70.00
7187	23.30	20	40	70.00
7187	23.20	20	40	70.00
7187	23.10	20	40	70.00
7187	23.00	20	40	70.00
7187	22.90	20	40	70.00
7187	22.80	20	40	70.00
7187	22.70	20	40	70.00
7187	22.60	20	40	70.00
7187	22.50	20	40	70.00
7187	22.40	20	40	70.00
7187	22.30	20	40	70.00
7187	22.20	20	40	70.00
7187	22.10	20	40	70.00
7187	22.00	20	40	70.00
7187	21.90	20	40	70.00
7187	21.80	20	40	70.00
7187	21.70	20	40	70.00
7187	21.60	20	40	70.00
7187	21.50	20	40	70.00
7187	21.40	20	40	70.00
7187	21.30	20	40	70.00
7187	21.20	20	40	70.00
7187	21.10	20	40	70.00
7187	21.00	20	40	70.00
7187	20.90	20	40	70.00
7187	20.80	20	40	70.00
7187	20.70	20	40	70.00
7187	20.60	20	40	70.00
7187	20.50	20	40	70.00
7187	20.40	20	40	70.00
7187	20.30	20	40	70.00
7187	20.20	20	40	70.00
7187	20.10	20	40	70.00
7187	20.00	20	40	70.00
7187	19.90	20	40	70.00
7187	19.80	20	40	70.00
7187	19.70	20	40	70.00
7187	19.60	20	40	70.00
7187	19.50	20	40	70.00
7187	19.40	20	40	70.00
7187	19.30	20	40	70.00
7187	19.20	20	40	70.00
7187	19.10	20	40	70.00
7187	19.00	20	40	70.00
7187	18.90	20	40	70.00
7187	18.80	20	40	70.00
7187	18.70	20	40	70.00
7187	18.60	20	40	70.00
7187	18.50	20	40	70.00
7187	18.40	20	40	70.00
7187	18.30	20	40	70.00
7187	18.20	20	40	70.00
7187	18.10	20	40	70.00
7187	18.00	20	40	70.00
7187	17.90	20	40	70.00
7187	17.80	20	40	70.00
7187	17.70	20	40	70.00
7187	17.60	20	40	70.00
7187	17.50	20	40	70.00
7187	17.40	20	40	70.00
7187	17.30	20	40	70.00
7187	17.20	20	40	70.00
7187	17.10	20	40	70.00
7187	17.00	20	40	70.00
7187	16.90	20	40	70.00
7187	16.80	20	40	70.00
7187	16.70	20	40	70.00
7187	16.60	20	40	70.00
7187	16.50	20	40	70.00
7187	16.40	20	40	70.00
7187	16.30	20	40	70.00
7187	16.20	20	40	70.00
7187	16.10	20	40	70.00
7187	16.00	20	40	70.00
7187	15.90	20	40	70.00
7187	15.80	20	40	70.00
7187	15.70	20	40	70.00
7187	15.60	20	40	70.00
7187	15.50	20	40	70.00
7187	15.40	20	40	70.00
7187	15.30	20	40	70.00
7187	15.20	20	40	70.00
7187	15.10	20	40	70.00
7187	15.00	20	40	70.00
7187	14.90	20	40	70.00
7187	14.80	20	40</	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 01 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10418

1. Owner: Larry F. Shoemaker Phone No. 466-6905
Current Address: Rt. 1, Box 1442 Nampa Id. 83651

2. Accompanied by: Larry Shoemaker EXAM. DATE: 6-13-90

Address: Same Phone No. Same

Relationship to Permit Holder: Owner

3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
FEB 01 1993



1.2 MI. TO U.S.
NAMPA 4

63-10418


T3N 3W

T3N 2W

Place of
use
crosshatched

Point
of
diversion

PROPERTY MAP
FEB 01 1993



11.5

2
23.3

3
20.3

1
16.4

T2945

66.3

63-10418

FEB 01 1993

2
9.3

3
14.6

T3N R3W

T2930

2
18.6

24

place of
use
crosshatched

T3N R2W

4
14.3

T2976

T3240

12
acres

12.0

out
out

37.5
acres

1
7.8

2
14.0

3
36.4


25

30

36

31

Point of
diversion



63-10418



point of diversion
looking west toward
irrigation ditch.

Hand line pump
can be seen in
the background
and to the
right.



discharge from
pump in to
irrigation ditch.

FEB 01 1963

63-10418



Picture showing main line to
hand lines and also the
place of use of water.

RECEIVED

FEB 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10418

Priority: April 20, 1987

Maximum Diversion Rate: 0.99 CFS
Maximum Diversion Volume: 222.8 AF

This is to certify, that LARRY F SHOEMAKER
RT 1 BOX 1446

NAMPA ID 836510000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 20, 1987; and has submitted Proof of Beneficial Use on June 9, 1988. An examination indicates that the works have a diversion capacity of 1.340 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.99 CFS	222.8 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWSW), Sec. 30, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02W	30	Lot 4(SWSW)	37.5			37.5
	03W	25	SESE	12			12

Total number of acres irrigated: 49.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

RECEIVED
FEB 6 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10418

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of JANUARY, 1995.

Acting for R. Keith Higginson, Director

FEB 01 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Larry F. Shoemaker Phone 466-6905
Post office address Rt. 1, Box 1446 Nampa, ID 83651

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot 4
Sec. 30 Township 3N Range 2W B.M. Canyon County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.0 for Irrigation purposes from 4-1 to 10-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.0 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well w/pump to ditch system.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 10 inches; proposed depth of well is 200 feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

AUG 21 1987

8. Description of proposed uses *(if irrigation only, go to item 9)*:

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2W	30											47.4 38						38
3N	3W	25																12	12

Total number of acres to be irrigated 50

10. Describe any other water rights used for the same purposes as described above. Canal rights
from Boise-Kuna Project


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED

AUG 21 1981

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Randy F. Shumaker
(Applicant)

Received by EB Date 20 April 1987 Time 10:30 Preliminary check by JP Proposed Priority 4/20/87
Fee \$ 4500 Received by JP # 42338 Date 4/20/87
Publication prepared by JA Date 4-29-1987 Published in PRESS-TRIBUNE
Publication approved JA Date 7/6/87 5-7 + 514-1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10418, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.


Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 23rd day of July, 1987.

J. Glen Saylor
Chief, Operations Bureau

MICROFILMED

AUG 21 1987



RECEIVED
MAY 13 1987

Department of Water Resources
Western Regional Office

RECEIVED
MAY 15 1987

Department of Water Resources.

**NOTICE OF APPLICATION
FOR WATER RIGHT**
The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10418 OK
SHOEMAKER, LARRY F.
RT. 1 BOX 1446, NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: LOT 04 (SWSW) Sec
30 T 03N R 02W
Use: IRRIGATION (1.0 CFS)
Date Filed: 04/20/1987
In: LOT 04 (SWSW) Sec 30 T 03N R
02W SESE Sec 25 T. 03N R 03W
FOR 50 ACRES

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before MAY 26, 1987.

KEN DUNN
Director
May 6, 13, 1987

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

May 6, 13, 1987

Debra Martin del Campo

Subscribed and sworn to before me this

13th day of May
19 87

Jeanne Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991

COPILED
AUG 21 1987

1. DRILLING PERMIT NO. 63-94-W-0285-000
Other IDWR No. WR 63-10418

10. WELL TESTS:

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Depth	Time
360 +	NH	150	24 Hr

Temperature of water 59 Was a water analysis done? Yes ☐ No ☒

By whom?

Water Quality (odor, etc.) *Clear*Bottom Hole Temperature *NA*

11. STATIC WATER LEVEL:

110 ft. below surface Depth artesian flow found _____
Artesian pressure _____ lb. Describe access port Plug in Well Plate
Describe Controlling Devices: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	GPM	SWL
14	0	6	Top Soil		
14	6	18	Hard pan		
10	18	22	Hard pan		
10	22	105	Gravel 20 GPM Bottom of Gravel		
10	105	126	Sandy Clay		
10	126	135	Brn Clay		
10	135	141	Sandy Brn Clay		
10	141	164	Brn Clay		
10	164	167	Coarse Wht Brn Blk Sand		
10	167	175	Sandy Brn Clay		
10	175	180	Sand & Clay Thin Layers	100	110
10	180	185	Brn Clay		
10	185	200	Mixed Sand fine to coarse	300	110
10	200	206	Brn Clay		

RECEIVED RECEIVED

DEC 08 1994 AUG 04 1994

Department of Water Resources
WATER RESOURCES
WESTERN REGION

Date: Started 2/26/94 Completed 5/1/94

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Domestic Pump & Well Firm No. 485

Firm Official _____ Date _____

and
Supervisor or Operator *[Signature]* Date 6/1/94

(Sign once if Firm Official & Operator)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 12, 1993

LARRY F SHOEMAKER
RT 1 BOX 1446
NAMPA ID 836510000

RE: WATER RIGHT NO. 63-10418

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JAN 14 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 14, 1992

LARRY F SHOEMAKER
RT 1 BOX 1446
NAMPA ID 836510000

RE: WATER RIGHT NO. 63-10418

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FEB 01 1993

LICENSE REVIEW CHECKLIST

Permit # 63-10418

Date 12-10-92
38

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance?
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>✓</u>	<u> </u>	Disagree with Actual Measurement? Not Reliable < 5 Sec. <u>49.5 x .02 = .99 cfs (IRR)</u>
	<u>✓</u>	<u> </u>	Disagree with Theoretical? <u>20 x 8.8 x .7 = 1.339</u> Bucket Measurement
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>1.34 cfs 92' + (2.31 x 0)</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Allow Same / V_{IR} > V_{DE}</u> Season Recommended
	<u>✓</u>	<u> </u>	Disagree with Examiner's Calculations? <u>49.5 x 4.5 = 222.8 cfs (IRR)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u>.99 x 198 x 1.9835 = 388.8 > 222.8</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source
	<u> </u>	<u> </u>	Notice of Intent to Void.
P/D	<u> </u>	<u> </u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u> </u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use?
	<u> </u>	<u>✓</u>	Amendment Needed?
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u>✓</u>	Non-Irr. Uses
	<u> </u>	<u>✓</u>	Special Overlap Condition
	<u> </u>	<u>✓</u>	Other
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R32</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
		<u> </u>	<u>✓</u> Water Dist.
		<u> </u>	<u>✓</u> App Rec'd
		<u> </u>	<u> </u> Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acre, rate
82' static water level / used 92' as minimum
dynamic level

License 10-Day ✓ 15-Day Special Correspondence

WR0749NP
No. L63-10418

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/10/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LARRY F SHOEMAKER RT 1 BOX 1446 NAMPA ID 836510000 (208) 466-6905	04/20/1987	IRRIGATION	03-15 11-15	0.99 CFS	222.8 AFA
TOTAL DIVERSION:					0.99 CFS	222.8 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 1.34 CFS

Point(s) of Diversion: T03N R02W S30 Lot 04(SW SW)

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
03N	02W	30	:																	:	37.5
03N	03W	25	:																	:	12.0
TOTAL ACRES																				:	49.5

Pou County: CANYON

Other Rights: ~~BOISE-KUNA PROJECT.~~

Other Water Rights with Same Point(s) of Diversion and Source:
63-10418

Other Water Rights Listing Overlapping Place(s) of use:
63-10418 63-11911 M63-11911

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Dates:	App. Received:	04/20/1987	Priority Date:	04/20/1987
	Proof Due Date:	08/01/1988	Proof Made Date:	06/09/1988
	Exam Made Date:	06/13/1990	Exam Sent to S.O.:	11/30/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 12/10/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10418
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval

yes Well Inspection Form Needed

- ☒ Copy of U.S.G.S. Quad

found in sec 30 Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 7-20-89 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 7-20-89 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? 5-29-90 L.W.
7-19-89 KRC (Initial and date)

- ☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed Larry J. Muth 6-13-90 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JFW 4/28/92 (Initial and date)

Exam Reviewed by Manager of Regional Office Dmr 10/22/92 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 11-30-92 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 01 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Larry F. Shoemaker Permit No. 63-10418
Current Address: Rt. 1, Box 1446 Nampa Id. 83651 Phone No. 466-6905
2. Accompanied by: Larry Shoemaker EXAM. DATE: 6-13-90
Address: Same Phone No. Same
Relationship to Permit Holder: Owner
3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

FEB 01 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Submersible pump supplies water through a six inch open discharge pipe to a concrete lined ditch for irrigation of 50 acres. The water is taken out of the ditch at approx 35' from well, and pumped into hand lines for use on crops. Siphon tubes are also used to distribute water to the crops from the ditch.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Cat Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	unknown	20	PX431020 SL	unknown	6"
	Marathon	7.5	FF 213KDR708A	new Cornell	1.25"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	Lot 4		SW	SW	30	3N	2W	Canyon	Maps/on site inspection

6. **Place(s) of Use:**

Indicate Method of Determination *Maps/on site inspection*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2W	30											37.5 6+4						37.5
3N	3W	25															12		12.0
																			49.5 Total

Do not use this space

RECEIVED

FEB 01 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket						
stop watch						

2. Measurements:

10 gal / 1 sec = 600 gpm = 1.3 cfs (but not really reliable)

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{222.7} = [49.5 \text{ Ac.} \times 4.5 \text{ Ac.-ft/ac.}]$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{589.1 \text{ AFA}} = [1.5 \text{ cfs} \times 198 \text{ days} \times 1.9835]$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{222.7 \text{ AFA}}$

2. Volume Calculations for Other Uses:

MAINTAINED
FEB 01 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlaps

Limit to 0.02 cfs / acre = 0.99 cfs and
49.5 acres irrigated, both the theoretical
calculation and the bucket measurement
are larger than this.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-15	0.99	222.7
Totals:			0.99 cfs	222.7 afy

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name Larry L. Waters
JFW 4/28/92 Signature Larry L. Waters
Certification Date _____
Field Report Preparation Date 7-10-90



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

FEB 01 1993

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

=====

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

1.
$$\frac{49.5}{\text{Found Acres}} * \frac{4.6}{\text{Irr. Req.}} = \frac{222.75}{\text{AFA}}$$
2.
$$\frac{(20) \text{ HP} * 8.8 * (.7) \text{ EFF}}{(82) \text{ Dyn Level} + (2.3 * \{0\} \text{ PSI})} = \frac{1.5}{\text{Theor. Div. Rate}} \text{ CFS}$$
3.
$$\frac{1.5}{\text{Theoretical Div. Rate}} * \frac{198}{\text{Days in season}} * 1.9835 = \frac{589.1}{\text{AFA}}$$


Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification ☐
Measurement Required -- ☐
Measurement Not Required ☒

Calculation data sources:

Found acres = 49.5 from aerial photo
HP = 20 taken from pump at exam
Dyn Level = 82 from well log
PSI = 0 open discharge

RECEIVED
FEB 01 1993



1.2 MI. TO U.S.
NAMPA 4

63-10418

T3N 3W

T3N 2W


Place of
use
crosshatched

Point
of
diversion

FEE 01 1993

63-10418

FEB 01 1993



718304

10101

7-17-30-11

4099

40.25

গণিত পঞ্চক

20.49

41.06

41.85

41.23

41.32

785-451

30.66

41.40

30


63-10418

T3N R2W sec 30

FEB 01 1993


0.124.

63-10418



point of diversion
looking west toward
irrigation ditch.

Hand line pump
can be seen in
the background
and to the
right.



discharge from
pump in to
irrigation ditch.

FEB 0 1 1964

63-10418



Picture showing main line to
hand lines and also the
place of use of water.

RECEIVED
FEB 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 19, 1988

63-10418
Larry F. Shoemaker
Rt. 1 Box 1446
Nampa, ID 83651

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

A handwritten signature in cursive script, appearing to read "Judy Pense", is written below the word "Sincerely,".

Judy Pense
Secretary

/jdp

RECEIVED

FEB 01 1993

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10418

Date: 10/4/88

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
☒ Groundwater
_____ ☒ 1. well log in file
_____ N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
_____ ☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUN - 9 1988

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received \$100.

Date 6/10/88

Receipt # C001283

Receipt by EWS

Reviewed by JF

Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10418

Name(s) of Permit Holder: Larry F. Shoemaker

Post Office Address: Rt 1 Box 1446 Nampa, Id 83651

Telephone No. 466-6905

Source of Water: Groundwater

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 53 acres (acres) Other/Remark 1987 we didn't use

enough to develop

Total rate and/or volume for which proof is submitted 1 cfs cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: Sept 1987

Measuring Device: Required? Yes No X No
Installed? Yes No X No
Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? X Yes X No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Larry F. Shoemaker 466-6905
(Name) (Telephone Number)

Rt 1 Box 1446 Nampa Idaho
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

OCT 11 1988

6-7-88
Date

Larry F. Shoemaker
Signature of Permit Holder (and title, if appropriate)

To: File 63-10418

From: Groundwater Protection

Date: 9/8/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK JEP.

Mr. Shoemaker called 9/8/88. Said
Holder drilled & said he turned in log.
I told Mr. S. that all was
OK per our letter 8/11/88.

JEP

MICROFILMED

OCT 11 1988

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

OCT 26 1987 ^{State}

92.

[illegible]

August 11, 1988

Larry F. Shoemaker
Rt. 1, P. O. Box 1446
Nampa, ID 83651

RE: WATER RIGHT PERMIT NO. 63-10418

Dear Mr. Shoemaker:

The department has reviewed the proof of beneficial use (proof) which you submitted in connection with the above referenced permit. A review of the file does not show that you applied for a drilling permit (which is a separate requirement from the water right permit) or whether you are exempt from the drilling permit requirement.

A drilling permit is required for all wells drilled, deepened or enlarged after July 1, 1987 (Section 42-235, Idaho Code). The department also can not locate a well driller's report (well log) for the well. This report is to be filed with the department by the driller within 30 days after completion of the well.

In order to make the proof of beneficial use acceptable and to allow the department to issue a license of water right confirming your use of water, you need to do one of the following whichever is applicable:

1. Provide evidence to show that the well was completed before July 1, 1987.
OR
2. Provide evidence to show that construction of the well was started prior to July 1, 1987 and was complete by August 1, 1987.
OR
3. Submit a completed drilling permit form together with a drilling permit fee in the amount of \$100 made payable to the Idaho Department of Water Resources. Enclosed is a form for your use.

In any case above, the department also requests the name and address of the well driller or a copy of the well log.

MAILED

OCT 11 1988

Larry F. Shoemaker

2

August 11, 1988

Please provide the appropriate information at your earliest convenience in order that the water right will not be in jeopardy. Feel free to contact this office if you have questions.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Encl: 1

c: W. Region

138704
CERTIFIED MAIL
May 31, 1988

SHOEMAKER, LARRY F.
RT. 1 BOX 1446
NAMPA, ID 83651

PROOF DUE NOTICE

RE: Permit No. 63-10418

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED
OCT 11 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 30, 1987

SHOEMAKER, LARRY F.
RT. 1 BOX 1446
NAMPA, ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10418

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

MICROFILMED

AUG 21 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY.

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECEIVED
AUG 21 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Thurtell
CHECK:

APPLICATION NUMBER: 63-10418

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. No LOTS in Sec. 25
☒ Map. 3rd 3rd
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. Boise-Kuna Irr Dist rts.
☒ Yes ☐ No* In form for advertising.
Final date for protests: May 26, 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: May 18, 1987
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45/42338
☒ Publication dates and paper, recorded on application. PRESS TRIB. 5-7+5-14, 1987
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
4/20/1987 Date of priority recommended.
Special conditions of approval or cover letter. DIC

Approve, DRT

FILED

AUG 21 1987

OK Recommend that the development period for this rt be limited to 1 year.

By: DRT Date: 6/29/1987

STATE OFFICE REVIEW:

123, 103, 105, 116

OIG 43

RECEIVED

☐ See attached sheet for more information.
By: KW

Date: 7/22/87 JUL 21 1987

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet .

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks: The Canyon Co. Snig. Propland map
does show the SW 1/4, S. 30, 3N, 2W as irrigated
ground under the Boise-Kuna Snig. Dist.

Application Initially Received Date 4/20/87 Time 10:30 am
File Prepared By JP Date 4/21/87 Time 9:00 am
Staff Review By JP Date 4/21/87 Time 3:00 PM
Temporary Approval Prepared By JP Date 4/22/87 Time 4:05 pm
Temporary Approval Signed By DM Date 4/22/87 Time 4:55 pm
Temporary Approval Mailed By REH Date 4/24/87 Time 5:20 PM
Index Updated By DM Date 4/23/87 Time 8:00 AM

MAKROFILMED

AUG 21 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 22, 1987

Larry F. Shoemaker
Rt. 1, Box 1446
Nampa, ID 83651

Re: Water Right No. 63-10418

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MICROFILMED

AUG 21 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10418

This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 63-10418; and a temporary approval to divert groundwater is granted until August 20, 1987, subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

FILED

AUG 21 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 22nd day of April, 1987.

David R. Tuthill

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

MICROFILMED

AUG 21 1987

SHOEMAKER, LARRY F.

RT. 1 BOX 1446, NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: LOT 04 (SWSW) Sec 30 T 03N R 02W

Use: IRRIGATION (1.0 CFS)

Date Filed: 04/20/1987

In: LOT 04 (SWSW) Sec 30 T 03N R 02W SESE Sec 25 T 03N R 03W
FOR 50 ACRES

MAILED

AUG 21 1987