


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ray M. Little
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

MAY 18 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10414

1. Owner: HARRY AND/OR MYRNA LITTLE Phone No. 375-7308

Current Address: 2990 LEISURE DR. BOISE, ID 83704

2. Accompanied by: CLINTON WISSEL EXAM. DATE: 8-9-89

Address: _____ Phone No. 466-1606

Relationship to Permit Holder: LEASE HOLDER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NAMPA-MERIDIAN DITCH Co. WATER

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____.

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached


(required for irrigation of 10 acres or more).


R3W

Harry Little

J9 Sec 25
T3N R3W

63-10414





63-10414
T3N R3W

MICROFILMED
JAN 07 1991

T3N
T2N

Picture # 1

P/D looking north-northwest. The measurement location is across the road north and then approximately 45 Ft. west. The discharge is into existing ditches used for ditch Co. water.

measurement location

port to divert water south



MICROFILMED


Picture # 2

Measurement device. This picture is looking west. JAN 07 1991



63-10414

This picture shows the relationship between the wall and the measurement device location. This picture was taken on Roosevelt Ave. looking west.



Picture # 4

This shows the P/U south of Roosevelt Ave. This picture is looking west.



PIT
SILO OUT
 OUTLINED
 BY THE
 BROWN WEEDS

JAN 17 1981

RECEIVED

63-10414

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10414

Priority: April 9, 1987

Maximum Diversion Rate: 2.44 CFS
Maximum Diversion Volume:¹ 837.0 AF

This is to certify, that HARRY LITTLE
MYRNA LITTLE

2990 LEISURE DR.
BOISE, ID 837040000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 9, 1987; and has submitted Proof of Beneficial Use on July 26, 1988. An examination indicates that the works have a diversion capacity of 2.440 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.44 CFS	837.0 AF

LOCATION OF POINT(S) OF DIVERSION: NWSE , Sec. 25, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	03W	25	SWNE 38	SENE 28	NENW 38	
			NWNW 18	SENW 38	NESE 10	
			NWSE 16			186

Total number of acres irrigated: 186

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 af per acre for the lands above.

RECORDED


JAN 17 1991

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10414

CONDITIONS/REMARKS:

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of DECEMBER, 1990.


R. Keith Higginson, Director

RECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant HARRY & JOY MYRNA LITTLE Phone 244-2666 - OFFICE
375-7308 - HOME
Post office address 2990 LEISURE DR., BOISE, ID 83704
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 25 Township 3N Range 3W B.M. CANYON County; additional
points of diversion if any: NESE; SWNE; SENE; S. 25, T. 3N, R. 3W.
4. Water will be used for the following purposes:
Amount 4.0 for IRRIGATION purposes from MAR. 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum) ^{DRT 6/29/87}
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 4.0 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP INTO CEMENT DITCH
WITH FLOOD IRRIGATION.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

AUG 20 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	3W	25			40	40	40	20	40						10	10			200

Total number of acres to be irrigated 200

10. Describe any other water rights used for the same purposes as described above. NAMPA - MERIDIAN IRRIGATION DIST. - THIS WELL IS FOR SUPPLEMENTAL WATER.

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED

AUG 20 1987

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

AUG 20 1987

Harry Little
(Applicant)

Proposed Priority 4/9/87 4P 4/10/87 10:30 AM
Received by [Signature] Date 4/9/87 Time 2:00 Preliminary check by [Signature]
Fee \$ 4105.00 Receipted by [Signature] # 42317 Date 4/9/87
Publication prepared by [Signature] Date 4-29-1987 Published in PRESS TRIBUNE
Publication approved [Signature] Date 7/6/87
5-7 + 5-14 - 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10414, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 23rd day of July, 1987.

[Signature]
Chief, Operations Bureau

RECEIVED
AUG 20 1987

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public waters of the State of Idaho:

63-10406

MILLER LAND CO. INC.
RT. 1 BOX 137, MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt: SESW Sec 02 T 015 R 02W

Use: IRRIGATION (0.8 CFS)
Date Filed: 04/13/1987
In: SESW Sec 02 T 015 R 02W
NENW Sec 11 T 015 R 02W FOR
70 ACRES

63-10414

LITTLE, HARRY &/or MYRNA
2990 LEISURE DR., BOISE ID
83704

Source: GROUNDWATER
Diversion Pt: NWSE NESE SWNE
SENE Sec 25 T 03N R 03W
Use: IRRIGATION (4.0 CFS)
Date Filed: 04/09/1987

In: SWNE SENE NENW NWNW
S E N W
NESE NWSE Sec 25 T 03N R 03W
FOR 200 ACRES

63-10415

LITTLE, RALPH &/or LUCILLE
RT. 1 BOX 1392, NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SENE Sec 07 T 03N
R 02W

Use: IRRIGATION (.8 CFS)
Date Filed: 04/09/1987
In: NENE NWNE SENE Sec 07 T
03N R 02W FOR 40 ACRES

63-10418

SHOEMAKER, LARRY F.
RT. 1 BOX 1446, NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: LOT 04 (SWSW) Sec
30 T 03N R 02W

Use: IRRIGATION (.8 CFS)
Date Filed: 04/09/1987
In: SENW NESW Sec 26 T 05N R
04W FOR 80 ACRES

63-10426

KINCHELOE, RICHARD
RT. 10 BOX 354, CALDWELL, ID
83605

Source: GROUNDWATER
Diversion Pt: NWNW Sec 10 T 03N
R 04W
Use: IRRIGATION (2.5 CFS)
COMMERCIAL (2.5 CFS)

Date Filed: 04/16/1987
In: NENW NWNW SWNW SENW
Sec 09 T 03N R 04W FOR 160
ACRES

63-10456

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID 83706

Source: GROUNDWATER
Diversion Pt: SESW Sec 11 T 06N
R 04W

Use: DOMESTIC (0.050 CFS)
Date Filed: 04/06/1987
In: SESW Sec 11 T 06N R 04W

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before MAY 26, 1987.

KEN DUNN
Director
May 6, 13, 1987

RECEIVED

MAY 13 1987

Department of Water Resources
Western Regional Office

RECEIVED

MAY 15 1987

Department of Water Resources.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

May 6, 13, 1987

Debra Martin del Campo
Subscribed and sworn to before me this

13th day of May
19 87

Jannet Lusk
Notary Public, Residing at Nampa, Idaho

AUG 20 1987

MY COMMISSION EXPIRES
JULY 12th, 1991

December 18, 1990

HARRY LITTLE
MYRNA LITTLE
2990 LEISURE DR.
BOISE, ID 837040000

RE: WATER RIGHT NO. 63-10414

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

JAN 07 1991

November 15, 1990

HARRY LITTLE
MYRNA LITTLE
2990 LEISURE DR.
BOISE, ID 837040000

RE: WATER RIGHT NO. 63-10414

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
JAN 17 1991

LICENSE REVIEW CHECKLIST

Permit No. 63-10414

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance N/A

Blue sheet inserted N/A

Order to reinstate needed? yes no ☒

Total cfs Limited by fee 30 ☒

Limited by capacity ☒

Total volume Limited by flow

Chart checked for AF rate/ac ☒ 4.5

Capacity Actual measurement checked ☒

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify? N/A

P/D Verify with map ☒ permit ☒

More than one per 44? Remember remark

Check p/d overlap

Uses Check irrigation period of use w/ chart

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap

Remarks More than one p/d in 44

Description of non-irrig uses

Special overlap condition

Conditions Measuring device

W.Master control

Overlap 432

Water quality

Other

Dates/Misc Water district

App Rec'd date ☒

Proof Rec'd date ☒

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed? ☒

Reviewer S. Curtis Date 11-1-90

Review time 12 minutes

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM					
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE						
L6310414																												
6302134	U.S. DEPT. OF INTERIOR	L	UPPER DEER FLAT DRAW	03N	03W	25								(X)	X													
6302388	U.S. DEPT. OF INTERIOR	L	BOISE RIVER	03N	03W	25																						
6302784	BABCOCK	L	GROUNDWATER	03N	03W	25													32			32						
6302832	LESTER	L	GROUNDWATER	03N	03W	25															40	40						
~~6310414~~	~~LITTLE~~	~~P~~	~~GROUNDWATER~~	~~03N~~	~~03W~~	~~25~~					40	40		40	20		40				10	10	200					
6310418	SHOEMAKER	P	GROUNDWATER	03N	03W	25																12	12					
6311240	LITTLE	P	GROUNDWATER	03N	03W	25									14								14					
L6310414	LITTLE	L	GROUNDWATER	03N	03W	25					38	28		38	18		38				10	16	186					
	1986 MAPPING DATA ---	-	COUNTY 27 QUAD X 55	03N	03W	25	31	39	39	40				39	40	40	40		39	40	42	39	40	39	40	41	40	628

1. The first part of the document is a title page. It contains the title "THE HISTORY OF THE UNITED STATES OF AMERICA" and the author "BY JAMES MADISON".

14-00000

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	P F	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
L63-10414	LITTLE LITTLE	L	04/09/1987		GROUNDWATER	IRR	2.44	2.44	03N	03W	25		NWSE
63-10414	LITTLE LITTLE	P	04/09/1987		GROUNDWATER	IRR	4.00		03N	03W	25		NWSE

RECEIVED

NOV 7 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10414
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

☒ Copies of any Amendments/Orders with conditions of approval

yes Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

None Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 8-7-89 KKC (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index 8-7-89 KKC (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed 8-29-89 Kelly K. Christensen (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent GL 1-22-90 (Initial and date)

Exam Reviewed by Manager of Regional Office Dm 2/6/1990 (Initial and date)

Exam Date Entered in Computer yes (Initial and date)

Exam sent to State Office LW 5/15/90 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

12-28-89 - LAST ENTRY

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10414

1. Owner: HARRY AND/OR MYRNA LITTLE Phone No. 375-7308
Current Address: 2990 LEISURE DR. BOISE, ID 83704
2. Accompanied by: CLINTON WISSEL EXAM. DATE: 8-9-89
Address: _____ Phone No. 466-1606
Relationship to Permit Holder: LEASE HOLDER
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: NAMPA-MERIDIAN DITCH Co. WATER

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM IS A WELL WITH OPEN DISCHARGE INTO
A CEMENT DITCH SYSTEM TO SUPPLEMENT DITCH
CO WATER. NORMAL OPERATION IS TUBE IRRIGATION
WITH 1" TUBES (APPROX 140 TUBES).

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GEN ELECT	25	REI6790232	LANE	8"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	25	3N	3W		AERIAL PHOTO
									(P/D LAYS VERY CLOSE
									TO THE 1/4 LINE

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	3W	25			38	28	38	18		38					10	16			186

Do not use this space

UNRECORDED

JAN 07 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
CIPPOLETTI NEW					2'	
STAFF GAUGE						

2. Measurements:

MEASURED 0.51 ft OVER WEIR = 2.44 CFS

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{25 \times 8.8 \times .8}{53 + (2.3 \times 0)} = 3.32 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 0 psi x 2.31 = _____ ft (1); Dynamic pumping level: 53 ft (2)

Total Head: (1) + (2) = 53 (3)

: Flow rate: 2.44 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 14.7 (5)

Meter Input KW: 3.6 x 57.6 KH x _____ CTR or _____ MULT x _____ PTR x 3 N/ 30.5 T = 20.4 (6)

Meter Input HP: (6) x 1.34 = 27.3 (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = 53.8 %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 186 \times 4.5 = 837$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.44 \times 245 \times 1.9835 = 1185.7$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 837$$

2. Volume Calculations for Other Uses:

MICROFILMED

JAN 07 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THE ONLY OVERLAP IS WITH NAMPA-MERIDIAN IRRIGATION-DISTRICT WATER.

THE PERMIT IS FOR: 200 ACRES AND 4 CFS
FEES PAID : 3 CFS ~~MAN~~
FOUND 186 ACRES AND 2.44 CFS
LEGAL LIMIT $186 A \times 0.02 = 3.72 \text{ CFS}$

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	2.44 CFS	837
Totals:			2.44 CFS	837 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name KELLY K. CHRISTENSEN *CC* 1-22-10
Signature Kelly K. Christensen
Certification Date _____
Field Report Preparation Date 8-29-89 CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SC
11-1-90

REPORT

JAN 6 1951



R3W


Harry Little


19 Sec 25
T3N R3W

63-10414

PICTURE
LOCATION

C412 24
2530





63-10414
T3N R3W

MICROFILMED


JAN 07 1991

T3N
T2N

Picture # 1

P/D looking north-northwest. The measurement location is across the road north and then approximately 45 Ft. west. The discharge is into existing ditches used for ditch Co. water.

measurement location port to divert water south



MICROFILMED

Picture # 2

Measurement device. This picture is looking west. JAN. 07 1991



63-10414

3


Picture # 3

This picture shows the relationship between the wall and the measurement device location. This picture was taken on Roosevelt Ave. looking west.



Picture # 4

This shows the P/U south of Roosevelt Ave. This picture is looking west.



63-10414



CECIL D. ANDRUS
Governor

State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

October 10, 1988

63-10414
Harry Little
2990 Leisure Dr.
Boise, ID 83704

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

A handwritten signature in cursive script, appearing to read "Judy Pense".

Judy Pense
Secretary

/jdp

MICROFILMED

JAN 07 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10414

Date: 9/28/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
_____ Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

To: File 63-10 414

From: Groundwater Protection

Date: 9/20/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK *jm*

MAILED

SEP 30 1988

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resource

Receipt No: C001990

Date: 07/27/88
Time: 15:27:20

Received
From: LITTLE, HARRY OR MYRNA

Type of Payment	Program Acct	Amount
PROOF OF BENEFICIAL USE 63-10414	0620122 1238 6490	\$150.00
	Total	<u>\$150.00</u>

CHECK 1694

Idaho Department of Water Resources

Region: State

Signature: Christa Poncia

SEP 30 1988

RECEIVED
JUL 26 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received \$150.00

Date 7/27/88

Receipt # C001990

Receipt by CP

Reviewed by JS

Sent to region

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10414

Name(s) of Permit Holder: Harry & Myrna Little

Post Office Address: 2990 Leisore Dr. Boise, Idaho

Telephone No. 208-375-7308

Source of Water: Groundwater

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 200 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 3.0 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 7-22-87

Measuring Device: Required? ☒ Yes ☐ NoInstalled? ☒ Yes ☐ No

Fee enclosed \$ 150.00

(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ NoInstalled? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Clinton Wisse

(Name)

466-1606

(Telephone Number)

Route 1 Box 1262 Nampa, Idaho 83651

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

SEP 30 1988

Date 7/25/88

Signature of Permit Holder (and title, if appropriate) Harry M. Little

138703
CERTIFIED MAIL
May 31, 1988

LITTLE, HARRY & MYRNA
2990 LEISURE DR.
BOISE, ID 83704

PROOF DUE NOTICE

RE: Permit No. 63-10414

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MAILED


SEP 30 1988

Form 7387
5-87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Harry Little</u> Address <u>2990 Leisure Drive</u> <u>Boise, ID 83704</u> Owner's Permit No. <u>63-10414</u>	7. WATER LEVEL Static water level <u>30</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of Quality _____ Describe artesian or temperature zones below																																																																																																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Head</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Head	Hours Pumped																																																																																																																																	
Discharge G.P.M.	Pumping Head	Hours Pumped																																																																																																																																			
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yield</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>28"</td><td>0</td><td>4</td><td>Top Soil</td><td> </td></tr> <tr><td> </td><td>4</td><td>9</td><td>Hard Pan & Gravel</td><td> </td></tr> <tr><td> </td><td>9</td><td>19</td><td>Coarse Sand & Sma Gravel</td><td> </td></tr> <tr><td> </td><td>19</td><td>97</td><td>Sand, Gravel & Rock</td><td> </td></tr> <tr><td> </td><td>97</td><td>103</td><td>Sandy Clay</td><td> </td></tr> <tr><td> </td><td>103</td><td>104</td><td>Fine to Med. Sand</td><td> </td></tr> <tr><td> </td><td>104</td><td>114</td><td>Clay-Sand on end of run</td><td> </td></tr> <tr><td> </td><td>114</td><td>124</td><td>Fine to Med. Gray Sand</td><td> </td></tr> <tr><td> </td><td>124</td><td>138</td><td>Brn. & Gray Clay w/streaks</td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td>Sand and in.</td><td> </td></tr> <tr><td> </td><td>138</td><td>144</td><td>Coarse white sand and</td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td>pea gravel.</td><td> </td></tr> <tr><td> </td><td>144</td><td>147</td><td>Brown Clay</td><td> </td></tr> <tr><td> </td><td>147</td><td>169</td><td>Coarse Brn. Sand</td><td> </td></tr> <tr><td> </td><td>169</td><td>174</td><td>Lt. Brn. Sand</td><td> </td></tr> <tr><td> </td><td>174</td><td>175</td><td>Sand</td><td> </td></tr> <tr><td> </td><td>175</td><td>180</td><td>Clay w/Sand Streaks</td><td> </td></tr> <tr><td> </td><td>180</td><td>184</td><td>Sandy Clay</td><td> </td></tr> <tr><td> </td><td>184</td><td>189</td><td>Clay</td><td> </td></tr> <tr><td> </td><td>189</td><td>190</td><td>Sand</td><td> </td></tr> <tr><td> </td><td>190</td><td>194</td><td>Clay</td><td> </td></tr> <tr><td> </td><td>194</td><td>200</td><td>Sand-Fine to Medium</td><td> </td></tr> <tr><td> </td><td>200</td><td>249</td><td>Clay (Brown)</td><td> </td></tr> <tr><td> </td><td>249</td><td>262</td><td>Coarse Brown Sand</td><td> </td></tr> <tr><td> </td><td>262</td><td>264</td><td>Brown Clay</td><td> </td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water Yield	From	To	28"	0	4	Top Soil			4	9	Hard Pan & Gravel			9	19	Coarse Sand & Sma Gravel			19	97	Sand, Gravel & Rock			97	103	Sandy Clay			103	104	Fine to Med. Sand			104	114	Clay-Sand on end of run			114	124	Fine to Med. Gray Sand			124	138	Brn. & Gray Clay w/streaks					Sand and in.			138	144	Coarse white sand and					pea gravel.			144	147	Brown Clay			147	169	Coarse Brn. Sand			169	174	Lt. Brn. Sand			174	175	Sand			175	180	Clay w/Sand Streaks			180	184	Sandy Clay			184	189	Clay			189	190	Sand			190	194	Clay			194	200	Sand-Fine to Medium			200	249	Clay (Brown)			249	262	Coarse Brown Sand			262	264	Brown Clay	
Bore Diam.	Depth		Material	Water Yield																																																																																																																																	
	From	To																																																																																																																																			
28"	0	4	Top Soil																																																																																																																																		
	4	9	Hard Pan & Gravel																																																																																																																																		
	9	19	Coarse Sand & Sma Gravel																																																																																																																																		
	19	97	Sand, Gravel & Rock																																																																																																																																		
	97	103	Sandy Clay																																																																																																																																		
	103	104	Fine to Med. Sand																																																																																																																																		
	104	114	Clay-Sand on end of run																																																																																																																																		
	114	124	Fine to Med. Gray Sand																																																																																																																																		
	124	138	Brn. & Gray Clay w/streaks																																																																																																																																		
			Sand and in.																																																																																																																																		
	138	144	Coarse white sand and																																																																																																																																		
			pea gravel.																																																																																																																																		
	144	147	Brown Clay																																																																																																																																		
	147	169	Coarse Brn. Sand																																																																																																																																		
	169	174	Lt. Brn. Sand																																																																																																																																		
	174	175	Sand																																																																																																																																		
	175	180	Clay w/Sand Streaks																																																																																																																																		
	180	184	Sandy Clay																																																																																																																																		
	184	189	Clay																																																																																																																																		
	189	190	Sand																																																																																																																																		
	190	194	Clay																																																																																																																																		
	194	200	Sand-Fine to Medium																																																																																																																																		
	200	249	Clay (Brown)																																																																																																																																		
	249	262	Coarse Brown Sand																																																																																																																																		
	262	264	Brown Clay																																																																																																																																		
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☒ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>6/4/87</u> Finished <u>6/8/87</u>																																																																																																																																				
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>.250 inches</td> <td>16 inches</td> <td>18" feet</td> <td>79 feet</td> </tr> <tr> <td>.250 inches</td> <td>16 inches</td> <td>97 feet</td> <td>114 feet</td> </tr> <tr> <td>.250 inches</td> <td>16 inches</td> <td>124 feet</td> <td>159 feet</td> </tr> <tr> <td>.250 inches</td> <td>16 inches</td> <td>169 feet</td> <td>190 feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> <tr> <td>perforations</td> <td>feet</td> <td>feet</td> </tr> </tbody> </table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Roscoe Moss Carbon Steel</u> Type <u>Wirewrapped</u> Model No. _____ Diameter <u>16</u> Slot size <u>.040</u> Set from <u>79</u> feet to <u>97</u> feet Diameter <u>16</u> Slot size <u>.040</u> Set from <u>114</u> feet to <u>24</u> feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>3/8</u> Minus Placed from <u>18</u> feet to <u>264</u> feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between strata Describe access port <u>2"</u>	Thickness	Diameter	From	To	.250 inches	16 inches	18" feet	79 feet	.250 inches	16 inches	97 feet	114 feet	.250 inches	16 inches	124 feet	159 feet	.250 inches	16 inches	169 feet	190 feet	Number	From	To	perforations	feet	feet	perforations	feet	feet	perforations	feet	feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time this rig was removed. <u>Pete Cope Drilling Co., Inc.</u> Firm Name _____ Firm No. <u>211</u> <u>6505 West Chinden Blvd.</u> Address <u>Meridian, ID 83642</u> Signed by (Firm Official) <u>Pete Cope</u> and <u>Frank Chastain</u> (Operator) <u>6/8/87</u>																																																																																																				
Thickness	Diameter	From	To																																																																																																																																		
.250 inches	16 inches	18" feet	79 feet																																																																																																																																		
.250 inches	16 inches	97 feet	114 feet																																																																																																																																		
.250 inches	16 inches	124 feet	159 feet																																																																																																																																		
.250 inches	16 inches	169 feet	190 feet																																																																																																																																		
Number	From	To																																																																																																																																			
perforations	feet	feet																																																																																																																																			
perforations	feet	feet																																																																																																																																			
perforations	feet	feet																																																																																																																																			
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>CARVER</u> <u>SEC. 14, T. 3N, R. 3E, S. 2E</u>	12. ADDITIONAL COMMENTS FORWARD THE DATA COPY TO THE DEPARTMENT																																																																																																																																				

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 30, 1987

LITTLE, HARRY & MYRNA
2990 LEISURE DR.
BOISE, ID 83704

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10414

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

MA MICROFILMED

AUG 20 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECEIVED

AUG 20 1967

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Shute

APPLICATION NUMBER: 63-10414

CHECK:

- ☒ Source.
☒ Point of diversion. NO LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. Nampa-Meridian Terr Dist
Final date for protests: May 26, 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: May 18, 1987
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 105/42317
☒ Publication dates and paper, recorded on application. PRESS TRIB. 5-7+5-14/1987
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
4/9/1987 Date of priority recommended.
Special conditions of approval or cover letter. OIC

MAILED

AUG 20 1987

ok
Recommend that the development period for this project be limited to 1 year.

By: DPS

Date: 6/29/1987

STATE OFFICE REVIEW:

105, 123, 103, 116

OIG 43

RECEIVED

- ☐ See attached sheet for more information.

By: kw

Date: 7/22/87

JUL 21 1987

Department of Water Resources

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet .

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks: The Canyon Co. Irrig. Cropland map
does show the entire Sec. 25, 3N 3W as
irrigated lands lying within the Nampa-
N Meridian Irrig. District.

Application Initially Received Date 4/9/87 Time 2:00 pm
File Prepared By jp Date 4/21/87 Time 9:00 am
Staff Review By JP Date 4/21/87 Time 3:00 pm
Temporary Approval Prepared By JP Date 4/22/87 Time 4:00 pm
Temporary Approval Signed By JP Date 4/22/87 Time 4:35 pm
Temporary Approval Mailed By ELL Date 4/22/87 Time 5:10 PM
Index Updated By DM Date 4/23/87 Time 8:00 Am

MAILED

AUG 20 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 22, 1987

Harry &/or Myrna Little
2990 Lesiure Dr.
Boise, ID 83704

Re: Water Right No. 63-10414

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MAILED
AUG 20 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10414

This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 63-10414; and a temporary approval to divert groundwater is granted until August 20, 1987, subject to the following limitations and conditions:


- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

RECEIVED

AUG 20 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 22nd day of April, 1987.



DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

MICROFILMED

AUG 20 1987

LITTLE, HARRY &/or MYRNA

2990 LEISURE DR., BOISE, ID 83704

Source: GROUNDWATER

Diversion Pt: NWSE NESE SWNE SENE Sec 25 T 03N R 03W

Use: IRRIGATION (4.0 CFS)

Date Filed: 04/09/1987

In: SWNE SENE NENW NWNW SENW NESE NWSE Sec 25 T 03N R 03W FOR 200 ACRES

MICROFILMED

AUG 20 1987

