



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)



Building's
+ Drive

House

9.7

8.3

6.5

SW 1/4

USGS 4 mile
line

0-1500

4631

RP

Canal runs underground
instead of around H 11. The
road + canal area plowed
+ planted in tree rows.

Property Size - 24 total Acres below canal - 28.3 Acres IRR
20 total Acres above canal - 8.3 Acres IRR
C R P 28.6 IRR Acres

120
T 4630

CRP

2
180

ReExam Map + Notes
08 5-25-93


MISSOURI

JUL 01 1993

5
122.3

63-10409

11/12
14/13



JUL 01 1993

T02N, R03W, S11

63-10409

Lakeview School

Marsing

LAKE

DEER

SHORE

FLAT

Cucumber

VABM 2850

BM 2533

BM 2619

2696

2784

2815

2800

2681

2723

2740

2841

2800

2799

2782

2718

DEER

FLAT

2765

ROAD

2548

2560

2540

2598

2579

2596

2600

2640

2600

2703

Well

Well

2700

2700

2780

2740

17

16

15

14

LATERAL

AVEN

LATERAL

W

E

L

L

2

3


5

4

DOLBOW

DRIVE

HIGH



LATERAL

CANAL

2548

W I L D L I F E R E F U G E

O

W

E

L

L

2

JUL 01 1953

3

LAKE

DEER

Gravel Pit

LATERAL

MARKING

ROAD

Lakeview School

MOSA

P/O

P/V

2815

10

2784

TO2N, R03W, S11

2723

Well

Well

8

9

15

14

63-10409

Cucumber



Field in question above the canal - sprinkled by wheel lines.



Tree rows around hill. (note [↑] riser)

JUL 01 1993

Field Exam 63-10409 5-25-93 CS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10409

1. Owner: Joe Smith Phone No. 4166-3723

Current Address: Box 4374 Route 4 Nampa Idaho 83651

2. Accompanied by: Joe Smith EXAM. DATE: 6-12-92

Address: same Phone No. same

Relationship to Permit Holder: same

3. Source: groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-11059 Johnson (neighbors well)

☐ Copies Attached


2. Other water rights with same point of diversion: 63-11059 Johnson (no overlaps occur)

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

JUL 01 1993



Gotts Point

↑
Plu P/d

PERMIT 63-10409 INIT Dues
T. R. S. Q/Q
P/D 2n 3w 11 SWNE
SCALE _____
PHOTO ID. _____

JUL 01 1963

63-10409



View of well. Located
at the south of property.
NOTICE THAT THE AREA
AROUND THE WELL IS UN-
IRRIGATED.



Notice PIPE EXTENDING
AROUND 4.9A field (see Field
Report) Also notice land
to the south is unirrigated.

RECORDED
JUL 01 1993

63-10409



Again, Notice that
under ground line from well
follows west along PROPERTY.
Notice ditch that extends the
length OF THE PROPERTY
! THAT LAND TO THE SOUTH IS
UNIRRIGATED.



View of B.3 A field : the
north Sections OF THE
PROPERTY.

RECEIVED
JUL 01 1993

State of Idaho
Department of Water Resources

AMENDED

WATER RIGHT LICENSE

AMENDED

WATER RIGHT NO. 63-10409

Priority: April 14, 1987

Maximum Diversion Rate: 0.52 CFS
Maximum Diversion Volume: 128.7 AF

This is to certify, that JOE SMITH
13477 LOCUST LANE
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 14, 1987; and has submitted Proof of Beneficial Use on July 20, 1990. An examination indicates that the works have a diversion capacity of .520 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.52 CFS	128.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 11, Township 02N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	03W	11	NWNE 12	SWNE 16.6		28.6

Total number of acres irrigated: 28.6

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

JUL 01 1993

State of Idaho
Department of Water Resources

AMENDED


WATER RIGHT LICENSE

AMENDED

WATER RIGHT NO. 63-10409

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of JUNE, 1998.

Acting for


R. Keith Higginson, Director

JUL 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10409

Priority: April 14, 1987

Maximum Diversion Rate: 0.48 CFS
Maximum Diversion Volume: 108.9 AF

This is to certify, that JOE SMITH
13477 LOCUST LANE
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 14, 1987; and has submitted Proof of Beneficial Use on July 20, 1990. An examination indicates that the works have a diversion capacity of .520 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.48 CFS	108.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 11, Township 02N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	03W	11	NWNE 11	SWNE 13.2		24.2

Total number of acres irrigated: 24.2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

JUL 01 1993


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10409

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of MARCH, 1993.

Acting for


R. Keith Higginson, Director



RECEIVED
JUL 07 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

For Office Use Only
\$15 FEE Received by Kipung
Date 7/18/89
Receipt # CMD8333

RECEIVED
JUL 18 1989

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-10409

Name(s) of Permit Holder: Joe Smith

Post Office Address: Box 4374 RT4

Nampa, Idaho 83651 Telephone No. 466-3723

Date Proof is Due: Aug 1, 1989

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Well is drilled - pump installed & power
run to motor -

24 acres below canal can be irrigated now
20 acres above canal will be planted to fruit trees
& will be irrigated in 1990. Costing \$ 20,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Well & pump installed after 1st of year 1989.
Too late to order fruit trees after well installed -
Needs one year to complete project.

Permit holder(s) request an extension to May 1st, 1990.
(1 yr. minimum)

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

FEE: \$15.00

MICROFILMED

ACTION OF THE DEPARTMENT OF WATER RESOURCES

AUG 29 1989

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to August 1, 1990.

Signed this 14th day of August, 19 89.

L. Glen Saylor
Chief, Water Allocations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant JOE Smith Phone 466-3723

Post office address Box 4374 Route 4 Nampa Idn, 83651

2. Source of water supply GROUND WATER which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SW 1/4 of NE 1/4, Govt. Lot _____

Sec. 11 Township 2N Range 3W B.M. Canyon County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .88 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 106 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .94 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, Pump for gravity
IRRIGATION

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year).

MICROFILMED

AUG 20 1987

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in KW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; show name of municipality. _____
 - Domestic; show number of households. 2 - per phone conversation with Mrs. Smith 7/22/87-kw
 - Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2 ⁿ	3 ^w	11		14	30														44
					0														

Total number of acres to be irrigated 44

10. Describe any other water rights used for the same purposes as described above. Wilder
IRRIGATION Dist.
11. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

FILED

AUG 20 1987

A topographic map of the Well area, showing contour lines, roads, and a highlighted rectangular area. The map includes the following features:

- Contour Lines:** Elevation contours are marked at 2600, 2700, 2800, and 2900 feet.
- Roads:** A road labeled "ROAD" runs horizontally across the middle. A "DRIVE" is labeled on the right side.
- Water Features:** A "LAKE" is located in the upper left. A "CANAL" is shown in the lower right.
- Topography:** The area is characterized by rolling hills and valleys, with a "DEER SHORE FLAT" area near the lake.
- Infrastructure:** A "HOUSE" is indicated near the center, and a "Well" is marked in the lower right.
- Grid and Coordinates:** The map is overlaid with a grid. The horizontal axis is labeled "WELL" and "2". The vertical axis is labeled "1".
- Highlighted Area:** A rectangular area is outlined in the center, containing a "HOUSE" and a "Well".
- Other Labels:** "Gotts Point" is labeled in the upper right. "BM 2533" is marked near the center. "2723" is marked near the bottom center.
- Scale:** A scale bar at the bottom indicates a distance of 100 feet.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Proposed Priority 4/14/87
Received by [Signature] Date 4/14/87 Time 3:00 PM Preliminary check by [Signature]
Fee \$ 75.00 Received by [Signature] # 42323 Date 4/14/87
Publication prepared by [Signature] Date 4-29-1987 Published in Press-Tribune
Publication approved [Signature] Date 7/6/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10409, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 23rd day of July, 1987.

[Signature]
Chief, Operations Bureau

REPROFILMED
AUG 20 1987

RECEIVED
MAY 13 1987

Department of Water Resources
Western Regional Office

RECEIVED
MAY 15 1987

Department of Water Resources.

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

63-10406

MILLER LAND CO. INC.
RT. 1 BOX 137, MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt: SESW Sec 02 T 015 R
02W

Use: IRRIGATION (0.8 CFS)
Date Filed: 04/13/1987
In: SESW Sec 02 T 015 R 02W
NENW Sec 11 T 015 R 02W FOR
70 ACRES

63-10407

HARRIS, DELLA J. &/or KEN
NETH PICKET, DEE

Rt. 6, CALDWELL ID 83605
Source: GROUNDWATER
Diversion Pt: SWNW Sec 01 T 03N
R 04W

Use: IRRIGATION (3.2 CFS)
Date Filed: 04/17/1987
In: LOT 03 (NENW) LOT 04
(NWNW) SWNW SENW Sec 01 T
03N R 04W FOR 160 ACRES

63-10408

TUCKNESS, EARL M.
RT. 10 BOX 45, CALDWELL, ID
83605

Source: GROUNDWATER
Diversion Pt: SENW Sec 23 T 03N
R 03W

Use: IRRIGATION (1.6 CFS)
Date Filed: 04/13/1987
In: NENW SENW Sec 23 T 03N R
03W FOR 80 ACRES

63-10409

SMITH, JOE
BOX 4374 Rt. 4, NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SWNE Sec 11 T 02N
R 03W

Use: IRRIGATION (0.880 CFS)
DOMESTIC (0.060 CFS)
Date Filed: 04/14/1987
In: NWNE SWNE Sec 11 T 02N R
03W FOR 44 ACRES

63-10411

SHELL, EDWARD
HUEBERT, KEVIN
RT. 6 Box 313, CALDWELL, ID
83605

Source: GROUNDWATER
Diversion Pt: SWSW Sec 04 T 03N
R 03W

Use: IRRIGATION (1.6 CFS)
Date Filed: 04/10/1987
In: NWSW Sec 04 T 03N R 03W
FOR 80 ACRES

63-10413

MIYAKE, BOB
RT. 1 BOX 1149, NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: SWSE Sec 12 T 03N
R 03W

SESE Sec 12 T 03N R 03W
Use: IRRIGATION (0.440 CFS)
Date Filed: 04/10/1987
In: SWSE SESE Sec 12 T 03N R
03W FOR 22 ACRES

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before MAY 26, 1987.

KEN DUNN
Director
May 6, 13, 1987

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

May 6, 13, 1987

Debra Martin del Campo
Subscribed and sworn to before me this
13th day of May

19 87

MICROFILMED

AUG 20 1987

Jeanne Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 7, 1993

JOE SMITH
13477 LOCUST LANE
NAMPA ID 83686

RE: WATER RIGHT No. 63-10409

Dear Water Right Holder:

Enclosed is a copy of the amended Water Right License issued on the above referenced water right.

Sincerely,

A handwritten signature in dark ink, appearing to be 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
JUL 01 1993

WR0749NP
No. L63-10409

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/27/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JOE SMITH 13477 LOCUST LANE NAMPA ID 83686 (208) 466-3723	04/14/1987	IRRIGATION	03-15 11-15	0.52 CFS	128.7 AFA
TOTAL DIVERSION:					0.52 CFS	128.7 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.52 CFS

Point(s) of Diversion: T02N R03W S11 SW NE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
02N	03W	11	:			12		16												28.6
TOTAL ACRES																				28.6

Pou County: CANYON

Non-Irrigation Uses: D/2 HOMES.

Other Rights: WILDER IRR. DISTRICT

Other Water Rights with Same Point(s) of Diversion and Source:
63-10409 63-11840

Other Water Rights Listing Overlapping Place(s) of use:
63-04543 63-10409

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates: App. Received: 04/14/1987 Priority Date: 04/14/1987
Proof Due Date: 08/01/1990 Proof Made Date: 07/20/1990
Exam Made Date: 06/12/1992 Exam Sent to S.O.: 02/08/1993
Licensed Date: 03/16/1993

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/27/93 SKAGGS

*Amended
License*

MEMORANDUM

TO: FILE 63-10409

FROM: PAM SKAGGS *PS*

RE: AMENDED LICENSE

DATE: 27-MAY-1993

=====

A field examination was made on the above referenced right by Cindy Hodges and myself on May 25, 1993. The right holder, Mr. Smith, felt that developed acres had been excluded on the license approved on March 16, 1993.

The field inspection revealed that the examiner had included a field that didn't belong to Mr. Smith, and that he did have a sprinkler system above the canal watering a grain field and tree rows around the hill on the old canal road. There was also an irrigated lawn and pasture around the house.

A map of the exam findings is attached identifying the field incorrectly included and the additional acreage found.

P/U should be correctly identified as:

T02N, R03W, S11, NWNE 12.0 Acres
SWNE 16.6 Acres

Licensed 24.2 Acres

-4.9 Acres (Field incorrectly identified)
19.3 Acres (Remaining fields)
1.0 Acre (House lawn and pasture)
6.5 Acres (Field above canal)
+ 1.8 Acres (Tree rows around hill-60'x 1320'/43560=1.8)
28.6 Acres Recommended on Amended License

Diversion Rate: $28.6 \times .02 \text{ cfs} = .57 > .52 \text{ cfs Capacity}$
Recommend 0.52 cfs

Diversion Volume: $28.6 \times 4.5 = 128.7 \text{ afa}$
 $0.52 \times 245 \times 1.9835 = 252.7 \text{ afa} > 128.7 \text{ afa}$
Recommend 128.7 afa

Mr. Smith was satisfied that all irrigated acres were correctly identified on the exam map and agreed that a license based on these findings would be acceptable. An amended license will be prepared according to these recommendations and forwarded for approval.

JUL 0 1 1993



House

Buildings Drive

US 4 Main

Canal

Canal runs underground instead of around H 11. The road + canal area plowed + planted in tree rows.

Property Size - 24 total Acres below canal - 20 total Acres above canal -


20.0 Acres IRR
8.0 Acres IRR
28.0 IRR Acres

ReExam Map & Notes
CB 5-25-93


JUL 01 1993

63-10409

11
14 13



63-10409



Field in question above the canal - sprinkled by wheel lines.



Tree rows around hill. (Note [↑] river)

JUL 01 1993

MEMORANDUM

TO: FILE 63-10409

FROM: PAM SKAGGS *PS*

RE: LICENSED ACRES

DATE: 29-MAR-1993

Joe Smith, the right holder, called upon receipt of the approved license and strongly objects to the recommended acres licensed. Review of the field exam shows several notes regarding non-irrigated acres south of Mora Canal.

Mr. Smith states that he has spent money to install pipe to irrigate those acres and has grown grain and watered pasture in previous years. The exam was done in June 92, when due to the drought and short surface water supply, he diverted the groundwater to supplement his primary crop on the acres licensed.

In order to confirm the use of the acres in question, a field examination will be conducted this summer. If the acres are found to be part of the system developed under this right, an amended license will be issued.

5-13-93

an appointment was made with Mr. Smith to examine the field in question on 5-25-93 @ 10:30. es

JUL 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 16, 1993

JOE SMITH
13477 LOCUST LANE
Nampa ID 83686

RE: WATER RIGHT NO. 63-10409

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

JUL 01 1993

WR0749NP
No. L63-10409

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 03/05/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JOE SMITH 13477 LOCUST LANE NAMPA ID 83686 (208) 466-3723	04/14/1987	IRRIGATION	03-15 11-15	0.48 CFS	108.9 AFA
TOTAL DIVERSION:					0.48 CFS	108.9 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.52 CFS

Point(s) of Diversion: T02N R03W S11 SW NE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
02N	03W	11	:			11		13												:	24.2
																				TOTAL ACRES	24.2

Pou County: CANYON

Non-Irrigation Uses: ~~0/2 HOMES~~

Other Rights: ~~WILDER IRR. DISTRICT~~

Other Water Rights with Same Point(s) of Diversion and Source:
63-10409 63-11840

Other Water Rights Listing Overlapping Place(s) of use:
63-04543 63-10409

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

Dates: App. Received: 04/14/1987 Priority Date: 04/14/1987
Proof Due Date: 08/01/1990 Proof Made Date: 07/20/1990
Exam Made Date: 06/12/1992 Exam Sent to S.O.: 02/08/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 03/05/93 SKAGGS

03-05-93

7

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION


1. ✓ Owner: Joe Smith Permit No. 63-10409
Phone No. 466-3723
Current Address: Box 4374 Route 4 Nampa Idaho 83651
2. Accompanied by: Joe Smith EXAM. DATE: 6-12-92
Address: same Phone No. same
Relationship to Permit Holder: same
3. ✓ Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-11059 Johnson (neighbors well)
☐ Copies Attached
2. Other water rights with same point of diversion: 63-11059 Johnson (no overlaps occur)
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

JUL 01 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 25 hp pump to bring water through a 10" casing from a static of 134'. The well depth is 199' and the pumping level is at 180'. This system does not irrigate anything other than crops. There is not a domestic hookup. The system irrigates through ditch; or sprinkler system.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible	NA	25	NA		

*Code to correspond with No. on map and aerial photo

5. ☒ **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	11	2n	3w	Canyon	Quads; Field Exam

6. ☒ **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2n	3w	11		11	9.2														23.2
				11	13.2														24.2
																			24.2

Do not use this space

INDEXED

JUL 01 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
		-NA-				

2. Measurements:

Theoretical; $25 \cdot 8.8 \cdot .70 = 154$
 $180 + (2.3 \cdot 50) = 295$
 $\frac{154}{295} = .52 \text{ cfs}$
 well logs capacity

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical = .52 cfs

Irr need = $\frac{24.2}{33.2} \cdot .02 = .48 \text{ cfs (IRR)}$

2. Alternate Method for Checking Purposes:

None Available

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{24.2}{33.2} \times 4.5 = 108.9 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .48 \text{ cfs} \times 245 \times 1.9835 = 233.5 \text{ AFA}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 108.9 \text{ AFA (IRR)}$

2. Volume Calculations for Other Uses:

None

MISSING

JUL 01 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

x on a phone call with Mr. Smith! at the exam HE SAID THAT NO HOMES ARE HOOKED TO SYSTEM. During the exam there was also a large portion that was not irrigated that was claimed.

Remarks - W33/GW Supplemental

Conditions - R32

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	.48 ~~.46~~ cfs	108.9 ~~104.4~~ AFA
Totals:			.48 ~~.46~~ cfs	108.9 ~~104.4~~ AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID GRAY

Signature


[Signature]

2803-05-93

Certification Date


Field Report Preparation Date

8-20-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JUL 01 1993



PERMIT 63-1044 INIT
T. R. S. Q/Q
P/D 2 3 4 20/11
SCALE
PHOTO ID.

JUL 0 1 1943



PERMIT 63-10409 INIT [signature]
T. R. S. Q/Q
P/D 2r 3w 11 SWMA
SCALE _____
PHOTO ID. _____

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10409

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2n, Rge 3w, Sec. 11, SW 1/4 NE 1/4 or Lot _____.

2. Owner: Joe Smith

Address Box 4374 Route 4, City Pampa, St Ida

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Yes ☒ No ☐	Static Water Level:	<u>134'</u>
Pressure Gauge:	Yes ☐ No ☒	Casing Diameter:	<u>16'</u>
Flowing:	Yes ☐ No ☒	Temperature:	<u>NA</u>


5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

07 1993

63-10469



View of well Located
at the south of property.
NOTE THAT THE AREA
AROUND THE WELL IS UN-
IMAGED.



NOTE THE EXTENSION
AROUND THE FIELD (see field
Report) Also note how
to the south is UNIMAGED.

63-10469
10/1/63
10/1/63

63-10469



Again notice that
intersection line from well
further west along Corbett
Avenue 14th that extends to
south of the property
that land is the same as
unimproved.



View of B3A field from
north section of the
property.

December 7, 1990

JOE SMITH
BOX 4374 RT. 4
NAMPA, ID 836510000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10409

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10409

Date: 11-27-90

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
_____ Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y _____ Groundwater
_____ Y 1. well log in file
_____ Y 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
No Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: flow. meas. port
Proof acceptable

off Priority Calculation:
Date proof received _____
Date proof due _____ -
No. of days late _____ =
Priority date _____ +
NEW PRIORITY DATE _____ =

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

JP
Address Change

RECEIVED
JUL 20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 123-10409 Telephone No. 466-3723

Name(s) of Permit Holder(s): JOE Smith

Post Office Address: 13477 Locust Ln. Nampa Idaho 83686

Source of Water: Ground

If ground water, well driller's name: Tim Dufee Date drilled: 1-19-88

Extent of Use:
Domestic _____ (No. of households) Irrigation 44 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .94 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: _____

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

JOE Smith 466-3723
Name Telephone No.

13477 Locust Ln Nampa Idaho 83686
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7/18/90 [Signature] [Signature]
Date Signature (and title if on behalf of a company or organization)

MICROFILMED

DEC 18 1990

138815
May 31, 1990

JOE SMITH
BOX 4374 RT. 4
NAMPA, ID 836510000

PROOF DUE NOTICE

RE: PERMIT NO. 63-10409

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 18 1990

August 16, 1989

Joe Smith
Box 4374, Rt. 4
Nampa, ID 83651

Dear Mr. Smith:

RE: Permit No. 63-10409

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to August 1, 1990.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

AUG 29 1989

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 63-10409

Reviewed by _____

Date _____

BASIC INFORMATION

Y Date stamp received
Y Extension received timely
(not prior to 6 month before proof due date or after reinstatement period)
Y Fee received and receipted
Y Name and signature same as permit
N Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

Y Has adequate work been completed to demonstrate due diligence?
Y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

N/A Is delay by a government agency?
Is supporting documentation needed to complete the file? _____
Requested? _____

ACTION TAKEN

Recommend approval based on due diligence for one year

Special conditions or remarks:

N/A Reinstatement

Date extension received	_____	=	_____
Proof due date	_____	=	_____
No. of days late	_____	=	_____
Priority date	_____	=	+
ADJUSTED PRIORITY DATE	_____	=	_____

____ Prepare coding sheet
____ Change rolodex card

138278
May 31, 1989

JOE SMITH
BOX 4374 RT. 4
NAMPA, ID 836510000

PROOF DUE NOTICE

RE: PERMIT NO. 63-10409

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

6/1/89
6/1/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

RECORDED
USE TYPEWRITER OR
BALLPOINT PEN
DEC 09 1988

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Lee Smith</u> Address <u>Rt 4 Box 4374</u> <u>Nampa, Idaho 83651</u> Owner's Permit No. <u>63-87-W-076</u>	7. WATER LEVEL Department of Water Resources Static water level <u>134</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>58</u> °F. Quality <u>3 gals hard</u> Describe artesian or temperature zone below.																																																																																																										
2. NATURE OF WORK <u>63-10409</u> ☒ New well ☒ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td><u>300</u></td><td><u>180</u></td><td><u>8</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>300</u>	<u>180</u>	<u>8</u>																																																																																																				
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																									
<u>300</u>	<u>180</u>	<u>8</u>																																																																																																									
3. PROPOSED USE ☒ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>8"</td><td>261</td><td>265</td><td>yellow clay</td><td></td><td>☒</td></tr><tr><td></td><td>265</td><td>272</td><td>blue clay - broken</td><td></td><td>☒</td></tr><tr><td></td><td>272</td><td>292</td><td>brown clay - sandy</td><td></td><td>☒</td></tr><tr><td></td><td>292</td><td>294</td><td>soft spgr - broken shell - broken</td><td></td><td>☒</td></tr><tr><td></td><td>294</td><td>323</td><td>brown clay</td><td></td><td>☒</td></tr><tr><td></td><td>323</td><td>325</td><td>soft spgr / brown shale - broken</td><td></td><td>☒</td></tr><tr><td></td><td>325</td><td>336</td><td>brown clay</td><td></td><td>☒</td></tr><tr><td></td><td>336</td><td>366</td><td>brown clay - sandy</td><td></td><td>☒</td></tr><tr><td></td><td>366</td><td>431</td><td>yellow clay</td><td></td><td>☒</td></tr><tr><td></td><td>431</td><td>436</td><td>blue clay</td><td></td><td>☒</td></tr><tr><td></td><td>436</td><td>470</td><td>brown clay - sandy</td><td></td><td>☒</td></tr><tr><td></td><td>470</td><td>475</td><td>yellow clay</td><td></td><td>☒</td></tr><tr><td></td><td>475</td><td>489</td><td>blue clay</td><td></td><td>☒</td></tr><tr><td></td><td>489</td><td>501</td><td>gray clay - broken</td><td></td><td>☒</td></tr><tr><td></td><td>501</td><td>519</td><td>blue clay</td><td></td><td>☒</td></tr><tr><td>8"</td><td>519</td><td>525</td><td>gray clay</td><td></td><td>☒</td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	8"	261	265	yellow clay		☒		265	272	blue clay - broken		☒		272	292	brown clay - sandy		☒		292	294	soft spgr - broken shell - broken		☒		294	323	brown clay		☒		323	325	soft spgr / brown shale - broken		☒		325	336	brown clay		☒		336	366	brown clay - sandy		☒		366	431	yellow clay		☒		431	436	blue clay		☒		436	470	brown clay - sandy		☒		470	475	yellow clay		☒		475	489	blue clay		☒		489	501	gray clay - broken		☒		501	519	blue clay		☒	8"	519	525	gray clay		☒
Bore Diam.	Depth		Material	Water																																																																																																							
	From	To		Yes	No																																																																																																						
8"	261	265	yellow clay		☒																																																																																																						
	265	272	blue clay - broken		☒																																																																																																						
	272	292	brown clay - sandy		☒																																																																																																						
	292	294	soft spgr - broken shell - broken		☒																																																																																																						
	294	323	brown clay		☒																																																																																																						
	323	325	soft spgr / brown shale - broken		☒																																																																																																						
	325	336	brown clay		☒																																																																																																						
	336	366	brown clay - sandy		☒																																																																																																						
	366	431	yellow clay		☒																																																																																																						
	431	436	blue clay		☒																																																																																																						
	436	470	brown clay - sandy		☒																																																																																																						
	470	475	yellow clay		☒																																																																																																						
	475	489	blue clay		☒																																																																																																						
	489	501	gray clay - broken		☒																																																																																																						
	501	519	blue clay		☒																																																																																																						
8"	519	525	gray clay		☒																																																																																																						
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>250</u> inches</td><td><u>10</u> inches</td><td><u>2'6"</u> feet</td><td><u>199</u> feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>top of casing</u>	Thickness	Diameter	From	To	<u>250</u> inches	<u>10</u> inches	<u>2'6"</u> feet	<u>199</u> feet													10. Work started <u>11-4-88</u> finished <u>12-3-88</u>																																																																																						
Thickness	Diameter	From	To																																																																																																								
<u>250</u> inches	<u>10</u> inches	<u>2'6"</u> feet	<u>199</u> feet																																																																																																								
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. N <table border="1" style="border-collapse: collapse;"><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td>X</td><td> </td></tr><tr><td>W</td><td> </td><td>E</td></tr></table> S Subdivision Name <u> </u> Lot No. _____ Block No. _____ County <u>Canyon</u> <u>SW 1/4 NE 1/4 Sec. 11, T. 2 N, R. 3 E</u>					X		W		E	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Joe Well Drilling</u> Firm No. <u>379</u> Address <u>837 West Fourth</u> Date <u>Dec 5-88</u> <u>Nampa, Idaho</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>same</u>																																																																																																	
	X																																																																																																										
W		E																																																																																																									

FROM

John Beal

TO

Files 63-87-W-76

SUBJECT

63-10409

DATE

11/3

MICROFILMED

AUG 29 1965

Jim DeFoe called - Announced
to Super well 20'-50'. Asked what
he needed. I informed him
that well can be deepened under
63-87-W-76 this time


SIGNATURE

RECEIVED-88

DEC 21 1988

Too John Bear

Department of Water Resources

This letter is to inform you that I have completed the deepening of Joe Smith's 10" well. Permit # 63-89-W-076

The original well log was filed January 88, it shows an 8" liner from 191-261, I have pull it out and the hole is open from 199 to bottom at 525. I also reduce hole size at 261-525 down to 8".

John in the phone call made to you on this well you didn't think we need a new permit if any thing has changed your mind - let me know.

The new well log that I am filing shows only the new formations I encountered from 261' to bottom. If you need more information let me know.

Thank's Sam Dutton

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Joe Smith
Address Rt 4 Box 4374
Nampa, Idaho 83651
Owner's Permit No. 63-87-W-096

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☒
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☐
- Rotary
- ☐
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☒
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>10</u> inches	<u>2'6"</u> feet	<u>199</u> feet
<u>250</u> inches	<u>8</u> inches	<u>191</u> feet	<u>261</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☒ Yes ☐ NoPerforated? ☒ Yes ☐ NoHow perforated? ☒ Factory ☐ Knife ☐ TorchSize of perforation 1/8" inches by 4 inches

Number	From	To
<u>5'</u> perforations	<u>202</u> feet	<u>207</u> feet
<u>5'</u> perforations	<u>119</u> feet	<u>124</u> feet
<u>10'</u> perforations	<u>241</u> feet	<u>251</u> feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 1/4"Placed from 192 feet to 261 feetSurface seal depth 22 Material used in seal: ☐ Cement grout☒ Bentonite ☒ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld☐ Cemented between strataDescribe access port Top of casing

7. WATER LEVEL

Static water level 129 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other NO Test Pump
NO electric - writing on Fork Power

Discharge G.P.M.

Pumping Level

Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
12"	0	4	Top soil		
12"	4	7	gravel		
12"	7	22	yellow clay		
10"	22	27	yellow clay		
10"	27	41	sand - clay		
4"	41	51	brassy clay		
5"	51	98	sandy brown clay		
9"	98	148	yellow clay		
14"	148	151	sandy brown clay		
15"	151	164	sand		
16"	164	201	yellow clay		
20"	201	205	sandy brown clay - broken		
20"	205	218	yellow clay		
21"	218	221	sandy brown clay - broken		
22"	221	227	yellow clay		
22"	227	232	gravel		
23"	232	238	yellow clay		
23"	238	248	sandy brown clay - broken		
10"	248	261	yellow clay		


RECEIVED
FEB 16 1988

Department of Water Resources

10.

Work started 12-5-87 finished 1-19-88

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name

Lot No.

Block No.

County

CanyonSW 1/4 NE 1/4 Sec. 11, T. 2 N, R. 3 E

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Dave Well Drilling Firm No. 399Address 837 West 1st St
Nampa, IDA Date 1-19-88

Signed by (Firm Official)

and

(Operator)

Drilling Permit No. 63-87-W-076
Water Permit No. 63-10409
Injection Permit No. N/A

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

DEC 15 1987

Department of Water Resources

1. Applicant Joe Smith

2. Address Box 4374 Rt. 4

Nampa ID 83651

☒ Well Owner () Well Operator () Other, specify _____

3. Water right permit no. 63-10409; Injection well permit no. N/A

4. Proposed well location 1/4 SW 1/4 NE 1/4, or Gov't lot No. _____

Sec. 11, Twp. 2N, Rge. 3W, County Canyon

Lot, block and subdivision N/A

5. Proposed use of well: (Check all that apply)

☒ Domestic () Stockwater () Monitoring

☒ Irrigation () Industrial () Municipal

() Injection () Other, Specify _____

6. Well construction information:

☒ New well () Deepen () Replace

Proposed surface diameter 10" Proposed depth 180'

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

7. Anticipated construction start date Dec. 14, 1987

8. Well Driller (if known) Jim Ouse Well Drilling - License is current

Address 837 W. Iowa Nampa 83651

Date 12/14/87 Applicant's signature Joe Smith

Title Owner

MICROFILMED

ACTION OF IDWR

(X) Approved

() Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 14th day of Dec, 19 87.

Signed

David R. Tuttle

Title

Mgr., Western Reg. Off., IDWR

Received by

SL

Fee

\$100⁰⁰

Date

12/14/87

Receipt No.

46034

Construction start date

12/14/87

Construction start extension to

AUG 20 1988

Extension approved by

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

RECEIVED
DEC 14 1987

Permit No. 63-10409

Name(s) of Permit Holder(s): JOE SMITH

Post Office Address: RT 4 Box 4

NAUMPA IDA 83651

Department of Water Resources
Western Regional Office
Tel. No. 706-5723

☒ I hereby certify that construction of diversion work for the above referenced permit began on Dec 14, 1978. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

Dec 14 1978
Date

[Signature]
Signature of Permit Holder

PLACE
STAMP
HERE

Department of Water Resources

MICROFILMED

DEC 15 1987



AUG 29 1989

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 30, 1987

SMITH, JOE
BOX 4374 RT. 4
NAMPA, ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10409

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS

RECORDED & INDEXED

AUG 20 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

AUG 20 1987

FROM

Jan Thurt

DATE

4/22/87

TO

File for App. # 63-00409

SUBJECT

Joe Smith phoned to say he did want this to go through final processing for a permanent permit after the 120 day time is up.

MICROFILMED

AUG 20 1987

Jan Thurt
SIGNATURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Shute APPLICATION NUMBER: 63-10409

CHECK:

- ☒ Source.
☒ Point of diversion. NO LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. Wilder Irr Dist wtr rts
☒ Yes ☐ No* In form for advertising.
Final date for protests: May 26, 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: May 18, 1987
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45/42323
☒ Publication dates and paper, recorded on application. PRESS TRIB. 5-7 + 5-14/1987
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
4/14/1987 Date of priority recommended.
Special conditions of approval or cover letter. OIC, 26A

By phone conversation with Mrs. Smith
there will be 2 homes attached
hooked up to this well... FW 7/22/87

Recommend that the rate of flow allowed for domestic use be reduced
to 0.04 cfs, and the flow allowed for development of the right
be reduced to 2 years

By: Dra Date: 6/29/87 AUG 20 1987

STATE OFFICE REVIEW:

123, 105, 103, 117

26 OIG 43 **RECEIVED**

- ☐ See attached sheet for more information.

By: FW Date: 7/22/87 JUL 21 1987

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet .

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks: I assisted Mr. Smith in filing this application and it is definitely for a supplemental source to help with less surface water. Canyon Co. Irrig. Cropland map does show the W 1/2 NE 1/4 as lying within the irrigated area under the Wilder Irrig. Dist.

Application Initially Received Date 4/14/87 Time _____
File Prepared By JP Date 4/21/87 Time 9:00 a.m.
Staff Review By JP Date 4/21/87 Time 2:30 p.m.
Temporary Approval Prepared By JP Date 4/22/87 Time 3:30 pm
Temporary Approval Signed By DP Date 4/22/87 Time 4:15 pm
Temporary Approval Mailed By EH Date 4/22/87 Time 4:45 PM
Index Updated By DP Date 4/23/87 Time 8:00 Am

MICROFILMED

AUG 20 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 22, 1987

Joe Smith
Box 4374 Rt. 4
Nampa, ID 83651

Re: Water Right No. 63-10409

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MICROFILMED

AUG 20 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10409

This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 63-10409; and a temporary approval to divert groundwater is granted until August 20, 1987, subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval given.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

RECEIVED
AUG 20 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 22nd day of April, 1987.



DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

RECEIVED

AUG 20 1987

SMITH, JOE

BOX 4374 RT. 4, NAMPA, ID 83651

Source: GROUNDWATER

Diversion Pt: SWNE Sec 11 T 02N R 03W

Use: IRRIGATION (0.880 CFS)
DOMESTIC (0.060 CFS)

Date Filed: 04/14/1987

In: NWNE SWNE Sec 11 T 02N R 03W FOR 44 ACRES

MICROFILMED

AUG 20 1987