



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)



Building's Drive

House

9.7

8.3

6.5

SW 1/4

USGS 4 mile line

0.75

Canal runs underground instead of around H 11. The road + canal area plowed + planted in tree rows.

Property Size - 24 total Acres below canal -	28.3 Acres IRR
20 total Acres above canal -	8.3 Acres IRR
	28.6 IRR Acres

ReExam Map + Notes
08 5-25-93

MISSOURI

JUL 01 1993

63-10409

11 12
14 13

4631


RP

120
T 4630

CRP

2
180

5
122.3



JUL 01 1993

T02N, R03W, S11

63-10409

Lakeview School

Marsing

LAKE

DEER SHORE FLAT

Cucumber

VABM 2850

BM 2533

BM 2619

2696

2784

2815

2800

2681

2723

2740

2841

2800

2799

2782

2718

2765

ROAD

ROAD

DRIVE HIGH

LATERAL

AVEN LATERAL

CANAL

CANAL

5

4

3

2

8

9

10

16

15

14

17

Well 2703

Well

Well

Well

Well

Well

63-10409



Field in question above the canal - sprinkled by wheel lines.



Tree rows around hill. (note [↑] riser)

JUL 01 1993

Field Exam 63-10409 5-25-93 CS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10409

1. ✓ Owner: Joe Smith Phone No. 4166-3723

Current Address: Box 4374 Route 4 Nampa Idaho 83651

2. Accompanied by: Joe Smith EXAM. DATE: 6-12-92

Address: same Phone No. same

Relationship to Permit Holder: same

3. ✓ Source: groundwater tributary to N/A

B. ✓ OVERLAP REVIEW

1. Other water rights with same place of use: 63-11059 Johnson (neighbors well)

☐ Copies Attached


2. Other water rights with same point of diversion: 63-11059 Johnson (no overlaps occur)

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECORDED

JUL 01 1993

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

PHOTO ID.

JUL 01 1993

Gotts Point

↑
Plu P/d

PERMIT 63-10409 INIT Dues
T. R. S. Q/Q
P/D 2n 3w 11 SWMA
SCALE _____
PHOTO ID. _____

JUL 01 1963

63-10409



View of well. Located
at the south of property.
NOTICE THAT THE AREA
AROUND THE WELL IS UN-
IRRIGATED.



Notice PIPE EXTENDING
AROUND 4.9A field (see Field
Report) Also notice land
to the south is unirrigated.

RECORDED
JUL 01 1993

63-10409



Again, Notice that
under ground line from well
follows west along PROPERTY.
Notice ditch that extends the
length OF THE PROPERTY
! THAT LAND TO THE SOUTH IS
UNIRRIGATED.



View of B.3 A field : the
north Sections OF THE
PROPERTY.

RECEIVED

JUL 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10408

Priority: April 13, 1987

Maximum Diversion Rate: 0.61 CFS
Maximum Diversion Volume:¹ 296.4 AF

This is to certify, that EARL M. TUCKNESS
14557 FLORIDA AVE.

CALDWELL, ID 836050000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 13, 1987; and
has submitted Proof of Beneficial Use on July 6, 1988. An examination indicates
that the works have a diversion capacity of .610 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.61 CFS	296.4 AF

LOCATION OF POINT(S) OF DIVERSION: NESW , Sec. 23, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	03W	23	NENW 35	SENW 28	NESW 9	72
Total number of acres irrigated:						72

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

JAN 17 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10408

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18th
day of December, 1990.

R. Keith Higginson
R. Keith Higginson, Director



[Faint, illegible text or stamp]

State of Idaho
Department of Water Resources

RECEIVED
NOV 26 1990

APPLICATION FOR AMENDMENT
(For Licensing Purposes) Department of Water Resources
WATER RIGHT NO. 63-10408

Date of Priority: April 13, 1987

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.61 CFS
296.4 AF
APPROVED

Comes now
14557 FLORIDA
CALDWELL, ID 836050000

EARL M. TUCKNESS

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10408, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.61 CFS	296.4 AF

LOCATION OF POINT(S) OF DIVERSION: NESW , Sec. 23, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 03W 23	NENW 35	SENW 28	NESW 9	72
Total number of acres irrigated:				72

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Caldwell, this 23 day of November, 1990.

Earl M. Tuckness
(Signature)
MICROFILMED

Enclosed \$26.00

JAN 07 1991

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10408

FOR DEPARTMENT USE ONLY

#C018964

Preliminary check by SA Fee ☒ \$20.00 Received by SA Date 11/26/90

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-10408 with the following;


CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

Witness my hand this 18th day of December, 19 90.

Acting for

R. Keith Higginson
R. Keith Higginson, Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Earl M. Tuckness Phone 466-3701
Post office address Rt. 10, Box 65 Caldwell, ID 83605
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 23 Township 3N Range 3W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1.6 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.6 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Pump, pipeline & cement
ditch
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 10-12 inches; proposed depth of well is 300-400 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

AUG 20 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	3W	23					40			40									80

Total number of acres to be irrigated 80

10. Describe any other water rights used for the same purposes as described above. Irrigation
under Nampa-Meridian Irrigation Dist. & Wilder Irrigation District

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED

AUG 20 1987

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Earl M. Taylor
(Applicant)

RECEIVED
MAY 13 1987

Department of Water Resources
Western Regional Office

RECEIVED
MAY 15 1987

Department of Water Resources

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have
been filed to appropriate the public
waters of the State of Idaho:

43-10406
MILLER LAND CO. INC.
RT. 1 BOX 137, MELBA, ID 83441
Source: GROUNDWATER
Diversion Pt: SESW Sec 02 T 015 R
02W

Use: IRRIGATION (0.8 CFS)
Date Filed: 04/13/1987
In: SESW Sec 02 T 015 R 02W
NENW Sec 11 T 015 R 02W FOR
70 ACRES

43-10407
HARRIS, DELLA J. &/or KEN
NETH PICKET, DEE

Rt. 4 CALDWELL ID 83605
Source: GROUNDWATER
Diversion Pt: SWNW Sec 01 T 03N
R 04W

Use: IRRIGATION (3.2 CFS)
Date Filed: 04/17/1987
In: LOT 03 (NENW) LOT 04
(NWNW) SWNW SENW Sec 01 T
03N R 04W FOR 160 ACRES

43-10408
TUCKNESS, EARL M.
RT. 10 BOX 45, CALDWELL, ID
83605

Source: GROUNDWATER
Diversion Pt: SENW Sec 23 T 03N
R 03W

Use: IRRIGATION (1.6 CFS)
Date Filed: 04/13/1987
In: NENW SENW Sec 23 T 03N R
03W FOR 80 ACRES

43-10409
SMITH, JOE
BOX 4374 Rt. 4 NAMPA, ID 83451

Source: GROUNDWATER
Diversion Pt: SWNE Sec 11 T 02N
R 03W

Use: IRRIGATION (0.880 CFS)
DOMESTIC (0.060 CFS)

Date Filed: 04/14/1987
In: NWNE SWNE Sec 11 T 02N R
03W FOR 44 ACRES

43-10411
SCHELL, EDWARD
HUEBERT, KEVIN

RT. 6 Box 313, CALDWELL, ID
83605

Source: GROUNDWATER
Diversion Pt: SWSW Sec 04 T 03N
R 03W

Use: IRRIGATION (1.6 CFS)
Date Filed: 04/10/1987
In: NWSW Sec 04 T 03N R 03W
FOR 80 ACRES

43-10413
MIYAKE, BOB
RT. 1 BOX 1149, NAMPA, ID 83451

Source: GROUNDWATER
Diversion Pt: SWSE Sec 12 T 03N
R 03W

SESE Sec 12 T 03N R 03W
Use: IRRIGATION (0.440 CFS)
Date Filed: 04/10/1987

In: SWSE SESE Sec 12 T 03N R
03W FOR 22 ACRES

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before MAY 26, 1987.

KEN DUNN
Director
May 6, 13, 1987

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper
Two times
in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
May 6, 13, 1987

Debra Martin del Campo
Subscribed and sworn to before me this
13th day of May
1987

RECORDED

AUG 20 1987

Jeanne Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991

December 19, 1990

EARL M. TUCKNESS
14557 FLORIDA AVE.
CALDWELL, ID 836050000

RE: WATER RIGHT NO. 63-10408

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
JAN 17 1991

November 9, 1990

EARL M. TUCKNESS
14557 FLORIDA
CALDWELL, ID 836050000

RE: WATER RIGHT NO. 63-10408

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
FILMED

JAN 17 1991

LICENSE REVIEW CHECKLIST

Permit No. 63-10408

Name Address change? ☒ ok ☐

Priority date Advance? yes ☐ no ☒
 Memo to advance N/A
 Blue sheet inserted N/A
 Order to reinstate needed? yes ☐ no ☒
 Total cfs Limited by fee ☒
 Limited by capacity ☒
 Total volume Limited by flow ☒
 Chart checked for AF rate/ac ☒ 4.5
 Capacity Actual measurement checked ☒
 Theoretical checked ☐
 If greater than permit, check for other rts ☐

Source Changed? yes ☐ no ☒
 If so, is memo needed to clarify? N/A

P/D Verify with map ☒ permit ☒ amendment needed ☒
 More than one per $\frac{1}{4}$? Remember remark ☒
 Check p/d overlap

Uses Check irrigation period of use w/ chart ☒

P/U Verify with map ☒ permit ☒
 > 5 acres irrigated, run overlap

Remarks More than one p/d in $\frac{1}{4}$ ☐
 Description of non-irrig uses ☐
 Special overlap condition ☐

Conditions Measuring device ☒
 W.Master control ☒
 Overlap ☒
 Water quality ☒
 Other ☒

Dates/Misc Water district ☒
 App Rec'd date ☒
 Proof Rec'd date ☒

Comments/Changes to Examiner's Recommendations:

License ☐ 10-day ☐ 30-day ☒

Back of field report signed? ☒

Reviewer S. Curtis Date 10-26-90
 Review time 14 minutes

PLACE OF USE 1/4 1/4 OVERLAP REPORT

10/29/90

WR-NUMBER	NAME	SIG	SOURCE	T	R	S	NE				NW				SW				SE				SUM				
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE					
L6310408																											
6302388	U.S. DEPT. OF INTERIOR	L	BOISE RIVER	03N	03W	23					:				:				:								
6302706A	FOGLIATTI	L	GROUNDWATER	03N	03W	23					:				:	40	40		:				80				
6302812	SWENSON	L	GROUNDWATER	03N	03W	23					:	X	X		:				:								
6303146	FOGLIATTI	L	GROUNDWATER	03N	03W	23					:				:	40	40		:				80				
6308822	HALL	L	GROUNDWATER	03N	03W	23	36	35			:				:				:				71				
6310408	TUCKNESS	P	GROUNDWATER	03N	03W	23					:	40			40	:			:				80				
6311138	HUFF	P	GROUNDWATER	03N	03W	23				40	40	:			:				:	40	30		150				
6311240	LITTLE	P	GROUNDWATER	03N	03W	23					:				:				:			37	37				
L6310408	TUCKNESS	L	GROUNDWATER	03N	03W	23					:	35			28	:	9		:				72				
	1986 MAPPING DATA	—	COUNTY 27 QUAD X	55	03N	03W	23	36	39	40	39	:	39	39	42	39	:	41	42	40	42	:	40	39	40	42	639

NO PD on the OVERLAPS

MAINTAINED

JAN 07 1991

WR0722NP
(00-22)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY POINT OF DIVERSION

DATE: 10/30/90
PAGE: 1

TWP	RNG	SECT	TRACT	LOT	WATER USE CODE	WATER RIGHT NO.	LAST NAME	O	STG	PRIORITY	POD	WATER
			1\4	1\4	1\4			C		DATE	FLAG	SOURCE
03N	03W	23	NE	SW	01	L63-10408	TUCKNESS	C	L	04/13/1987		GROUNDWATER

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10408
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

3N - 3W
63

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
yes Well Inspection Form Needed
☒ Copy of U.S.G.S. Quad

none Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 7-11-89 KRC (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index 7-11-89 KRC (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☒ Add P/D's
☐ Increase number of acres within tracts
☐ Other: DITCH Co. WATER ONLY

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed 8-23-89 Kelly K Christensen (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent GR 1-22-90 (Initial and date)

Exam Reviewed by Manager of Regional Office DW 2/6/90 (Initial and date)

Exam Date Entered in Computer Yes (Initial and date)

Exam sent to State Office LW 5/15/90 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 18 1989

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10708

1. Owner: EARL M. TUCKNESS

Phone No. 466-3701

Current Address: 14557 FLORDIA CALDWELL ID 83605

2. Accompanied by: EARL TUCKNESS

EXAM. DATE: 7-14-89

Address: _____

Phone No. _____

Relationship to Permit Holder: OWNER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: DETCH CO. WATER

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of {0 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE SYSTEM IS A WELL WITH OPEN DISCHARGE INTO A 40" VERTICAL SECTION OF A 2.5' DIA CULVERT WITH AN 8" GATED PIPE EXITING FROM THE BOTTOM OF THE CULVERT. THIS PIPE RUNS WEST APPROX 30' THEN TURNS NORTH FOR APPROX 500 FT WHERE IT DISCHARGES INTO A CEMENT DITCH. THIS IS A SUPPLEMENTAL SOURCE FOR DITCH CO WATER AND USES THE EXISTING DISTRIBUTION SYSTEM EXCEPT FOR THE 2.9 ACRE CORNER OF LAND AT THE WELL SITE

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	PERKINS	42	UNKNOWN	UNKNOWN	8"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					NE SW 23	3N	3W	CANYON	AERIAL PHOTO.

6. Place(s) of Use:

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	3W	23					35			28	9								72

Do not use this space

MICROFILMED

JAN 07 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MEASURED FILL TIME FOR A 1' SECTION OF A 2.5' VERTICAL CULVERT
THREE TRIES VOLUME OF CONTAINER = $\pi (1.25)^2 \times 1 = 4.9 \text{ cu ft}$
#1 - 8 SEC $4.9 \text{ cu ft} / 8 \text{ sec} = 0.61 \text{ CFS}$
#2 - 8.2 SEC OVERALL
#3 - 9 SEC (TIME STARTED OFF) MEASUREMENT CONSIDERED GOOD.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 72 \times 4.5 = 324$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.61 \times 245 \times 1.9835 = 296.4$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 296.4$

2. Volume Calculations for Other Uses:

MICROFILMED

JAN 07 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THIS LAND IS IRRIGATED VIA THE GATED PIPE.
NO OVERLAP OTHER THAN WITH DITCH Co. WATER
WAS FOUND.

PERMIT IS FOR 80 ACRES AND 1.6 CFS
FEES PAID FOR 2.00 CFS MAX
FOUND 72 ACRES AND 0.61 CFS

FOUND THE PROPERTY EXTENDING APPROX 330 FT INTO
THE NE/SW QUARTER THEREFORE BOTH THE
P/D AND THE P/U NEEDS AN AMENDMENT.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	0.61	296.4
Totals:			0.61 CFS	296.4 AFA.

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

KELLY K. CHRISTENSEN

Signature

Kelly K. Christensen

Certification Date

Field Report Preparation Date

8-23-89


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



MICROFILMED

JAN 07 1991




63-10408

EXCLUDES
FARM STEAD

MICROFILMED

JAN 17 1991

WILDLIFE REFUGE



03-10408

Picture # 1


P/D _____

LOOKING WEST



MEASUREMENT
VOLUME
CONTAINER

Picture # _____



3-10408

LOOKING EAST

Picture # 2



LOOKING NORTH

Picture # 3

SHOWS PIPELINE CARRYING WATER ACROSS CALDWELL CANAL



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10408

Date: 9/7/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
 Y 1. well log in file
 N/A 2. drilling permit
 _____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
 Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

_____ Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

October 10, 1988

63-10408
Earl Tuckness
Rt. 10 Box 65
Caldwell, ID 83605

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

MICROFILMED

JAN 11 1989

JUL - 6 1988

For Office Use Only
Fee Received 1125.00
Date 7/16/88
Receipt # C001748
Received by CP
Reviewed by JS
Sent to region

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63 10408 -

Name(s) of Permit Holder: Earl M Tuckness

Post Office Address: Box 65 R# 10 Caldwell, Idaho #83665

Telephone No. 466-3701

Source of Water: ground water -

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 90.0 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 1.6 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: July 15 1987

Measuring Device: Required? Yes X No
Installed? Yes No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Earl M Tuckness 466-3701
(Name) (Telephone Number)

R# 10 Box 65 Caldwell Idaho
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Signature of Permit Holder (and title, if appropriate)

RECEIVED

AUG 25 1988

Department of Water Resources

August 23, 1988

Rita I. Fleck
Department of Water Resources
1301 No. Orchard
Boise, ID 83720

RE: Water Right Permit No. 63-10408

Dear Ms. Fleck:

I received your letter of August 8, concerning my permit. Enclosed is a copy of the well driller's report to show that the well was started and finished prior to July 1, 1987, therefore not requiring the well driller's permit. The well was started June 1, 1987 and completed June 20, 1987.

I contacted the well driller, and he said that he had sent his report to you.

This should clear this matter up.

Sincerely,

Earl M. Tuckness

Earl M. Tuckness
Rt. 10, Box 65
Caldwell, ID 83605

Enc.-1-

SEP 30 1988

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name EARL THICKNESS

Address _____

Owner's Permit No. _____

7. WATER LEVEL

Static water level 63 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☒ Cap ☐ PlugTemperature 48 OF. Quality Good

Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

7701401

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water Yes
	From	To		
12"	0	1	TOP SOIL	
	1	10	CLAY	
	10	21		
	21	80	gravel - sand	
	80	100	sandy clay	
	100	120	sandy clay	
	120	140	fine sand - some clay	
	140	160	sandy clay	
	160	180	fine sand	
	180	200	fine sand	
	200	220	Wh. to sand	
	220	240	sand	
	240	245	clay	

4. METHOD DRILLED

- ☒
- Rotary
- ☒
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>12</u> inches	<u>1</u> feet	<u>200</u> feet
<u>.250</u> inches	<u>10</u> inches	<u>180</u> feet	<u>200</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☒ Yes ☐ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ NoManufacturer's name COOK - GALVANIZEDType Telescopic Model No. _____Diameter 10" Slot size .20 Set from 200 feet to 240 feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 21 Material used in seal: ☐ Cement grout☒ Bentonite ☒ Pudding clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent


Weld

☐ Cemented between strataDescribe access port SANITARY SEAL

10.

Work started 6-1-87 finished 6-20-87

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

County CANYONNW 1/4 SW 1/4 Sec. 23, T. 3 N. R. 3 E. W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name SCOTT DRILLING CO. Firm No. 327Address 5412 LARCH AVE Date 6-20-87Signed by (Firm Official) Jim A. Smith

and

(Operator) Jim A. Smith

August 8, 1988

Earl M. Tuckness
Box 65, Rt #10
Caldwell, ID 83605

RE: WATER RIGHT PERMIT NO. 63-10408

Dear Mr. Tuckness:

The department has reviewed the proof of beneficial use (proof) which you submitted in connection with the above referenced permit. A review of the file does not show that you applied for a drilling permit (which is a separate requirement from the water right permit) or whether you are exempt from the drilling permit requirement.

A drilling permit is required for all wells drilled, deepened or enlarged after July 1, 1987 (Section 42-235, Idaho Code). The department also can not locate a well driller's report (well log) for the well. This report is to be filed with the department by the driller within 30 days after completion of the well.

In order to make the proof of beneficial use acceptable and to allow the department to issue a license of water right confirming your use of water, you need to do one of the following whichever is applicable:

1. Provide evidence to show that the well was completed before July 1, 1987.
OR
2. Provide evidence to show that construction of the well was started prior to July 1, 1987 and was complete by August 1, 1987.
OR
3. Submit a completed drilling permit form together with a drilling permit fee in the amount of \$100 made payable to the Idaho Department of Water Resources. Enclosed is a form for your use.

In any case above, the department also requests the name and address of the well driller or a copy of the well log.

RECORDED

SEP 30 1988

Earl M. Tuckness

2

August 8, 1988

Please provide the appropriate information at your earliest convenience in order that the water right will not be in jeopardy. Feel free to contact this office if you have questions.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Encl: 1

c: W. Region

RECEIVED

SEP 30 1988

To: File 63 10408

From: Groundwater Protection

Date:

Drilling Permit: ☐ Not Applicable
☐ Found and in file
☒ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

Follow-up

☒ Request from permit holder the well
drillers report and/or the name of the
well driller.
☒ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 11, 1987.

*don't
need
one*

SEP 30 1988

138701
CERTIFIED MAIL
May 31, 1988

TUCKNESS, EARL M.
RT. 10 BOX 65
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: Permit No. 63-10408

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

SEP 30 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JULY 30, 1987

TUCKNESS, EARL M.
RT. 10 BOX 65
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10408

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

RECORDED

AUG 20 1987

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY.

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

AUG 20 1967

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Shulte
CHECK:

APPLICATION NUMBER: 63-10408

- ☒ Source.
☒ Point of diversion. NO LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. Nampa-Meridian Irr Dist
and Wilder Irr Dist water rts.
☒ Yes ☐ No* In form for advertising.
Final date for protests: May 26, 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: May 18, 1987
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 65/42327
☒ Publication dates and paper, recorded on application. PRESS TRIB. 5-7-5-14/1987
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
☒ Yes ☒ No Date of priority recommended. 4/13/1987
Special conditions of approval or cover letter. OIC

NOT FILMED

AUG 20 1987

OP
Recommend that one year be allowed for completion of this project.

By: Dno Date: 6/29/87

STATE OFFICE REVIEW:

123, 103, 105, 116

OIG 43

RECEIVED

- ☐ See attached sheet for more information.
By: KW

Date: 7/22/87 JUL 21 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

July 15, 1987

Earl M. Tuckness
Rt. 10 Box 65
Caldwell, ID 83605

Dear Mr. Tuckness:

Please find enclosed your receipt No. 42327 in the amount of \$65.00.

If you have any questions, please call me at 334-2190.

Sincerely,

A handwritten signature in cursive script, appearing to read "Judy", is written above the typed name.

Judy Pense
Secretary

J

Enclosure

RECEIVED
AUG 20 1987

State of Idaho
Department of Water Resources
Temporary Approval Analysis Sheet *

☒ Yes ☐ No Basin No. Correct?
☒ Yes ☐ No Source is Groundwater?
☒ Yes ☐ No Lands are irrigated with surface water rights?
☒ Yes ☐ No Lands are outside Critical Groundwater Area & Groundwater Management Area boundaries?
☒ Yes ☐ No County has been declared a drought emergency area by the Governor's Office?

Remarks: Canyon Co. Irrig. Cropland map
shows the E1/4 NW 1/4, Sec. 23, 3N 3W as
lying within the Nampa-Meridian
Irrig. District irrigated area.

Application Initially Received Date 4/13/87 Time 3:00 p.m.
File Prepared By JP Date 4/21/87 Time 9:00 a.m.
Staff Review By [Signature] Date 4/21/87 Time 3:00 pm
Temporary Approval Prepared By [Signature] Date 4/22/87 Time 3:30 pm
Temporary Approval Signed By [Signature] Date 4/22/87 Time 4:10 pm
Temporary Approval Mailed By [Signature] Date 4/22/87 Time 4:50 P.M.
Index Updated By [Signature] Date 4/23/87 Time 8:00 AM

MICROFILMED

AUG 20 1987



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

April 22, 1987

Earl M. Tuckness
Rt. 10, Box 65
Caldwell, ID 83605

Re: Water Right No. 63-10408

Dear Water Right Applicant:

Enclosed is a temporary approval for diversion of groundwater during the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your temporary approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the temporary approval.

As described in condition of approval (k), this office will continue to process the original application for permit, pursuant to Chapter 2, Title 42, Idaho Code, unless directed otherwise by you. This processing will include advertisement for two weeks in the county where the point of diversion is located, and the result may be issuance of a water right permit.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosures: Temporary Approval
Copy of Application for Permit

MICROFILMED

AUG 20 1987

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES
WITH RESPECT TO TEMPORARY APPROVAL OF
APPLICATION FOR PERMIT NO. 63-10408

This is to certify that I have examined Application for Permit to Appropriate the public waters of the State of Idaho No. 63-10408; and a temporary approval to divert groundwater is granted until August 20, 1987, subject to the following limitations and conditions:

- a. The water use approved herein is subject to all prior water rights.
- b. The water user acknowledges that the temporary approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the temporary approval.
- c. The water user assumes all risk that he or she will be successful in obtaining a permanent water right permit when the application is processed under the provisions of Chapter 2, Title 42, Idaho Code and the water Appropriation Rules and Regulations.
- d. Violation of temporary approval conditions, provisions of the Idaho Code, or the Water Appropriation Rules and Regulations is cause for cancellation of the temporary approval and denial of future requests.
- e. By commencing diversion of water under this temporary approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the temporary approval or to take other reasonable steps to insure that water is not diverted during any period the temporary approval is suspended or revoked.
- f. The Director may impose additional conditions not a part of the original temporary approval conditions.
- g. The temporary approval applies only to uses and lands which normally have an adequate supply of water from surface water sources but are temporarily water short because of drought conditions.
- h. The temporary approval granted under the expedited procedure shall not be effective for more than the 1987 irrigation season and will expire upon termination of the declared drought emergency, or on the expiration of the term of the approval set herein, whichever is earlier.
- i. The Director will retain jurisdiction of any temporary approval.
- j. By acceptance of the temporary approval and diversion of water under the temporary approval, the water user assumes all risk relative to interference with other water rights and acknowledges and agrees that the Director is authorized to take reasonable steps to insure that water is not diverted under the approval at any time the Director determines there is not water available for diversion.

MICROFILMED

AUG 20 1987

- k. Temporary approval granted will be of no force nor effect from and after the 1987 irrigation season. The application for permit, however, will be processed by the Department under the provisions of Chapter 2, Title 42, Idaho Code, unless directed otherwise by the applicant.

Witness my hand this 22nd day of April, 1987.

David R. Tuthill, Jr.
DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

MICROFILMED

AUG 20 1987

TUCKNESS, EARL M.

RT. 10 BOX 65, CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: SENW Sec 23 T 03N R 03W

Use: IRRIGATION (1.6 CFS)

Date Filed: 04/13/1987

In: NENW SENW Sec 23 T 03N R 03W FOR 80 ACRES

MICROFILMED

AUG 20 1987

WATER RIGHT
DATA ENTRY LOG

[illegible]