





EMERGENCY PHONE
911
FIRE • POLICE
AMBULANCE

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

APR 14 1987

(Applicant)

James A. Otto 2/18/87

RECEIVED

MAR 13 1987

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

63-10396 ✓ 3P

OTTO, BRUCE R.
and/or KAREN L.
3212 Brampton Way
Boise, ID 83706

Source: Groundwater

Diversion Pt: NWNE Sec. 23
T 03N R 02E

Use: Domestic (0.080 CFS)

Date Filed: 02/19/1987

In: NWNE Sec. 23 T 03N R 02E

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, State-
house, Boise, Idaho 83720 on, or before,
March 23, 1987.

KEN DUNN
Director

Pub. Mar. 55, 12, 1987

4623

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Deborah Gregory, being duly
sworn, deposes and says: That she is the Principal Clerk of The Idaho
Statesman, a daily newspaper printed and published at Boise, Ada
County, State of Idaho, and having a general circulation therein and
which said newspaper has been continuously and uninterruptedly
published in said County during a period of twelve consecutive months
prior to the first publication of the notice, a copy of which is attached
hereto; that said notice was published in The Idaho Statesman in
conformity with Section 60-108, Idaho Code as amended, for Two (2)
☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of March 5, 1987

and ending with the issue of March 12, 1987

Deborah Gregory

Subscribed and sworn to before me this 12th

day of March, 19 87

Connie Blackburn 8/92

Notary Public for Idaho, Residing at Boise, Idaho

MICROFILMED

APR 14 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

NOTE: Amendment & Split
Recommended.

RECEIVED
MAR 13 1991

A. GENERAL INFORMATION

Department of Water Resources

1. Owner: BRUCE R. OTTO Phone No. 345-3029

Current Address: 333 PROVIDENT DR., BOISE, IDAHO 83706

2. Accompanied by: SAME EXAM. DATE: JUNE 1, 1990

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-00185, 63-02392, 63-02897, 63-05049, 63-07180, 63-09362, 63-09955 ☐ Copies Attached

2. Other water rights with same point of diversion: 63-05049, 63-07180, 63-09362, 63-09955 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more.

RECEIVED
OCT 09 1991

PERMIT 63-10396

PHOTO #1

6-INCH WELL EQUIPPED WITH A 2 HP SUBMERSIBLE PUMP TO SUPPLY 1 HOUSEHOLD DOMESTIC, LAWN IRRIGATION AND HEAT PUMP.



PHOTO #2

VIEW LOOKING SOUTHEAST A BRUCE OTTO PROPERTY, WELL BY GARAGE IN CENTER OF PHOTO.



RECEIVED
OCT 03 1991

PERMIT 63-10396

PHOTO #3

LOCATION OF SEALED INJECTION WELL WHICH
LEAKED UP AROUND THE CASING — ABANDONED.



PHOTO #4

HEAT PUMP WATER PLANNED FOR DISPOSAL INTO
INJECTION WELL IS DISCHARGED INTO SOUTH
BOISE CANAL LATERAL (MEEVE'S DITCH). FEAR PROPERTY.



OCT 03 1991

PERMIT 63-10396 PHOTO #5
6-INCH WELL EQUIPPED WITH 2 HP SUBMERSIBLE
PUMP FOR 1 HOUSEHOLD DOMESTIC USE AND
LAWN IRRIGATION, HERBERT OTTO PROPERTY.



PHOTO #6
VIEW LOOKING SOUTHWEST FROM SAME LOCATION
AS PHOTO #2. LAWN SPRINKLER SYSTEM COMPLETE.



RECORDED
OCT 03 1991

PROJECT 63-10396 INIT CWS
T. R. S. Q/Q
P/D 3N 2E 23 NWNE
SCALE _____
PHOTO ID. X-59



PERMIT 63-10396

ADA COUNTY, IDAHO.
TOOTHMAN & ASSOCIATES — CONSULTING ENGINEERS

Building and Occupancy shall conform to the Standards established by the Restrictive Covenants as filed in Book ____ of Miscellaneous Records at Page ____, Ada County, Idaho.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

03 1991

1/4 1/4 LINE BETWEEN NE 1/4 NE 1/4 + NW 1/4 NE 1/4
SEE ALSO CITY MAP ATTACHED

James R. Otto
(Applicant)
2/18/87
James R. Otto 2/18/87

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10396

Priority: February 19, 1987

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.08 CFS
2.4 AF

This is to certify, that BRUCE R. OTTO
KAREN L. OTTO

333 PROVIDENT DR.
BOISE ID 837050000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 19, 1987; and has submitted Proof of Beneficial Use on April 17, 1989. An examination indicates that the works have a diversion capacity of .220 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.08 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION: NWNE, Sec. 23, Township 03N, Range 02E
ADA County

PLACE OF USE: DOMESTIC
TWN RGE SEC

03N 02E 23 NWNE


CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 2 homes.
6. Two points of diversion located within the NWNE, S23, T3N, R2E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15th day of OCTOBER, 1991.

OCT 03 1991

Acting for


R. Keith Higginson, Director

APPROVED

State of Idaho
Department of Water Resources

RECEIVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10396

SEP 18 1991

Department of Water Resources

Date of Priority: February 19, 1987

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:¹

2.4 AF

Comes now

BRUCE R. OTTO
KAREN L. OTTO

333 PROVIDENT DR.
BOISE, ID 837050000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-10396, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.08 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION: NWNE, Sec. 23, Township 03N, Range 02E
ADA County

PLACE OF USE: DOMESTIC
TWN RGE SEC

03N 02E 23 NWNE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise Idaho, this 30 day of August, 1991.

Bruce R. Otto
(Signature)

RECORDED

OCT 03 1991

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10396

FOR DEPARTMENT USE ONLY

#0021796

Preliminary check by SA Fee = \$20.00

Received by JY Date 9-18-91

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10396 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for 2 homes.
5. Two points of diversion located within the NWNE, S23, T3N, R2E.

Witness my hand this 1st day of OCTOBER, 1991.

Acting for

R. Keith Higginson, Director

RECEIVED

OCT 03 1991

RECEIVED

FEB 19 1987

Form 202

Department of Water Resources
Western Regional Office

Ident. No. 63-10396

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Bruce R. and/or Karen L. Otto Phone 345-3029

Post office address 3212 Brampton Way, Boise, ID 83706

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of NW 1/4 of NE 1/4, Govt. Lot _____

Sec. 23 Township 3N Range 2E B.M. Ada County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .08 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, distribution system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 100 feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

RECEIVED

APR 14 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 2
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2E	23		D															

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. none

11. a. Who owns the property at the point of diversion? applicant

b. Who owns the land to be irrigated or place of use? applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Property is located at 333 Provident Dr., Boise, ID 83706

Property is also known as lot 8, Block 2, of H. G. Myers Subdivision No. 1

RECEIVED

APR 14 1987



Proposed Priority 2/19/87

Received by COB Date 19 Feb 87 Time 5:10 PM Preliminary check by [Signature]

Fee \$ 30 Received by [Signature] # 43281 Date _____

Publication prepared by JP Date 2/25/87 Published in The Idaho Statesman
3/5 & 3/12/87

Publication approved br Date 3/11/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10396, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
May 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 6th day of April, 1987.

[Signature]
Chief, Operations Bureau

MICROFILMED

APR 14 1987

RECEIVED

MAR 13 1987

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho;

63-10396 ✓ 3P

OTTO, BRUCE R.
and/or KAREN L.
3212 Brampton Way
Boise, ID 83706

Source: Groundwater

Division PT: NWNE Sec. 23
T 03N R 02E

Use: Domestic (0.080 CFS)

Date Filed: 02/19/1987

In: NWNE Sec. 23 T 03N R 02E

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, State-
house, Boise, Idaho 83720 on or before
March 23, 1987.

KEN DUNN
Director

Pub. Mar. 55, 12, 1987

4623

STATE OF IDAHO)

) SS.

COUNTY OF ADA)

Deborah Gregory, being duly
sworn, deposes and says: That she is the Principal Clerk of The Idaho
Statesman, a daily newspaper printed and published at Boise, Ada
County, State of Idaho, and having a general circulation therein and
which said newspaper has been continuously and uninterruptedly
published in said County during a period of twelve consecutive months
prior to the first publication of the notice, a copy of which is attached
hereto; that said notice was published in The Idaho Statesman in
conformity with Section 60-108, Idaho Code as amended, for Two (2)
☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of March 5, 1987

and ending with the issue of March 12, 1987

Deborah Gregory

Subscribed and sworn to before me this 12th

day of March, 1987

MICROFILMED

APR 14 1987

Connie Blackburn 8/92

Notary Public for Idaho Residing at Boise, Idaho

October 3, 1991

BRUCE R. OTTO
KAREN L. OTTO
333 PROVIDENT DR.
BOISE ID 837050000

RE: WATER RIGHT NO. 63-10396

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

OCT 03 1991

September 11, 1991

BRUCE R. OTTO
KAREN L. OTTO
333 PROVIDENT DR.
BOISE ID 837050000

RE: WATER RIGHT NO. 63-10396

Dear Water Right Holder(s):

We previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received this amendment. If we do not receive the amendment within fifteen (15) days, we will issue a Water Right License which reduces the amount that could have been allowable to you. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact us.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

OCT 08 1991

August 23, 1991

BRUCE R. OTTO
KAREN L. OTTO
333 PROVIDENT DR.
BOISE, ID 837050000

RE: WATER RIGHT NO. 63-10396

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

SEP 6 1991

LICENSE REVIEW CHECKLIST

Permit No. 123-10396

Name/Address change? ok ☒

Priority date Advance? yes no ☒
Memo to advance n/a
Order to reinstate needed? yes no ☒

Total cfs Limited by fee ☒
Limited by capacity ☒

Total volume Limited by flow ☒
Chart checked for AF rate/ac n/a

Capacity Actual measurement checked n/a
Theoretical checked ☒
If greater than permit, check for other rts n/a

Source Changed? yes no ☒
If so, is memo needed to clarify? n/a

P/D Verify with map ☒ permit ☒
More than one per 1/4? Remember remark n/a
Check p/d overlap amendment needed

Uses Check irrigation period of use w/ chart n/a

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap n/a

Remarks More than one p/d in 1/4 n/a
Description of non-irrig uses ☒
Special overlap condition n/a

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist n/a
App Rec'd
Proof Rec'd ☒

CHECK FOR ADJ. CLAIM

Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed

OCT 03 1991

Comments/Changes to Examiner's Recommendations:

License 10-day 30-day ☒

Back of field report signed?
Reviewer Date Review time min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10396
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☐ Copies of any Amendments/Orders with conditions of approval
YES Well Inspection Form Needed
☒ Copy of U.S.G.S. Quad
NONE Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index CWJ 5/23/90 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: BOISE EVER AND WELLS NEARBY

Check of P/U index CWJ 5/23/90 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: DITCH SUPPLEMENTAL, NEARBY PROPERTY

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed 6-6-90 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JH 1-3-91 (Initial and date)

Exam Reviewed by Manager of Regional Office DM 2/22/91 (Initial and date)

Exam Date Entered in Computer ✓ ST (Initial and date)

Exam sent to State Office 3-8-91 ST (Initial and date)

NOTE: Amendment & Split Recommended.

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 13 1991

A. GENERAL INFORMATION

Permit No. 63-00185 Department of Water Resources

1. Owner: BRUCE R. OTTO

Phone No. 345-3029

Current Address: 333 PROVIDENT DR., BOISE, IDAHO 83706

2. Accompanied by: SAME

EXAM. DATE: JUNE 1, 1990

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-00185, 63-02392, 63-02897, 63-05049, 63-07180, 63-09362, 63-09955 ☐ Copies Attached

2. Other water rights with same point of diversion: 63-05049, 63-07180, 63-09362, 63-09955 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

OCT 09 1991

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

WELL NO. 1 IS 6 INCHES DIA EQUIPPED WITH A 2 HP SUBMERSIBLE PUMP FOR 1 HOUSEHOLD USE INCLUDING A WATER HEAT PUMP WHICH USES ABOUT 7 GAL/MIN WHEN OPERATING.

WELL NO. 2 IS A SEALED WELL DRILLED TO DISCHARGE FROM THE HEAT PUMP — IT HAS NOT FUNCTIONED PROPERLY AND IS WELDED CLOSED. THE HEAT PUMP WATER DISCHARGES INTO AN IRRIGATION DITCH AT REAR.

WELL NO. 3 IS A 6-INCH WELL EQUIPPED WITH A 2 HP SUBMERSIBLE PUMP, AND DOMESTIC USE IS ON A SEPARATE ADJOINING HOME AND LOT. WELLS 1 AND 2 ARE NOT INTERCONNECTED. ☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL NO. 1	UNKNOWN	2	UNKNOWN	SUBMERSIBLE	BURIED LINE
WELL NO. 2	NONE	—	NONE	—	INJECTION WELL (abandoned)
WELL NO. 3	UNKNOWN	2	UNKNOWN	SUBMERSIBLE	BURIED LINE

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
(A) NO. 1 WELL			NW	NE	23	3N	2E	ADA	plat map, orthophotoquad
(B) NO. 3 WELL			NW	NE	23	3N	2E	ADA	

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
(A) 3N	2E	23		D															
(B) 3N	2E	23		D															

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE - PRESSURE TANK DOMESTIC SYSTEMS

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: BOTH WELLS SAME TYPE 2 HP PUMP
HORSEPOWER EQUATION: $\frac{2 \text{ HP} \times 8.8 \times 0.7}{15 \text{ ft} + (2.31 \times 40 \text{ psi})} = 0.11 \text{ cfs}$ ~~each~~ well # 1 (A)

F. PUMP EFFICIENCY DATA (Optional) $\frac{2 \text{ HP} \times 8.8 \times 0.7}{20 \text{ ft} + (2.31 \times 40 \text{ psi})} = 0.11 \text{ cfs}$ well # 2 (B) per well logs
Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses: DOMESTIC USE: EACH HOUSEHOLD (FROM TABLE)

~~1.2 AFA x 3 = 3.6 AFA~~ (A) internal + external .6 x 2 = 1.2
(B) " " " .6 x 2 = 1.2

OCT 03 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

OVERLAP ANALYSIS: P/Ds IN SAME QQ ARE WELLS ON NEARBY LOTS NOT ASSOCIATED WITH THIS PERMIT. WATER RIGHTS 63-02897, 63-05049, 63-07180, 63-09362, AND 63-09953 ARE ON NEARBY PROPERTIES SEPARATE FROM THIS PERMIT. 63-00185, MEEVES WATER USERS, AND SOUTH BOISE CANAL WATER CAN BE PUMPED FROM THE DITCH AT THE REAR OF THE PROPERTY TO SUPPLEMENT WELL WATER.

IT IS RECOMMENDED THAT PERMIT 63-10396 BE SEPARATED INTO 63-10396 A FOR BRUCE OTTO AND 63-10396 B FOR HERBERT OTTO, SINCE THE ORIGINAL PROPERTY HAS BEEN DIVIDED EXACTLY IN HALF FOR EACH OWNER. Recommend amendment to permit adding point of diversion, then split for licensing. See (A) & (B) notations

I. RECOMMENDATIONS *throughout exam. ✓*

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
(A) WELL NO. 1 <i>DOMESTIC IRRIGATION</i>	1/1	12/31	0.04 cfs	1.2 AFA
(B) WELL NO. 3 <i>DOMESTIC</i>	1/1	12/31	0.04 cfs	1.2 AFA
Totals:			0.08 cfs	2.4 AFA


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☒ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☐ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name CLIFTON W. JOHNSON
 Signature Clifton W. Johnson
 Certification Date _____
 Field Report Preparation Date JUNE 6, 1990



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

OCT 03 1991

PERMIT 63-10396

PHOTO #1

6-INCH WELL EQUIPPED WITH A 2 HP SUBMERSIBLE
PUMP TO SUPPLY 1 HOUSEHOLD DOMESTIC, LAWN
IRRIGATION AND HEAT PUMP




PHOTO #2

VIEW LOOKING SOUTHEAST A BRUCE OTTO PROPERTY,
WELL BY GARAGE IN CENTER OF PHOTO.



OCT 03 1997

PERMIT 63-10396

PHOTO #3

LOCATION OF SEALED INJECTION WELL WHICH
LEAKED UP AROUND THE CASING - ABANDONED.



PHOTO #4

HEAT PUMP WATER PLANNED FOR DISPOSAL INTO
INJECTION WELL IS DISCHARGED INTO SOUTH
BOISE CANAL LATERAL (MEEVE'S DITCH). FEAR PROPERTY.



DET 08 15

PERMIT 63-10396 PHOTO #5
6-INCH WELL EQUIPPED WITH 2 HP SUBMERSIBLE
PUMP FOR 1 HOUSEHOLD DOMESTIC USE AND
LAWN IRRIGATION, HERBERT OTTO PROPERTY.



PHOTO #6
VIEW LOOKING SOUTHWEST FROM SAME LOCATION
AS PHOTO #2. LAWN SPRINKLER SYSTEM COMPLETE.



OCT 03 1991

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10396
INJECTION WELL NO. 2
Otherwise provide legal description and a sketch map and/or address
so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 2E, Sec. 23, NW 1/4 NE 1/4
or Lot .
2. Owner: BRUCE OTTO
Address 333 PROVIDENT DR, City BOISE, State ID 83705
3. Casing $\geq$ 12 inches above ground: Yes No ✓
4. Access Port: Yes No ✓ Static Water Level: 5 FT (WE)
Pressure Gauge: Yes 1 No ✓ Casing Diameter: 6-INCH
Flowing: Yes No ✓ Temperature: NO MEAS
5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes No

If answer to Item 5 is Yes, describe in remarks and attach
photo.

Remarks: CAP WELDED TO SEAL ABOUT 2 FT BELOW SURFACE
WELL WAS NEVER SUCCESSFUL - WATER BUBBLED OUTSIDE. WELL
DRILLER RETURNED BUT STILL NOT WORKING.

OCT 23 1991


PHOTO 63-10396 INIT CWS

T. R. S. Q/Q

P/D 3N 2E 23 NWNE


SCALE

PHOTO ID. X-59



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

PERMIT 63-10396



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

OCT 09 1991

Bruce Otto
 (Applicant)
 2/18/87
Don J. Otto 2/18/87

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10396 WELL NO. 1
Otherwise provide legal description and a sketch map and/or address
so that the well can be located easily.

1. Legal Description: TWP 34, Rge 2E, Sec. 23, NW 1/4 NE 1/4
or Lot _____.
2. Owner: BRUCE OTTO
Address 333 PROVIDENT DR., City BOISE, ST IDAHO 83705
3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____
4. Access Port: Yes _____ No ☒ Static Water Level: 5 FT DRILL PERMIT
Pressure Gauge: Yes ☒ No _____ Casing Diameter: 6-INCH
Flowing: Yes _____ No ☒ Temperature: NOT MEASURED
5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach
photo.

Remarks: _____

OCT 03 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10396

Date: 4/19/89

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
 ☒ 1. well log in file
 ☒ 2. drilling permit
 ☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
 ☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____ -
No. of days late _____ =
Priority date _____ +
NEW PRIORITY DATE _____ =

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
APR 18 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 50.00
Date 4/17/89
Receipt # W002574
Receipt by RW
Reviewed by JS
Sent to region 2

Copy Retained
@ Region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10396

Name(s) of Permit Holder: BRUCE R. and Karen L. OTTO

Post Office Address: 333 PROVIDENT Dr. Boise, Id

Telephone No. (208) 345-3029

Source of Water: Well

Extent of Use:

Domestic 2 Residences (number of households) Stockwater _____ (number and type of stock)

Irrigation .5 Acres (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.08 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Sept 1, 1987

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Bruce R. Otto
(Name)

345-3029
(Telephone Number)

333 PROVIDENT Dr. Boise, Id.
(Address)

The above information is my true statement of the extent to which the above number has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

MAY 15 1989

4/17/89
Date

Bruce R. Otto
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-10396

Name(s) of Permit Holder(s): BRUCE R. and Karen L. Otto

Post Office Address: 3212 BRAMPTON WAY Boise, ID 83706

Tel. No. 208-345-3029

☒ I hereby certify that construction of diversion works for the above referenced permit began on 7/13/87 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

7/18/87
Date


Bruce R. Otto
Signature of Permit Holder

BRUCE R. OTT



3212 BRAMPTON WAY

Boise, Id. 83706




MICROFILMED

MAY 15 1989



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720





CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

June 28, 1988

63-10396
Bruce R. and Karen L. Otto
333 Provident Dr.
Boise, ID 83706

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

MICROFILMED

MAY 15 1989

MEMORANDUM

DATE: June 14, 1988

TO: ACCOUNTING SECTION

FROM: RITA I. FLECK

RE: REFUND - PERMIT NO. 63-10396

Please prepare a refund of \$50 (receipt No. 000250). Attached is a copy of a letter to the permit holder which explains why a refund is necessary. The return address is indicated on the attached letter.

Attachments: Letter

MICROFILM

MAY 15 1989

June 14, 1988

Bruce R. and Karen L. Otto
333 Provident Dr.
Boise, ID 83706

Dear Mr. Otto:

Re: Permit No. 63-10396

Pursuant to your request, returned is the proof of beneficial use form submitted on March 28, 1988. A request for a refund of the \$50 filing fee is in the process and should reach you in several weeks.

It is my understanding that the project is not complete and you wish to utilize the entire construction period before submitting the proof of beneficial use form. As a result of your request, the department is returned your form and requesting that a refund be made to keep the accounting records straight.

Sixty days prior to May 1, 1989, the department notify you by certified mail that proof is due.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

C: Accounting Section
Region

RECEIVED

MAY 15 1989

RECEIVED

APR 20 1988

Department of Water Resources


April 19, 1988

Rita Fleck
Idaho Dept. of Water Resources
1301 N Orchard St.
Boise, Idaho

Dear Ms. Fleck,

I recently submitted a letter to your office regarding proof of development for license number 63-10396, and a check for \$50.00 (receipt # C000250). In discussing this with Brad Dingee of the Western Region office, I found out that I sent the letter of proof prematurely as a result of my misunderstanding of the requirements. Consequently, I am asking you to return the letter to me, so that I may resubmit it at a later date. Regarding the payment of \$50.00, you may keep this until I resubmit the letter later this year, or return it, whichever you prefer. Thank you for your help.

Sincerely



Bruce R. Otto
333 Provident Dr.
Boise, Idaho 83706

RECEIVED


MAY 15 1989

Bruce R. Otto, P.G.

Geologist

333 Provident Drive

Boise, Idaho 83706



RITA FLECK
Id DEPT OF WATER RESOURCES
1301 N ORCHARD
BOISE, Id. 83720

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10396

Date: 4-18-1988

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
y 1. well log in file
y 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Proof acceptable

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

—CECIL D. ANDRUS

Governor

R. KEITH HIGGINSON

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 20, 1987

Bruce & Karen Otto
333 Provident
Boise, ID 83705

RE: 63-W-28

Dear Mr. & Mrs. Otto:

Enclosed is the approved permits for your supply and injection wells. The approved injection well permit carries the same conditions as the draft which was sent to you earlier.

Also enclosed are blank forms which should be used if any changes in well use, ownership or modifications are planned.

If you have any questions, please feel free to contact me.

Sincerely,

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt


Enclosures

CC: IDWR - Western Region

63-10396

MICROFILMED

MAY 15 1989



AUG 12 1987

Drilling Permit No. 63-87-Z-070
Water Permit No. NA 63-10396
Injection Permit No. NA

Source
Well.

Department of Water Resources
State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Bruce & Karen Otto
2. Address 333 Provident
Boise ID 83705

(☒ Well Owner (☒ Well Operator () Other, specify _____

3. Water right permit no. N/A; Injection well permit no. N/A

4. Proposed well location 1/4 NW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 23, Twp. 3N, Rge. 2E, County Ada,
Lot, block and subdivision H.B. Meyers Country Estate

5. Proposed use of well: (Check all that apply) trick B
(☒ Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____

6. Well construction information:
(☒ New well () Deepen () Replace
Proposed surface diameter 6 Proposed depth 47

Anticipated bottom hole temperature:
(☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

7. Anticipated construction start date Completed 7/15
8. Well Driller (if known) W E Stevens #153

Address _____

Date 8/11/87 Applicant's signature Bruce Otto

Title Owner

MAY 15 1989

* After other pre-requisite approvals have been obtained.

MICROFILMED

ACTION OF IDWR

(☒) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 19th day of October, 19 87

Signed

Title

SECTION MANAGER
GROUNDWATER PROTECTION

Received by sg Fee \$10⁰⁰ Date 8-13-87

Receipt No. 4417 Construction start date _____

Construction start extension to _____

Extension approved by _____

MAY 15 1989

RECEIVED

State of Idaho
Department of Water Resources

Injection well

AUG 12 1987

DRILLING PERMIT

(Authorizing Construction of a Well)*
Department of Water Resources

1. Applicant Bruce & Kree Otto

2. Address 333 Provident

Boise ID 83705

(☒ Well Owner (☒ Well Operator (☐ Other, specify _____)

3. Water right permit no. NA; Injection well permit no. _____

4. Proposed well location 1/4 NW 1/4 NE 1/4, or Gov't lot No. _____,

Sec. 23, Twp. 3N, Rge. 2E, County Ada,

Lot, block and subdivision H G Meyers Country Estates
Tract B

5. Proposed use of well: (Check all that apply)

(☒ Domestic (☐ Stockwater (☐ Monitoring Fee \$1000

(☐ Irrigation (☐ Industrial (☐ Municipal

(☒ Injection (☒ Other, Specify Heat pump-Inj)

6. Well construction information:

(☒ New well (☐ Deepen (☐ Replace

Proposed surface diameter 6 Proposed depth 30

Anticipated bottom hole temperature:

(☒ 85°F or less (Cold water well)
(☐ 85°F to 212°F (Low temp. geothermal well)
(☐ 212°F or more (Geothermal well)

7. Anticipated construction start date Completed 7/16/87

8. Well Driller (if known) WE Stevens #153

Address _____

Date 8/11/87 Applicant's signature Bruce Otto

Title Owner

MICROFILMED

MAY 15 1989

ACTION OF IDWR

(X) Approved () Denied

63-87-2-071

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 19th day of October, 1987.

Signed

Title

John E. Beal
SECTION MANAGER
GROUNDWATER PROTECTION

Received by

Fee

Date

Receipt No.

Construction start date

Construction start extension to

Extension approved by

MAY 15 1987

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 08, 1987

OTTO, BRUCE R. & KAREN L.
3212 BRAMPTON WAY
BOISE, ID 83706

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10396

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

APR 14 1987

21 WATER DISTRICT -

29 NON-IRRIGATION USE - D/2 HOMES

PERIOD FROM	PERIOD TO	USE CODE / USE	WATER USE	DIVERSION RATE	DIVERSION VOLUME
37001 - 0101	38001 - 1231	39001 - 43 DOMESTIC	40001 -	0.080	41001 - 0.00

42 DECREE PLAINTIFF NAME - 43 DECREE DEFENDANT NAME -

APPROVAL CONDITIONS: 45001 26

46 OTHER RIGHTS FOR SAME USE -

D A T E S		D A T E S		F L A G S	
47	PRIORITY - 19-FEB-1987	55	LICENSE -	63	TRANSFER/AMENDED -
48	PROOF DUE - 1-MAY-1989	56	APPL RECEIVED -	64	DLE/CAREY ACT -
49	PROOF MADE -	57	FIELD EXAM MADE -	65	FLAG_1 -
50	APPROVE/DENIED- 6-APR-1987	58	DECREE -	66	FLAG_2 -
51	PROTESTED -	59	START WORK -	67	FLAG_3 -

----- D A T E S ----- D A T E S ----- F L A G S -----

52 HEARING -
53 VERIFIED -
54 LAST UPDATE - 7-APR-1987

60 ORDER SHOW CAUSE -
61 DATE_1 -
62 DATE_2 -

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Skurtz APPLICATION NUMBER: 63-103910
CHECK:

- ☒ Source.
☒ Point of diversion. NO GOUT LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO GOUT LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: march 23/1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/23/87
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30/42281
☒ Publication dates and paper, recorded on application. FD statement 3/5 & 3/12/87
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
Feb 19, 1987 Date of priority recommended.
Special conditions of approval or cover letter. 264

RECORDED

APR 14 1987

OK Recommend that 2 years be allowed for development of a project of this size.

By: DET Date: 3/24/87

STATE OFFICE REVIEW:

L05, L17 26

☐ See attached sheet for more information.
By: kw Date: 4/1/87 **RECEIVED** MAR 31 1987

Department of Water Resources



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2266

February 25, 1987

Bruce R. and/or Karen L. Otto
3212 Bramkpton Way
Boise, ID 83706

Re: Application for Permit No. 63-10396

Dear Water Right Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification no. 63-10396. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Idaho Statesman on 03/05 and 03/12/1987. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your receipt no. 42281 for the amount of \$ 30.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

MICROFILMED

David R. Tuthill

APR 14 1987

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

FEBRUARY 25, 1987

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 23, 1987.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

APR 14 1987

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before MARCH 23, 1987.

KEN DUNN, Dir.

MICROFILMED

Published 03/05 & 03/12/87.

APR 14 1987

63-10396

OTTO, BRUCE R. &/or KAREN L.

3212 BRAMPTON WAY, BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: NWNE Sec 23 T 03N R 02E

Use: DOMESTIC (0.080 CFS)

Date Filed: 02/19/1987

In: NWNE Sec 23 T 03N R 02E

MICROFILMED

APR 14 1987

WATER RIGHT
DATA ENTRY LOG

[illegible]