


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

MAR 20 1987

Kenneth L. Anderson

(Applicant)

RECEIVED

JAN 30 1987

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Laura Gay Barnes

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of January 22, 19 87
and ending with the issue of January 29, 19 87

Laura Gay Barnes

Subscribed and sworn to before me this 29th

day of January, 19 87

Connie Blackburn 8/92

Notary Public for Idaho, Residing at Boise, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10393 V *SP*

Aschenbrenner, Kenneth L.
4990 N. Meridian Rd.
Meridian, Idaho 83642

Source: Groundwater

Diversion Pt: SESW Sec. 30
T 04N R 01E

Use: Irrigation (2.160 CFS)

Date Filed: 01/12/1987

In: NESW NWSW SWSW SESW
Sec. 30 T 04N R 01E
for 108 Acres

*See
memo dated
2/12/87
DET*

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on, or before, February 9, 1987.

KEN DUNN
Director

Pub. Jan. 22, 29, 1987

4262

MICROFILMED

MAR 20 1987

Should questions arise during the processing of this application please contact:

SHERL L. CHAPMAN
Form 219 6/86 10 S. Orchard, Suite 144
Boise, ID 83705
344-6690

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 04 1989
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10393


1. Owner: Kenneth L. Aschenbrenner Phone No. 888-3580
Current Address: 4990 N. Meridian, Road, Meridian, Idaho 83642
2. Accompanied by: Ken Aschenbrenner EXAM. DATE: 12/13/88
Address: same as above Phone No. 888-3580
Relationship to Permit Holder: Owner
3. Source: Ground Water tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-03060
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
NOV 21 1989

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).




Kenneth Aschenbrenner - 63-10393
Diversion Facility

MICROFILMED

NOV 21 1989

T741




B9

NOT TO SCALE

NOV 21 1989

277



TOURS
F 1929

ACY STANDARDS
25, OR RESTON, VIRGINIA 22092
AVAILABLE ON REQUEST



MICROFILMED
NOV 21 1989

- ROAD CLASSIFICATION**
- | | |
|-------------|-----------------|
| Heavy-duty | Light-duty |
| Medium-duty | Unimproved dirt |
- U. S. Route State Route

STAR, IDAHO
N4337.5—W11622.5/7.5
PHOTOINSPECTED 1976
1953
PHOTOREVISED 1971
AMS 2771 III NW—SERIES V893

Sec. 19

39.10 34
Sec. 2

NORTH

5
34.57

80

160

6
34.00

N. 89° 51' E.

76.72

(16.72) (20.00)

40.00

S. 89° 43'
79.80

33.44

80

160

2

33.39

Sec. 30

Sec. 2

BOISE

3

33.35

80

160

4

33.30

S. 89° 53' E.

76.63

(16.63) (20.00)

40.00

WEST
80.00

33.26

80

160

2

33.24

Sec. 31

Sec. 3

NORTH

3

33.23

80

4

33.21

(16.60) (20.00)

40.00

76.60

MICROFILMED
MAR 20 1981

LINE

80

IN INCH

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10393

Priority: January 12, 1987

Maximum Diversion Rate: 1.96 CFS
Maximum Diversion Volume:¹ 441.0 AF

This is to certify, that KENNETH L. ASCHENBRENNER
4990 N. MERIDIAN RD.

MERIDIAN, ID 836420000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 12, 1987; and has submitted Proof of Beneficial Use on January 3, 1989. An examination indicates that the works have a diversion capacity of 2.670 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.96 CFS	441.0 AF

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 30, Township 04N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N 01E 30	NESW 13	LOT 3(NWSW) 39	LOT 4(SWSW) 34	
	SESW 12			98
		Total number of acres irrigated:		98

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

NOV 21 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10393

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of OCTOBER, 1989.


R. Keith Higginson, Director



RECEIVED
OCT 24 1989

NOV 1 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Kenneth L. Aschenbrenner Phone 888-3580
Post office address 4990 N. Meridian Rd., Meridian, ID 83642

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SE 1/4 of SW 1/4, Govt. Lot _____
Sec. 30 Township 4 N Range 1 E B.M. Ada County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.16 cfs for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2.16 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 12" cased well, 100' deep, pump, ditches,
gated pipe.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 12 inches; proposed depth of well is 100 feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MAR 20 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4 N	1 E	30									20	34	34	20					108

Total number of acres to be irrigated 108

10. Describe any other water rights used for the same purposes as described above. ground is also irrigated with Settler's Irrigation District water

11. a. Who owns the property at the point of diversion? applicant

b. Who owns the land to be irrigated or place of use? applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED

MAR 20 1987

UNCLAIMED

Kenneth L. Ackert

(Applicant)

Proposed Priority 1/12/87

Received by BD Date 1/12/87 Time 4:15 PM Preliminary check by BD

Fee \$ 85.00 Received by BD # 42266 Date 1/12/87

Publication prepared by SP Date 1/14/87 Published in The Idaho Statesman

Publication approved SP Date 4/3/87 1/22 & 1/29/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10393, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 2nd day of March, 1987.

A. Glen Sayton
Chief, Operations Bureau

MICROFILMED

MAR 20 1987

RECEIVED

JAN 22 1987

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Department of Water Resources
Western Regional Office

Laura Gay Barnes

, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2)

☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of January 22, 19 87

and ending with the issue of January 29, 19 87

Laura Gay Barnes

Subscribed and sworn to before me this 29th

day of January, 19 87

Connie Blackburn 8/92

Notary Public for Idaho, Residing at Boise, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10393 v

Aschenbrenner, Kenneth L.
1400 N. MacLellan Rd.
Meridian, Idaho 83442

Source: Groundwater

Diversion Pt: SESW Sec. 30
T 04N R 01E

Use: Irrigation (2,160 CFS)

Date Filed: 01/12/1987

In: NESW NWSW SWSW SESW
Sec. 30 T 04N R 01E
for 108 Acres

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before February 9, 1987.

KEN DUNN
Director

Pub. Jan. 22, 29, 1987

4262

See
memo dated
2/12/87
DET

MICROFILMED

MAR 20 1987

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

90

1. WELL OWNER

Name Ken Aschenbrenner
Address Meridian, Id.
Owner's Permit No. 63-84-C-0136-000

7. WATER LEVEL

Static water level 14 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

W.R. 63-10393

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>40</u>	<u>66 ft.</u>	<u>2</u>

3. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet


Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☒ Yes ☐ No
Manufacturer's name Johnson
Type Class Model No. _____
Diameter 6 Slot size 020 Set from 97 feet to 93 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☐ Bentonite ☒ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____
☐ Cemented between strata

Describe access port sanitary well seal

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____
Lot No. _____ Block No. _____

County _____
SW 1/4 SW 1/4 Sec. 30, T. 4 N. R. 1 E. N.

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
9	0	8	Top soil		X
9	8	10	Brown sand		X
9	10	18	Cemented gravel		X
6	18	40	Cemented gravel		X
6	40	47	Brown clay		X
6	47	48	sand	X	
6	48	50	Brown clay		
6	50	83	Brown sand	X	
6	83	89	Brown clay		
6	89	90	sand + some gravel		
6	90	99	" " "	X	

9 ft. of 5" blank pipe on top of screen
2 ft. of 5" blank pipe on bottom of screen

RECEIVED
JUL 8 1985

RECEIVED
JUL 1 1985

Department of Water Resources
Water and National Office

Department of Water Resources

MICROFILMED

10.

Work started 12/22/84 finished 1/9/85

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name Can-Ada Well Firm No. 304
Address Rt. 1, Tuna, Id. Date 6/20/85
Signed by (Firm Official) Earl Skinner
and
(Operator) Earl Skinner

October 24, 1989

KENNETH L. ASCHENBRENNER
4990 N. MERIDIAN RD.
MERIDIAN, ID 836420000

RE: PERMIT NO. 63-10393

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 21 1989

September 27, 1989

KENNETH L. ASCHENBRENNER
4990 N. MERIDIAN RD.
MERIDIAN, ID 836420000

RE: PERMIT NO. 63-10393

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 1 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
6310393	04N	01E	30	SE SW		GROUNDWATER	ASCHENBRENNER,

RECEIVED

NOV 21 1973

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10393

Date: 3.16.89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

 Surface water
Y Groundwater
 Y 1. well log in file
 Y 2. drilling permit
 Y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

* Rate of diversion appropriate for uses
 N/A Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
N Has one been installed?
N Waiver or modification of measuring device requested

Remarks:

Proof acceptable
** To be determined by licensing section*

N/A Priority Calculation:
Date proof received _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 30, 1989

RE: Permit Nos. 63-10393/10676

Sherl Chapman
410 S. Orchard
Suite 144
Boise, ID 83705

Dear ^{SHERL} ~~Mr.~~ Chapman:

We acknowledge receipt of the certified field exams and statements of proof of beneficial use for the above referenced permits.

Because of the large backlog of exams needing review for licensing, these exams will be given a complete review at a later date. Be advised that additional information may be required and therefore we will contact you for the information at that time.

If you have any questions, please feel free to contact me.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:ky

NOT RECORDED

NOV 21 1989

Form 217
03/86

RECEIVED

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to _____

Should questions arise during
the processing of this applica-
tion please contact:

SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

STATE OF IDAHO

Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED
JAN 04 1989

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10393

Name(s) of Permit Holder: Kenneth L. Aschenbrenner

Post Office Address: 4990 N. Meridian Road, Meridian, Idaho 83642

Telephone No. 888-3580

Source of Water: Ground Water

Extent of Use:

Domestic _____ (number of households) • Stockwater _____ (number and type of stock)
Irrigation 98 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 1.96 cfs 441 acre-feet

Show the date water was first diverted and beneficially used under this permit: 4/20/88

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

(Name)

(Telephone Number)

(Address)

MICROFILMED

The above information is my true statement of the extent to which the above number of acres has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOV 21 1989

Dec 28, 1988
Date

Kenneth L. Aschenbrenner
Signature of Permit Holder (and title, if appropriate)

Should questions arise during the processing of this application please contact:

SHERL L. CHAPMAN
Form 210 6/86 110 S. Orchard, Suite 144
Boise, ID 83705
344-6690

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 04 1989

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10393

1. Owner: Kenneth L. Aschenbrenner

Phone No. 888-3580

Current Address: 4990 N. Meridian, Road, Meridian, Idaho 83642

2. Accompanied by: Ken Aschenbrenner EXAM. DATE: 12/13/88

Address: same as above Phone No. 888-3580

Relationship to Permit Holder: Owner

3. Source: Ground Water tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-03060


☐ Copies Attached

2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well is equipped with a 20 HP vertical turbine pump discharging into an open ditch. Distribution to the fields is through open ditches to north and south.

UNRECORDED

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	GE	20	5K6236XH4B	---	TM14694 12CS

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	SW	30	4N	1E	Ada	field/aerial photo

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1E	30									13	39	34	12					98

UNRECORDED

NOV 21 1989

Do not use this space

Do not use this space

RECEIVED
NOV 21 1989

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Weir	Cippolletti	---	---	---	2'	--

2. Measurements:

Water production was measured with a portable cippolletti weir. Weir pool met standard conditions and free fall/air gap requirements were satisfied. Head on the weir was .54 feet = 2.67 cfs = 133.5 miners inches.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 441$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 948$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 441$

2. Volume Calculations for Other Uses:

MICROFILMED

NOV 21 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Well drilled by Pete Cope Drilling

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	1.96	441
Totals:			1.96	441

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name Sherl L. Chapman
Signature *Sherl L. Chapman*
Certification Date 4/6/88
Field Report Preparation Date 12/13/88




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JDM 6/5/89

MICROFILMED

NOV 21 1989






- Kenneth Aschenbrenner - 63-10393 -
Diversion Facility

MICROFILMED

NOV 21 1989

7741





OURS
1929



MICROFILMED

NOV 21 1989

CY STANDARDS
5, OR RESTON, VIRGINIA 22092
AVAILABLE ON REQUEST

ROAD CLASSIFICATION

- Heavy-duty —————
- Medium-duty —————
- Light-duty —————
- Unimproved dirt —————
- U. S. Route (Shield symbol)
- State Route (Circle symbol)

STAR, IDAHO
N4337.5—W11622.5/7.5
PHOTOINSPECTED 1976
1953
PHOTOREVISED 1971
AMS 2771 III NW—SERIES V893

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.
Pete Cope Drilling Co., Inc.
Firm Name _____ Firm No. 213
6505 West Chinden Blvd.
Address Meridian, ID 83642 Date _____
Signed by (Firm Official) Pete Cope V.P.
and
(Operator) Joseph Cope

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED
NOV 13 1987

Department of Water Resources

1. Applicant KENNETH L. ASCHENBRENNER

2. Address 4990 N. MERIDIAN RD
MERIDIAN, ID 83642

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Water right permit no. 63-10393 ; Injection well permit no. N/A

4. Proposed well location 1/4 SE 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 30, Twp. 4N, Rge. 1E, County ADA,
Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

☐ Domestic ☐ Stockwater ☐ Monitoring

☒ Irrigation ☐ Industrial ☐ Municipal

☐ Injection ☐ Other, Specify _____

6. Well construction information:

☒ New well ☐ Deepen ☐ Replace

Proposed surface diameter 12 IN Proposed depth 100 FT

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

7. Anticipated construction start date NOV 11, 1987

8. Well Driller (if known) PETE COPE

Address 6505 W CHINDEN MERIDIAN

Date 11/10/87 Applicant's signature Kenneth L. Aschenbrenner

Title OWNER

* After other pre-requisite approvals have been obtained.

NOV 21 1987

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 10TH day of NOVEMBER, 1987.

Signed A. Michael [Signature]

Title WATER RESOURCE ENGINEER

MICROFILMED**NOV 21 1987**

Received by Amo Fee \$100.00 Date 11/10/87

Receipt No. 46005 Construction start date Nov 11, 1987

Construction start extension to _____

Extension approved by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

DRILLING
Permit No. 63-87-W-060 WATER PERMIT # 63-10393

Name(s) of Permit Holder(s): KENNETH L. ASCHENBRENNER

Post Office Address: 4990 N. MERIDIAN RD.

MERIDIAN IDAHO 83642 Tel. No. 888-3580

☒ I hereby certify that construction of diversion works for the above referenced permit began on NOV 11, 1987 and that I must
(date) continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

Date

Signature of Permit Holder

NOV 26, 88 Kenneth L. Aschenbrenner

PLACE
STAMP
HERE

RECEIVED MICROFILMED

JAN 26 1988



1989

Department of Water Resources
Western Regional Office

JAN 26 1988

RECEIVED

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MARCH 06, 1987

ASCHENBRENNER, KENNETH L.
4990 N. MERIDIAN RD.
MERIDIAN, ID 83642

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10393

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

MICROFILMED

MAR 20 1987

RE: PERMIT NO. 63- 3

2

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

MAR 25 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY:

Jan Shulte

APPLICATION NUMBER:

63-10393

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

In form for advertising.

Final date for protests: *2/9/87*

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: *2/1/87*
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. *85/42266*
☒ Publication dates and paper, recorded on application. *ED Statesman 1/22 & 1/29/87*
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? *63*
1/12/87 Date of priority recommended.
☒ Special conditions of approval or cover letter. *26A, OIC*

RECEIVED

MAR 20 1987

OK

Suggest that 2 years be allowed for application to beneficial use for a project of this size.

By: *DR*

Date: *2/12/87*

STATE OFFICE REVIEW:

103, 105, 117

26 OIC RECEIVED

- ☐ See attached sheet for more information.

By: *KW*

Date: *2/18/87* FEB 17 1987

FROM Dave Tuthill

DATE 2/12/87

TO 63-10393

MICROFILMED

MAR 20 1987

SUBJECT Advertising

- Normally this office advertises both the Government Lot and the nearest associated 40 acre tract when a Government Lot is identified as a location of point of diversion or place of use.
- In the case of the above-referenced water right the Government Lot descriptions were not advertised. However, all four $\frac{1}{4}$ tracts in the SW $\frac{1}{4}$ were individually listed, so a reasonable person would have been reasonably advised of the place of use, even without the lots being described.
- Advertisement of the lots is not required in this case.

SIGNATURE

Der

Sec. 19

39.10

Sec. 2

5

34.57

80

160

6

34.00

N. 89° 51' E.

76.72

S. 89° 45'

(16.72) (20.00)

40.00

73.00

33.44

80

160

2

33.39

Sec. 30

Sec. 2

3

33.35

80

160

4

33.30

S. 89° 53' E.

76.63

WEST

(16.63) (20.00)

40.00

80.00

33.26

80

160

2

33.24

Sec. 31

Sec. 3

3

33.23

80

4

33.21

(16.60) (20.00)

40.00

76.60

4N 1E

BOISE

NORTH

NORTH

80

FE

1 INCH

RECORDED
FEB 20 1907

NAME	01.43	04-05-1938	UNNAMED STREAM	B
SEWH	01.43	04-22-1975	GROUNDWATER	BEANE
SEWH	01.04	63-3433	L	BEANE
HWSH	40	63-9204	02-01-1967 UNNAMED DRAIN	LUKE
SESE	01.43	63-4104	01-09-1979 GROUNDWATER	BOISE WATER CORPORATION
			08-01-1967 GROUNDWATER	MC MAHAN
				MC MAHAN

L 4

WRR158

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY POINT OF DIVERSION

PAGE 356
06/24/1986

WRR158

TWN	RNG	SEC	TRACT	LOT	USES	WATER RIGHT NUMBER	STAGE PRIORITY	RFLG	SOURCE OF WATER	LAST NAME	OWNER CODE
04N	01E	28	NWNE	43		63-4959	S	01-01-1941	GROUNDWATER	BUDGE	C
			NENH	04.43		63-5097	S	01-01-1925	GROUNDWATER	GRANT	C
			SEWH	01		63-8599	P	03-21-1977	GROUNDWATER	GRANT	C
			SHSW	01.43		63-7495	L	10-01-1971	GROUNDWATER	SCHOOL DISTRICT NUMBER TWO	C
			NESE	01		63-2907	L	03-31-1950	UNNAMED STREAM	HARRELL	C
		29	NENE	01.43		63-4842	S	04-15-1954	GROUNDWATER	HAMMING	C
			SHSW	43		63-8784	L	05-09-1977	GROUNDWATER	CASKEY	C
			SHSW	01		63-9831	P	11-12-1981	WASTE WATER	BUCKLEY	C
			NESE	01		63-4893	S	06-01-1942	GROUNDWATER	BURNS	C
			NESE	04.43		63-7519	L	11-01-1971	GROUNDWATER	MC DONALD	C
		30	NENE	04.43		63-4420	S	12-01-1940	GROUNDWATER	MC GRATH	C
			SHNE	01		63-8718	P	04-22-1977	GROUNDWATER	BOYACK	C
			SENE	01		63-4975	S	03-15-1902	WASTE WATER	PINKSTON	C
			NENH	43		63-4316	S	06-01-1948	GROUNDWATER	GAMBLE	C
			NESE	01.43		63-9356	P	03-07-1980	GROUNDWATER	CHURCH OF JESUS CHRIST LATTER DAY SAINT	C
			SESE	01		63-3294	L	05-23-1962	GROUNDWATER	CHURCH OF JESUS CHRIST LATTER DAY SAINT	C
			SESE	01.43		63-5320	S	01-01-1943	GROUNDWATER	ZACHRESON	C
		31	NWNE	01.43		63-8000	L	06-27-1974	GROUNDWATER	WUTHERICH	C
			NWNE	01		63-8796	P	05-09-1977	GROUNDWATER	HAM	C
			NWNE	01		63-9150	P	05-26-1978	GROUNDWATER	HILL	C
			NWNE	01		63-9972	P	01-21-1983	GROUNDWATER	HAM	C

No P.D's in SESEW
S. 30

M 4

WRR158

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY POINT OF DIVERSION

PAGE 357
06/24/1986

WRR158

TWN	RNG	SEC	TRACT	LOT	USES	WATER RIGHT NUMBER	STAGE PRIORITY	RFLG	SOURCE OF WATER	LAST NAME	OWNER CODE
04N	01E	31	NENH	01.04		63-8439	L	02-11-1977	GROUNDWATER	STARKEY	C
			NESH	01.04.43		63-8513	P	02-28-1977	GROUNDWATER	STARKEY	C
			SESH	01		63-4983	S	12-01-1942	GROUNDWATER	BAYLESS	C
			NWSE	01.43		63-2040	L	05-26-1906	UNNAMED STREAM	MC BIRNEY	C
		32	SENE	43		63-4050	S	01-01-1910	GROUNDWATER	DECK	C
			SENE	43.04		63-4051	S	06-01-1925	GROUNDWATER	REGAN	C
			SENE	43		63-4052	S	12-01-1953	GROUNDWATER	LITTLE	C
			SENE	43		63-7298	P	02-09-1970	GROUNDWATER	STEVENSON	C
			NWNE	43		63-8820	L	05-06-1977	GROUNDWATER	MARKS	C
			NESH	01		63-7213	L	04-08-1969	GROUNDWATER	WALTER	C
			SWSE	01		63-4706	S	01-01-1948	GROUNDWATER	IDAHO POWER CO.	C
		33	NWNE	01.43		63-7996	L	13-1974	WATER	HUSKEY	C

WATER	RNG	SEC	TRACT	LOT	ACRES	USES	RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER	WATER ON
044	01E	29	NWNE		20	01.43	63-2574	BUDGE	C	L	04-05-1938	UNNAMED STREAM	044
			NENN			01.43	63-02309	SETTLERS CANAL CO.	D	D	10-17-1884	BOISE RIVER	
			SWSE			43	63-8784	WALKER	C	C			
			SWSE		01	01	63-9831	CASKEY	C	L	05-09-1977	GROUNDWATER	
								BUCKLEY	C	P	11-12-1981	WASTE WATER	
			NESE			01	63-0161U	BUCKLEY	C	D	05-01-1866	BOISE RIVER	
								PERRAULT	D				
								JOHNSON	D				
			NESE		20	01	63-4893	CONSUMERS WATER CO	C	S	06-01-1942	GROUNDWATER	
			NESE			04.42	63-7519	BURNS	C	L	11-01-1971	GROUNDWATER	
								MC DONALD	C				
			NWSE			01	63-0161N	MC DONALD	C	D	05-01-1866	BOISE RIVER	
								PERRAULT	D				
								JOHNSON	D				
			SWSE			01	63-0161N	CONSUMERS WATER CO	C	D	05-01-1866	BOISE RIVER	
								PERRAULT	D				
								JOHNSON	D				
			SESE			01	63-0161U	CONSUMERS WATER CO	C	D	05-01-1866	BOISE RIVER	
								PERRAULT	D				
								JOHNSON	D				
								CONSUMERS WATER CO	C				
								SETTLERS IRRIGATION	C	L	08-03-1955	GROUNDWATER	
								SETTLERS IRRIGATION	C	S	05-09-1906	UNNAMED STREAM	
								MC GRATH	C	L	12-01-1940	GROUNDWATER	
								SETTLERS IRRIGATION	C	L	05-09-1908	UNNAMED STREAM	
								PERRAULT	D	D	05-01-1866	BOISE RIVER	
								JOHNSON	D				
								CONSUMERS WATER CO	C				
			SWNE		20	01	63-8718	BOYACK	C	P	04-22-1977	GROUNDWATER	
								BOYACK	C				
			SENE	03		01	63-0161N	PERRAULT	D	D	05-01-1866	BOISE RIVER	
								JOHNSON	D				
								CONSUMERS WATER CO	C				
			NENN		22	01.43	63-2080	SETTLERS IRRIGATION	C	L	05-09-1908	UNNAMED STREAM	
			NENN			43	63-4316	ORBER	C	S	06-01-1948	GROUNDWATER	
								ORBER	C				
			NWNE		20	01.43	63-2080	SETTLERS IRRIGATION	C	L	05-09-1908	UNNAMED STREAM	
			NWNE	01	27	0	63-8718	BOYACK	C	P	04-22-1977	GROUNDWATER	
								BOYACK	C				
			SENE			0	63-0161N	PERRAULT	D	D	05-01-1866	BOISE RIVER	
								JOHNSON	D				
								CONSUMERS WATER CO	C				
			SENE		40	01	63-8718	BOYACK	C	P	04-22-1977	GROUNDWATER	
								BOYACK	C				
			NESE		39	01	63-3294	CHURCH OF JESUS CH	C	L	05-23-1962	GROUNDWATER	
			NESE		40	01.43	63-5320	ZACHRESON	C	S	01-01-1943	GROUNDWATER	
			NESE		04	01.43	63-9356	CHURCH OF JESUS CH	C	P	03-07-1980	GROUNDWATER	
			NWSE		19	01	63-3294	CHURCH OF JESUS CH	C	L	05-23-1962	GROUNDWATER	
			NWSE		20	01.43	63-5320	ZACHRESON	C	S	01-01-1943	GROUNDWATER	
			SWSE		19	01	63-3294	CHURCH OF JESUS CH	C	L	05-23-1962	GROUNDWATER	
			SWSE		20	01.43	63-5320	ZACHRESON	C	S	01-01-1943	GROUNDWATER	

No WTR Rts
in SW 1/4, S. 30

No WTR Rts
in SW 1/4, S. 30

F 9

IDAHO DEPARTMENT OF WATER RESOURCES WATER RIGHTS BY PLACE OF USE														PAGE 1292 06/24/1986		HRR155	
TOWNSHIP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER	STAGE	PRIORITY DATE	SOURCE OF WATER	TOWNSHIP	RNG	SEC	TRACT	
04N	01E	30	SESE		35	01	63-3294	CHURCH OF JESUS CH	C	L	05-23-1962	GROUNDWATER	04N	02E	32	SEE	
		31	SESE		32	01.43	63-5320	ZACHRESON	C	S	01-01-1943	GROUNDWATER					
							63-3060	SETTLERS IRRIGATION	C	L	08-03-1955	GROUNDWATER					
			MWNE			01	63-0161N	PERRAULT	C	D	05-01-1866	BOISE RIVER					
								JOHNSON	C						33	SEE	
			MWNE		10	01.43	63-8000	CONSUMERS WATER CO	C	L	06-27-1974	GROUNDWATER					
								WUTHERICH	C								
			MWNE		22	01	63-8796	WUTHERICH	C	P	05-09-1977	GROUNDWATER					
								HAM	C								
			MWNE		05	01	63-9150	HILL	C	P	05-26-1978	GROUNDWATER					
			SWNE			01	63-0161N	PERRAULT	C	D	05-01-1866	BOISE RIVER					
								JOHNSON	C								
			SWNE		30	01	63-9972	CONSUMERS WATER CO	C	P	01-21-1983	GROUNDWATER					
								HAM	C								
			NENW			01	63-0161N	PERRAULT	C	D	05-01-1866	BOISE RIVER					
								JOHNSON	C								
			NENW		07	01.04	63-8439	CONSUMERS WATER CO	C	L	02-11-1977	GROUNDWATER					
								STARKEY	C								
			NENW		40	01	63-8796	STARKEY	C	P	05-09-1977	GROUNDWATER					
								HAM	C								
			NWNE		32	01.04	63-8439	HAM	C	L	02-11-1977	GROUNDWATER					
								STARKEY	C								
			SWNE		17	01.04	63-8439	STARKEY	C	L	02-11-1977	GROUNDWATER					
								STARKEY	C								
			SWNE		24	01	63-8695	STARKEY	C	L	04-18-1977	GROUNDWATER					
								WHITE	C								
			SWNE		08	01	63-8796	WHITE	C	P	05-09-1977	GROUNDWATER					
								HAM	C								
			SENE			01	63-0161N	HAM	C	D	05-01-1866	BOISE RIVER					
								PERRAULT	C								
			SENE		04	01.04	63-8439	JOHNSON	C	L	02-11-1977	GROUNDWATER					
								STARKEY	C								
			SENE		10	01	63-8695	STARKEY	C	L	04-18-1977	GROUNDWATER					
								WHITE	C								
			NESW			01.43	63-0161N	WHITE	C	D	06-01-1877	BOISE RIVER					
								MIDDLETON WATER CO	C								
			NESW			01.43	63-2040	WHITAKER	C	L	05-26-1906	UNNAMED STREAM					
								DECK	C								
			NESW		04	01.43	63-2101	REGAN	C	L	05-02-1909	PATCH SLOUGH					
			NESW		05	01	63-4983	TOLLETH	C	S	12-01-1942	GROUNDWATER					
			NESW		22	01.04.43	63-8513	MC BJERNEY	C	P	02-28-1977	GROUNDWATER					
								DAYLESS	C								
			NWNE		20	01.43	63-0124F	DAYLESS	C	D	06-01-1864	BOISE RIVER					
								MIDDLETON HILL DIT	C								
			NWNE			01.43	63-2040	WHITE	C	L	05-26-1906	UNNAMED STREAM					
								DECK	C								
			NWNE		18	01.43	63-2101	REGAN	C	L	05-02-1909	PATCH SLOUGH					

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JANUARY 14, 1987

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 9, 1987.

Yours truly,

JUDY FENSE
Secretary

Encl.

MICROFILMED

MAR 20 1987

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before FEBRUARY 9, 1987.

KEN DUNN, Dir.

Published 01/22 & 01/29/87.

MICROFILMED

MAR 20 1987

63-10393

ASCHENBRENNER, KENNETH L.

4990 N. MERIDIAN RD., MERIDIAN, ID 83642

Source: GROUNDWATER

Diversion Pt: SESW Sec 30 T 04N R 01E

Use: IRRIGATION (2.160 CFS)

Date Filed: 01/12/1987

In: NESW NWSW SWSW SESW Sec 30 T 04N R 01E FOR 108 ACRES

MICROFILMED

MAR 20 1987

WATER RIGHT
DATA ENTRY LOG

[illegible]