




T. 59
6125

6300

6475

W. E. Loosli

DRAIN

6500

6485
T. 59
V. E. Loosli
K. M. P.

6515
PT
26
O. E. Loosli

6525
Whitmore
234'

6550
PT
26
O. E. Loosli

Sharon Whitmore
54'

Well & Pd.
Gould Submersible
Model 2SEL
Serial # P006584

SESWSW

S435T3NR2W

A grid with handwritten text:

- Row 2, Column 4: R2W
- Row 4, Column 2: T3N
- Row 4, Column 4: 35
- Row 5, Column 3: Wing place of use

Velma Knapp
 M. Virginia Knapp
 (Applicant)

PERMIT 63-10374 INIT L.W.
T. R. S. Q/Q
P/D 3N 2W 35 SWSW
SCALE _____
PHOTO ID. _____

Point of
diversion

Place of
use
(cross hatched)
0.5 acres

MINOTAP

SEP 10 1962

2 BM
2522

63-10374



Denney or Penny
Stapleton
(End of lane)

Pictures of
places of use
for :

Q.d. Loosli

W.E. Loosli

Gerald Loosli

Velma Knapp (in trees)

Sharon Whitmore
and

Denney or Penny
Stapleton



RECEIVED

SEP 10 1992

63-10374



point of diversion [located in pump
house on Sharon
Whitmore's property]

→ to homes

well + pump
(submersible)

MICROFILMED

SEP 10 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10374

Priority: January 16, 1990

Maximum Diversion Rate:
Maximum Diversion Volume:

0.10 CFS
5.9 AF

This is to certify, that W E LOOSLI
GERALD J LOOSLI
VELMA KNAPP
SHARON WHITMORE
DENNEY STAPLETON
PENNY STAPLETON
Q D LOOSLI

1712 E GREENHURST RD
NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 7, 1986; and has submitted Proof of Beneficial Use on January 16, 1990. An examination indicates that the works have a diversion capacity of .100 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.02 CFS	2.3 AF
DOMESTIC	01/01 to 12/31	0.10 CFS	3.6 AF
	Totals	0.10 CFS	5.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 35, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02W	35	SWSW	0.5		0.5

Total number of acres irrigated: 0.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

SEP 10 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-10374

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Domestic use is for 6 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 25TH day of AUGUST, 1992.


Acting for R. Keith Higginson, Director

RECEIVED
SEP 10 1992

BC-100
Piero
200
Chen

State of Idaho

Department of Water Resources

ASSIGNMENT OF PERMIT

RECEIVED

JUL 29 1992

Department of Water Resources

We, Q. D. Loosli
W. E. Loosli
Sharon Whitmore
Gerald J. Loosli
Velma Knapp,

hereby assign to

Q. D. Loosli
W. E. Loosli
Sharon Whitmore
Gerald J. Loosli
Velma Knapp
Denney or Penny Stapleton,

of 1712 E. Greenhurst, Nampa, Idaho 83651

All my right, title, and interest in and to Permit No. 63-10374
to appropriate the public waters of the State of Idaho.

Made this 27 day of July, 1992.

W. E. Loosli
Permit Holder

Margaret D. Loosli
Spouse of Permit Holder

State of Idaho)
County of Canyon) ss

On this 27th day of July, 1992, personally appeared
before me the signers of the above instrument, who duly acknowledged to
me that they executed the same.

s e a l

[Signature]
Notary Public residing at

Ada County ID.

My commission expires:

July 26, 1994

MICROFILMED

SEP 10 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10374)
IN THE NAME OF Q.D. &/OR W.E. &/OR)
GERALD J. LOOSLI, SHARON WHITMORE, &/OR)
VELMA KNAPP)

ORDER OF REINSTATEMENT

This matter having come before the Idaho Department of Water Resources (Department) the Department finds as follows:

FINDINGS OF FACT

1. On December 15, 1986 the Director of the Department of Water Resources issued Permit No. 63-10374 with a condition of approval that proof of construction of works and application of water to beneficial use be submitted on or before January 1, 1988.
2. On October 31, 1987 the Department sent a proof due notice to the permit holders.
3. On January 25, 1988 the Department sent a lapse notice to the permit holders since neither proof of beneficial use nor a request for extension of time had been received from the permit holders.
4. On January 16, 1990 Proof of Beneficial Use was received by the Department from the permit holders.
5. Section 42-218a, Idaho Code, authorizes the Department to reinstate a lapsed permit, with the priority date advanced to the date that proof of beneficial use was received, upon submittal of evidence clearly establishing the

RECEIVED

FEB 22 1990

extent of beneficial use prior to the proof due date and a showing of reasonable cause why the proof was submitted late.

6. The permit holders submitted evidence to confirm that water has been put to beneficial use. Evidence includes power service records from Idaho Power Company confirming that service was established prior to the proof due date and a signed statement from a water user within the subdivision attesting to the use of the well prior to the proof due date.

7. The permit holders have stated that proof was submitted late because one of the permit holders discarded the original proof due notice and dismissed the requirement without informing the other permit holders. The remaining permit holders therefore did not have knowledge of the requirement.

CONCLUSIONS OF LAW

1. The permit holders have submitted proof of beneficial use along with supporting evidence which establishes that water was in fact beneficially used as identified on the permit.

2. The permit holders have shown sufficient cause why the proof of beneficial use was not submitted in a timely manner.


3. The permit can be reinstated with the date of priority advanced to the date proof of beneficial use was received by the Department.

ORDER

IT IS HEREBY ORDERED that Permit No. 63-10374 is reinstated.

IT IS FURTHER ORDERED that the date of priority of this permit is advanced to January 16, 1990.

Dated this 7th day of February, 1990.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

FEB 22 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Q.D. Loosli, W.E. Loosli, Sharon Whitmore,
Gerald J. Loosli, &/or Velma Knapp Phone 467-7689
Post office address 1624 E. Greenhurst, Nampa, ID 83651
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SW of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 35 Township 3N Range 2W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .11 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per season)
Amount .09 for irrigation purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per season)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per season)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per season)
5. Total quantity to be appropriated is (a) .20cfs and/or (b) _____
cubic feet per second acre feet per season
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well w/ pump and pressure system
to homes

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 8 inches; proposed depth of well is 73 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. Six
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2W	35											X 5						5

Total number of acres to be irrigated 5

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Sharon Whitmore

b. Who owns the land to be irrigated or place of use? Applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. All the applicants share in the well ownership which happens to be located on the Whitmore property.

12. Remarks: System is in and has been used for 15 years.

T.59
6125

6300

6475

W.E. Loosli

DRAIN

6500

Well + Pd.
Gould Submersible
Model 25EL
Serial # P006584

6485

T.59
V. E. Loosli

6515

PT 26

6550

PT 26

6525

Sharon Whitmore

Sharon Whitmore

SESWSW

S4E35T3NR2W

A hand-drawn map on a grid. The coastline is a jagged line on the left side. Locations marked include 'R2W' at the top, 'T3N' and '35' in the middle, and 'Wing N + face of case' near the bottom. A small circle is drawn near the bottom left.

Velma Knapp
~~Margaret J. J. J.~~
(Applicant)

Received by CHB Date 7 July 86 Time 7:30 PM Proposed Priority 7/7/86
Fee \$ 30.00 Receipted by CHB # 40427 Date 7 July 86
Publication prepared by JP Date 7/30/86 Published in Idaho Press-Tribune
Publication approved h Date 10/27/86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10374, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Witness my hand this 15th day of December, 1986.

A. Glen Saxton
Chief, Operations Bureau

RECEIVED

OCT 27 1986

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

October 16, 23, 1986

Debra Martin del Campo
Subscribed and sworn to before me this

23rd

day of October

1986

Jannet Lust
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991

RECEIVED

AUG 13 1986

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

August 6, 13, 1986

Debra Martin del Campo
Subscribed and sworn to before me this
13th day of August
19 86

Jeanne O'Shea
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1991

August 26, 1992

W E LOOSLI
GERALD J LOOSLI
VELMA KNAPP
SHARON WHITMORE
DENNEY STAPLETON
PENNY STAPLETON
Q D LOOSLI
1712 E GREENHURST RD
NAMPA ID 83651

RE: WATER RIGHT NO. 63-10374

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

SEP 10 1992

July 23, 1992

W E LOOSLI
Q D LOOSLI
GERALD J LOOSLI
VELMA KNAPP
SHARON WHITMORE
1712 E GREENHURST RD
NAMPA ID 83651

RE: WATER RIGHT NO. 63-10374

Dear Water Right Holders:

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Also enclosed is an 'Assignment of Permit' form which includes Denney or Penny Stapleton as owners as reflected on the Beneficial Use Field Exam dated June 13, 1990. Please review carefully and if you concur, sign the assignment and return within the 10-day period. If the assignment is not returned within the 10-day period, a license will be issued per the draft copy.

If you have any questions, please contact us.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

NOTIFIED
SEP 10 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10374

Date 7-21-92

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed? <u>DONE</u>
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
			<u>.10 cfs (DOM) .5 x .03 = .02 cfs (IRR)</u>
	☒	☐	Disagree with Theoretical? <u>.15 x 8.8 x .7 = .097</u>
	☐	☐	Limited by Capacity? <u>.10 cfs 25' + (2.31 x 30)</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>4-1 to 10-31</u> Per Permit Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
			<u>.5 x 4.5 = 2.3 afa (IRR) 6 x .6 = 3.6 afa (DOM)</u>
	☒	☐	Limited by Flow? <u>.02 x 2.3 x 1.9835 = 8.4 > 2.3</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>DOM/16 homes</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R52</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Rate, Acres</u>		
	<u>Static level 12' / Used 25' as dynamic estimate</u>		
	<u>Pre: assignment to include Stapletons (Not req'd.)</u>		
License	☐	☒	10-Day
	☐	☐	15-Day
	☐	☐	Special Correspondence

DATE: 07/21/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	W E LOOSLI	01/16/1990	IRRIGATION	04-01 10-31	0.02 CFS	2.3 AFA
C	Q D LOOSLI		DOMESTIC	01-01 12-31	0.10 CFS	3.6 AFA
C	GERALD J LOOSLI					
C	VELMA KNAPP					
C	SHARON WHITMORE					
	1712 E GREENHURST RD					
	NAMPA ID 83651					
				TOTAL DIVERSION:	0.10 CFS	5.9 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.10 CFS

Point(s) of Diversion: T03N R02W S35 SW SW

Place of use Legal Description for: IRRIGATION

[illegible]

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: CANYON

Other Water Rights with Same Point(s) of Diversion and Source:
63-11180

Other Water Rights Listing Overlapping Place(s) of use:
63-10374 63-11180

Conditions of Approval:

R52 - This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

Remarks: Domestic use is for 6 homes.

Dates: App. Received: 07/07/1986 Priority Date: 01/16/1990 (Priority Date Advanced.)
 Proof Due Date: 01/01/1988 Proof Made Date: 01/16/1990 (Proof Received Late.)
 Exam Made Date: 06/13/1990 Exam Sent to S.O.: 06/22/1992
 Licensed Date:

Misc: Water District Number: Field Exam Fee:

Audit: 07/21/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10374
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
JUN 24 1992

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Well Inspection Form Needed
- ☒ Copy of U.S.G.S. Quad

Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index L.W. 6-4-90 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index L.W. 6-4-90 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? 6-4-90 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed [Signature] 6-13-90 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent L 4/23/92 (Initial and date)

Exam Reviewed by Manager of Regional Office [Signature] 6/16/92 (Initial and date)

Exam Date Entered in Computer st (Initial and date)

Exam sent to State Office st 6-22-92 (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Q.D. Loosti &/or W.E. Loosti &/or Sharon Whitmore

Permit No. 63-10374

1. Owner: &/or Gerald J. Loosti &/or Velma Knapp &/or Denney or Penny Stapleton

Phone No. 467-7689

Current Address: 1624 E. Greenhurst, Nampa, Id. 83651

2. Accompanied by: Sharon Whitmore EXAM. DATE: 6-13-90

Address: 1708 E. Greenhurst, Nampa, Id. 83651 Phone No. 467-6219

Relationship to Permit Holder: Part owner

3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached

2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

see attached plat map.

MICROFILMED

SEP 10 1992

Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well + submersible pump supplies water to six homes, with a total acreage of 0.5 acres irrigated. pump also supplies water for fire protection. The risers for the fire protection are located as on inclosed map.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Gould	1.5	P006584	Gould	1.25"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	35	3N	2W	Canyon	Maps/on site inspection

6. **Place(s) of Use:**

Indicate Method of Determination *Maps/on site inspection*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2W	35											0.5/D						0.5/D
																			0.5/D

MICROFILMED

Do not use this space

SEP 10 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None required, AFA requirement satisfied

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.25$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 55.6 \quad 14.6$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.25$

2. Volume Calculations for Other Uses:

6 house times 0.6 AFA per house
⇒ 3.6 AFA

MICROFILMED

SEP 10 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlaps found

An Assignment sheet was sent to the owners so that Denney or Penny staple ton can be added to the ownership list.

0.11 cfs below, allows for 6 homes with up to 1/2 acre irrigated (from table in field examiners handbook.)

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.11	225 3.6
Irrigation	3/15	11/15	.03	36 2.25
Totals:			0.11	5.85

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Larry L. Waters


Signature

Larry L. Waters

Certification Date

Field Report Preparation Date

6-27-90



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 10 1992

Permit No. 63-10374

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

=====

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

1.
$$\frac{0.5}{\text{Found Acres}} * \frac{4.5}{\text{Irr. Req.}} = \frac{2.25}{\text{AFA}}$$
2.
$$\frac{(1.5) \text{ HP} * 8.8 * (.7) \text{ EFF}}{(12) \text{ Dyn Level} + (2.3 * (30) \text{ PSI})} = \frac{0.114}{\text{Theor. Div. Rate}} \text{ CFS}$$
3.
$$\frac{0.114}{\text{Theoretical Div. Rate}} * \frac{246}{\text{Days in season}} * 1.9835 = \frac{55.6}{\text{AFA}}$$

Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification ☐
Measurement Required -- ☐
Measurement Not Required ☒

MICROFILMED

SEP 10 1992

Calculation data sources:

Found acres = 0.1 irrigated
HP = 1.5 (from Id. tag)
Dyn Level = 12 feet (from well drillers report)
PSI = 30 (from gage on pressure tank)

from appendix IV in field examiners handbook
6 houses with 1/2 acre or less total acres irrigated
⇒ 0.11 C.F.S.

PERMIT 63-10374 INIT L.W.

T. R. S. 0/0

P/D 3N 2W 35 SWSW

SCALE

PHOTO ID. _____

X-56

Point of
diversion

Place of
use

(Cross hatched
20-5 acres)

SEP 10 1964

BM
2522

6300

N

T.59
- 125

Donney or Peany
Stapleton

6475

W.E. Loosli

DRAIN

dirt lane
(runs N+S)

6500

6485

T.56
Velma
Knapp

Well + P.S.
Gould Submersible
Model 25EL
Serial # P006584

6515

PT 26
Sharon Whitmore

6550

PT 26
Sharon Whitmore

fire risers
(1.5" plastic
pipe)

Greenhurst Rd.

SESWSW

See 35T.3N.R.2W

MICROFILMED


SEP 10 1992

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Velma Knapp
Marquise Loosli
(Applicant)

63-10374



Denney or Penny
Stapleton
(End of lane)



Pictures of
places of use
for :

Q.d. Loosli

W.E. Loosli

Gerald Loosli

Velma Knapp (in trees)


Sharon Whitmore
and

Denney or Penny
Stapleton

RECEIVED

SEP 10 1992

63-10374



point of diversion [located in pump
house on Sharon
Whitmore's property]

→ to homes

well + pump
(submersible)

MICROFILMED

SEP 10 1992

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10374

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3N, Rge 2W, Sec. 35, SW 1/4 SW 1/4 or Lot _____.
2. Owner: A.D. Loosli d/or W.E. Loosli d/or Sharon Whitmore d/or Gerald J. Loosli d/or Velma Knapp d/or Dennis or Penny Staple
Address 1624 E. Greenhurst, City Nampa, St Id.
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☐ No ☒ Static Water Level: 12'
Pressure Gauge: Yes ☒ No ☐ Casing Diameter: 6"
Flowing: Yes ☐ No ☒ Temperature: _____
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

MICROFILMED

SEP 10 1992


USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Reclamation

RECEIVED

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER Name <u>J. H. GOULD</u> Address <u>NAHCA SPRING</u> Owner's Permit No. _____		4. WATER LEVEL Department of Reclamation Static water level <u>12</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature <u>78</u> Quality <u>GOOD</u> Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		5. WELL TEST DATA ☐ Pump ☒ Bailer ☐ Other _____ Discharge G.P.M. <u>14</u> Draw Down <u>3</u> Hours Pumped <u>1</u>	
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☒ Stock		6. LITHOLOGIC LOG Hole Diam. <u>6</u> Depth <u>72</u> Material <u>TAP SOIL</u> Water Yes No ☒ <u>12</u> <u>39</u> <u>GRAVEL</u> ☒ <u>39</u> <u>64</u> <u>BROWN SAND</u> ☒ <u>64</u> <u>72</u> <u>BROWN CLAY</u> ☒ <u>72</u> <u>72</u> <u>BROWN SAND</u> ☒	
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other _____			
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>72</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness <u>250</u> inches Diameter <u>6</u> inches From <u>1</u> feet To <u>72</u> feet Inches <u> </u> inches <u> </u> feet <u> </u> feet Inches <u> </u> inches <u> </u> feet <u> </u> feet Inches <u> </u> inches <u> </u> feet <u> </u> feet Inches <u> </u> inches <u> </u> feet <u> </u> feet Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal? ☒ Yes ☐ No To what depth <u>18</u> feet Material used in seal ☐ Cement grout ☒ Pudding clay			
6. LOCATION OF WELL Sketch map location must agree with written location.  County <u>CANYON</u> <u>SW 1/4 Sec 35 T. 3 N. R. 2 W</u>		10. Work started <u>MARCH-1-70</u> finished <u>MARCH-3-70</u>	
		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. <u>HETZER WELL DRILLING 93</u> Driller's or Firm's Name _____ Number _____ <u>HOMER L. FRANK</u> Address _____ <u>Kimberly M. Frank</u> <u>MARCH-15-70</u> Signed By _____ Date _____	

USE ADDITIONAL SHEETS IF NECESSARY. FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 9, 1990

RE: Permit No. 63-10374


Q.D. &/or W.E. &/or
Gerald J. Loosli,
Sharon Whitmore, &/or
Velma Knapp
1712 E. Greenhurst Rd.
Nampa, ID 83651

Dear Permit Holder(s):

We acknowledge receipt of the statement of beneficial use and the supporting documentation for reinstating the above referenced permit. Before a license can be issued, a field examination will be made by a representative of this Department. Enclosed is an Order of Reinstatement. Please note that the priority date has been advanced to January 16, 1990.

If you have any questions regarding this matter, please contact this office or our Western Regional Office at 334-2190.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:js

Enclosure

MAILED

FEB 22 1990

January 29, 1990

63-10374

Mr. Jim Duke.

In reply to the letter of January 19th.

The reason we filed late on our water permit, was, the man who received the letter in approx January 1988, destroyed it and failed to let anyone of us who use this water well, that he had received this letter. The letter was sent to Gerald J. Loosli. We would

appreciate any further letters to be sent to us. Mr. W. E. Loosli, using the name only on the envelope. We will see that everybody is notified.

Thank you for being so patient in this matter.

Mr. W. E. Loosli

for W. E. Loosli

1712 E. Greenhurst Rd

Tempe 83686

RECEIVED

FEB 22 1990

JAN 25 1990

Department of Water Resources

Nampa Ida
1-19-90

To whom it may concern;
The water well of my Loosli
neighbors joining my place
to the west has been used
by their families for the last
(20) twenty years to the best
of my knowledge.

signed

1-19-90

W. Lavern Miller
1810 E Greenhurst
Nampa Ida

83686

Phone 466-4191


MICROFILMED

FEB 22 1990

RECEIVED

JAN 19 1990

Department of Water Resources



IDAHO POWER COMPANY

RECEIVED
JAN 19 1990

Gary & Sharon
Whitmore
Department of Water Resources

ACCT NUMBER--- 1132-024644-0 CUSTOMER NAME WHITMORE GARY
ACCT STATUS--- ACTIVE SERV LOCATION 1708 E GREENHURST
CONN/DISC----- 04/01/86 SERV CITY/STATE ZIP NAMPA ID 83686
DIS ACTIVITY- NONE PENDING RATE----- 07

***** BILLING INFORMATION *****

CURRENT ELECTRIC ----

CURRENT NON-ELECTRIC

ARREARS ELECTRIC ----

ARREARS NON-ELECTRIC

ACCOUNT BALANCE ----

UNBILLED MISC -----

UNAPPLIED INTEREST -

.03

PAST DUE DATE -

12/20/89

METER NO RA PREV READING CURR READING DA DER-KW ENERGY-KWH

AMOUNT

208532096 07 11/09 0 05138 12/11 0 05504 30

362

19.03

ENTER TRAN CODE

OR NEW NAME/ACCT NO

Debra Stedley
CSR

RA was. installed on 1/23
Installed separate meter on
well in 1986, was formerly
on different meter serving
other uses.

MICROFILMED

FEB 22 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 19, 1990

RE: Permit No. 63-10374

Q.D. & W.E. & Gerald J. Loosli
&/or Sharon Whitmore & Velma Knapp
1712 E. Greenhurst Rd.
Nampa, ID 83651

Dear Permit Holder(s):

The Department received your proof of beneficial use statement for the above referenced permit on January 16, 1990. The permit lapsed on January 1, 1988, so the 60-day late period during which the permit can be readily reinstated has passed.

Pursuant to Section 42-218a, Idaho Code, (copy enclosed) the permit can now be reinstated only if you submit the following:

- a) Evidence to show that beneficial use of the water did commence and to show the extent of the use of water during the authorized permit period from the time the permit was issued until the proof due date.
- b) Reasonable cause why the proof of beneficial use was filed late.

Your proof of beneficial use statement along with any information which may have been submitted with it will remain on file in this office for 60 days to allow you an opportunity to assemble and submit the additional required information.

Please feel free to contact this office if you have additional questions.

Sincerely

TIM LUKE
Sr. Water Resource Agent

TL:sc

Enclosure

RECEIVED

FEB 22 1990

RECEIVED

JAN 16 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

For Office Use Only

Amt. of Fee \$ 50.00

Date 1/16/90

Receipt No. 2014023

Received by C. Wong

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10374 Telephone No. 466-5848 (W. E. Loosli)

Name(s) of Permit Holder(s): Q. D. & W. E. & Gerald J. Loosli, Sharon Whitmore & Velma Knapp

Post Office Address: 1712 E. Greenhurst Rd., Nampa, ID 83651

Source of Water: g.w.

If ground water, well driller's name: Bill Doty Date drilled: approx. 20 yrs.

Extent of Use:

Domestic 6 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted 0.20 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: about 1970

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ No

Fee Enclosed: \$ 50 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

W. E. Loosli
Name

466-5848
Telephone No.

same as above

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOT RECORDED

FEB 22 1990

Jan. 16, 1990
Date

Sharon Whitmore
Signature (and title if on behalf of a company or organization)

I certify that file No. 63-10374 has been
reviewed and is ready to be MICROFILMED
and DESTROYED.

Jodi L. Schultzy
Signature

10/29/88
Date

LOOSLI, GERALD J., ET AL.
1624 E. GREENHURST
NAMPA, ID 83651

January 19, 1988

LAPSE NOTICE

RE: Permit No. 63-10374

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218a, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper forms in our proof due notice to you dated October 31, 1987.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this Department within sixty days of the date of mailing of this lapse notice.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

1-25 1988

Pete Fleck

13805 2
CERTIFIED MAIL
October 31, 1987

LOOSLI, GERALD J., JR.
1624 E. GREENHURST
NAMP, ID 83651

PROOF DUE NOTICE

RE: Permit No. 63-10374

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
DECEMBER 31, 1986

DOOSII, GERALD J.
1624 E. GREENHURST
NAMPA, ID 83651

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10374

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF ICE FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jane Shultz
CHECK:

APPLICATION NUMBER: 105,416

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING.

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No In form for advertising.
Final date for protests: August 25 1986 November 3/86
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: connection 10/27/86
☒ Application published correctly. If not, record action taken: connection
☒ Fee amount, receipt date & number, recorded on application. 30/40427
☒ Publication dates and paper, recorded on application: Press Trib 8/7 & 8/14/86
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
use 105 ☒ 3-13-7, 1986 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: DCT Date: 11/28/86

STATE OFFICE REVIEW:

105,416

See attached sheet for more information.

Date: 12/15/86

Department of Water Resources



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

November 13, 1986

Q. D. Loosli, W. E. Loosli ✓
Sharon Whitmore, Gerald J. Loosli
&/or Velma Knapp ✓
1624 E. Greenhurst
Nampa, ID 83651

RECEIVED
NOV 20 1986

Dear Ladies and Gentlemen:

We have completed the processing on your recently submitted application for permit and are ready to send it to the state office for approval.

However, the application was delayed due to the signature on the bottom of page three. This signature is that of Margurite Loosli who we have discovered is the wife of W. E. Loosli. Unfortunately, unless her name was also included on the list of names on the application, she cannot sign the form. Either you can add her name or have one of the applicants sign the application form and processing can continue.

Please complete the application either way and return it to our office within 30 days to maintain the first filing date. If there are any questions concerning the application, feel free to contact us.

Sincerely,

Jan Shurte
Jan Shurte
Senior Water Resource Agent

ENCL
JS:df

*Thank you:
Please note I corrected the
misspelling of names, again.
Very thank the wrong
signatures.*

*Sincerely,
Velma Knapp*



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

November 13, 1986

Q. D. Loosli, W. E. Loosli
Sharon Whitmore, Jerald J. Loosli
&/or Velma Knap
1624 E. Greenhurst
Nampa, ID 83651

Dear Ladies and Gentlemen:

We have completed the processing on your recently submitted application for permit and are ready to send it to the state office for approval.

However, the application was delayed due to the signature on the bottom of page three. This signature is that of Margurite Loosli who we have discovered is the wife of W. E. Loosli. Unfortunately, unless her name was also included on the list of names on the application, she cannot sign the form. Either you can add her name or have one of the applicants sign the application form and processing can continue.

Please complete the application either way and return it to our office within 30 days to maintain the first filing date. If there are any questions concerning the application, feel free to contact us.

Sincerely,

Jan Shurte
Jan Shurte
Senior Water Resource Agent

ENCL
JS:df

NOTICE OF CORRECTION

Notice is hereby given that Notice of Application for Water Right Permit No. 63-10374 with the applicants names of Q. D. Loosli, W. E. Loosli, Sharon Whitmore, Gerold J. Loosli, &/or Velma Knap was published in error on 08/07 and 08/14/86. The name of W. E. Loosli was omitted by error.

WHEREAS, the names of applicants should read as Q. D. Loosli, W. E. Loosli, Sharon Whitmore, Gerold J. Loosli, &/or Velma Knap.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Department of Water Resources, Western Region, Statehouse, 450 W. State Street, Boise, ID 83720 on or before November 3, 1986.

Ken Dunn, Director

Published in the Press-Tribune 10/16 & 10/23/86.

LOOSLI, W E

63-10374

LOOSLI, GEROLD J.
KNAPP, VELMA
LOOSLI, D. D.
WHITMORE, SHARON

1624 E. GREENHURST, Nampa, ID 83651

Source: GROUNDWATER

Diversion Pt: SESWSW Sec 35 T 03N R 02W

Use: IRRIGATION (0.090 CFS)
DOMESTIC (0.110 CFS)

Date Filed: 07/07/1986

In: SWSW Sec 35 T 03N R 02W FOR 5 ACRES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before AUGUST 25, 1986.

KEN DUNN, Dir.

Published 08/06 & 08/13/86.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JULY 31, 1986

Idaho Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before AUGUST 23, 1986.

Yours truly,

JUDY FENSE
Secretary

Encl.