


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




the State of Idaho as herein set forth.

London MacGregor (Principal)
(Applicant)

MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-Rite	1.5	K85L	Sta-Rite	3"

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flowmeter	In-line	Neptune	Trident	30754390	2"	N/A

2. Measurements: Theoretical. SL = 7, PL = 45 (well log)
 wellhead pressure 40-70 (owner info). On site gage reading = 50 psi. Flowmeter appeared operational but pump did not operate during visit.

JUN 13 1004



63-10359
4N 1E S14

INDEXED
JUN 13 1994

10/26/93

Hwy 55

Hwy 44 (STREET)

ENTIRE AREA (EST) 400' NOT SHOWN

2590

IRRIGATED AREA

70' DRAIN SUMP

HOUSE 14' x 10' WELL

NEW WELL

TYPE 3 PLACES SEE SPRINKLER SYSTEM SCHEMATIC

PROPERTY

RELOCATE P.P. BY IDAHO POWER

8" WATER (DRY LINE)

INSTALL 4" FIRE HYDRANT

FUEL STORAGE TANKS - BY OTHERS

EXISTING WELL - SEAL & ABANDON REMOVE BY INTERMOUNTAIN GAS

STINKER STORE

1250 GAL. SEPTIC TANK

NO IRRIGATION ON BACK LOTS

EXISTING 8" GAS

4" SEWER SERVICE

MINI SCOPE 18" DIA. TYP.

6" WATER DRAIN

80-12 risers

10' ±

~~63-1578~~
63-10359



P/b



Distribution
System.

Flowmeter to
back of photo

RECEIVED

JUN 13 1994

~~63-11578~~
63-10359



P/u
Showing
Store, landscaping



P/u
Showing
landscaped
area.

JUN 13 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10359

Priority: May 8, 1986

Maximum Diversion Rate: 0.10 CFS
Maximum Diversion Volume: 8.8 AF

This is to certify, that PRESSURE TREATED TIMBER CO
C/O DAVID MACGREGOR
3200 GOWEN RD
BOISE ID 83705

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 7, 1986; and has submitted Proof of Beneficial Use on July 31, 1990. An examination indicates that the works have a diversion capacity of .270 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.5 AF
COMMERCIAL	01/01 to 12/31	0.07 CFS	4.3 AF
	Totals	0.10 CFS	8.8 AF

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 14, Township 04N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	01E	14	NWSW	1		1

Total number of acres irrigated: 1

PLACE OF USE:

COMMERCIAL, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Commercial use is for a combination convenience store and

JUN 13 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-10359

CONDITIONS/REMARKS:

service station.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of APRIL, 1994.


Acting for R. Keith Higginson, Director

JUN 13 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10359 IN)
THE NAME OF PRESSURE TREATED TIMBER CO.)
_____)

ORDER OF REINSTATEMENT

WHEREAS, on May 27, 1986, the Department issued Permit No. 63-10359 with the condition that proof of beneficial use be submitted on or before June 1, 1987; and,

WHEREAS, on May 26, 1987, the Department extended the proof of beneficial use date to June 1, 1990; and,


WHEREAS, the Department has notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on July 2, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10359 be REINSTATED and the priority advanced to May 8, 1986.

Dated this 13th day of August, 1990.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

SEP 13 1990

RECEIVED
JUL 2 1990

For Office Use Only
Amt. of Fee \$ 100.00
Date 7/31/90
Receipt No. C-917511
Received by J. Harrison

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10359 Telephone No. 208/343-6456

Name(s) of Permit Holder(s): Pressure Treated Timber Company

Post Office Address: 3200 Gowen Rd., Boise, ID 83705

Source of Water: Groundwater

If ground water, well driller's name: Aqua Masters Date drilled: 5-7-86

Extent of Use:
Domestic 5 (No. of households) Irrigation L 2 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Unimproved lots have water pipe stubbed to each lot.

Total rate and/or volume for which proof is submitted .23 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 5-7-86

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Tom Morris

208/343-6456

Name

Telephone No.

3200 Gowen Rd., Boise, Idaho 83705

Address

MICROFILMED

SEP 18 1990

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6-26-90
Date

G. David Mackay
Signature (and title if on behalf of a company or organization)

RECEIVED

APR 16 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-10359Name(s) of Permit Holder: Pressure Treated Timber Co.Post Office Address: 3200 Gowen Rd., Boise, Idaho 83705Telephone No. (208) 343-6456Date Proof is Due: June 1, 1987

Describe what work has been completed toward the development of this water right: _____

(This must be filled out! If no work has been completed, show "none".)

Well has been drilled and is operational. One building is now in service and irrigation water is installed. Three buildings are scheduled to be completed during the next two to three years.

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Buildings will be completed once sold or leased. We have not yet secured tenants.

Permit holder(s) request an extension to June 1, 1990.
(1 yr. minimum)

FEE: \$15.00

(Signature)*

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

MICROFILMED

ACTION OF THE DEPARTMENT OF WATER RESOURCES

JUL 07 1987

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1990.

Signed this 26th day of May, 19 87.

L. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Pressure Treated Timber Co. c/o MacGregor Land & Livestock Co. Phone 343-7208
- Post office address 2465 Overland Rd., Ste. C, P.O. Box 5128, Boise, ID 83705
Groundwater**
2. Source of water supply Boise River Valley which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NW 1/4 of SW 1/4, Govt. Lot _____
Sec. 14 Township 4N Range 1E B.M. Ada County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Allow 0.07 ~~0.067~~ Municipal Domestic**
Amount 0.067 for Development purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Allow 0.09 cfs DRT 5/14/86
Amount 0.123 for Irrigation purposes from March 15 to Nov 15 DRT 5/14/86
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
0.16 cfs DRT 5/14/86
5. Total quantity to be appropriated is (a) 0.17 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. 3" PVC - Pressure System
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 8" inches; proposed depth of well is 245 feet.
- d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 yr. years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. LODGE LOGS VILLAGE (4 business buildings)
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	1E	14										2.8							2.8
4N	1E	14										D							


Total number of acres to be irrigated 2.8

10. Describe any other water rights used for the same purposes as described above. None

- 11. a. Who owns the property at the point of diversion? Pressure Treated Timber Co
- b. Who owns the land to be irrigated or place of use? Pressure Treated Timber Co.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Mr. C. B. Humphrey is Site Engineer for the project.

12. Remarks: _____

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



rs of

the State of Idaho as herein set forth.

Robert MacGregor (PRINCIPAL)
(Applicant)

Hand Dismissed
Received by mn Date 4-7-86 Time 11:45 am Proposed priority 4/7/86 Preliminary check by MICROFILMED
Fee \$ 30.00 Receipted by JP # 40246 Date 4/11/86
Publication prepared by jp Date 4/16/86 Published in Idaho Statesman
Publication approved SR Date 5/2/86
4/23 & 4/30/86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10359, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: The rates of diversion allowed under this right are 0.07 cfs for domestic use and 0.09 cfs for irrigation use for a total of 0.16 cfs.
The irrigation season allowed under this right is from March 15 through November 15 annually.

Witness my hand this 27th day of May, 1986.

A. Glen Saylor
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL B. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 22, 1994

PRESSURE TREATED TIMBER CO
C/O DAVID MACGREGOR
3200 GOWEN RD
BOISE ID 83705

RE: WATER RIGHT NO. 63-10359

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MAILED

JUN 13 1994

WR0749NP
No. L63-10359

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/08/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	PRESSURE TREATED TIMBER CO C/O DAVID MACGREGOR 3200 GOWEN RD BOISE ID 83705 (208) 336-2450	05/08/1986	IRRIGATION COMMERCIAL	03-15 11-15 01-01 12-31	0.03 CFS 0.07 CFS	4.50 AFA 4.30 AFA
TOTAL DIVERSION:					0.10 CFS	8.80 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.27 CFS

Point(s) of Diversion: T04N R01E S14 NWSW ADA County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
04N	01E	14	:											01						:	1.0
TOTAL ACRES																				1.0	

Place of use location for COMMERCIAL is the same location as described for: IRRIGATION

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-04615 63-07783 63-10359

Other Water Rights Listing Overlapping Place(s) of use:
63-02406 63-10359 63-11487

Conditions of Approval:

- R52 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: Commercial use is for a combination convenience store and
service station.

Dates:	App. Received: 04/07/1986	Priority Date: 05/08/1986	(Priority Date Advanced.)
	Proof Due Date: 06/01/1990	Proof Made Date: 07/31/1990	(Proof Received Late.)
	Exam Made Date: 10/26/1993	Exam Sent to S.O.: 02/17/1994	
	Licensed Date:		

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 04/08/94 CHAPMAN

LICENSE REVIEW CHECKLIST

PERMIT NO. 63-10359 DATE 4-8-94



NAME	Yes ☒	No ☐	Or Address Change? <u>Changed Co</u> <u>NAME - SAME OWNER</u>
PRIORITY DATE	☒	☐	Advance? ☒ Advanced to: <u>5-8-86</u> Order to reinstate needed? <u>DONE</u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐	☒	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☐	☒	Amendment needed? _____ Overlaps? _____
DIV RATE	☐	☐	Measurement done? _____ Theoretical only? ☒ <u>Theoretical Q = .27</u> [<u>PER DOMESTIC LIMIT</u>] <u>IRRIGATION / 1 ACRE = .03</u> & <u>COMMERCIAL = .07</u> Capacity: <u>.27</u> Combined rates exceed capacity <u>NA</u> Allowable amount: <u>.10 CFS</u>
ANNUAL VOLUME	☐	☒	Season of use: <u>D/4.5 (3-15 to 11-15)</u> Calculations: <u>COMMERCIAL USES Q = 4.3</u> <u>IRRIGATION Q = 4.5</u> Flow limit: <u>.03</u> cfs x <u>246</u> x <u>1.9835</u> = <u>14.6</u> Combined volumes exceed capacity/allowable <u>NA</u>
USES	☒	☐	Change(s) in Nature of Use? <u>DOMESTIC TO COMMERCIAL</u> Amendment necessary? <u>NO</u>
REMARKS	☐	☒	Multiple p/d(s) in 1/4 1/4? _____ Other _____
CONDITIONS	☐	☒	Measuring/Locking Devices _____ Watermaster control - District _____ <u>R52</u> _____ Irrigation Overlap _____ Water Quality _____ Other _____
COMMENTS:	<u>Change Domestic to Commercial use - no amendment is</u> <u>NECESSARY.</u>		

RECOMMENDED

CFS

VOLUME

LICENSE ☒

Use
CODE 10

IRRIGATION
Commercial
TOTAL

.03
.07
.10

4.5
4.3
8.8

1ST AMENDMENT LETTER _____

FINAL AMENDMENT LETTER _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 23 1994

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 63-103591. Owner: Pelticoot Junction Landowners Assoc Phone No. 336 2450Current Address: 40 DAVID MacGregor 3200 Gowen Rd BOISE ID 837052. Accompanied by: DAVID MacGregor EXAM DATE: 10/26/93Address: Above Phone No. _____Relationship to Permit Holder: Trustee3. Source: groundwater tributary to _____**B. OVERLAP REVIEW**1. Other water rights with the same place of use: 63-2406, 4615, 7783, 114872. Other water rights with the same point of diversion: 63-4615, 7783**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	14	4N	1E	ADA	Orthophoto, Site Visit


2. Place(s) of Use:

Indicate Method of Determination Above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	1E	14							\$	cont		1							1
									B			C							

RECEIVED
JUN 13 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-Rite	1.5	K85L	Sta-Rite	3"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flowmeter	In-line	Neptune	Trident	30754390	2"	N/A

2. Measurements: Theoretical. $SL = 7$, $PL = 45$ (well log)
 wellhead pressure 40-70 (owner info). On site gage reading = 50 psi. Flowmeter appeared operational but pump did not operate during visit.

E. NARRATIVE/REMARKS/COMMENTS

8" x 273' well, supplying water for irrigation & commercial/domestic use. Anticipated use was for 4 day offices, however, a Stinker gas station & store has been operating on site since 1986. Lines are stubbed to 3 other lots (including irrigated lot) but no other businesses present. All systems operate off 3" mainlines.

Overlaps do not affect this permit. No water used from any other source.

Recommend change from domestic to commercial water use. See attached memo. Since policy to give "development credit" for stubbed lines appears to have been established, especially for residential use only, I have not included a credit for businesses not found. However, the ~~system~~ delivery system is adequate to accommodate additional uses if this reasoning is faulty. In any event, any new use, if an office-type building, will very likely be exempt (<2500 gal/day) anyway.

VOL - Store 12 FTE, open 24 hrs, 365 days

Cleaning, daily (flyers, floors, etc.) 100 gals/day

Customers: avg 1450/day, approx 1/2 to use washrooms

- per, Suzie Wilson, manager.

See back for calculations.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
JUN 13 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\frac{7.5 \times 8.8 \times .7}{45 + (55 \times 2.31)} = .27 \text{ cfs}$$

SYSTEM
CAPACITY

allow .03 for lac irrig.
allow .07 for commercial

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 4.5 = 4.5 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 246 \times 1.9835 = 14.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.5$$

2. Volume Calculations for Other Uses:

COMMERCIAL:

$$12 \text{ FTE} \times 15 \text{ gal/FTE/shift} \times 260 \text{ shifts/year} = 46,800 \text{ gal/yr}$$

$$\text{Cleaning: } 100 \text{ gals/day} \times 365 \text{ days/yr} = 36,500 \text{ gal/yr}$$

$$\text{Customers: avg } 1450/\text{day} \times .5 \times 5 \text{ gal/customer} \times 365 \text{ days/yr} = 1,323,125 \text{ gal/yr}$$

(restroom use)

$$\text{TOTAL } 1,406,425 \text{ gal/yr OR}$$

4.3 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	3/15	11/15	.03	4.5
COMMERCIAL	1/1	12/31	.07	4.3
Totals:			.10	

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other see comments

I. AUTHENTICATION

Field Examiner's Name

C. J. Hodges

Date

1/28/94

Reviewer

Date

SEAL

JUN 13 1994

January 28, 1994

EXAMINER'S MEMO

TO: File No. 63-10359
FROM: Cindy Hodges
RE: Justification of change from domestic to commercial use

In order to recommend that such a change be made, I have quantified the implied permitted volumes so that my recommendations do not exceed what would otherwise have been allowed under the permit. I calculated the "before" analysis using 42-111 criteria because the permit was structured in that manner, that is, domestic use defined as four business offices.

Implied internal volume for domestic/business use as permitted:


$$\frac{260 \text{ days/yr} \times 2500 \text{ gal/day}}{325,850 \text{ gal/AF}} = 2.0 \text{ AF/yr per business}$$

$$2.0 \text{ AF/yr/business} \times 4 \text{ businesses} = 8.0 \text{ AF/yr}$$

This is highly conservative and assumes day offices with no weekend staffing. However, it is sufficient to cover the actual yearly internal demands of the established enterprise, which are 4.3 AF/yr (see examination form).

It is unclear from the permit exactly what method was used to derive the rate of flow for domestic/business use. I did not have any compelling reason not to recommend the total permitted flow for the modified use, and there are no guidelines for determining meaningful rates of flow for commercial uses.

RECEIVED
JUN 13 1994



63-10359
4N 1E S14

RECEIVED
JUN 13 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: N/A OTHER APPLICABLE NO: 63-10359
2. OWNER: Pelticoot Junction #1 landowners Phone: 336 2450
Address: 90 David MacGregor
3. WELL LOCATION: Twp 4N, Rge. 1E, Sec. 14, SW 1/4 NW 1/4
County ADA (Provide sketch map and photo on reverse.)
4. DRILLER: Aqua Masters Lic. No. 130
When Drilled? 4/4/86
5. WELL CONSTRUCTION: TD = 273
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: Sani-cap ☒ Yes ☐ No
Casing > 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 212 ft. Method Drilled Cable
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 7' ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic/COMM ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

RECEIVED
JUL 13 1994

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☒ Yes ☒ No

If yes, what Type? Chlorination System

How far away from the well is this source? 25'

9. REMARKS: Backflow device is present & chemical tank is
situated within a contained building on a concrete
pad away from wellhead. Risk should be minimal.

C. Hodge

Signature of Dept. Representative & Title

10/26/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED

JUN 13 1994

10/26/93

Hwy 55

P/L

ENTIRE AREA (est.)
400'
NOT SHOWN

2550

Hwy 44 (STATE ST)

IRIGATED AREA

70' DRAIN SUMP

50'

HOUSE
WELL 14'x10'

2 NEW WELLS

TYPE 3 PLACES
SEE SPRINKLER
SYSTEM SCHEMATIC

RELOCATE P.P.
BY IDAHO POWER

8" WATER (DRY LINE)

FUEL STORAGE TANKS -
BY OTHERS

3" WATER

4" SEWER SERVICE

MINI SCOPE 1/2" DIA. - 100'

STINGER STORE
REMOVE BY
INTERMOUNTAIN GAS

1250 GAL. SEPTIC
TANK

172 GALLON
BACK UPS

EXISTING 4" GAS


E

E

~~63-1578~~
63-10359



P/D




Distribution
System.

— Flowmeter to
back of photo

JUN 1 9 1994

~~63-11578~~
63-10359



P/u
Showing
Store, landscaping



P/u
Showing
landscaped
area.

JUN 18 1994

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

2490
Date 08/16/90
Code 193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

Document No.	
Pre-Audit	Date
Warrant No.	

PAY
TO

PRESSURE TREATED TIMBER CO.
3200 GOWEN RD.
BOISE, ID 83705

CHECK ONE:

() MISCELLANEOUS EXPENDITURE
() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	05	20	122	1238	8831 REFUNDS PER RITA FLECK WR #63-10359 8/15/90 50.00	50.00	
MICROFILMED SEP 18 1990							
TOTAL						50.00	

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

August 15, 1990

Pressure Treated Timber Company
3200 Gowen Rd.
Boise, ID 83705

Gentlemen:

Re: Permit No. 63-10359

The department received the proof of beneficial use form along with your check for \$100 for the license examination fee. Enclosed is an order which reinstates the permit.

The permit was issued for a rate of diversion of 0.16 cfs and the proof indicates the rate of diversion of 0.23 cfs. A license can be issued only to the extent of the permit; the license examination fee is \$50. I have requested a refund. It will take several weeks for the paperwork to be completed and the refund forwarded to you.

The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Western Regional office will conduct the exam, but he will try to contact you or your representative prior to being in the area.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

c: region
Acct. Sec.

RECEIVED

SEP 18 1990

MEMORANDUM

DATE: August 15, 1990

TO: FISCAL SECTION

FROM: Nina Shields or Rita Fleck

RE: REFUND - Permit No. 63-10359

Please prepare a refund of \$50.00 (receipt No. C017511). Attached is a copy of a letter which explains why the refund is necessary.

Also, please reference the identification number on any papers returned to me for the file. Thanks.

Attachments: letter
receipt

MICROFILMED

SEP 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10359

Date: 8-6-90

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
1. well log in file 1986
2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:


*rate of proof higher than permit allows
needs refund of \$50.00*

Priority Calculation:

Date proof received	<u>July 2, 1990</u>	<u>103</u>
Date proof due	<u>June 1, 1990</u>	<u>- 152</u>
No. of days late		<u>= 31</u>
Priority date	<u>April 7, 1986</u>	<u>+ 97</u>
NEW PRIORITY DATE	<u>May 8, 1986</u>	<u>= 128</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

PRESSURE TREATED TIMBER COMPANY



3200 GOWEN ROAD

BOISE, IDAHO 83705

TEL. (208) 343-6456

June 28, 1990 (Thursday)

Mr. Glen Saxton, Chief
Water Allocation Bureau
Department of Water Resources
Statehouse Mail
Boise, Idaho 83720

Re; permit 63-10359 lapse notice.

Dear Mr. Saxton;

Enclosed is \$100 and our beneficial use statement for the referenced water permit. As we indicated, our delay in filing this notice was due to confusion over whether the permit was regarding the drilling permit or the water right. Thank you for your clarification.

Although the property lots remain vacant, the development is complete and fully subdivided. As our statement indicates, the water lines are stubbed into each lot - ready for permanent hook up.

We trust this will satisfy the requirements such that the water right can be issued. If there are any other questions please do not hesitate to call.

Sincerely,

A handwritten signature in cursive script, appearing to read 'G. David MacGregor'.

G. David MacGregor
President

encl: Ck
Proof of Beneficial Use

RECEIVED

SEP 1 1990

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

June 13, 1990

PRESSURE TREATED TIMBER CO.
3200 GOWEN RD.
BOISE, ID 837050000

LAPSE NOTICE

RE: PERMIT NO. 63-10359

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated March 31, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

MICROFILMED

SEP 18 1990

CERTIFICATION OF MAILING

I hereby certify that on 6-15-90
a copy of this document was
deposited in the United States mail
postage prepaid addressed to the
individual(s) named above.

138538
March 31, 1990

PRESSURE TREATED TIMBER CO.
3200 GOWEN RD.
BOISE, ID 837050000

PROOF DUE NOTICE

RE: PERMIT NO. 63-10359

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

SEP 18 1990

May 26, 1987

Pressure Treated Timber Co.
3200 Gowan Rd.
Boise, ID 83705

Gentlemen:

Re: Permit No. 63-10359

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to June 1, 1990.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED FILMED

JUL 07 1987

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 63-10359Reviewed by [Signature]Date 5-22-1987

BASIC INFORMATION

- Y Date stamp received
Y Extension received timely
(not prior to 6 month before proof due date or after reinstatement period)
Y Fee received and receipted
- Name and signature same as permit
Y Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

- Y Has adequate work been completed to demonstrate due diligence?
Y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- N/A Is delay by a government agency?
Is supporting documentation needed to complete the file? _____
Requested? _____

ACTION TAKEN

- Recommend approval based on due diligence for 3 years

Special conditions or remarks:

N/A Reinstatement Date extension received _____ = _____
Proof due date _____
No. of days late _____
Priority date _____ = JUL 07 1987
ADJUSTED PRIORITY DATE _____ = _____

MICROFILMED- Prepare coding sheet- Change rolodex card



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

April 20, 1987

Pressure Treated Timber Co.
3200 Gowen Road
Boise, ID 83705

PERMIT NO. 63-10359

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 44683

Roberta Garrett
Records Supervisor

Enclosure

MICROFILMED

JUL 07 1987

To

Rita

Date

4-14

Time

3:00

WHILE YOU WERE OUT

Jim Young

of

Phone

343-6456

Telephoned	☒	Please call	☒
Called to see you	☐	Will call again	☐
Wants to see you	☐	Returned your call	☐

Message

63-10359

Proof of beneficial use

J

Operator

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
MARCH 31, 1987

PRESSURE TREATED TIMBER CO.
C/O MACGREGOR LAND/LIVESTOCK
2465 OVERLAND RD.
STE. C, P.O. BOX 5128
BOISE, ID 83705

138992

PROOF DUE NOTICE

RE: PERMIT NO. 63-10359

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

MICROFILMED

JUL 07 1987

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JUNE 04, 1986

PRESSURE TREATED TIMBER CO.
C/O MACGREGOR LAND/LIVESTOCK
2465 OVERLAND RD.
STE. C. P.O. BOX 5128
BOISE, ID 83705

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10359

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

MICROFILMED

NO.	DATE	REG.	AREA	USE	WATER RIGHT	LAST NAME	OWN.	PRIO.	NUMBER OF WATERS
					(FED. ST.)		(FED. ST.)	DATE	

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

31.04

Account Name ID Dept. of Water Resources, Western Region		Account Number #47628	
Address Statehouse		City/State Boise, ID	Zip 83720
Ordered By Judy Pense	P.O. Number	Rate nt	Run Dates 1986 Apr. 23, 30
Identification Application No. 63-10359			Legal Number #1943

☒ Number of Affidavits Requested

RECEIVED
MAY 2 1986

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Department of Water Resources
Western Region Office

Laura Gay Barnes

being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of April 23, 1986

and ending with the issue of April 30, 1986

Laura Gay Barnes

Subscribed and sworn to before me this 30th

day of April, 1986

WICKHAM

James M. Hault

Notary Public for Idaho, Residing at Boise, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10359 ✓

Pressure Treated Timber Co.
c/o MacGregor Land/Livestock
2465 Overland Rd., Suite C
P.O. Box 5128
Boise, ID 83705

Source: Groundwater
Diversion Pt: NWSW
Sec 14 T 04N R 01E
Use: Irrigation (0.123 CFS)
Use: Domestic (0.070 CFS)
Date Filed: 04/07/1986
In: NWSW Sec 14
T 04N R 01E
for 3 Acres

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on, or before, May 12, 1986.

KEN DUNN
Director

Pub: Apr. 23, 30, 1986

1943

63-10359

PRESSURE TREATED TIMBER CO.

C/O MACGREGOR LAND/LIVESTOCK, 2465 OVERLAND RD., STE. C, P.O. BOX 5128,
BOISE, ID 83705

Source: GROUNDWATER

Diversion Pt: NSW Sec 14 T 04N R 01E


Use: IRRIGATION	(0.123 CFS)
DOMESTIC	(0.070 CFS)

Date Filed: 04/07/1986

In: NSW Sec 14 T 04N R 01E FOR 3 ACRES

2025-01-10 10:10:10

PRESSURE TREATED TIMBER COMPANY



April 7, 1986

State of Idaho
Department of Water Resources

Gentlemen:

Enclosed is my request for a 0 - 0.20 c.f.s. Municipal
and Irrigation well in Ada County.

Please notify me at 343-7208 or C. B. Humphrey at 375-0473
if additional information is necessary.

The permit fee is attached.

Very truly yours,


Gordon MacGregor

MACG:kjs

RECEIVED
APR 7 1986

Department of Water Resources
Western Regional Office

MICROFILMED