


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mike King
Applicant)
Asst. City Engineer

MICROFILMED

RECEIVED
SEP 23 1985

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

September 12, 19, 1985

Debra Martin del Campo

Subscribed and sworn to before me this

19th day of September

1985

Janet Lusk
Notary Public, Residing at Nampa, Idaho

MICROFILMED
MY COMMISSION EXPIRES
JULY 12th, 1991

NOTICE OF APPLICATION
FOR WATER RIGHTS

The following application has been filed to appropriate the public waters of the State of Idaho:

63-10319 *VSP*

CITY OF NAMPA
4113RD ST. SOUTH,
NAMPA, ID 83651

Source: GROUNDWATER

Date Filed: August 28, 1985

Diversion Pt: SWSE Sec 11 T 03N
R 02W

Use: IRRIGATION (3.20 CFS)

IRRIGATION STORAGE (25.0
AF)

IRRIGATION FROM STORAGE
(25.0 AF)

RECREATION STORAGE (25.0
AF)


DIVERSION TO STORAGE (3.20
CFS)


In: SWSE SESE Sec 11 T 03N R
02W NENE NWNE Sec 14 T 03N
R 02W FOR 160 ACRES

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before SEPTEMBER 30, 1985.

KEN DUNN, Dir.

September 12, 19, 1985





MAY 25 1993

RECEIVED

↑
p/u
pld

PERMIT 63-10319
T. R. S. INIT
P/D 3n
SCALE 2w 11
Q/Q
SUSE

63-10319

R 2 W

P10

Sec 11 3 2

MAY 5 1993

T2667

NW

24.0

T2673

N/NW

T3275

N/NW

10.7

N/NW

N/NW

2

8.0

T2692

4.8

T4982

3.7

T2243

NW

6.4

T3276

5.4

T3274

N/NW

14.5

T2675

N/NW

9.2

T2632

N/NW

21.8

T2664

2

18.9

N/NW

2

7.3

3 N/NW

1.7

3 N/NW

1.7

NW

15

14

N/NW

5.1

T2678

2

7.3

3 N/NW

3.2

T2255

1

32.5

2.9

NAMPA

GOLF

COURSE

T2677

N/NW

2

25 acres

22 acres

32 acres

24 acres


13 acres

11 12

13

63-10319

View of well.



From well into the
diverting works.

Notice the PIPE HAS
A "T" which branches
to each of the two
Ponds.

RECORDED

MAY 25 1993

163-10319



Discharge INTO THE
FIRST OF THE LANDS



View of Place of Use.

MICROFILMED
MAY 25 1993

63-10319



View of the Clubhouse
which does NOT use the
well.

MICROFILMED

MAY 25 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

September 5, 1985

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

Idaho Department of Lands
Bureau of Navigable Waters
Marv Vandenberg
Statehouse
Boise, ID 83720

Re: No. 63-10319 - City of Nampa


Dear Mr. Vandenberg:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application, your written protest must be received in this office by September 30, 1985.


If you have any questions regarding the application, please contact this office.

Sincerely,



~~DAVID B. SHAW~~

Western Regional Supervisor



David R. Tutthill Jr

DBS:jp

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10319

Priority: August 28, 1985

Maximum Diversion Rate: 2.05 CFS
Maximum Diversion Volume: 724.1 AF

This is to certify, that CITY OF NAMPA
411 3RD ST SOUTH
NAMPA ID 83651

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 25, 1985; and has submitted Proof of Beneficial Use on September 27, 1990. An examination indicates that the works have a diversion capacity of 2.050 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.05 CFS	720.0 AF
IRRIGATION STORAGE	01/01 to 12/31		4.1 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		4.1 AF
RECREATION STORAGE	01/01 to 12/31		4.1 AF
DIVERSION TO STORAGE	01/01 to 12/31	2.05 CFS	
	Totals	2.05 CFS	724.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 11, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02W	11	NESE 13	SWSE 25	SESE 22	60
		14	NENE 32	NWNE 40	SWNE 35	
			SENE 25			132

Total number of acres irrigated: 192

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

MAY 25 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10319

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
7. This right is limited to the irrigation of 160 acres in the place of use described above in a single irrigation season.
8. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16TH day of MARCH, 1993.

Acting for R. Keith Higginson, Director

MAY 25 1993

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10319

Date of Priority: August 28, 1985

Maximum Diversion Rate: 2.05 CFS
Maximum Diversion Volume: 724.1 AF

Comes now
411 3RD ST SOUTH
NAMPA ID 83651

CITY OF NAMPA

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10319, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.05 CFS	720.0 AF
IRRIGATION STORAGE	01/01 to 12/31		4.1 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		4.1 AF
RECREATION STORAGE	01/01 to 12/31		4.1 AF
DIVERSION TO STORAGE	01/01 to 12/31	2.05 CFS	
Totals		2.05 CFS	724.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 11, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 02W 11	NESE 13	SWSE 25	SESE 22	60
14	NENE 32	NWNE 40	SWNE 35	
	SENE 25			132

Total number of acres irrigated: 192

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 1:00 PM, this 29 day of March, 1983.

Larry Blidie
(Signature)

City Engineer

MAY 25 1983

State of Idaho
Department of Water Resources

RECEIVED

APR 26 1993

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10319

Department of Water Resources
Western Regional Office

FOR DEPARTMENT USE ONLY

Preliminary check by 23 Fee = \$20.00 Received by [Signature] # 1001175 Date 4-26-93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10319 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
7. This right is limited to the irrigation of 160 acres in the place of use described above in a single irrigation season.
8. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.

Witness my hand this 16TH day of MARCH, 1993.

Acting for [Signature] R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Nampa Phone 465-2220
Post office address 411 3rd St. South Nampa, ID 83651

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SW 1/4 of _____ SE 1/4, Govt. Lot _____
Sec. 11 Township 3N Range 2W B.M. Canyon County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.20 cfs for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum) Storage for

Amount 25.AF for Irrigation purposes from 1/1 to 12/31 (both dates inclusive)
(acre-feet per annum) Irrigation from

Amount 25.AF for Storage purposes from 3/15 to 11/15 (both dates inclusive)
(acre-feet per annum) Storage for

Amount 25.AF for Storage for Recreation purposes from 1/1 to 12/31 (both dates inclusive)
Amount 3.20 cfs for Diversion to purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) Storage

5. Total quantity to be appropriated is (a) 3.20 and/or (b) 25.
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well with pump and pipeline
into ponds then relifted into sprinkler system.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

MICROFILMED

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Recreation for ponds on golf course

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.


TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2W	11															40	40	80
		14	40	40															80
3N	2W	11															RS	RS	

Total number of acres to be irrigated 160

- 10. Describe any other water rights used for the same purposes as described above. Phyllis Canal
Water
- 11. a. Who owns the property at the point of diversion? State of Idaho
- b. Who owns the land to be irrigated or place of use? State of Idaho
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. City of Nampa has a 25 year lease for Golf Course

12. Remarks: _____

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate water from the State of Idaho as herein set forth.

MICROFILMED

x Mike King Ass. City Engineer
(Applicant)

Proposed Priority 8/28/85 8-28-85 4:15 p.m.
Received by CU Date 8-28-1985 Time 8:30 AM Preliminary check by MICROFILMED
Fee \$ \$105. Receipted by jp # #36139 Date 8/30/85
Publication prepared by jp Date 9/5/85 Published in Press-Tribune
9-12 & 9-19-85
Publication approved SP Date 9/27/85

n **ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES**

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10319, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1990.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 8th day of October, 1985.

J. Shew Saylor
Chief, Operations Bureau

201 25 1035
Department of Labor Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

September 12, 19, 1985

Debra Martin del Campo

Subscribed and sworn to before me this

19th day of September
1985

Janet Lusk
Notary Public, Residing at Nampa, Idaho

MICROFILMED
MY COMMISSION EXPIRES
JULY 12th, 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 5, 1993

CITY OF NAMPA
411 3RD ST SOUTH
NAMPA ID 83651

RE: WATER RIGHT NO. 63-10319

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.


Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Right Supervisor

JJ:CZ

Enclosure





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 16, 1993

CITY OF NAMPA
411 3RD ST SOUTH
NAMPA ID 83651

RE: WATER RIGHT NO. 63-10319

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

MAY 25 1993

WR0749NP
No. L63-10319

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 03/05/93
PAGE: i

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CITY OF NAMPA 411 3RD ST SOUTH NAMPA ID 83651 (208) 465-2220	08/28/1985	IRRIGATION	03-15 11-15	2.05 CFS	720.0 AFA
			IRRIGATION STORAGE	01-01 12-31		4.1 AFA
			IRRIGATION FROM STORAGE	03-15 11-15		4.1 AFA
			RECREATION STORAGE	01-01 12-31		4.1 AFA
			DIVERSION TO STORAGE	01-01 12-31	2.05 CFS	
TOTAL DIVERSION:					2.05 CFS	724.1 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.05 CFS

Point(s) of Diversion: T03N R02W S11 SW SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM	
03N	02W	11	:															13	25	22	60.0
03N	02W	14	:	32		40		35		25											132.0
TOTAL ACRES																				192.0	

Place of use location for IRRIGATION FROM STORAGE is the same location as described for: IRRIGATION

Pou County: CANYON

Non-Irrigation Uses: ~~R/GOLF-GOUSE~~

Other Rights: ~~PHYLLIS-CANAL-WATER~~

Other Water Rights with Same Point(s) of Diversion and Source:
63-10319

Other Water Rights Listing Overlapping Place(s) of use:
63-10319 63-10400

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.
- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: This right is limited to the irrigation of 160 acres in the place
of use described above in a single irrigation season.
The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.

08 03-04-93

(A)

WR0749NP
No. L63-10319

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 03/05/93
PAGE: 2

=====

Dates:	App. Received:	08/25/1985	Priority Date:	08/28/1985
	Proof Due Date:	10/01/1990	Proof Made Date:	09/27/1990
	Exam Made Date:	06/22/1992	Exam Sent to S.O.:	01/22/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 03/05/93 SKAGGS



[illegible]

DATE _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: City of Nampa Permit No. 63-10319
Current Address: 411 3rd St South Nampa, Ida 83651 Phone No. 465-2210
2. Accompanied by: Tom Frankhouse EXAM. DATE: 6-22-92
Address: Same Phone No. same
Relationship to Permit Holder: employee
3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

* see attached SCORECARD of Centennial Golf Course.

MICROFILMED

MAY 25 1993

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses a 25hp motor / a 120' 8" well to irrigate a golf course. The 30' static water level; the estimated 75' dynamic level flow into ponds; then are pumped through sprinkler pipes.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NA	25	NA		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	11	3n	2w	Casper	Quads; Aerials

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3n	2w	11													13	25	22		60
3n	2w	14	32	40	35	25													132
																			196/192

Do not use this space

MICROFILMED

MAY 25 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical: $25 \times 8.8 \times .70 = 154 = 2.05 \text{ cfs}$
 $75 + (2.3 \times 6) \quad 75 \quad \text{Capacity}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical = 2.05 cfs.

160A x .02 = 3.2AFM

2. Alternate Method for Checking Purposes:

Irrigation

F. PUMP EFFICIENCY DATA (Optional)

Diversion to Storage

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

MAY 25 1993

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 160 \times 4.5 = 720 \text{ AFM}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.05 \text{ cfs} \times 245 \times 1.9835 = 996.2 \text{ AFM}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 720 \text{ AFM (I.R.)}$

2. Volume Calculations for Other Uses:

Storage for Irrigation: 2 ponds
 Irrigation from Storage: #1
 Storage for Recreation: #2
 $R = 105$
 $R = 77$

$34636 \div 6 + 3.57 = 12122.6 \div 11$
 $= \pi R^2 = \text{Area} \times \text{depth}$
 $+ = 177109.5 \div 6 = 4.07 \text{ AF}$
 $18622 \div 6 + 3.11 = 5588.1 \div 6$
 $= \pi R^2 = \text{Area} \times \text{depth}$
 $= 4.1 \text{ AF}$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* Polysonic could not be used because the piping was not full; Also a 5 gallon bucket was impossible because the release pipe extends into the pond.

Remarks - W.B.3/GW Supplemental, PPU/1160 Acres

Condition - R32

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	2.05 cfs	720 AFA
Storage for Irrigation				4.1 AFA
Irrigation from storage				4.1 AFA
Storage for recreation				4.1 AFA
Diversion to Storage				
Totals:			2.05 cfs 2.05 cfs	720 AFA 724.1 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☒ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date


Field Report Preparation Date



CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MAY 25 1993



CO. SERIES (TOPOGRAPHIC)

300 000 FEET

1/4 Mile

MAY 25 1963

PERMIT 43-1001
T. R. S. Q/O
SCALE 2 1/2" = 1 MILE
PHOTO ID.

NAMPA

St Paul Sch

R 2 W

P10

Sec 11 3 2

1993

T2667

NW

24.0

T2673

N/NW

T3275

N/NW

10.7

N/NW

N/NW

2
8.0

T3692

4.8

T4982

3.7

T2243

NW

6.4

T2664

T3274

N/NW

N/NW

14.5

2
18.9

T2675

N/NW

9.2

N/NW

2
7.3

T2632

N/NW

2.8

T2255

NW

15.4

N/NW

5.1

3 N/NW

3.2

32.5

2.9

GOLF COURSE

T2677

N/NW

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-1439

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 2w, Sec. 11, sw 1/4 se 1/4 or Lot _____.
2. Owner: City of Napo
Address _____, City _____, St _____
3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____
4. Access Port: Yes ☒ No _____ Static Water Level: 30"
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 8"
Flowing: Yes _____ No ☒ Temperature: NA
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒



If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

NOT FILMED
MAY 25 1993

63-10319

View of well.




From well into the
dewatering works.
Notice the PIPE HAS
A "T" which branches
to each of the two
Ponds.

RECEIVED
MAY 25 1993

103-10319



Discharge INTO THE
FIST OF THE ARMS



View of Place of Use.

DECLASSIFIED

MAY 25 1993

63-10319



View of the Clubhouse
which does NOT use THE
WELL.

REPRODUCED

MAY 25 1993

December 31, 1990

CITY OF NAMPA
411 3RD. ST. SOUTH
NAMPA, ID 83651

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10319

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 29 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-10319

Date 12-19-90

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address change? If yes, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☒ Ground water source
☒ Drill permit req'd? Drilled 85 Copy in file?
☐ Well log in file?
☐ Amt paid for drilling permit? ☐ Correct?

LICENSE EXAMINATION FEE

- ☒ Required?
☒ Amount submitted? 175
☒ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☒ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

? on meas device installation
Proof acceptable

PRIORITY CALCULATION

Date proof received 12-19-90
Date proof due 12-19-90
No. of days late 0
Priority date 12-19-90
NEW PRIORITY DATE 12-19-90

RECEIVED
SEP 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10319 Telephone No. 465-2220

Name(s) of Permit Holder(s): City of Nampa

Post Office Address: 411 3rd St., So., Nampa, ID 83651

Source of Water: Ground water

If ground water, well driller's name: Pete Cope Date drilled: 8-27-85

Extent of Use:
Domestic (No. of households) Irrigation 160 (No. of acres)
Stockwater (No. and type of stock) Other

Total rate and/or volume for which proof is submitted 3.20 cfs 25 acre/feet

Show date water was first diverted and beneficially used under this permit: 3-86

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? X Yes No Installed? Yes No

Fee Enclosed: \$ 175.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Thomas Funkhouser

467-3011

Name

Telephone No.

Centennial Dr.

Nampa, ID 83687

Address

MICROFILMED

JAN 29 1991

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Sept 26, 1990
Date

Larry Blechman, Public Works Director
Signature (and title if on behalf of a company or organization)

138110

July 31, 1990

CITY OF NAMPA
411 3RD. ST. SOUTH
NAMPA, ID 83651

PROOF DUE NOTICE

RE: PERMIT NO. 63-10319

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 29 1991

City of Nampa, Eng. Dept.
411 - 3rd St. So.
Nampa, ID 836



MICROFILMED

JAN 29 1991

RECEIVED

OCT 23 1985

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-10319
Name(s) of Permit Holder(s): City of Nampa
Post Office Address: 411 3rd St. SE
Nampa, ID 83651 Tel. No. 208-222-2220

☒ I hereby certify that construction of diversion works for the above referenced permit began on 10-01-85 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

10-24-85
Date

[Signature]
Signature of Permit Holder

October 9, 1985

RE: Permit No. 63-10319

City of Nampa
411 3rd St. S.
Nampa, ID 83651

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Quiver

APPLICATION NUMBER: 63-10319

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

JP 9/5/85

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. NO OTHER RTS. FOUND.
☒ Yes ☐ No* App. has Phyllis Canal Co. water
In form for advertising.
Final date for protests: September 30 1985
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/13/85
☒ Application published correctly. If not, record action taken:
☒ Fee amount, receipt date & number, recorded on application. 105/36139
☒ Publication dates and paper, recorded on application. these trib

NON ☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application. Approve D2r

☐ Yes ☒ No Measuring device required.

☒ Yes ☐ No Access port required.

(105) ☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63

8/28/1985 Date of priority recommended.

Special conditions of approval or cover letter. 26A, OIC


By: D2r

Date: 9/30/85

STATE OFFICE REVIEW:

103, 105, 117

26 04 OIC



☐ See attached sheet for more information.

By: kw

Date: 10-7-85

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

Speed Letter

TO:

BNW, Boise Water Resources
Attn: Bonnie

FROM:

C, BNW
CDA

DKR

Subject

63-10319 - City of Tampa

MESSAGE

Bonnie: Please advise WR that Lands
has no interest or objection to this application.

Date

9/12/85

Signed

Lena

REPLY

RECEIVED

SEP 17 1985

Department of Water Resources
Western Regional Office

Date

Signed

RECEIVED



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

September 11, 1985

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

Idaho Department of Water Resources
Bureau of Navigable Waters
450 W. State Street
Boise, Idaho
83720-0001

Re: 69-10319 - City of Nampa


Dear Mr. Vandenberg:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application, your written protest must be received in this office by September 30, 1985.

If you have any questions regarding the application, please contact this office.

Sincerely,



DAVID R. TURHILL JR.
Western Regional Supervisor

DBS:jp

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

SEPTEMBER 5, 1985

Idaho Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 30, 1985.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILM

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before SEPTEMBER 30, 1985.

KEN DUNN, Dir.

Published 09/12 & 09/19/85.

MICROFILMED

63-10319

CITY OF NAMPA

411 3RD. ST. SOUTH, NAMPA, ID 83651

Source: GROUNDWATER

Date Filed: 08/28/1985

Diversion Pt: SWSE Sec 11 T 03N R 02W

Use: IRRIGATION	(3.20 CFS)
IRRIGATION STORAGE	(25.0 AF)
IRRIGATION FROM STORAGE	(25.0 AF)
RECREATION STORAGE	(25.0 AF)
DIVERSION TO STORAGE	(3.20 CFS)

In: SWSE SESE Sec 11 T 03N R 02W NENE NINE Sec 14 T 03N R 02W
FOR 160 ACRES

MICROFILMED