


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]

(Applicant)
SUPERINTENDENT OF DESIGN & DEVELOPMENT
BOISE PARK SYSTEM
1104 ROYAL BLVD
BOISE, IDAHO 83706

MICROFILMED

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Laura Gay Barnes, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular Monday edition of The Idaho Statesman in conformity with Sec. 60-108,

Idaho Code as amended, for Two consecutive weekly insertions beginning with the issue of August 1, 19 85, and ending with the issue of August 8, 19 85.

Laura Gay Barnes

Subscribed and sworn to before me this 8th day of August, 19 85.

Jerome M. Hawke
Notary Public for Idaho, Residing at Boise, Idaho.

RECEIVED
AUG 9 1985

Department of Water Resources
Western Regional Office

MICROFILMED

NOTICE OF APPLICATION
FOR WATER RIGHT ✓ SP

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10305

Boise City Parks Dept.
1104 Royal Blvd., Boise, ID 83706

Source: Groundwater
Unnamed Drains Trib. to Boise River, Boise River Trib. to Snake River

Date Filed: 7/18/1985

Diversion Point: SWNE Sec 14 T 03N R 02E

Use: Irrigation (0.40 CFS)
Recreation Storage: (150.0 AF)
Aesthetics Storage: (150.0 AF)


In: SWNE SENE SENW NESE Sec 14 T 03N R 02E NWSW SWSW Sec 13 T 03N R 02E for 18 acres

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Department of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before August 19, 1985.

A. KENNETH DUNN
Director

Pub. Aug. 1, 8, 1985

8631



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Boise City Parks Depts Permit No. 63-10305
 Current Address: 1104 Royal Blvd., Boise, ID 83706 Phone No. 384-4242
 2. Accompanied by: Willy Bennett EXAM. DATE: 7-23-91
 Address: _____ Phone No. _____
 Relationship to Permit Holder: Grounds Keeper - Ground Chief
 3. Source: Groundwater tributary to BOISE RIVER
Unnamed Drain

B. OVERLAP REVIEW

1. Other water rights with same place of use: numerous unrelated
 _____ ☐ Copies Attached
 2. Other water rights with same point of diversion: _____
 _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = 300'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
 Showing location(s) of point(s) of diversion and
 place(s) of use (required). ☐ Aerial Photo Attached
 (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
 (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
OCT 27 1992



PERMIT 63-10305 INIT MWS
T. R. S. Q/Q
P/D 3N 2E 14 SW/NE
SCALE _____
PHOTO ID. _____

MICROFILMED

OCT 27 1992

63-10305



#1.

A 25 h.p.
pump diverts water
from Park Center
pond.



#2.

Pump housing
is located on
eastern side of
pond.

MICROFILMED

OCT 27 1992



#3.

Canal water
Flows into the
pond via a 14"
pipe on the
South-east corner.



#4.

Water is diverted
From the canal
With a headgate
& 14" pipe.

MICROFILMED

OCT 27 1992



#8.5.

OverFlow From
the pond returns
to the canal via
a drain & 14"
pipe on the
South-west corner
of the pond.



#6.

Parking lots
drain into pond
through a 24"
pipe on the
North-east corner.

MICROFILMED
OCT 27 1992



#7.

Park Center pond, &
park, Facing north.



#8.

Pond & park,
Facing west.
Canal Follows tree
line on the left.

MICROFILMED
OCT 27 1992



#9.

Part of the
Greenbelt being
sprinkled. Facing west.



#10.

One of the
islands in Park
Center Blvd.

MICROFILMED
OCT 27 1982

STATE OF IDAHO
IDAHO DEPARTMENT OF WATER RESOURCES
NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

RECEIVED**MAR 25 1999****WATER RESOURCES
WESTERN REGION**

Please print or type. Attach pages with additional information. Instructions are on the back of this page.
 Incomplete forms will be returned.

Water Right or Adjudication Claim No(s): See Attached Sheet

The following **REQUIRED** information must be submitted with this form:

A. A copy of the most recent **DEED, TITLE POLICY, CONTRACT OF SALE** or other legal document indicating your ownership of the property and water rights or claims in question, **WITH ATTACHED LEGAL DESCRIPTION.**

AND

B. **PLAT OF PROPERTY** or **SURVEY MAP** for parcel of ten acres or less. (These are usually attached to your deed or on file with the county.)

OR

C. For water rights or adjudication claims involving ten or more irrigated acres, a USDA Farm Service Agency **AERIAL PHOTO** with irrigated acres outlined and point(s) of diversion clearly marked.

Name and Address of Former Owner/Claimant See Attached Sheet

4. New Owner/Claimant(s) City of Boise
 Name Connector (Check one): ☐ and, ☐ or, ☐ and/or
 New Mailing Address Parks & Recreation Dept.
1104 Royal Blvd.
 City, State and ZIP Code Boise, ID 83706
 New Telephone Number (208) 384-4060

5. Date you acquired the property _____

6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water right(s) or adjudication claim(s). If this applies, describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages.

Number of acres you irrigate _____ Number and type of stock _____

Diversion rate in CFS _____ Number of homes _____ Other uses _____

If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.

7. Signature of New Owner or Claimant(s) James R. Ball
Director

Corporations or other organizations must submit a list of directors and/or officers demonstrating authority to sign this form.


8. For Snake River Basin Adjudication Claims: Please attach a Notice of Appearance completed by your attorney, if you wish IDWR to correspond with him or her for all matters related to your claims.

City of Boise
Parks & Recreation Department
Water Rights/Adjudication Claims

Names are those found on adjudication profile reports, if water right has been claimed. In many instances different names appear on water right profile reports. The water right names also need to be changed to the corrected name and address.

A63-00164A	City of Boise Parks and Recreation Dept. 1104 Royal Blvd. Boise, ID 83706	A63-03116	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-00164C	City of Boise Parks and Recreation Dept. 1104 Royal Blvd. Boise, ID 83706	A63-03132	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02792	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-03147	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02841	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-03413	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02843	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-03565	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02925	Boise Parks System 1104 Royal Blvd. Boise, ID 83706	A63-07034	City of Boise Parks and Recreation Dept. 1104 Royal Blvd. Boise, ID 83706
A63-02933	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-07179	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02971	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-07523	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-02972	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-07524	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-03069	Boise Parks and Recreation 1104 Royal Blvd. Boise, ID 837062898	63-07549	City of Boise Park Dept. City Hall Boise, ID 83701

E.C. Underhill



63-07728	City of Boise Dept. of Parks City Hall Boise, ID 83702	A63-09670	Boise Park System 1104 Royal Blvd. Boise, ID 83706
63-07592	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10022	City of Boise Dept of Parks 1104 Royal Blvd Boise, ID 83706
A63-07666	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10188	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-07668	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10246	Boise Park System Jullion Park 1104 Royal Blvd. Boise, ID 83706
A63-08025	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10296	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-08263	Boise Park System 1104 Royal Blvd. Boise, ID 83706	✓ 63-10305	Boise City Parks Dept. 1104 Royal Blvd. Boise, ID 83706
A63-08600	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10395A	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-09112	Boise Park System 1104 Royal Blvd. Boise, ID 83706	A63-10395B	Boise Park System 1104 Royal Blvd. Boise, ID 83706
✓ 63-09138	City of Boise c/o Louis Uranga P.O. Box 500 Boise, ID 83701	✓ 63-10750	Boise Park System Mountain View Park 1104 Royal Blvd. Boise, ID 83706
A63-09192	Boise Park System 1104 Royal Blvd. Boise, ID 83706	✓ 63-10752	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-09276	City of Boise Parks and Recreation Dept. 1104 Royal Blvd. Boise, ID 83706	✓ 63-10760	City of Boise Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-09326	Boise Park System 1104 Royal Blvd. Boise, ID 83706	✓ 63-11075	Boise Park System 1104 Royal Blvd. Boise, ID 83706
A63-09362	Boise Park System 1104 Royal Blvd. Boise, ID 83706		

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10305

Priority: July 18, 1985

Maximum Diversion Rate: 0.18 CFS

Maximum Diversion Volume: 180.6 AF

This is to certify, that BOISE CITY PARKS DEPT
1104 ROYAL BLVD
BOISE ID 83706 has

BOISE ID 83706 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 18, 1985; and has submitted Proof of Beneficial Use on December 31, 1990. An examination indicates that the works have a diversion capacity of 1.070 cfs of water from:

**GROUNDWATER
UNNAMED DRAIN**

tributary to **BOISE RIVER**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.18 CFS	30.6 AF
RECREATION STORAGE	01/01 to 12/31		150.0 AF
AESTHETIC STORAGE	01/01 to 12/31		150.0 AF
	Totals	0.18 CFS	180.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 11(SWNE), Sec. 14, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	14	Lot 11(NWNE) 0.4	Lot 11(SWNE) 3.6	Lot 11(SENE) 0.2	
			Lot 8(SWNW) 0.2	Lot 9(SENW) 0.6	Lot 10(NESE) 0.3	
			Lot 10(NWSE) 1.5			6.8

Total number of acres irrigated: 6.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

may be
REPROFILMED

OCT 27 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10305

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
6. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
7. The storage pond is located in SWNE, Lot 11, S14, T03N, R02E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30TH day of SEPTEMBER, 1992.


Acting for R. Keith Higginson, Director

FILED
OCT 27 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10305

APPROVED

Date of Priority: July 18, 1985

Maximum Diversion Rate: 0.18 CFS
Maximum Diversion Volume: 180.6 AF

Comes now
1104 ROYAL BLVD
BOISE ID 83706

BOISE CITY PARKS DEPT

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10305, and requests that the permit be changed as follows:

Source: **GROUNDWATER**
Source: **UNNAMED DRAIN**

tributary to **BOISE RIVER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.18 CFS	30.6 AF
RECREATION STORAGE	01/01 to 12/31		150.0 AF
AESTHETIC STORAGE	01/01 to 12/31		150.0 AF
	Totals	0.18 CFS	180.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 11(SWNE), Sec. 14, Township 03N, Range 02E
ADA County

PLACE OF USE: IRRIGATION
TWN RGE SEC

	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 02E 14	Lot 11(NWNE) 0.4	Lot 11(SWNE) 3.6	Lot 11(SENE) 0.2	
	Lot 8(SWNW) 0.2	Lot 9(SENW) 0.6	Lot 10(NESE) 0.3	
	Lot 10(NWSE) 1.5			6.8
	Total number of acres irrigated:			6.8

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at

Paul Philbrick, this 21st day of September, 1992

Paul Philbrick
(Signature) Park Designer

MODIFIED

OCT 27 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10305

FOR DEPARTMENT USE ONLY

Preliminary check by as Fee = \$20.00 Received by JY # C025530 Date 9/22/92


ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10305 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
6. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
7. ~~The~~ storage pond is located in SWNE, Lot 11, S14, T03N, R02E.

Witness my hand this 30th day of SEPTEMBER, 1992


Acting for R. Keith Higginson, Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Boise City Parks Department Phone 384-4242

Post office address 1104 Royal Blvd., Boise, Idaho 83706

2. Source of water supply Groundwater which is a tributary of Boise River
Unnamed Drains Boise River

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 14 Snake River
Township 3N

Range 2E B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 150AF for Storage for Aesthetics purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 150 AF for Storage for Recreation purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .40 cfs for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .40cfs cubic feet per second and/or b. 150 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Groundwater: 7.5 acre X 20ft. deep
excavation that intercepts the natural groundwater table. Unnamed drain is actually
the storm drains for the areas streets and parking lots. Boise River has (see item 10)

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 14 Township 3N

Range 2E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Wind surfing, swimming and fishing


MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)
SUPERINTENDENT OF DESIGN & DEVELOPMENT
BOISE PARK SYSTEM
1104 ROYAL BLVD
BOISE, IDAHO 83706

MICROFILMED

MICROFILMED

Proposed Priority 7/18/85

Received by 6h5 Date 7/18/85 Time 9:38

Preliminary check by 6h5 Fee \$ 20 # 36192 : Total fee rec'd = \$65.00
245 # 26108

Receipted by jp Date 7/19/85 12/11/85

Publication prepared by jp Date 7/25/85

Published in The Idaho Statesman

Publication dates 8/1 & 8/8/85

Publication approved jp Date 8/9/85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DW tw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10305, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 91.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.

Use of water under this permit is subject to control by the watermaster of State Water District No. 63, Boise River.

Use of water under this permit for irrigation purposes may require the purchase of stored water as determined by the watermaster.

Witness my hand this 7th day of January, 1986.

J. Glen Gayton
Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10305 IN)
THE NAME OF BOISE CITY PARKS DEPARTMENT) ORDER

WHEREAS, on January 7, 1986, the Department of Water Resources issued Permit No. 63-10305 with a condition of approval which states:

A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works prior to diversion of water under this permit,

and;

WHEREAS, the Department of Water Resources has determined that the compliance with this condition of approval is not required at this time;

NOW, THEREFORE, IT IS ORDERED that this condition of approval on Permit No. 63-10305 be REMOVED.

Dated this 28th day of January, 1991.


L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

MAR 18 1991

STATE OF IDAHO)
COUNTY OF ADA) ss.

Laura Gay Barnes, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular Monday edition of The Idaho Statesman in conformity with Sec. 60-108,

Idaho Code as amended, for Two consecutive weekly insertions beginning with the issue of August 1, 19 85, and ending with the issue of August 8, 19 85.

Laura Gay Barnes

Subscribed and sworn to before me this 8th day of August, 19 85.

James M. Hawke
Notary Public for Idaho, Residing at Boise, Idaho.

RECEIVED
AUG 9 1985

MICROFILMED

Department of Water Resources
Western Regional Office

October 2, 1992

BOISE CITY PARKS DEPT
1104 ROYAL BLVD
BOISE ID 83706

RE: WATER RIGHT NO. 63-10305

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

OCT 27 1992

9/22/1992

BOISE CITY PARKS DEPT.

APP FOR AMENDMENT (63-10305)

56105

229 21 1155

20.00

CASH

\$20.00

Region: STATE

Signature: _____

NOT RECORDED

OCT 27 1992

August 31, 1992

BOISE CITY PARKS DEPT
1104 ROYAL BLVD
BOISE ID 83706

RE: WATER RIGHT NO. 63-10305

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

SEP 17 1992

LICENSE REVIEW CHECKLIST


Permit # 63-10305

Date 8-26-92

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?
	<u>Yes</u>	<u>No</u>	Disagree with Actual Measurement?
	<u>Yes</u>	<u>No</u>	Disagree with Theoretical? <u>1.072</u>
	<u>Yes</u>	<u>No</u>	Limited by Capacity? <u>1.07cfs</u>
TOTAL VOLUME	<u>Yes</u>	<u>No</u>	Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
	<u>Yes</u>	<u>No</u>	<u>3-15 to 11-15</u> Standard Irr. Season
	<u>Yes</u>	<u>No</u>	<u>Same Per Permit</u> Season Recommended
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations?
	<u>Yes</u>	<u>No</u>	<u>6.8 x 4.5 = 30.6 ac (IRR) 7.8 x 20' = 156 / 150 ac (STOR)</u>
	<u>Yes</u>	<u>No</u>	Limited by Flow? <u>1.8 x 245 x 1.9835 = 87.5 > 30.6</u>
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended</u> source <u>Drop Boise R.</u>
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.
P/D	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed? <u>Add Lot</u>
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
P/U	<u>Yes</u>	<u>No</u>	Verify with Map <u>Add Lots</u>
	<u>Yes</u>	<u>No</u>	Amendment Needed? <u>Add NONE, SWNW + NWSE</u>
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other
CONDITIONS	<u>Yes</u>	<u>No</u>	Removed
	<u>Yes</u>	<u>No</u>	Measuring Device
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>Yes</u>	<u>No</u>	Overlap
	<u>Yes</u>	<u>No</u>	Water Quality
	<u>Yes</u>	<u>No</u>	DATES/MISC
	<u>Yes</u>	<u>No</u>	<u>63</u> Water Dist.
	<u>Yes</u>	<u>No</u>	App Rec'd
	<u>Yes</u>	<u>No</u>	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres, rate Amend P/U</u>		
	<u>River has changed course since plat map/Using</u>		
	<u>large aerial map River has moved North + Southernly</u>		
	<u>lots expanded - P/U on South side of River/Used Southern</u>		
	<u>Govt. Lot #s per J.J.</u>		
License	<u>10-Day</u>	<u>15-Day</u>	<u>Special Correspondence</u>

DATE: 08/26/92
PAGE: 1

Audit: 08/26/92 SKAGGS



0.11

T03N
R02E

NOT RECORDED
OCT 27 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 63-10305
1. Owner: Boise City Parks Dept Phone No. 384-4242
Current Address: 1104 Royal Blvd, Boise ID 83706
2. Accompanied by: Willy Bennett EXAM. DATE: 7-23-91
Address: _____ Phone No. _____
Relationship to Permit Holder: Grounds Keeper - Ground Chief
3. Source: Groundwater tributary to BOISE RIVER
Unnamed Drain

B. OVERLAP REVIEW


1. Other water rights with same place of use: numerous unrelated

☐ Copies Attached
2. Other water rights with same point of diversion: _____

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = 300'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

OCT 27 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

See Alternative Attachment
Pond Depth 20'

Island Acreage - SW NW = $700' \times 12' / 43560 = .2a$
SE NW = $1100' \times 12' / 43560 = .3a$ NE SE = $1100' \times 12' / 43560 = .3a$
SW NE = $1350' \times 12' / 43560 = .4a$

☒ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. Electric	25		Sta Rite	30E52C575P3

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	NE	14	3N	2E	Ada	USGS Quad / Parks Dept. Aerial Photo / Planimeter
									Aerial Marked by Parks Dept.

6. Place(s) of Use:

Indicate Method of Determination Same as above

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	2E	14		(4)	36	.2			(2)	.6					.3	(1.5)			6.8

MISSOURI

OCT 27 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

25hp pump, 60 psi est for irrig. 5' dynamic - est

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$6.8 \times \frac{.02}{.02} = .20 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\frac{25 \text{ hp} \times 8.8 \times 70\%}{(2.31 \times 60 \text{ psi}) + 5'} = 1.1 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:


$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 6.8 \times 4.5 = 30.6$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 245 \times 1.9835 \times .20 = 97.2$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 30.6$$

2. Volume Calculations for Other Uses:

See remarks for pond volume.





State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

NARRATIVE

Aesthetic and recreational storage were contained in a 7.8 acre pond located directly south of Park Center Boulevard in West Boise. Water for irrigation was obtained directly from the pond.

The source of water for the pond was groundwater seepage and drainage from parking lots to the north of Park Center Blvd. The parking lots drained into the pond via a 24" pipe located in the northeast corner of the pond.

The Parks Dept. also uses water from a canal to supply oxygen to fish living in the pond. The canal water is not used to supplement the ponds water supply. The water from the canal is diverted about 100' to the south. A 14" pipe with a headgate is located in the canal and spills into the pond on the southeast corner. A drain in the southwest corner of the pond returns overflow from the pond to the canal via another 14" pipe.

Irrigation water is diverted through a 15" pipe extending 15' into the eastern side of the pond. A 25h.p. pump supplies water to underground sprinklers in the grounds being irrigated.

The areas being irrigated were as follows: approx. 4 acres of park surrounding the pond (less a parking lot), 12' wide islands of grass and trees extending nearly a mile down Park Center Blvd., and two strips of lawn along the Boise River (less a 10' wide bike path).

Acreage for the pond and park surrounding the pond were calculated with a LaSico planimeter, mod. #42P, serial #B-90848.

*Mark
Sullivan
7-31-91*


MICROFILMED

OCT 27 1992



PERMIT 63-10305 INIT CWS
T. R. S. Q/Q
P/D 3N 2E 14 SW/NE
SCALE _____
PHOTO ID. _____

63-10305



#1.

A 25 h.p.
pump diverts water
from Park Center
pond.



#2.

Pump housing
is located on
eastern side of
pond.

MICROFILMED

OCT 27 1992



H3.


Canal water
Flows into the
pond via a 14"
pipe on the
South-east corner.



H4.

Water is diverted
From the canal
With a headgate
& 14" pipe.

RECEIVED
OCT 27 1992



#18.5.

OverFlow From
the pond returns
to the canal via
a drain 9 1/4"
pipe on the
South-west corner
of the pond.



#16.

Parking lots
drain into pond
through a 24"
pipe on the
north-east corner.

MICROFILMED
OCT 27 1992



#7

Park Center pond &
park, Facing north.



#8

Pond & park,
Facing west.
Canal follows tree
line on the left.

RECEIVED
OCT 27 1992



H9.

Part of the
Greenbelt being
sprinkled. Facing west.



H10.

One of the
islands in Park
Center Blvd.

REMICROFILMED
OCT 27 1982

January 28, 1991

BOISE CITY PARKS DEPARTMENT
1104 ROYAL BLVD
BOISE ID 83706

Gentlemen:

Re: Permit No. 63-10305

On December 31, 1990, the department received the proof of beneficial use and fee. Enclosed is a copy of the order removing the measuring device requirement.

The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Western Regional office will conduct the exam, but he will try to contact you or your representative prior to being in the area.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: W. Region

NOT REFILED

MAR 18 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-10305

Date 1-22-91

GENERAL CONSIDERATIONS

4 Name same as permit?
9 Address same as permit? If no, prepare data entry form.
9 Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

4 Surface water source
4 Ground water source
NO Drill permit req'd?
NO Copy in file? Drill permit no. _____
NO Well log in file?
N/A Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

4 Required?
\$125 Amount submitted?
9 Correct amount? - Note AF amt.

MEASURING DEVICE

Yes Measuring device or access port required?
____ Installed?
____ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Needs meas. dev. + lockable div. works - Condition removed
Proof acceptable

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

LB

REC-1
DEC 31 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Amt. of Fee \$125.00
Date 12-31-90
Receipt No. 0019252
Received by [signature]

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-10305 (Park Center Park) Telephone No. 384-4240

2. Name(s) of Permit Holder(s): BOISE PARK SYSTEM

3. Post Office Address: 1104 ROYAL BOULEVARD

4. Source of Water: GROUNDWATER, UNPAVED DRAINS, TRIB. BOISE RIVER

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: 40 Pressure (psi): _____ Dynamic pumping level (ft.): 2-4'

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 18 (No. of acres)

Stockwater _____ (No. and type of stock)

Other WIND SURFING

SWIMMING / FISHING (RECREATION) and AESTHETIC STORAGE

6. Total rate and/or volume for which proof is submitted .4 cfs 120 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 125 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

DENNIS MEYERS
Name

384-4240
Telephone No.

BOISE PARK SYSTEM

1104 ROYAL BLVD.
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12/28/90
Date

Paul Philbrook Park Designer
Signature (and title if on behalf of a company or organization)

MAR 18 1991

RECEIVED

CITY OF BOISE
PAYMENT VOUCHER

FOR USE ON PARTIAL PAYMENTS AND
NON-PURCHASE ORDER PAYMENTS ONLY.

PAGE 1 OF _

PO DATE 12/10/90	PV DATE	ACCTG PERIOD	BUDGET FY	FUND 001	SCHEDULED PYMT DATE	COMMENTS (12) PARKS	DATE REQUIRED
ORIGINAL ORDER	CONFIRMING ORDER		DATE PURCHASING APPROVED		TOTAL LINE ITEM BUDGETED:		
CODE	PREPARING DEPT/DIV PARKS		INVOICE TO: CITY OF BOISE, PO BOX 500 BOISE, ID 83201		AMT BUDGETED THIS PURCHASE:		
			ATTN:		LINE ORDERED TO DATE:		
					AMT AVAILABLE IN LINE:		
REMIT TO: (name & address) 1241 IDAHO STATE DEPT WATER RESOUR STATEHOUSE BOISE, ID 83720			VENDOR: (name & address)			DELIVER TO: (name & address)	
						IF PURCHASE TOTAL EXCEEDS LINE AMT, SEE LINE 47 WITH EXPLANATION WHY AND WHERE FUNDS WILL BE DRAWN	

[illegible]

MICROFILMED

~~MAR 18 1991~~

APPROVALS		TOTAL	125.00
Clarify bid / release complete (documentation attached) and authorize Purchase Request DEPARTMENT	Reviewed for consistency with City Policy VEHICLE COMMUNICATIONS AND OTHER	Administer bid process and authorize purchase PURCHASING	

SPECIAL INSTRUCTIONS:

☐ MAIL ☒ RETURN TO DEPT ☐ OTHER

DEPARTMENT

ACCT INT

TICKET # 910608

BOISE CITY PARKS DEPT.
1104 ROYAL BLVD.
BOISE, ID 83706

138621
October 31, 1990

PROOF DUE NOTICE

RE: PERMIT NO. 63-10305

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 18 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 03-10305 (Park Center)
Name(s) of Permit Holder(s): BOISE PARK SYSTEM
Post Office Address: 1104 Royal Boulevard
Boise, Idaho 83706 Tel. No. 384-4290

☒ I hereby certify that construction of diversion works for the above referenced permit began on January 1984 (date) at I must continue to develop the water system with sufficient maintenance to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

Above date is when we took over
responsibility of maintaining the Park

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

MICROFILMED

MAR 18 1991

Dan Philbrook

BOISE PARK SY' _____
1104 Royal Blvd. _____
Boise, Idaho 83706 _____

PLACE
STAMP
HERE

RECEIVED



MICROFILMED

MAR 18 1991

FEB 7 1988

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JANUARY 14, 1986

BOISE CITY PARKS DEPT.
1104 ROYAL BLVD.
BOISE, ID 83706

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-10305

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE AND LOCKABLE CONTROLLING WORKS THAT WILL ENABLE THE WATERMASTER TO CONTROL YOUR RATE OF DIVERSION.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 665 APPLICATION NUMBER: 63-10305
CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____
Date: _____
Comments: _____

- ☐ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: August 19 1985
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/9/85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45 / 36108 20/36192
☒ Publication dates and paper, recorded on application. 10 Stateman 2/19 8285
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 63
7/18/85 Date of priority recommended.
Special conditions of approval or cover letter 05 (63, Boise River), 26A, OIE

MICROFILM

Note: Insufficient initial fee payment was based on amount recommended to applicant by Dept. Suggest that the priority not be delayed due to later payment of remainder of fee.
By: Det Date: 12/12/85

STATE OFFICE REVIEW:

LOB, L17 OIE 26 05 (63, Boise R.) **RECEIVED**
☐ See attached sheet for more information.
By: kw Date: 12/19/85 DEC 12 1985

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JULY 25, 1985

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 19, 1985.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before AUGUST 19, 1985.

KEN DUNN, Dir.

Published 08/01 & 08/08/85.

MICROFILMED

63-10305

BOISE CITY PARKS DEPT.

1104 ROYAL BLVD., BOISE, ID 83706

Source: GROUNDWATER
UNNAMED DRAINS trib. to BOISE RIVER
BOISE RIVER trib. to SNAKE RIVER

Date Filed: 07/18/1985

Diversion Pt: SWNE Sec 14 T 03N R 02E

Use: IRRIGATION	(0.40 CFS)
RECREATION STORAGE	(150.0 AF)
AEETHETICS STORAGE	(150.0 AF)

In: SWNE SENE SENW NESE Sec 14 T 03N R 02E NWSE SWSW Sec 13 T 03N R 02E
FOR 18 ACRES

MICROFILMED