

RECEIVED
JUL 1 1985

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Dorothy Hyslop

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

June 20, 27, 1985

Dorothy Hyslop
Subscribed and sworn to before me this
27th day of June

19 85

Janet Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

MICROFILMED

NOTICE OF APPLICATION
FOR WATER RIGHT
The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:
63-10300 ✓ SP
IDAHO POWER CO.
GENERAL BLDGS. DEPT., P.O.
BOX 70, BOISE, ID 83707
Source: GROUNDWATER
Date Filed: 05/15/1985
Diversion Pt: NWNW Sec 08 T 03N
R 02W
Use: IRRIGATION (0.02 CFS)
FIRE PROTECTION (0.60 CFS)
DOMESTIC (0.20 CFS)
In: NWNW Sec 08 T 03N R 02W
FOR 1 ACRE
The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, Western
Region, Statehouse, Boise, Idaho
83720 on or before July 8, 1985.
KEN DUNN
Director
June 20, 27, 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10300

1. ✓ Owner: Idaho Power Company Phone No. 383-2503

Current Address: P.O. Box 70 Boise Idaho 83767

2. Accompanied by: Bob Cooper EXAM. DATE: 7-15-92

Address: Nampa, Idaho Phone No. same

Relationship to Permit Holder: employee

3. ✓ Source: groundwater tributary to N/A


B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-07218 Idaho Potato Growers; Carnation Co.; 63-09051 Ackerson; 63-10066 Carnation Co. ☐ Copies Attached

2. Other water rights with same point of diversion: 63-67218, 63-10066
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached

(required for irrigation of 10 acres or more)

MICROFILMED
APR 16 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



63-10300



View of the wells. They are located to the north / west of the PROPERTY.



View of a pump. Located in a small shed at the north / east corner of the PROPERTY.

APR 16 1993

63-10300



View of the main building.



View of the IRRIGATOR
P/u. All of the lawn is
done by underground SPRINKLER

APR 16 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10300

Priority: July 23, 1985

Maximum Diversion Rate:

0.60 CFS

Maximum Diversion Volume:

2.3 AF

This is to certify, that IDAHO POWER CO
REAL ESTATE DEPARTMENT
PO BOX 70
BOISE ID 83707

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 15, 1985; and has submitted Proof of Beneficial Use on October 9, 1990. An examination indicates that the works have a diversion capacity of .840 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	1.8 AF
DOMESTIC	01/01 to 12/31	0.20 CFS	0.5 AF
FIRE PROTECTION	01/01 to 12/31	0.60 CFS	
	Totals	0.60 CFS	2.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 8, Township 03N, Range 02W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02W	8	NWNW	0.4		0.4

Total number of acres irrigated: 0.4

PLACE OF USE: DOMESTIC, same as IRRIGATION use

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

APR 16 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 63-10300

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
6. Domestic use is for an operations building.
7. Two points of diversion are located within NNW, S08, T03N, R02W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16TH day of MARCH, 1993.

Acting for


R. Keith Higginson, Director

APR 16 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10300 IN THE)
NAME OF IDAHO POWER COMPANY) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1990; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on October 9, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10300 be REINSTATED and the priority advanced to July 23, 1985.

Dated this 31st day of December, 1990.

L. Glen Saxton

L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

JAN 29 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant IDAHO POWER COMPANY
General Buildings Dept. Phone 383-2503

Post office address P. O. Box 70, Boise, ID 83707

2. Source of water supply Ground Water which is a tributary of -----

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 8 Township 3N

Range 2 W B.M. Canyon County, additional points of diversion if any: -----

4. Water will be used for the following purposes:

Amount .20 for R/W DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum) year round

Amount .02 for IRRIGATION purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .60 for Fire Protection purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount ----- for ----- purposes from ----- to ----- (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .60 cubic feet per second and/or b. ----- acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. -----

5 H.P. Domestic pump, and 30 H.P. Fire protection pump

b. Height of storage dam ----- feet, active reservoir capacity ----- acre-feet; total reservoir capacity ----- acre-feet, materials used in storage dam: -----

Period of year when water will be diverted to storage ----- to ----- inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 180 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 8 Township 3N

Range 2 W B.M.

(2) Amount of power to be generated: ----- horsepower under ----- feet of head.

(3) List number of each kind of livestock to be watered -----

(4) Name of municipality to be served -----, or number of families to be supplied with domestic water -----. One operations building.

(5) If water is to be used for other purposes describe: -----

Toilet rooms, general building operations, and yard irrigation.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	2W	8						1											1

Total number of acres to be irrigated 1

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion IDAHO POWER CO.

b. Who owns the land to be irrigated or place of use _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

The image shows a full-page grid of graph paper. The grid consists of small squares formed by thin black lines. In the upper-left quadrant, there are two labels. The first label, located at approximately row 10, column 15, reads "* - Well". The second label, located at approximately row 16, column 17, reads "Section 8". Both labels are printed in a simple, sans-serif font. The rest of the page is empty grid space.

MICROFILMED

Proposed Priority 5/15/85

MICROFILMED

Received by GLS Date 5/15/85 Time 2:30

Preliminary check by GLS Fee \$ 451 36063

Receipted by JP Date 5/15/85

Publication prepared by JP Date 6/13/85

Published in Press-Tribune

Publication dates 6/20 & 6/27/85

Publication approved h Date 7/1/85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10300, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 27th day of August, 1985.

A. Glen Saxton
Chief, Operations Bureau

RECEIVED
JUL 1 1985

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Canyon)

Dorothy Hyslop
of Nampa, Canyon County, Idaho, being first duly sworn, deposes
and says:

1. That I am a citizen of the United States of America, and at all
times hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a
daily, (except Saturday) newspaper published in the City of Nampa
and Caldwell, in the County of Canyon, State of Idaho; that the said
newspaper is in general circulation in the said County of Canyon,
and in the vicinity of Nampa and Caldwell, and has been uninter-
ruptedly published in said County during a period of seventy-eight
consecutive weeks prior to the first publication of the notice, a copy
of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was
published in said newspaper

Two times
in the regular and entire issue of said paper, and was printed in
the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

June 20, 27, 1985

Dorothy Hyslop
Subscribed and sworn to before me this
27th day of June
19 85

Ismael Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 16, 1993

IDAHO POWER CO
REAL ESTATE DEPARTMENT
PO BOX 70
BOISE ID 83707

RE: WATER RIGHT NO. 63-10300

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

APR 16 1993

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 03/04/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	IDAHO POWER CO REAL ESTATE DEPARTMENT PO BOX 70 BOISE ID 83707 (208) 383-2503	07/23/1985	IRRIGATION DOMESTIC FIRE PROTECTION	03-15 11-15 01-01 12-31 01-01 12-31	0.02 CFS 0.20 CFS 0.60 CFS	1.8 AFA 0.5 AFA
TOTAL DIVERSION:					0.60 CFS	2.3 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.84 CFS

Point(s) of Diversion: T03N R02W S08 NW NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE										
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM		
---	---	---	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	---
03N	02W	8	:					:			.4		:					:							:	0.4
																TOTAL ACRES										0.4

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Place of use location for FIRE PROTECTION is the same location as described for: IRRIGATION

Pou County: CANYON

Non-Irrigation Uses: ~~D/TOILET ROOMS, GENERAL BLDG. OPERATIONS~~

Other Water Rights with Same Point(s) of Diversion and Source:
63-07218 63-10066 63-10300

Other Water Rights Listing Overlapping Place(s) of use:
63-07218 63-09051 63-10300 L63-09051

Conditions of Approval:

- R27 - This right when combined with all other rights shall provide no
- more than 4.5 afa per acre for the lands above.

Remarks: Domestic use is for an operations building.
Two points of diversion are located within NWNW, S08, T03N, R02W.

Dates: App. Received: 05/15/1985 Priority Date: 07/23/1985 (Priority Date Advanced.)
Proof Due Date: 08/01/1990 Proof Made Date: 10/09/1990 (Proof Received Late.)
Exam Made Date: 07/15/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 03/04/93 SKAGGS

38 03-04-93

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10300


1. Owner: Idaho Power Company Phone No. 383-2523
Current Address: P.O. Box 70 Boise Idaho 83727
2. Accompanied by: Bob Cooper EXAM. DATE: 7-15-92
Address: Nampa, Idaho Phone No. None
Relationship to Permit Holder: employee
3. Source: groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-07218 Idaho Plate Growers; Carnation Co.; 63-09051 Adkinson; 63-10066 Carnation Co. ☐ Copies Attached
2. Other water rights with same point of diversion: 63-67218, 63-10066 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)

RECORDED
APR 16 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system uses 2 wells. One well is 12" 226' deep and has a 25 hp motor on it. It is used for Irrigation & Fire Protection. The other well is a 6" 200' deep with a 5 hp motor. It is used for Domestic uses. Both have static of 16' and dynamic levels of 90'. The system uses underground sprinklers to on.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		25			
submersible		5			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			nw	nw	8	3n	2w	Canyon	Quads; Field Exam

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3n	2w	8						35											.45
								D											D
								FP											FP
																			.4

Do not use this space

APR 16 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements:

#1

$$\text{Theoretical: } 25 \times 8.8 \times .70 = 154 = .68 \text{ cfs}$$

$$90 + (2.3 \times 60 \text{ psi}) = 228$$

$$5 \times 8.8 \times .70 = 30.8 = .16 \text{ cfs}$$

$$90 + (2.3 \times 45 \text{ psi}) = 193.5$$

.84 capacity

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Theoretical = #1 IRRIGATION: FIRE PROTECTION: .68 cfs

Fire Pro. = .68 cfs
Irrigation = .35 x .03 = .01 cfs
Allow .02 cfs (IRR) per permit

Theoretical = #2 Domestic = .16 cfs

20 fixtures @ 5 gpm = 100 GPM / 448.8
Exhibit 13 = .22 cfs

2. Alternate Method for Checking Purposes:

None.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{.4}{.35} \times 4.5 = 1.8 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{.02}{.67} \times 214 \text{ (Permit Season)} \times 1.9835 = 276.4 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.8 + 56 \text{ AFA (IRR)}$$

2. Volume Calculations for Other Uses:

Allow Standard Irrigation Season $V_{D.R.} > V_{I.R.}$

Domestic = 2 drinking fountains; one ice machine; 3 sinks; one washer; 5 toilets; 4 urinals; misc
100 GAL/DAY 10 GAL/DAY 75 GAL/DAY 100 GAL/DAY 100 GAL/DAY 50 GAL/DAY 50 GAL/DAY
485 GAL/DAY x 312 wk/days = 151,320 GAL/YR
325850 = 246 AFA (DOM)

Fire Protection = NA

APR 16 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* neighbors we #3 do not overlap this P/U or P/D.

Remarks - 2 P/Ds/NW/NW, DOM/Operations Bldg.

Conditions - B27

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15-91	11-15	.02 - 61 cfs	1.8 - 58 AFA
Fire Protection	1-1	12-31	.60 cfs	—
Domestic	1-1	12-31	.20 cfs	.5 - 46 AFA
Totals:			.60 cfs	2.32 - 64 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name

DAVID GRAY


CS 03-04-93

Signature

Certification Date

Field Report Preparation Date

8-10-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 16 1993

Dariusz well

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10300

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 2w, Sec. 8, nw 1/4 nw 1/4 or Lot _____.

2. Owner: Idaho Power Co.

Address P.O. Box 70, City Bonne, St Id.

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: 16"
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 6"
Flowing: Yes _____ No ☒ Temperature: _____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

APR 16 1993

Irrigation: Fire Protection

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10300

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 2w, Sec. E, nw1/4 nw1/4 or Lot _____.

2. Owner: Idaho Power Company

Address P.O. Box 70, City Boise, St Idaho

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Yes ☒ No ☐	Static Water Level:	<u>16'</u>
Pressure Gauge:	Yes ☐ No ☒	Casing Diameter:	<u>12"</u>
Flowing:	Yes ☐ No ☒	Temperature:	<u>NA</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

APR 1993

63-10300



View of the wells. They are located to the north / west of the PROPERTY.



View of a pump. Located in a small shed at the north / east corner of the PROPERTY.

APR 16 1993

63-10300

View of the main building.



View of the IRRIGATORS
P/u. all of the lawn is
done by underground SPRINKLES



APR 16 1953

February 7, 1991

IDAHO POWER COMPANY
CANYON OPERATION OFFICE
P O BOX 9429
Nampa ID 83652

Gentlemen:

Re: Permit No. 63-10300

Returned is the proof of beneficial use form received in this office on January 29, 1991. Proof was previously submitted on this permit on October 9, 1990. It is not necessary to have a duplicate of this form in the file.

If you have any questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

150

APR 16 1993

January 3, 1991

IDAHO POWER CO.
GENERAL BLDGS. DEPT.
P.O. BOX 70
BOISE, ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10300

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

JAN 29 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-10300

Date 12-21-90

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☐ Surface water source
☒ Ground water source
☒ Drill permit req'd? Drilled 1983
☐ Copy in file? Drill permit no. _____
☐ Well log in file?
☐ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

☒ Required?
100 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Reinstated & advance priority

PRIORITY CALCULATION


Date proof received 10-9 282
Date proof due 8-1 - 213 lapse sent 8-15
No. of days late = 69
Priority date May 15, 85 + 135
NEW PRIORITY DATE July 23, 85 = 204

RECEIVED
OCT 9 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10300 Telephone No. 383-2693

Name(s) of Permit Holder(s): IDAHO POWER COMPANY, ATTN REAL ESTATE DEPT.

Post Office Address: POST OFFICE BOX 70, BOISE, IDAHO 83707

Source of Water: Groundwater

If ground water, well driller's name: Pete Cope Drilling Date drilled: Sept, 1985

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other Office, Fire Protection,
Landscape Irrigation

Total rate and/or volume for which proof is submitted .600 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: November 5, 1985

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Bill Cooper
Name

465-7713

Telephone No.

2420 Chacartegue, Nampa, Idaho 83651

Address

RECORDED

The above information is my true statement of the extent to which the above 100.00 permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10-4-90
Date

David L. Hogg Real Estate Specialist
Signature (and use if on behalf of a company or organization)

Snake River



Hydro Power

IDAHO POWER COMPANY

Box 70 • Boise, Idaho 83707

RECEIVED
OCT 9 1990

October 4, 1990

Department of Water Resources
1301 South Orchard Street
Statehouse Mail
Boise, Idaho 83720

Department of Water Resources

Dear Sir or Madam:

Enclosed please find Idaho Power Company's completed Proof of Beneficial Use form and accompanying payment for the license examination fee in the amount of \$100.00 for Permit #63-10300. The person you will need to contact for the field examination is Bill Cooper at 465-7713.

If you should have any further concerns or questions on this matter, please direct them to me.

Very truly yours,

Les Hogg
Real Estate Specialist
Real Estate Department
PH: 383-2693

DLH:emv
Enclosures

RECEIVED

JAN 29 1991

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

August 13, 1990

IDAHO POWER CO.
GENERAL BLDGS. DEPT.
P.O. BOX 70
BOISE, ID 83707

LAPSE NOTICE

RE: PERMIT NO. 63-10300

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated May 31, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

RECEIVED

JAN 29 1991

CERTIFICATION OF MAILING

I hereby certify that on 8-15-90
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

138814
May 31, 1990

IDAHO POWER CO.
GENERAL BLDGS. DEPT.
P.O. BOX 70
BOISE, ID 83707

PROOF DUE NOTICE

RE: PERMIT NO. 63-10300

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 29 1991

(STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES)
COMMENCEMENT OF WORKS

Permit No. 63-10300
Name(s) of Permit Holder(s): IDAHO POWER CO.
Post Office Address: P.O. BOX 70
BOISE, IDAHO 83703 Tel. No. 283-2503

☒ I hereby certify that construction of diversion works on the above referenced permit began on 5-1-85 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is
not an acceptable reason.

9-11-85
Date

Robert F. Watson
Signature of Permit Holder

GENERAL BUILDINGS
IDAHO POWER CO.
P.O. BOX 70
BOISE, IDAHO 83707



PLACE
STAMP
HERE

RECEIVED



MICROFILMED
JAN 29 1991

SEP 12 1985 IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

September 10, 1985

RE: Permit No. 63-10300

Idaho Power Co.
General Buildings Dept.
Box 70
Boise, ID 83707

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS APPLICATION NUMBER: 63-10300

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: JP Date: 6/17/85

PROCESSING:

☐ Yes ☐ No Platted by: _____ Map No. _____

☐ Yes ☒ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

☐ Yes ☐ No Final date for protests: July 8, 1985

☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 7/1/85

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application. 45/36043

☒ Publication dates and paper, recorded on application. 7/20/85 & 6/27/85

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 63

5/15/85 Date of priority recommended.

Special conditions of approval or cover letter. _____

26

By: DBS
STATE OFFICE REVIEW:

Date: 7/9/85

MICROFILMED

RECEIVED

JUL 16 1985

Department of Water Resources

☐ See attached sheet for more information.

By: KW

Date: 7/31/85

105, 117 26

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENT - 801 Reserve Street, Boise, Idaho 83712

June 26, 1985

RECEIVED
JUN 27 1985

Department of Water Resources

David P. Shaw
Western Regional Supervisor
Department of Water Resources
Statehouse
Boise, Idaho 83720

RE: 65-12733-Water Resources Board
65-10300-Idaho Power Company

Dear Mr. Shaw:

The above referenced applications have been reviewed by this office. We have no objections or comments.

Sincerely,

A handwritten signature in cursive script, appearing to read "George Varin".

George Varin
Senior Water Quality Specialist

GV:cs

cc: Craig Shepard

RECEIVED
JUN 27 1985

Department of Water Resources
Western Regional Office

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

June 17, 1985

George Varin
Idaho Department of Health & Welfare
Division of Environment
Statehouse
Boise, ID 83720

Re: No. - 65-103~~90~~ - Idaho Power Co.

Dear Mr. Varin:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application, your written protest must be received in this office by July 8, 1985.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Regional Supervisor

DBS:jp

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JUNE 13, 1985

Idaho Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 8, 1985.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JULY 8, 1985.

KEN DUNN, Dir.

Published 06/20 & 06/27/85.

MICROFILMED

63-10300

IDAHO POWER CO.

GENERAL BLDGS. DEPT., P.O. BOX 70, BOISE, ID 83707

Source: GROUNDWATER

Date Filed: 05/15/1985

Diversion Pt: NWNW Sec 08 T 03N R 02W

Use: IRRIGATION	(0.02 CFS)
FIRE PROTECTION	(0.60 CFS)
DOMESTIC	(0.20 CFS)

In: NWNW Sec 08 T 03N R 02W FOR 1 ACRES

MICROFILMED