


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Cooper
(Applicant)
John Cooper Director, Boise Park System

MICROFILMED

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

Laura Gay Barnes, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular Monday edition of The Idaho Statesman in conformity with Sec. 60-108,

Idaho Code as amended, for Two consecutive weekly insertions beginning with the issue of May 30, 1985, and ending with the issue of June 6, 1985.

Laura Gay Barnes

Subscribed and sworn to before me this 6th day of June, 1985.

Jeanne M Hawk
Notary Public for Idaho, Residing at Boise, Idaho.

RECEIVED

JUN 7 1985

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10296

BOISE PK. SYSTEM
WILLOW LANE ATHLETIC COM.
1104 Royal Blvd., Boise, Id 83706
Source: GROUNDWATER
Date Filed: 05/22/1985
Diversion Point:
SENW Sec 32 T 04N R 02E
Use: IRRIGATION (1.00 CFS)
In: SENW Sec 32 T 04N R 02E
For 25 Acres



The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Department of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on, or before, June 17, 1985.

KEN DUNN
Director

Pub. May 30, June 6, 1985

8126

MICROFILMED



APR 16 1993

PERMIT 63-10296 INIT AWS
T. R. S. Q/Q
P/D 4N DE 32 SE/NW
SCALE
PHOTO ID.

R 16 1993

Pla



63-10216



The well.



Field #2
on the left.
Field #1 on the
right.
Facing West

REMOVED
APR 16 1993



Field #3 on
the right.

Soccer Field
on the left.

Facing North-
West



Soccer Field.

APPROVED

APR 16 1993

63-10296



Part of
Greenbelt
Path in
background.
Facing
South-West
From Parking
Lot.

Field #4 on
right.



Sprinklers on
Field #1.

APR 16 1993

APR 16 1993

63-10296



Neighborhood
Park.
Facing West

FILED

APR 16 1993

MICROFILMED

Page 1 of 1

REFERENCE PURCHASE ORDER			AGENCY	ORGANIZATION	SUB ORG	ACTIVITY	OBJECT	SUB OBJ	REPT CATEG	BAL SHEET ACCT	INVOICE NO. / DESCRIPTION (30)	AMOUNT	INC/DEC IND	P F
CODE	NUMBER	LINE												
			10	502		6851					Water Permit	45.00		
TOTAL												45.00		

☐ MAIL ☒ RETURN TO DEPARTMENT ☐ OTHER _____

DEPARTMENT HEAD SIGNATURE

ACCTG INT. _____

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10296

Priority: May 22, 1985

Maximum Diversion Rate:

1.00 CFS

Maximum Diversion Volume:

94.5 AF

This is to certify, that BOISE PARK SYSTEM
1104 ROYAL BLVD
BOISE ID 83706

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 22, 1985; and has submitted Proof of Beneficial Use on May 31, 1990. An examination indicates that the works have a diversion capacity of 1.000 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.00 CFS	94.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 32, Township 04N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06N	10E	36	NENW			
04N	02E	32	SENW	21		21

Total number of acres irrigated: 21

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Place of use is located within Willow Lane Athletic Complex.


APR 16 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10296

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of MARCH, 1993.

Acting for 
R. Keith Higginson, Director

APR 16 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

BOISE PARK SYSTEM

1. Name of applicant Boise Park System Willow Lane Athletic Complex Phone 384-4240
Post office address 1104 Royal Boulevard, Boise, Idaho 83706

2. Source of water supply Groundwater which is a tributary of Snake River

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 32 Township 4N
Range 2E B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.00 cfs for irrigation purposes from April 1 to Oct 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.00 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well with submersible pump piped to
a buried sprinkler system in park.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 10 inches; proposed depth of well is 250 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	2E	32								25									25
Total number of acres to be irrigated																			25

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion City of Boise

b. Who owns the land to be irrigated or place of use City of Boise

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Water will be used for night irrigation of Willow Lane Athletic Complex lawn and planting areas. The amount applied for exceeds that normally used for irrigation but this is necessary to insure minimum public inconvenience during daylight hours and is consistent with previous applications approved for city parks. The high application rate is necessary to provide peak irrigation requirements during the maximum growing season within the limited time available for night irrigation during long daylight-hour days in the summer.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)
John Cooper Director, Boise Park System
MICROFILMED

Proposed Priority 5/22/85

MICROFILMED

Received by mn Date 5-22-85 Time 11:26 A.M.

Preliminary check by JG Fee \$ 45⁰⁰/₁₀₀ # 36065

Receipted by mn Date 5-22-85

Publication prepared by JP Date 5/23/85

Published in The Idaho Statesman

Publication dates 5/30 & 6/6/85

Publication approved JS Date 6/11/85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DJS KW

OFFICE OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 2-10296, and said application is hereby APPROVED.

1. Approval ~~of~~ application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 90.

~~c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.~~

C. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 19th day of June, 1985.

J. Glen Saylor
Chief, Operations Bureau

STATE OF IDAHO)
COUNTY OF ADA) ss.

Laura Gay Barnes, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular Monday edition of The Idaho Statesman in conformity with Sec. 60-108,

Idaho Code as amended, for Two consecutive weekly insertions beginning with the issue of May 30, 1985, and ending with the issue of June 6, 1985.

Laura Gay Barnes


Subscribed and sworn to before me this 6th day of June, 1985.

James M. Hawick
Notary Public for Idaho, Residing at Boise, Idaho.

RECEIVED

JUN 7 1985

Department of Water Resources
Western Regional Office



MICROFILMED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Boise City Parks Dept
Address 1104 Royal Blvd 83706
Owner's Permit No. 63-85-C-0041-000

7. WATER LEVEL

Static water level 8" feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ OF. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

WR 63-10296

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
60	19	1
75	23	2

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☒ Yes ☐ No
Manufacturer's name Johnson
Type stainless steel Model No. 304
Diameter 6 Slot size 25 Set from 26 feet to 36 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 20 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____
☐ Cemented between strata
Describe access port _____

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	1	topsoil		X
	1	3	sand	X	
	3	36	sand & gravel	X	
	36	38	silty brown clay		X
	38	41	blue clay		X

RECEIVED
JUL 22 1985

Department of Water Resources
Western Regional Office


RECEIVED
JUL 22 1985

Department of Water Resources

MICROFILMED

6. LOCATION OF WELL

Sketch map location must agree with written location.



on Willow Lane
Subdivision Name WILLOW LANE PARK
Willow Lane Park
Lot No. _____ Block No. _____

County Ada
S/E 1/4 N/W 1/4 Sec. 32 T. 4 N. R. 2 E.W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name W.E. Stevens & Sons Firm No. 153
Address 3709 Hawthorne Drive Date 7/18/85
Signed by (Firm Official) [Signature]
and
(Operator) [Signature]

10.

Work started 7/15/85 finished 7/17/85

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Boise City Parks Dept
Address 1104 Royal Blvd 83706
Owner's Permit No. 63-85-C-0042-000

2. NATURE OF WORK

W.R. 63-10296

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	8 inches	+ 116" feet	2913" feet
.250 inches	6 inches	2613" feet	301" feet
.250 inches	6 inches	401" feet	4513" feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No
Manufacturer's name Johnson
Type stainless steel Model No. 304
Diameter 6 Slot size 25 Set from 30 feet to 40 feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 20 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port _____

7. WATER LEVEL

Static water level 4 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ OF. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump	☐ Bailer	☐ Air	☐ Other
Discharge G.P.M.	Pumping Level	Hours Pumped	
45	19'2"	15 min	
60	24'10"	1 1/2	
75	28'	2	

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	4	topsoil		X
	4	40	sand & gravel	X	
	40	41	brown clay		X
	41	45'3"	blue clay		X

RECEIVED
JUL 22 1985

Department of Water Resources
Western Regional Office

RECEIVED
JUL 22 1985

Department of Water Resources

MICROFILMED


MICROFILMED

10.

Work started 7/2/85 JUN 14 1988 finished 7/8/85

6. LOCATION OF WELL

Sketch map location must agree with written location.



Willow Lane Park # 2
Subdivision Name

Lot No. _____ Block No. _____

County Ada

S/E 1/4 N/W 1/4 Sec. 32, T. 4 N. R. 2 E.W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name W.E. Stevens & Sons Firm No. 153

Address 3709 Hawthorne Drive Date 7/9/85

Signed by (Firm Official) Wayne Stevens

and
(Operator) Don Stevens



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 16, 1993

BOISE PARK SYSTEM
1104 ROYAL BLVD
BOISE ID 83706

RE: WATER RIGHT NO. 63-10296

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on
the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED

APR 16 1993

WR0749NP
No. L63-10296

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 03/08/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BOISE PARK SYSTEM 1104 ROYAL BLVD BOISE ID 83706 (208) 384-4240	05/22/1985	IRRIGATION	03-15 11-15	1.00 CFS	94.5 AFA
TOTAL DIVERSION:					1.00 CFS	94.5 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 1.00 CFS

Point(s) of Diversion: T04N R02E S32 SE NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
04N	02E	32	:																	:	21.0
																				TOTAL ACRES	21.0

Pou County: ADA

Other Water Rights with Same Point(s) of Diversion and Source:
63-10296

Other Water Rights Listing Overlapping Place(s) of use:
63-02406 63-10296

Conditions of Approval:

R27 - This right when combined with all other rights shall provide no
more than 4.5 afa per acre for the lands above.

Remarks: The right holder shall fully use all surface water rights
appurtenant to the lands identified above prior to using water
under this right.
Place of use is located within Willow Lane Athletic Complex.

Dates: App. Received: 05/22/1985 Priority Date: 05/22/1985
Proof Due Date: 06/01/1990 Proof Made Date: 05/31/1990
Exam Made Date: 06/16/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 03/08/93 SKAGGS

7

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10296

1. Owner: Boise Park System, Willow Lane Athletic Complex Phone No. 384-4240

Current Address: 1104 Royal Blvd., Boise, ID 83726

2. Accompanied by: Joe Boggs EXAM. DATE: 6-17-92

Address: _____ Phone No. _____

Relationship to Permit Holder: Maintenance

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached

2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

SEE Attached

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached

(required for irrigation of 10 acres or more)

RECEIVED
APR 16 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 25 h.p. pump is located in an 8" dia, 41' deep well. Two other wells have also been drilled for irrig purposes, but they are not in use. The well discharges into a 6" pipe before splitting off into underground sprinklers. Rainbird R-50 sprinklers are used and a measurement was made on a station containing 18 ^{sprinklers} nozzles with a #6 head. The system was operating at 50-60 psi. The water is used on four baseball fields, a soccer field, a neighborhood park, around a greenbelt path, and between the fields.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	25	Model #	N/A	
	Electric		2366156010		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	32	4N	2E	Adn	USGS Photo Quad

6. Place(s) of Use:

Indicate Method of Determination USGS Photo Quad

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	2E	32								21									21
																			21

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure Gauge						

2. Measurements:

8.3
Rainbird R-50 nozzle # 6.0 55 psi avg = 4.2 GPM per sprinkler
Approx 20' dynamic level

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 3 stations x 18 heads x 8.3 gpm = 448.2 gpm = .999 $\approx$ 1.0 cfs (IRR) capacity
1-station = $\frac{4.2 \text{ GPM} \times 18 \text{ heads}}{8.3 \text{ head}} = .33 \text{ cfs}$
 $\frac{1}{448.8} = .33 \text{ cfs}$
 $\frac{.04 \text{ cfs} \times 2 \text{ acres}}{1 \text{ acre}} = .84 \text{ cfs}$

2. Alternate Method for Checking Purposes:

$\frac{25 \text{ hp} \times 70\% \times 8.8}{(2.31 \times 55) + 20} = 2.7 \text{ cfs}$ 1.05 cfs

*See remarks

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 21 \times 4.5 = 94.5 \text{ ac-ft}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.0 \times 33 \text{ cfs} \times 214 \text{ (Permit Season)} = 424.5 \text{ ac-ft}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 94.5 \text{ ac-ft (IRR)}$

Allow Standard **WED**

2. Volume Calculations for Other Uses:

Park Bill Fields Soccer Field Green & H
Acreage = $(650' \times 400') + \frac{1}{3} \times 380' \times 450' \times 4 + (300' \times 450') + 1500' \times 60' = 19 \text{ acres} + \text{various land in between}$
Land listed as 25 acres by Park System, less approx 4 acres of Parking lot & Roads.

APR 16 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Dimensions for each Field were listed on sprinkler charts provided by the Parks System. Approx 21 acres are being irrigated.

A high application rate is necessary to allow peak irrig requirements during night watering, due to public use during the day. A rate of 0.46 cfs/acre is recommended by the permit but not achievable by this system.

Trevor Adams, Assistant Superintendent Operations Boise Park System confirmed that typically 3 stations on system are run at a time in order irrigate entire P/U within a limited time period. CS 03-03-93

Remarks - WBS/GW Supplemental, P/U

Conditions - B 27

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	1.0 - 33 cfs	94.5 afa
Totals:			1.0 - 33 cfs	94.5 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other


J. AUTHENTICATION

Field Examiner's Name Mark Senior

CS 03-03-93 Signature Mark Senior

Certification Date _____

Field Report Preparation Date 6-19-92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 16 1993

PERMIT 63-14296 INIT AWS
T. R. S. Q/Q
P/D 4N 32 SE/WS
SCALE
PHOTO ID.


R 16 1993

Pla


BOISE



63-10216



The well.




Field #2
on the left.
Field #1 on the
right.

Facing West

APR 16 1993


63-10296



Field #3 on
the right.

Soccer Field
on the left.

Facing North-
West




Soccer Field.

16 1993

1 6 1993

63-10296



Part of
Greenbelt
Path in
background.
Facing
South-West
From Parking
Lot.


Field #4 on
right.



Sprinklers on
Field #1.

APR 16 1993

63-10276



Neighborhood
Park.
Facing West



6 1993

INTER-DEPARTMENT MEMO — 1

FROM

Jan Thutle

DATE

10-17-90

TO

Permit No. 63-10296, Willow Lane

SUBJECT

M.D. requirement conversation memo
(BOISE PARK SYS.)

I spoke w/ Paul Philbrook of City of Boise
concerning the proof acknow. letter they
received which referenced their meas. dev.
requirement & wondered if one was installed
& told them it must be by the time a year
exam is conducted. He stated they
McCometer flowmeter installed now.

APR 16 1993

SIGNATURE

Totold Jim
would document
that in the file.

June 19, 1990

BOISE PARK SYSTEM
WILLOW LN. ATHLETIC COMPLEX
1104 ROYAL BLVD.
BOISE, ID 83706

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10296

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

/

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUN 21 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10296

Date: 6-12-90

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
☒ Groundwater
_____ 1. well log in file 85-86
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

needs flow measurement

Priority Calculation:

Date proof received	<u>NA</u>	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

For Office Use Only
Amt. of Fee \$ 100.00
Date 5/31/90
Receipt No. 2017061
Received by [Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
MAY 31 1990

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. A 63-10296 Telephone No. 384-4240

Name(s) of Permit Holder(s): BOISE PARK SYSTEM

Post Office Address: 1104 ROYAL BLVD.

Source of Water: GROUNDWATER

If ground water, well driller's name: STEVENS & SONS Date drilled: 7-8-85 7-16-86
7-7-85

Extent of Use:
Domestic _____ (No. of households) Irrigation 25 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 1.0 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 10-85 7-87

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 100 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

SKIP GATES 384-4326
Name Telephone No.

BOISE PARK SYSTEM 1104 Royal Blvd Boise, Id. 83706
Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5/31/90 [Signature] Park Designer
Date Signature (and title if on behalf of a company or organization)

PAGE 1 OF 4

DELIVER TO: (name & address)

MICROFILMED
JUN 21 1990

TICKET # 901753

138537
March 31, 1990

BOISE PARK SYSTEM
WILLOW LN. ATHLETIC COMPLEX
1104 ROYAL BLVD.
BOISE, ID 83706

PROOF DUE NOTICE

RE: PERMIT NO. 63-10296

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-10296 (Willow Lane Athletic Complex)
Name(s) of Permit Holder(s): BOISE PARK SYSTEM
Post Office Address: 1104 ROYAL BOULEVARD
BOISE, IDAHO 83706 Tel. No. 384-4240

☒ I hereby certify that construction of diversion works for the above referenced permit began on July 2, 85 (date) and that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control:
Construction ended on July 17-87.

*Note: A financing difficulty is not an acceptable reason.

2/5/86
Date

Paul Phillips
Signature of Permit Holder

BOISE RK SYSTEM

1104 Royal Blvd.

Boise, ID 83706

PLACE
STAMP
HERE

MICROFILMED

JUN 21 1990

RECEIVED



FEB 7 1989

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water Resources
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BOISE PARK...SYSTEM WILLOW LN. ATHLETIC COM
1104 ROYAL BLVD.
BOISE, ID 83706

JULY 03, 1985

RE: PERMIT NO. 63-10296

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

MICROFILMED

RE: PERMIT 63-10296

PAGE 01
JULY 03, 1985

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Grover

APPLICATION NUMBER: 63-10296

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: June 17, 1985
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/17/85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45/26065
☒ Publication dates and paper, recorded on application. to Stetson
☒ Protests, dates, withdrawal, etc., recorded on application. 3/30 & 4/6/85
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☐ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 63
☒ 5/22/85 Date of priority recommended.
Special conditions of approval or cover letter. I.P. GW letter

(26)

see remarks on app. for excessive amt.

By: DBS

Date: 6/17/85

STATE OFFICE REVIEW:

103, 105, 117

26 OIC

- ☐ See attached sheet for more information.

By: KW

Date: 6/18/85

MICROFILMED
REC
JUN 18 1985

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MAY 23, 1985

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 17, 1985.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JUNE 17, 1985.

KEN DUNN, Dir.

Published 05/30 & 06/06/85.

MICROFILMED

63-10296

BOISE PK. SYSTEM WILLOW LN. ATHLETIC COM

1104 ROYAL BLVD., BOISE, ID 83706

Source: GROUNDWATER

Date Filed: 05/22/1985

Diversion Pt: SENW Sec 32 T 04N R 02E

Use: IRRIGATION (1.00 CFS)

In: SENW Sec 32 T 04N R 02E FOR 25 ACRES

MICROFILMED