


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.





Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Philip M. Kungen
OWNER (Applicant)

MICROFILMED





3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Windmill	pump				1 1/2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

APR 30 1996

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gal Bucket						

2. Measurements:

5 lateral lines x 2' spacing x 500' long = 43560 = .11
 25 " " " " 100' " 70M / 2 = 35M
 28 " " " " 240' " 420M / 2 = 210M

~.5 ac habitat enhancement + .53 acre actual irrig of trees
 <.5 + .53 = 1 acre recommended>

T2N
R3E
Sec 2
SENE

storage tank
well
water tank

RECORDED

APR 30 1966

63-10285





- P/D
6" well
windmill
pump

500 Gal
storage
tank,
controlling
works -
1



MICROFILMED
APR 30 1996

63-10285



1
P/u
1



3 0 1996

WED

63-10285

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10285

Priority: August 1, 1985

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

4.5 AF

This is to certify, that RIMROCK RANCH
HC 33 BOX 1023
BOISE ID 83706

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 19, 1985; and has submitted Proof of Beneficial Use on August 14, 1990. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/15	0.02 CFS	4.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SENEW, Sec. 2, Township 02N, Range 03E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	03E	2	SENEW	1	1

Total number of acres irrigated: 1

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

RECEIVED


APR 30 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10285

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2ND
day of APRIL, 1996.


Acting for KARL J. DREHER, Director



APR 20 1996

State of Idaho
Department of Water Resources

RECEIVED

MAR 19 1996

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10285

Department of Water Resources

No ✓

Date of Priority: August 1, 1985

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

4.5 AF

Comes now

RIMROCK RANCH

HC 33 BOX 1023

BOISE ID 83706

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10285, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/15	0.02 CFS	4.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 2, Township 02N, Range 03E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	03E	2	SENW	1		1

Total number of acres irrigated: 1

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, Idaho, this 18 day of March, 1996.

Blair M. Seeger
(Signature)

APR 30 1996

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10285

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50.5 Received by JW # C035155 Date 3-26-96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-10285 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 2ND day of April, 1996.


Acting for KARL J. DREHER, Director

APR 30 1996

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10285 IN THE)
NAME OF RIMROCK RANCH) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before June 1, 1990; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 14, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10285 be REINSTATED and the priority advanced to August 1, 1985.

Dated this 1st day of October, 1990.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

AUG 06 1991

RECEIVED

AUG 14 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources
Western Regional Office

For Office Use Only
Amt. of Fee \$ 100
Date 8-14-90
Receipt No W012636
Received by JL

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10285 Telephone No. 342-1959
Name(s) of Permit Holder(s): RIMROCK RANCH, PHILIP M. KRUEGER
Post Office Address: 1311 WARM SPRINGS AVE., BOISE
Source of Water: GROUNDWATER 83712
If ground water, well driller's name: _____ Date drilled: early 1970's
Extent of Use:
Domestic 2 (No. of households) Irrigation 20 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.40 cfs N/A acre/feet

Show date water was first diverted and beneficially used under this permit: 1985
(FOR THE ACRES UNDER THIS PERMIT)
NOT WHEN WELL WAS 1ST USED

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 100 (See License Examination Fee Schedule) ON BACK OF PROOF INSTRUCTIONS

Person to contact to accompany the Department representative during the field examination:

Same as above
Name Telephone No.

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

AUG 06 1991

8-13-90
Date

Philip M. Krueger
Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant RIM ROCK RANCH Phone 342-1959
Post office address HC-33, Box 1023, Boise, ID 83706
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 2 Township 8N
Range 3E B.M. ADA County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.40 for IRRIGATION purposes from 5/1 to 10/30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.40 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. 10 HP PUMP & WELL WITH
SPRINKLER IRRIGATION.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____


MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated 20

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Philip M. Kung
OWNER (Applicant)

UNRECORDED

MICROFILMED

Proposed Priority 4/19/85

Received by JG Date 4/19/85 Time 9:30 A.M.

Preliminary check by GLS Fee \$ 45.00

Received by JG Date 4/19/85 # 56049

Publication prepared by AP Date 4/25/85

Published in Idaho Statesman

Publication dates 5/2 & 5/9/85

Publication approved AP Date 5/14/85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DSS PW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10285, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 12th day of June, 1985.

J. Glen Saxton
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 2, 1996

RIMROCK RANCH
C/O PHILIP KRUEGER
1311 WARM SPRINGS AVE
BOISE ID 83712


RE: WATER RIGHT NO. 63-10285

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

APR 3 0 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MARCH 19, 1996

RIMROCK RANCH
C/O PHILIP KRUEGER
1311 WARM SPRINGS AVE
BOISE ID 83712

RE: WATER RIGHT NO. 63-10285

Dear Water Right Holder(s):

We received the signed licensing amendment for the above referenced permit. However, the \$50.00 filing fee for the amendment was not enclosed. For your reference, I will enclose a copy of the original amendment notice letter.

Please return the \$50.00 fee within 14 days to prevent any further undue delay in licensing this permit. Please send the check to my attention to help expedite the process.

Thank you for your assistance and if you have any questions, please contact me. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley Walter Keen'.

Shelley Walter Keen
Water Rights Supervisor

SWK:rl

Enclosure

APR 30 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 11, 1996

RIMROCK RANCH
C/O PHILIP KRUEGER
1311 WARM SPRINGS AVE
BOISE ID 83712

RE: WATER RIGHT NO. 63-10285

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

4430136

MEMORANDUM

DATE: March 5, 1996
TO: Files 63-07092, 63-07423, & 63-10285
FROM: Cindy Zimmerman
SUBJECT: Conversation with Janet Crockett

=====

Janet Crockett (from groundwater monitoring section) visited in my office today. Janet was searching for the water rights appurtenant to her home and irrigation of about an acre within Rimrock Ranch Subdivision.

Janet shares a well with Mike McGlathery. The licensing amendment on 63-10285 (in the name of Rimrock Ranches) was mailed to Mike's address. Janet was wondering if this right went to their well. After looking into the file, Janet concluded that this well, the 'windmill well', was not the same 'common' well that serves their homes.

There is a total of 4 homes built in the Rimrock Ranch Subdivision. The 'common' well that serves Janet and Mike's home is located on or near the line between SENW and NESW, S02, T02N, R03E. A search of the database revealed two licenses, 63-07092 and 63-07423, with a p/d in NESW. 63-07092 is for 1 home; 63-07423 is for 3 homes and 1½ acres irrigation. The p/u for both licenses is identified as in NESW. Janet states that at no time has there been structures or irrigation within the NESW.

Janet's home was the first house built in the subdivision. Originally it was served by its own well located next to the house. When that well became less productive, service was hooked onto the 'common' well. The common well was drilled in the early 1970's and originally served 3 homes but now serves 2 homes. The homes served by the 'common' well were originally owned by the Steeles, the Kruegers, and the Underwoods. Janet now owns the Steele house, McGlathery owns the Krueger house, and Knapps owns the Underwood house. These homes, per 1975 orthophotoquad & 1972 topographic maps, are located within Lot 2 (NENW), S11, T02N, R03E. File 63-07423 contains a letter dated 8/23/85 from Underwoods to the department identifying that the license was the subject of a lawsuit between the Underwoods and the Knapps. Janet suspects that 63-07423 is for the three homes located in Lot 2 (NENW), S11. Recently, the Knapps have removed their home from the common system and have developed their own well.

The fourth home is located within the NWSE, S02, T02N, R03E. Janet is not sure if this home has its own well.

-continued-

APR 30 1996


Crockett Conversation
March 5, 1996
Page 2

A search of the adjudication database identified claims filed on 63-07092 & 63-07423 by Ronald & Linda Yanke, and a beneficial use claim filed by Knapps.

A warranty deed from Ronald & Linda Yanke is attached to the file both 63-07092 and 63-07423. Janet stated that the Yanke's do not own any of the 4 homes developed within the subdivision but do own the 'common' well lot and other building lots. The Yanke's are party to the 'common' well agreement. Janet does not know if the Yanke's building lot has been stubbed in.

Janet will be researching the history of water use in the subdivision to confirm that her house is served by 63-07423 and possibly 63-07092.

APR 30 1996







State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 26, 1996

RIMROCK RANCH
HC 33 BOX 1023
BOISE ID 83706

RE: WATER RIGHT NO. 63-10285

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

A faint circular stamp, likely a "RECEIVED" or "FILED" stamp, with some illegible text inside.

APR 30 1996

BRENDA

NAME ☒ Or Address Change?

PRIORITY DATE ☒ Advance? Done Advanced to: Aug 1, 1985
Order to reinstate needed? Done already
Incorrect fee for rate recommended? NO

SOURCE ☒ Changes or just clarification of originally intended source?
Notice of Intent to Void necessary?

POINT OF DIV ☒ Amendment needed? Change to SENW 1/4 1/4
 ☒ Overlaps?

PLACE OF USE ☒ Amendment needed? Change to SENW 1/4 1/4
 ☒ Overlaps?

DIV RATE ☒ Permit/fee limits: .40 CFS / 20 ACRES
FIVE GAL Meas Q = .02 Theo Q = Recommend: .02
BUCKET Reduce to 1 acre @ .02
Combined rates exceed capacity

ANNUAL VOLUME ☒ Volume Limit: NEW Season: D/4.5 (3-15 to 11-15)
 ☒ Calculations: 1 x 4.5 = 4.5
Flow limit: cfs x x 1.9835 =
Combined volumes exceed capacity/allowable

USES ☒ Change in Nature of Use or additional uses?
 ☒ Amendment necessary?

ADDITIONAL INFO ☒ Replaces Surface Water 050 Supplemental GW
 ☒ Irr/Dom Combination WB5 PPU Recommendation
 ☒ Boise River/Wood River Source Aes/Rec Uses W38

NEW REMARKS ☒ Multiple p/d(s) in 1/4 1/4?
YES ☒ Other Place of use located within Burnrock Ranch
 ☒ Fire Protection WB6

NEW CONDITIONS ☒ WM Control- District Meas/Lock Devices
R32 ☒ Irrigation Overlap
 ☒ Other
 ☒ Water Quality/Dam Safety/Heat-Cool/Fish

COMMENTS: Reduce Acres and Rate Amend P/D & P/L

SRBA Claim Filed NO
Adjustment Memo Needed YES

1ST AMEND LETTER P37+P38
2ND AMEND LETTER P47

Only one acre total actually irrigated.

MEMORANDUM

TO: File 63-10285 / Rimrock Ranch
FROM: Brenda Chapman
DATE: February 23, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 63-10285 are based on the information below:

C. DIVERSION AND DELIVERY SYSTEM

The point of diversion and place of use are both located within the SENW $\frac{1}{4}$ of Section 2. The examiner inadvertently listed the place of use as being in the SENE $\frac{1}{4}$.

RECEIVED

APR 30 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 15 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10285

1. Owner: Rimrock Ranch Phone No. 342-1959

Current Address: 1311 Warm Springs Ave Boise 83712

2. Accompanied by: Philip Krueger EXAM DATE: 6/6/94

Address: same Phone No. _____

Relationship to Permit Holder: Owner

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	2	2N	3E	Ada	USGS Quad, ASCS Photo

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	3E	2				1												1	

* See adjustment memo. B

APR 30 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Windmill	pump				1 1/2"

Microfilm

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

APR 30 1996

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gal Bucket						

2. Measurements:

5 lateral lines x 2' spacing x 500' long	= 43560 = .11
25 " " " " 100' " "	= .11
28 " " " " 240' " "	= .31

~.5 ac habitat enhancement + .53 acre actual irrig of trees
 (.5 + .53 = . more recommended)

E. NARRATIVE/REMARKS/COMMENTS

A 6" well with a reciprocating windmill pump supplies water to trees and habitat enhancement grasses via PVC line and drip irrigation. The trees and grasses are located throughout a 20 acre area, however via drip irrigation, only 1 acre is actually irrigated (see D.2. calculations). At the time of the exam, 700 trees had been planted. The owner was working with Jerry Scholtan from Fish & Game on the varieties and planting of the grass seedling for habitat enhancement. No other nets are used.

(A bucket measurement was made at the storage tank inflow).

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILM
APR 30 1996

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

$$\frac{5 \text{ gal} \times 60 \text{ sec}}{38.92} = 7.7 \text{ gpm} = .02 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 4.5 = 4.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 246 \times 1.9835 = 9.8$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} = 4.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.02 cfs	4.5 afa
Totals:			.02 cfs	4.5 afa

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Don Gorman Date 6/6/94

Reviewer _____ Date _____

SEAL

APR 30 1996

T2N
R3E
SEC 2
SENE



63-10285



63-10-85

← Well

← Janet
Crockett

← Mike
McGlaithery

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 63-10285
2. OWNER: Phil Krueger Phone: 342-1959
Address: HC 33 Box 1023 Boise 83706
3. WELL LOCATION: Twp 2N, Rge. 3E, Sec. 2, SE 1/4 NW 1/4
County Ada (Provide sketch map and photo on reverse.)
4. DRILLER: ? Lic. No. _____
When Drilled? _____
5. WELL CONSTRUCTION windmill well/pump
Casing Diameter 6" inches Water tight cap? ☐ Yes ☐ No Access Port: ☐ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving _____
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION
Depth to Static Water 220' ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

APR 30 1996

9.

REMARKS:

Lon Granger

Signature of Dept. Representative & Title

6/6/94

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



RECEIVED

APR 30 1996



- P/D
6" well
windmill
pump

500 Gal
storage
tank,
controlling
works -
1



APR 30 1996

63-10285



1
P/u
1



3 0 1996
MED

63-10285

October 10, 1990

RIMROCK RANCH
HC 33 BOX 1023
BOISE, ID 83706

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10285

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

AUG 06 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10285

Date: 10-1-90

General Considerations:

5 Name same as permit
5 Signature the same as permit holder
5 Address change If yes, prepare a data entry
5 Proof received timely
yes Reinstated

Source of Water:

5 Surface water
5 Groundwater
No 1. well log in file
2. drilling permit
yes A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

5 Rate of diversion appropriate for uses
5 Is rate or volume and fee appropriate?
5 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

5 Is a measuring device or access port required?
5 Has one been installed?
5 Waiver or modification of measuring device requested

Remarks:

Permit is for irrigation only

5 Priority Calculation:

Date proof received	<u>Aug 14</u>	<u>226</u>
Date proof due	<u>June 1</u>	<u>-152</u>
No. of days late		<u>= 74</u>
Priority date	<u>Apr 19, 85</u>	<u>+ 109</u>
NEW PRIORITY DATE	<u>Aug 1, 1985</u>	<u>= 213</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

June 13, 1990

RIMROCK RANCH
HC 33 BOX 1023
BOISE, ID 83706

LAPSE NOTICE

RE: PERMIT NO. 63-10285

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated March 31, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

MISSING FILMED
AUG 06 1991

CERTIFICATION OF MAILING

I hereby certify that on 6-15-90
~~a copy~~/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

138530
March 31, 1990

RIMROCK RANCH
HC 33 BOX 1023
BOISE, ID 83706

PROOF DUE NOTICE

RE: PERMIT NO. 63-10285

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

AUG 06 1991

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

RIMROCK RANCH
HC 33 BOX 1023
BOISE, ID 83706

JUNE 19, 1985

RE: PERMIT NO. 63-10285

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

MICROFILMED

RE: PERMIT 63-10285

PAGE 01
JUNE 19, 1985

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Laura Gay Barnes

Two

insertions, beginning with the

issue of May 2 , 19 85 , and ending with the

issue of May 9 , 19 85 .

Laura Gay Barnes

Subscribed and sworn to before me this 9th

day of May, 1985.

Jeanne M Hauke
Public for Idaho, Residing at

Notary Public for Idaho, Residing at Boise, Idaho

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10284

RIMROCK RANCH
HC 33, Box 1023, Boise ID 83706

Source: Groundwater.

Date Filed: 4/19/85

Diversion Pt: SENW Sec 02 T 02N R 03E

Use: Irrigation (0.10 CFS)

in: SENW Sec 02 T 02N R 03E
for 5 acres

63-10285

RIMROCK RANCH
HC 33, Box 1023, Boise ID 83706

Source: Groundwater

Date Filed: 4/19/85

Diversion pt: NESW Sec 02 T 02N R
03E

Use: Irrigation (0.40 CFS)

In: NESW Sec 02 T 02N R 03E NENW
Sec 11 T 02N R 03E for 20 acres.

Sec 11 T 02N R 03E for 20 acres

63-10286

RIMROCK RANCH

HC 33, Box 1023, Boise,

Source: Groundwater
Date Filed: 4/28/2015

Date Filed: 4/19/85
Diversion Pt: SENE Sec. 02 T 02N R

03E
Usage: 17.000000 (0.10 65%)

Use: Irrigation (0.10 CFS)
In: SENE Sec 02 T 02N R 03E for 5

The permit(s) will be subject to all

prior water rights. Protests must be filed with the Director, Dept. of Water

Resources, Western Region, State
house, Boise, Idaho 83720, on or before

KEN DUNN

KEN DUNN
Director

Director
May 29, 1985

MAY 29, 1985

7863

RECEIVED
MAY 13 1935

MAY 13 1935

Department of Water Resources
Western Regional Office

MICROFILMED

63-10285

RIMROCK RANCH

HC 33 BOX 1023, BOISE, ID 83706

Source: GROUNDWATER

Date Filed: 04/19/1985

Diversion Pt: NESW Sec 02 T 02N R 03E

Use: IRRIGATION (0.40 CFS)

In: NESW Sec 02 T 02N R 03E NENW Sec 11 T 02N R 03E FOR 20 ACRES

MICROFILMED