


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Oliver Gregerson
(Applicant)

MICROFILMED

Biological Survey

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application has been
filed to appropriate the public waters
of the State of Idaho:

63-10254 *138*

GREGERSON, OLIVER
6275 WARM SPRINGS AVE.,
BOISE, ID 83712

Source: UNNAMED STREAM
trib. to BOISE RIVER, MIDDLE
FORK

Date Filed: 06/29/1984

Diversion Pt: NENW Sec 36 T 06N
R 10E

Use: MINING (2.00 CFS)

In: NENW NWNW Sec 36 T 06N
R 10E

The permit will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Wa-
ter Resources, Western Region,
Statehouse, Boise, Idaho 83720 on or
before JULY 30, 1984.

KEN DUNN, Dir.

Published 07/12 & 07/19/84.

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, *Lloyd S. Waters* do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

2 consecutive weeks, the first publica-
tion having been made on the *12* day
of *July*, 19*84*, and
the last publication having been made on the
19 day of *July*, 19*84*;
every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Lloyd S. Waters

Subscribed and sworn to me this *19th*
day of *July*, 19*84*

Carol B. Swenson
Notary Public

RECEIVED

JUL 23 1984

Department of Water Resources
Western Regional Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-10254
1. ✓ Owner: Oliver Gregerson Phone No. 342-1979
Current Address: 6275 Warm Springs Ave Boise Ida 83712
2. Accompanied by: Oliver Gregerson EXAM. DATE: 6-24-92
Address: Same Phone No. Same
Relationship to Permit Holder: same
3. ✓ Source: unnamed stream tributary to Boise River, Middle Fork

B. OVERLAP REVIEW

1. ✓ Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
APR 16 1993

PERMIT 63-10254 INIT Dave J
T. R. S. Q/Q
P/D 6m 10e 36 new
SCALE _____
PHOTO ID. _____

$P/u \quad P/d$

APR 16 1993

63-10254



Mining Site. Notice
BLACK PIPE IN BOTTOM
LEFT OF PICTURE. THIS
IS THE GRAVITY LINE
FROM THE HILL.



On the MOUNTAIN. This is THE
Point of Diversion. THE OWNER USES
A BOARD AND TUBING TO DIVERT WATER.
Notice the line behind the P/D.

RECORDED

APR 16 1993

63-10254

Line making ITS WAY AROUND
THE HILL.



Line GOING DOWN THE HILL
TO GRAVITY PRESSURIZE THE
MINING OPERATIONS.



APR 16 1993

PICTURES OF HEADGATE, MEASURING DEVICE AND WATER BEING DIVERTED INTO DITCH.

UNFORTUNATELY, THE FILM I BOUGHT ESPECIALLY FOR THESE PICTURES WAS DEFECTIVE AS YOU CAN SEE.


THE HEADGATE CONSISTS OF AN 8" WIDE SLIDING GATE THAT CAN BE LOCKED. IT IS WELDED TO A 6 FOOT PIECE OF 8" STEEL PIPE WHICH ACCORDING TO MY CIVIL ENGINEERS HAND BOOK WOULD ALLOW 2 C.F.S. OF FLOW WHEN IT IS FULLY OPEN. COPY ATTACHED.

8" HEADGATE IN
OPEN POSITION



8" WIDE HEADGATE IN
OPEN POSITION
WATER PERMIT 63-10254

WATER FLOWING INTO
DITCH FROM 8" HEADGATE



WATER FLOWING IN
DITCH FROM 8" HEADGATE
WATER PERMIT 63-10254

NOTE STANDARD ROUND
POINT SHOVEL FOR SIZE COMPARISON

UNFILMED

AUG 29 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-10254

Name(s) of Permit Holder(s): OLIVER GREGERSON

Post Office Address: 6275 WARM SPRINGS AVE.

BOISE, IDA 83712 Tel. No. 342-1979

☒ I hereby certify that construction of diversion works for the above referenced permit began on 7/29/85 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

8/15/85
Date

Oliver Gregerson
Signature of Permit Holder

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Oliver Ferguson
(Applicant)

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10254

Priority: July 19, 1984

Maximum Diversion Rate: 0.19 CFS
Maximum Diversion Volume: 16.3 AF

This is to certify, that OLIVER GREGERSON
6275 WARM SPRINGS AVE
BOISE ID 83712

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 29, 1984; and
has submitted Proof of Beneficial Use on July 31, 1989. An examination indicates
that the works have a diversion capacity of .190 cfs of water from:

UNNAMED STREAM tributary to BOISE RIVER, MIDDLE FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MINING	01/01 to 12/31	0.19 CFS	16.3 AF

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 36, Township 06N, Range 10E
ELMORE County

PLACE OF USE: MINING
TWN RGE SEC

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
7. When water used under this right is discharged into the natural channel, settling ponds must be maintained which are capable of reducing the silt load to such a level that the quality of water will not be impaired for other beneficial uses.

RECORDED

APR 16 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10254

CONDITIONS/REMARKS:

8. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
9. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.
10. The diversion of water under this permit shall not reduce the flow of the Boise River during the period from June 15 through November 1.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16TH day of MARCH, 1993.

Acting for R. Keith Higginson, Director

APR 16 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant OLIVER GREGERSON Phone 342 -1979
Post office address 6275 WARM SPRINGS AVE. BOISE, IDA. 83712
2. Source of water supply UNNAMED STREAM which is a tributary of BOISE RIVER
3. Location of point of diversion is N.E. 1/4 of N.W. 1/4 of Section 36 Township 6 N
Range 10 E B.M. ELMORE County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2 CFS for MINING purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 2 CFS cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. DITCH 2' WIDE X
2' DEEP

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7 Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8 Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: N E 1/4 of N W 1/4 of Section 36 Township 6 N
Range 10 E B.M. N.W. 1/4 of N.W. 1/4 of SEC. 36 T 6 N. R 10 E.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: MINING (PLACER)

MICROFILMED

MICROFILMED

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. NONE


9. a. Who owns the property at the point of diversion BLM

b. Who owns the land to be irrigated or place of use BLM

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing MINING CLAIM NO.'S 35013 & 88538.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Quay Ferguson
(Applicant)

NO FILMED

Proposed Priority 7/19/84

Received by JP Date 6/29/84 Time 4:05 P.M.

Preliminary check by JP Fee \$ 65.00

Receipted by JP Date 6/29/84 # 34509 34526

Publication prepared by jp Date 7/5/84

Published in Mountain Home News

Publication dates 7/12 & 7/19/84

Publication approved LS Date 7/21/84

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10254, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.

The diversion of water under this permit shall not reduce the flow of the Boise River during the period from 6/15 through 11/1.

In the event that water used under this permit should be discharged into a natural channel, settling ponds will be required which are capable of reducing the silt load to such a level that the quality of the water would not be impaired for other beneficial uses.

Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.

Use of water under this permit is subject to control by the watermaster of State Water District No. 63, Boise River.

Witness my hand this 21st day of August, 1984.

J. Glen Saxton
Chief, Operations Bureau

NOTICE OF AFFIDAVIT
 FOR
 COUNTY OF ELMORE
 STATE OF IDAHO
 CHANDLER, RILEY
 ONE THREE THREE THREE AVE.
 BOISE, IDAHO
 STATE OF IDAHO
 COUNTY OF ELMORE
 NOTICE
 THE STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES
 WESTERN REGIONAL OFFICE
 BOISE, IDAHO
 JUL 23 1984
 RECEIVED

Affidavit of Publication

County of Elmore }
 STATE OF IDAHO } ss.

I, Lloyd S. Waters, do
 solemnly swear that I am the foreman, or
 publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
 published once a week at MOUNTAIN HOME,
 IDAHO, that the notice attached hereto and
 which is a part of the proof of publication
 thereof, was published in said newspaper for

2 consecutive weeks, the first publica-
 tion having been made on the 12 day
 of July, 1984, and
 the last publication having been made on the
19 day of July,
 1984; every Thursday issue of the paper

during the period and time of publication and
 that the notice was published in the newspaper
 proper and not in a supplement thereof.

And I further swear that the said MOUN-
 TAIN HOME NEWS has been continuously and
 uninterruptedly published in said Elmore County
 during a period of 78 consecutive weeks prior
 to the first publication of the attached notice.

Lloyd S. Waters

Subscribed and sworn to me this 19th
 day of July, 1984

Robert B. Swenson
 Notary Public

RECEIVED
 JUL 23 1984

Department of Water Resources
 Western Regional Office

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 16, 1993

OLIVER GREGERSON
6275 WARM SPRINGS AVE
BOISE ID 83712

RE: WATER RIGHT NO. 63-10254

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
APR 16 1993

WR0749NP
No. L63-10254

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 03/03/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	OLIVER GREGERSON 6275 WARM SPRINGS AVE BOISE ID 83712 (208) 342-1979	07/19/1984	MINING	01-01 12-31	0.19 CFS	16.3 AFA
TOTAL DIVERSION:					0.19 CFS	16.3 AFA

Water Source: UNNAMED STREAM

Tributary to: BOISE RIVER, MIDDLE FORK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.19 CFS

Point(s) of Diversion: T06N R10E S36 NE NW

Place of use Legal Description for: MINING

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
06N	10E	36	:																	:
			:																	:

Pou County: ELMORE

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.
- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
- R06 - When water used under this right is discharged into the natural channel, settling ponds must be maintained which are capable of reducing the silt load to such a level that the quality of water will not be impaired for other beneficial uses.
- R08 - Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
- R39 - A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.

Remarks: The diversion of water under this permit shall not reduce the flow of the Boise River during the period from June 15 through November 1.

Dates: App. Received: 06/29/1984 Priority Date: 07/19/1984
Proof Due Date: 08/01/1989 Proof Made Date: 07/31/1989
Exam Made Date: 06/24/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: 63 Field Exam Fee: R (Received)

Audit: 03/03/93 SKAGGS

03-03-93

7

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-10254
1. ✓ Owner: Oliver Gregerson Phone No. 342-1979
Current Address: 6275 Warm Springs Ave Boise Ida 83718
2. Accompanied by: Oliver Gregerson EXAM. DATE: 6-24-92
Address: Same Phone No. Same
Relationship to Permit Holder: Same
3. ✓ Source: unnamed stream tributary to Boise River, Middle Fork

B. OVERLAP REVIEW

1. ✓ Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
APR 16 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

This system is a diversion from a unnamed stream through 8" pipe to a 4" line for 500' to 2 1/2" line from 400' to 1 1/2" line for 400' along the side of a mountain. Then the 1 1/2" line takes a 200' drop to gravity power a mining operation.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		NA			

*Code to correspond with No. on map and aerial photo

5. ☒ **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			16	nw	36	6n	10e	Elmore	Quads - Owner Id.

6. ☒ **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
36	6n	10e					M												M

Do not use this space

APR 1 1963

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
		NA				

2. Measurements:

5 gallon bucket test; (30 gallon garbage can)
 2/sec = .18 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Exhibit 10
 5 gallon bucket = .03 x 6 = .18 cfs

2. Alternate Method for Checking Purposes:

30 x 60 ÷ 21 = 85.7 gpm = .19 cfs (Mining)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

NA

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ NA

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

.18 cfs x 20 hrs/wk x 52 = 187.2 EISAFA
 12

.19 cfs = 85 gpm x 60 x 20 x 52 = 5,304,000 / 325,850 = 16.3 AFA (Mining)

RECORDED
 APR 16 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Remarks -

Conditions - R04/63, R08, R39, R06

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Mining	1-1	12-31	.19 AB cfs	16.356 AFA
Totals:			.19 AB cfs	16.356 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION


Field Examiner's Name DAVID GRAY

2603-03-93

Signature David Gray

Certification Date _____

Field Report Preparation Date 07-09-92



CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 16 1993

63-10254



Mining site. Notice
BLACK PIPE IN BOTTOM
LEFT OF PICTURE. THIS
IS THE GRAVITY LINE
FROM THE HILL.




On the MOUNTAIN. This is THE
Point of Diversion. THE OWNER USES
A BOARD AND TUBING TO DIVERT WATER.
Notice the line behind the P/D.

APR 16 1993

63-10254

Line making ITS WAY AROUND
THE HILL



Line GOING DOWN THE HILL
TO GRAVITY PRESSURIZE THE
MINING OPERATIONS.



APR 16 1993

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-18254

Date: 8/11/89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change If yes, prepare a data entry
Y Proof received timely
N Reinstated

Source of Water:

Y Surface water
Y Groundwater
 1. well log in file
 2. drilling permit
N/A A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
Y Waiver or modification of measuring device requested


Remarks:

Proof Acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



JUL 31 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received

Date 8/1/89

Receipt # C008718

Receipt by C. Wang

Reviewed by C.

Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10254

Name(s) of Permit Holder: Oliver Gregerson

Post Office Address: 6275 Warm Springs Ave. Boise, Idaho 83712

Telephone No. 342-1979

Source of Water: un-named stream

Extent of Use:

Domestic (number of households)

Stockwater (number and type of stock)

Irrigation (acres)

Other/Remark Mining

Total rate and/or volume for which proof is submitted 2 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 8/10/85

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Oliver Gregerson
(Name)

342-1979
(Telephone Number)

6275 Warm Springs Ave. Boise, Idaho 83712
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

AUG 29 1989

7/29/89


Date

Oliver Gregerson
Signature of Permit Holder (and title, if appropriate)

PICTURES OF HEADGATE, MEASURING DEVICE AND WATER BEING
DIVERTED INTO DITCH.

UNFORTUNATELY, THE FILM I BOUGHT ESPECIALLY FOR THESE
PICTURES WAS DEFECTIVE AS YOU CAN SEE.

THE HEADGATE CONSISTS OF AN 8" WIDE SLIDING GATE THAT CAN
BE LOCKED. IT IS WELDED TO A 6 FOOT PIECE OF 8" STEEL PIPE
WHICH ACCORDING TO MY CIVIL ENGINEERS HAND BOOK WOULD ALLOW
2 C.F.S. OF FLOW WHEN IT IS FULLY OPEN. COPY ATTACHED.



AUG 29 1989

Diameter in Inches of Drain Tile
Computed from the Manning Formula with $n = 0.011$

Dis-charge, cu. ft. per sec.	s = fall per foot											
	.0005	.001	.002	.004	.006	.008	.01	.02	.03	.04	.05	.1
.01	2.2	1.9	1.7	1.5	1.4	1.3	1.2	1.1	1.0	1.0	0.9	0.8
.02	2.8	2.5	2.2	1.9	1.8	1.7	1.6	1.4	1.3	1.2	1.2	1.0
.04	3.7	3.2	2.8	2.5	2.3	2.2	2.1	1.8	1.7	1.6	1.5	1.4
.06	4.3	3.8	3.3	2.9	2.7	2.5	2.4	2.1	2.0	1.9	1.8	1.6
.08	4.8	4.2	3.6	3.2	3.0	2.8	2.7	2.4	2.2	2.1	2.0	1.8
.1	5.2	4.5	4.0	3.5	3.2	3.1	3.0	2.6	2.4	2.3	2.2	1.9
.2	6.7	5.9	5.2	4.5	4.2	4.0	3.8	3.4	3.1	3.0	2.8	2.5
.3	7.8	6.9	6.0	5.3	4.9	4.7	4.5	3.9	3.7	3.4	3.3	2.9
.4	8.7	7.7	6.7	5.9	5.5	5.2	5.0	4.4	4.0	3.8	3.7	3.2
.5	9.5	8.3	7.3	6.4	5.9	5.6	5.4	4.7	4.4	4.2	4.0	3.5
.6	10.1	8.9	7.8	6.9	6.3	6.0	5.8	5.1	4.7	4.5	4.3	3.8
.8	11.3	10.0	8.7	7.7	7.1	6.7	6.4	5.7	5.2	5.0	4.8	4.2
1.0	12.3	10.8	9.5	8.3	7.7	7.3	7.0	6.2	5.7	5.4	5.2	4.5
1.2	13.1	11.5	10.1	8.9	8.2	7.8	7.5	6.6	6.1	5.8	5.5	4.9
1.4	13.9	12.2	10.7	9.4	8.7	8.3	7.9	7.0	6.5	6.1	5.9	5.2
1.5	14.3	12.5	11.0	9.6	8.9	8.5	8.1	7.2	6.7	6.3	6.0	5.3
2.0	15.9	14.0	12.3	10.8	10.0	9.5	9.1	8.0	7.4	7.0	6.7	5.9
2.5	17.3	15.2	13.3	11.7	10.8	10.3	9.9	8.7	8.0	7.6	7.3	6.4
3.0	18.5	16.3	14.3	12.5	11.6	11.0	10.6	9.3	8.6	8.1	7.8	6.9
3.5	19.6	17.2	15.2	13.3	12.3	11.7	11.2	9.8	9.1	8.6	8.3	7.3
4	20.6	18.1	15.9	14.0	13.0	12.3	11.8	10.3	9.6	9.1	8.7	7.6
5	22.4	19.7	17.3	15.2	14.1	13.3	12.8	11.2	10.4	9.9	9.5	8.3
6	24.0	21.1	18.5	16.3	15.1	14.3	13.7	12.0	11.2	10.6	10.1	8.9
7	25.4	22.4	19.6	17.2	16.0	15.1	14.5	12.8	11.8	11.2	10.7	9.4
8	26.8	23.5	20.6	18.1	16.8	15.9	15.3	13.4	12.4	11.8	11.3	9.9
10	29.1	25.6	22.4	19.7	18.3	17.3	16.6	14.6	13.5	12.8	12.3	10.8
12	31.2	27.4	24.0	21.1	19.6	18.5	17.8	15.6	14.5	13.7	13.1	11.5
14	33.0	29.0	25.5	22.4	20.7	19.6	18.8	16.5	15.3	14.5	13.9	12.2
16	34.7	30.5	26.8	23.5	21.8	20.6	19.8	17.4	16.1	15.3	14.6	12.9
18	36.3	31.9	28.0	24.6	22.8	21.6	20.7	18.2	16.8	16.0	15.3	13.4
20	37.8	33.1	29.1	25.6	23.7	22.4	21.5	18.9	17.5	16.6	15.9	14.0
25	41.0	36.0	31.7	27.8	25.8	24.4	23.4	20.6	19.0	18.0	17.3	15.2
30	44.0	38.6	33.9	29.8	27.6	26.1	25.1	22.0	20.4	19.3	18.5	16.3
35	46.6	40.9	35.9	31.5	29.2	27.7	26.6	23.3	21.6	20.5	19.6	17.2
40	49.0	43.0	37.7	33.1	30.7	29.1	27.9	24.5	22.7	21.5	20.6	18.1
45	51.2	44.9	39.5	34.6	32.1	30.4	29.2	25.6	23.7	22.5	21.6	19.0
50	53.2	46.7	41.0	36.0	33.4	31.6	30.4	26.7	24.7	23.4	22.5	19.7
55	55.2	48.4	42.5	37.4	34.6	32.8	31.5	27.6	25.6	24.3	23.3	20.4
60	57.0	50.0	44.0	38.6	35.8	33.9	32.5	28.5	26.5	25.1	24.0	21.1
65	58.7	51.6	45.3	39.8	36.9	34.9	33.5	29.4	27.3	25.8	24.8	21.8
70	60.4	53.0	46.6	40.9	37.9	35.9	34.4	30.2	28.0	26.6	25.6	22.4
80	63.5	55.8	49.0	43.0	39.8	37.7	36.2	31.8	29.5	27.9	26.8	23.5
90	66.4	58.3	51.2	44.9	41.6	39.5	37.8	33.2	30.8	29.2	28.0	24.6
100	69.0	60.6	53.2	46.7	43.3	41.0	39.3	34.6	32.0	30.4	29.1	25.6
110	71.5	62.8	55.2	48.4	44.9	42.5	40.8	35.8	33.2	31.5	30.2	26.5

AUG 29 1969

MICROFILMED

OLIVER GREGERSON
6275 WARM SPRINGS AVE.
BOISE, ID 83712

138276
May 31, 1989

RE: PERMIT NO. 63-10254 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED
AUG 29 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-10254
Name(s) of Permit Holder(s): OLIVER GREGGERSON
Post Office Address: 6275 WARM SPRINGS AVE.
BOISE, IDA 83712 Tel. 342-1979

☒ I hereby certify that construction of diversion works for the above referenced permit began on 7/29/85. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

C. GREENE SUN

6275 LARKIN SP. AVE

BOISE, IDA 83712

USA
22



Lightning Whelk



MICROFILMED

AUG 29 1989

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

63-10254

ROUTING AND TRANSMITTAL SLIP

CODE	NAME	ORGANIZATION	ACTION	ROOM NO.
	JAN GROVER			
	DEPARTMENT OF WATER			
	RESOURCES			
	450 WEST STATE ST.			
	BOISE, ID 83720	Department of Water Resources Western Regional Office		

Indicate Action by Number

1. Necessary action
2. Approval
3. Signature
4. Prepare reply
5. Your comment and return
6. Note and surname
7. Note and return
8. Your information
9. See me
- 10.

MICROFILMED

From	Date	Room No.
ED GHEEN	8/20/84	
Office	Phone	
BOISE DISTRICT BLM	334-9292	

Remarks

JAN- THE WAY I UNDERSTAND IT - A
MINING APPLICANT DOES NOT NEED TO GET A
RIGHT-OF-WAY OVER FED. LAND TO OBTAIN WATER
(ACCORDING TO A COURT DECISION RELATING TO THE
1872 MINING LAW!). WE HAVE NO SURFACE
OWNERSHIP IN THIS AREA AND AM RETURNING

THE APP 63-10254 TO YOU -

Ed



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

July 5, 1984

Vincent S. Strobel
Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Re: No. 63-10254/Gregerson

Dear Mr. Strobel:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application, your written protest must be received in this office by July 30, 1984.

SH
7/10/84


If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Regional Supervisor

DBS:jp

Enclosure



Department of Water Resources
Western Regional Office

RECEIVED
AUG 6 1984
Bureau of Land Management
Boise District

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant OLIVER GREGERSON Phone 342-1979
Post office address 6275 WARM SPRINGS AVE. BOISE, IDA. 83712
2. Source of water supply UNNAMED STREAM which is a tributary of M. FR. BOISE, RIVER
3. Location of point of diversion is N.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$ of Section 36 Township 6 N
Range 10 E B.M. ELMORE County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2 CFS for MINING purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 2 CFS cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. DITCH 2' WIDE X
2' DEEP

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: N.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$ of Section 36 Township 6 N
Range 10 E B.M. N.W. $\frac{1}{4}$ of N.W. $\frac{1}{4}$ of SEC. 36 T 6 N. R 10 E.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

MICROFILMED

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: MINING (PLACER)

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion BLM


b. Who owns the land to be irrigated or place of use BLM

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing MINING CLAIM NO.'S 35013 & 88538.

10. Remarks _____

REPROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Quay Ferguson
(Applicant)

MICROFILMED

August 23, 1984

RE: Permit Nos. 63-10254

Oliver Gregerson
6275 Warm Springs Ave.
Boise, ID 83712

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control your rate of diversion.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: [Signature] APPLICATION NUMBER: 163-10254
CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: 10 Date: 7/5/84
" " "
" " "
" " "

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/30/84
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/23/84
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 65/24509 3452.6
☒ Publication dates and paper, recorded on application. max 40000 11/1/84
☒ Protests, dates, withdrawal, etc., recorded on application. 7/12 & 7/19/84
☒ Recommendation & initial, recorded on application.

- ☒ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 63
Date of priority recommended. _____
Special conditions of approval or cover letter. Right-of-way condition

(26)
water quality standards
No consumptive use 6/15 - 11/1

By: D33
STATE OFFICE REVIEW:
208, 217

Date: 7/30/84
01E 22 (6-15 thru 11/1, Boise River)
26 04 05/13 Boise River

- ☐ See attached sheet for more information.
By: EW

Date: 7-31-84
JUL 30 1984

MICROFILMED

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENT - 801 Reserve St. - Boise, ID 83712

DIVISION OF ENVIRONMENT
Statehouse
Boise, Idaho 83720

DBS

July 11, 1984

David B. Shaw
Western Regional Supervisor
Department of Water Resources
Statehouse
Boise, ID 83720

Re: No. 63-10254/Gregerson

Dear Mr. Shaw:

The applicant will have to submit information to our office describing his project. In particular, there can be no discharge back to the river.

He may also have to contact the Department of Lands to meet any requirements they may have.

Sincerely,

Monty G. Marchus

Monty G. Marchus, P.E.
Water Quality Engineer

MGM/ecw

RECEIVED
JUL 12 1984

Department of Water Resources
Western Regional Office

EQUAL OPPORTUNITY EMPLOYER

MICROFILMED

July 12, 1984

Oliver Gregerson
6572 Warm Springs
Boise, ID 83702

Dear Mr. Gregerson:

Re: Application for Permit No. 63-10254

Enclosed is your check #326 in the amount of \$65.00. This check was returned to us since there were insufficient funds in your account to cover payment.

Please return within thirty days, a money order to cover the cost of the application. Upon receipt of the payment, the Department will advance the priority to the date the payment is received and continue processing the application.

If you have any questions concerning your application, please feel free to contact this office. Your prompt attention on this matter would be appreciated.

Sincerely,

JAN GROVER
Sr. Water Resource Agent

JG:rf

Enclosure

bcc: Roberta Garrett

41133 10000



July 10, 1984

Mr. David B. Shaw
Western Regional Supervisor
Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Shaw:

Re: No. 63-10254/Gregerson

Idaho Department of Fish and Game personnel have reviewed the above referenced application and have no objection to issuance of a permit.

Thank you for the opportunity to review and comment.

Sincerely,

Stacy Gebhards

Stacy Gebhards
Regional Supervisor
Region 3

RECEIVED
JUL 13 1984

Department of Water Resources
Western Regional Office

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

July 5, 1984

Vincent S. Strobel
Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Re: No. 63-10254/Gregerson

Dear Mr. Strobel:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application, your written protest must be received in this office by July 30, 1984.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Regional Supervisor

DBS:jp

Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

L. Kent Mays, Jr.
Deputy Regional Forester
United States Dept. of Agri.
Forest Service
324 25th St.
Ogden, UT 84401

July 5, 1984

Re: No. 63-10254/Gregerson

Dear Mr. Mays:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application, your written protest must be received in this office by July 30, 1984.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Regional Supervisor

DBS:jp

Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

July 5, 1984

Monty Marchus
Idaho Department of Health & Welfare
Division of Environment
Statehouse
Boise, ID 83720

Re: No. 63-10254/Gregesson

Dear Mr. Marchus:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application, your written protest must be received in this office by July 30, 1984.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Regional Supervisor

DBS:jp

Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

July 5, 1984

Stacy Gebhards
Regional Supervisor
Idaho Dept. of Fish & Game
Region 3
Statehouse
Boise, ID 83720

Re: No. 63-10254/Gregerson

Dear Mr. Gebhards:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application, your written protest must be received in this office by July 30, 1984.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Regional Supervisor

DBS:jp

Enclosure

MICROFILMED

63-10254

GREGERSON, OLIVER

6275 WARM SPRINGS AVE., BOISE, ID 83712

Source: UNNAMED STREAM trib. to BOISE RIVER, MIDDLE FORK

Date Filed: 06/29/1984

Diversion Pt: NENW Sec 36 T 06N R 10E

Use: MINING (2.00 CFS)

In: NENW NWNW Sec 36 T 06N R 10E

MICROFILMED