

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RGE. QE

* P. D. +
Pl. of use

TWP. 4N 18


Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Microfilmed


(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1.5		Grundfos	?

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: SL = 115, PL = 130? (est fr. driller report)

from Burgess: pump set @ 150'

Pressure at pressure tank, = 540 psi, at pumpers, est 30 psi

FEB 24 1994



3718


63-10244

SENW

3718
19

RECEIVED

FEB 24 1994



4N2E

FEB 24 1994

63-10244



(Bottom)

P/D &
Sprinkler
controls



←
(Side)

Lower portion of
P/u. (To North)

"Strip plantings"
down drive & on
top of ridge
comprise some of
irrigated area

APPROXIMATE

FEB 24 1990



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10244

Priority: June 24, 1984

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 14.1 AF

This is to certify, that FRANK ARRAMBARRI
LORENE ARRAMBARRI

7024 HILL RD
BOISE ID 83703

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 12, 1984; and has submitted Proof of Beneficial Use on July 13, 1992. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	13.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.04 CFS	14.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 18, Township 04N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	02E	18	SENW	3		3

Total number of acres irrigated: 3

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Domestic use is for 1 home.


RECORDED
FEB 24 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10244

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of FEBRUARY, 1994.

Acting for  R. Keith Higginson, Director

REPROFILMED

FEB 24 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10244)
IN THE NAME OF FRANK AND LORENE ARAMBARRI) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on July 13, 1992;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10244 be REINSTATED with an advance in priority to June 24, 1984.

Dated this 15th day of July, 1992.

For: L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

JUL 28 1992

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 7-13-92
Receipt No. 0024888
Receipt by [Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-10244 Telephone No. 203-453-5555
2. Name(s) of Permit Holder(s): FRANK ARAMBARRI - LORENE ARAMBARRI
3. Mailing Address: 7024 HILL RD. BOISE ID 83720
4. Source of Water: WELL

If GROUNDWATER, Well Driller's Name: OTTO ELLSWORTH Date Drilled: 720273

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater 155 Horses (No. and type of stock)
Irrigation 3 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.20 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes NO Installed? _____ Yes NO

OR

Flow Measurement Port: Required? _____ Yes NO Installed? _____ Yes NO

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Lorene Arambarr
Name Telephone No.

same as above
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-13-92 Lorene Arambarr
Date Signature (and title, if on behalf of a company or organization)

RECEIVED
JUL 28 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESFor Office Use Only
\$15 FEE Received by CW
Date 6-22-1989
Receipt # 0007731

JUN 22 1989

REQUEST FOR EXTENSION OF TIME

Department of Water Resources To provide additional time in which to submit proof
of beneficial use for a water right permitThe Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted
an additional period of time in which to complete development of a water right under the provisions of Section
42-204, Idaho Code.Permit No. 63-10244Name(s) of Permit Holder: Frank and/or Lorene ArrambarriPost Office Address: 7024 Hill Rd., Boise, ID 83703Telephone No. 853-5555Date Proof is Due: July 1, 1989Describe what work has been completed toward the development of this water right: well drilled
(This must be filled out! If no work has been completed, show "none".)irrigating pine trees, fruit trees and grass. Home is built. Irrigating approximately
3-4 acres.Costing \$ 10,000+

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Putting trees in annually.Permit holder(s) request an extension to July 1, 1992.
(1 yr. minimum)Lorene Arrambarri
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within
which to submit proof of beneficial use is extended to July 1, 1992.Signed this 26 day of June 1989.J. Glen Saxton
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant FRANK & LORENE ARRABARRI Phone 342-3994

Post office address 7024 HILL RD., BOISE, ID 83703

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 18 Township 4N

Range 2E B.M. ADA County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 for IRRIGATION purposes from MAR. 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for DOMESTIC purposes from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 HP PUMP W/SPRINKLER SYSTEM.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 18 Township 4N
Range 2E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

100-443887-100

4N	DE	18
----	----	----

10

NONE

APPLICANT

APPLICANT

applicant to make this filing _____

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RGE. & E

* P. D. &
Plot use

TWP. 4N 18

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICRO LIMITED


(Applicant)

Proposed Priority 6/12/84

Received by 6h5 Date 6/12/84 Time 2:59

Preliminary check by JP Fee \$ 30 / 34471

Receipted by JP Date 6/12/84

Publication prepared by JP Date 6/14/84

Published in Idaho Statesman

Publication dates 6/21 & 6/28/84

Publication approved JP Date 7/3/84

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10244, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 11th day of July, 1984.

A. Glen Saxon
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 15, 1994

FRANK ARRAMBARRI
LORENE ARRAMBARRI
7024 HILL RD
BOISE ID 83703

RE: WATER RIGHT NO. 63-10244

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

FEB 24 1994

WR0749NP
No. L63-10244

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 02/08/94
PAGE: 1

COWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	FRANK ARRABARRI	06/24/1984	IRRIGATION	03-15 11-15	0.04 CFS	13.50 AFA
C	LORENE ARRABARRI		DOMESTIC	01-01 12-31	0.04 CFS	0.60 AFA
	7024 HILL RD					
	BOISE ID 83703					
	(208) 853-5555			TOTAL DIVERSION:	0.04 CFS	14.10 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T04N R02E S18 SENW ADA County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE				
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	: SUM			
04N	02E	18	:								:										3.0			
																				TOTAL ACRES	3.0			

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: ADA

Other Water Rights Listing Overlapping Place(s) of use:
63-11487

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: Domestic use is for 1 home.

Dates: App. Received: 06/12/1984 Priority Date: 06/24/1984 (Priority Date Advanced.)
Proof Due Date: 07/01/1992 Proof Made Date: 07/13/1992 (Proof Received Late.)
Exam Made Date: 10/25/1993 Exam Sent to S.O.: 01/28/1994
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Comments: Date: 06/30/1992 User-ID: VAULT Subject: Extension of Time Received
Extension of Time Received

Date: 07/07/1992 User-ID: VAULT Subject: Lapse Notice Sent
Lapse Notice Sent

Date: 07/13/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd

LICENSE REVIEW CHECKLIST

Permit # 63-10244

Date 2-8-94

Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☒ ☐	Advance? <u>Done</u> Advanced to: <u>6-24-84</u>
	☒ ☐	Order to Reinstate Needed? <u>Done</u>
	☐ ☒	Incorrect Fee for rate recommended?
SOURCE	☐ ☒	Changes? Clarification of Originally Intended source
	☐ ☒	Notice of Intent to Void - Source change.
P/D	☒ ☐	Amendment Needed? <u>Change to SENW</u>
	☐ ☒	Overlap(s)
P/U	☒ ☐	Amendment Needed? <u>CHANGE TO SENW</u>
	☐ ☒	Overlap(s)
TOTAL CFS	☐ ☒	Measurement <u>1.5 HP @ 40 PSI / 130' Q = .04 CFS</u>
		Theoretical only ☒
		(NOTE: at 30 PSI Q = .05)
		Allowable Amount: <u>CAPACITY @ .04 CFS</u>
		Capacity of System: <u>.04</u>
TOTAL VOLUME		Season of Use: <u>D/4.5 (3-15 to 11-15)</u>
	☐ ☒	Calculations:
		<u>3 acres x 4.5 = 13.5</u>
		<u>DOMESTIC = .6</u>
		Flow limit: <u>.04 x 246 x 1.9835 = 19.5</u>
USES	☐ ☒	Change(s) in Nature of Use?
	☐ ☒	Amendment Needed?
REMARKS	☐ ☒	Multiple P/Ds in 1/4 1/4?
	☐ ☒	Special Overlap
CONDITIONS	☐ ☒	Measuring/Locking Devices
	☐ ☒	W/Master Control - District
	<u>R32</u> ☐ ☒	Irrigation Overlap
	☐ ☒	Water Quality
	☐ ☒	Other

COMMENTS: Reduce acres and rate; the full 10 acres is not being irrigated - see photos.

RECOMMENDED	CFS	DIV VOL
<u>Irrigation</u>	<u>.04</u>	<u>13.5</u>
<u>DOMESTIC</u>	<u>.04</u>	<u>.6</u>
<u>TOTALS</u>	<u>.04</u>	<u>14.1</u>

LICENSE	☒
1ST AMEND LETTER	☐
2ND AMEND LETTER	☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 31 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10244

1. Owner: Arrambarrri, Frank & Lorene

Phone No. 853 5555

Current Address: 7024 HILL RD BOISE ID 83703

2. Accompanied by: Permit holders

EXAM DATE: 10/25/93

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-11487

2. Other water rights with the same point of diversion: 63-02313

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	18	4N	2E	ADA	ASGS, Orthophoto, Site visit


2. Place(s) of Use:

Indicate Method of Determination Above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	2E	18								3									3

APPROVED
FEB 24 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

→ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

→ Aerial Photo Attached (required for irrigation of 10+ acres)

→ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1.5		Grundfos	?

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: SL = 115, PL = 130? (est fr. driller report)

from Burgess: pump set @ 150'

Pressure at pressure tank, = 540 psi, at pumpers, est 30 psi

FEB 24 1994

E. NARRATIVE/REMARKS/COMMENTS

8" x 285' well, 1.5HP pump, D/I w/ irrigation

Domestic through pressure tank, irrigation directly from pump. Irrigation is by a combination of automatic sprinkler and hoses on trees, naturalized plant materials, lawn & garden. Because of irregularity of parcel, acreage was estimated. (See below for explanation) *

Not all of area developed. P/D & P/U incorrect on application, amendment req'd.

* Much of "irrigated" area was Strip plantings and Solitary Shrubs on barren hillside, so actual acreage is hard to determine. In addition, some of plantings had died, but irrigation system was evident (some drip, some low-volume spray heads). Total acreage is a compressed estimate of total area covered.

Mass of evergreens on hillside are watered intermittently until established and occasionally afterward.

Overlaps do not effect permit. Other lands, sources, uses.

Well and home have been in place since 1973.
Priority advance on permit to 6/24/84

Pump work = Burgess

Have conditions of permit approval been met? ☒ yes ☐ no

FEB 24 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{1.5 \times 8.8 \times .7}{130 + (35 \times 2.31)} = .04 \text{ cfs}$$

Allow .04 for 3 ac
irrigation - possible due
to nature of plant
materials and irrigation
system.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3 \times 4.5 = 13.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .04 \times 246 \times 1.9835 = 19.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 13.5$$

2. Volume Calculations for Other Uses:

$$D/I \text{ internal} = 0.6 \text{ AFA}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	.04	13.5
DOMESTIC	1/1	12/31	.04	0.6
Totals:			.04	14.1

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy Hodges Date 11/4/93

Reviewer _____ Date _____


SEAL

100 1004




670

FEB 24 1991



4N2E

FEB 24 1994



FEB 24 1994

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: N/A OTHER APPLICABLE NO: 63-10244
2. OWNER: Arrambani Phone: 853-5555
Address: _____
3. WELL LOCATION: Twp 4N, Rge. 2E, Sec. 18, SE 1/4 NW 1/4
County ADA (Provide sketch map and photo on reverse.)
4. DRILLER: Ellsworth Lic. No. 261
When Drilled? 7/14/1973
5. WELL CONSTRUCTION: TD = 285
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Sani-cap ☒ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 176 ft. Method Drilled Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 115 ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED

FEB 24 1994

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

C. J. Hodges

Signature of Dept. Representative & Title

10/25/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

RECEIVED

10/25/93

WELL DRILLER'S REPORT


State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

[illegible]

63-10244

(Bottom)

P/D &
Sprinkler
controls



(Side)

Lower portion of
P/u. (To North)

"Strip plantings"
down drive & on
top of ridge
comprise some of
Irrigated area

APPROXIMATE

FEB 1964



July 17, 1992

FRANK ARRAMBARRI
LORENE ARRAMBARRI
7024 HILL RD.
BOISE ID 83703

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10244

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

MAIL ROOM
JUL 28 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-10244 Reviewed by Klg Date 7/14/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received? Correct Uses? irrigate - 3
If not, complete calculation below. domestic - 1

SOURCE OF WATER

 Surface water source
✓ Ground water source

7202
13 NA Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 7/13/92 194
Date proof due 7/1/92 - 182
No. of days late = 12
Priority Date 6/12/84 + 163
New Priority Date 6/24/84 175

DEFICIENCIES OR ACTION ITEMS

proof acceptable

needs an order

DATA ENTRY

New Address

Proof Made 7/13/92
7/17/92 Klg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 7, 1992

Frank and Lorene Arambarri
7024 Hill Road
Boise, ID 83703

Re: Permit No. 63-10244

LAPSE NOTICE

Dear Permit Holder:

Under the provisions of Section 42-218a of the Idaho Code, you are hereby notified that the above referenced permit has lapsed since the Department could not approve the request for extension of time you submitted.

You can file a new application within one year of the time you actually intend to develop a water right. Since Idaho is now under a mandatory permit procedure to develop a water right, the new application will provide an additional period of time for development, although the priority date will be later in time.

Should you wish to file a proof of beneficial use on that portion of the permit that you have developed, you must do so within 60 days of the date of this lapse notice. However, your priority date is being penalized one day for every day the proof is received late.

If you have any questions or if we can be of any further assistance, please feel free to contact our office.

Sincerely,

L. Glen Saxton
Chief, Water Allocation Bureau

JUL 28 1992

CERTIFICATION OF MAILING

I hereby certify that on 7/7/92
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 2, 1992

Frank and Lorene Arambarri
7024 Hill Road
Boise, ID 83703

Re: Permit No. 63-10244

Dear Permit Holder:

Enclosed is a copy of the denied request for extension of time which you submitted to the department in connection with the above referenced permit. Section 42-204, Idaho Code, provides that the department can only grant one extension of time based on due diligence. Please note that the department has previously granted an extension of time in connection with this permit.

I suggest that you file the enclosed proof of beneficial use form for that portion of the development completed. If there has been no beneficial use of the water, I suggest you file a new application within one year of the time you actually intend to develop the water right. Since Idaho is now under a mandatory permit procedure to develop a water right, the new application will provide an additional period of time for development, although the priority date will be later in time.

If you have any questions or if we can be of any further assistance, please feel free to contact us or any of our regional offices.

Sincerely,

A handwritten signature in black ink, appearing to read 'L. Glen Saxton', is written over the typed name.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enc: Proof of Beneficial Use form/instruction
Extension of Time

C: IDWR - Regional Office

RECEIVED

Form 11.8

JUN 29 1992

For Office Use Only
\$15 Fee Received by YJ
Date 6-29-92
Receipt No. CC24738

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-10244

Name(s) of Permit Holder: FRANK ARAMBARRI - LORENE ARAMBARRI

Mailing Address: 7024 HILL Rd BOISE IDAHO 83703

Date Proof is Due July 1, 1992 (?) Telephone No. 853-5555

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Water is being pumped from the well to water approx. one hundred fifty ever green & other trees plus fruit trees and shrubs Costing \$

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

open heart surgery & other physical & financial problems.

Permit holder(s) request an extension to July 1, 1995

FEE: \$15.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be DENIED pursuant to Section 42-204, Idaho Code, which only authorizes one extension of time based on due diligence.

MICHAEL
JUL 28 1992

Signed this 1st day July, 19 92

R. Keith Higgins
R. Keith Higgins, Director

ANALYSIS SHEET
FOR
EXTENSION OF TIME

Permit No. 63-10244 Reviewed by Kl g. Date 6/30/92

BASIC INFORMATION

6/29/92 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

_____ Has adequate work been completed to demonstrate due diligence?
_____ Has the permit been involved in litigation?
_____ Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is delay by a government agency?
_____ Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

denied - extension for due diligence has been granted - suggest they file proof on portion completed

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address _____
Change Proof Due Date _____
Change Priority Date _____

April 30, 1992

FRANK ARRAMBARRI
LORENE ARRAMBARRI
7024 HILL RD.
BOISE ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 63-10244

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



JUL 28 1992

June 26, 1989

Frank and Lorene Arrambarri
7024 Hill Rd.
Boise, ID 83703

Dear Mr. and Mrs. Arrambarri:

Re: Permit No. 63-10244

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to July 1, 1992.

If you have any questions concerning this permit, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED
JUL 18 1989

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 63-10254Reviewed by [Signature]Date 6-22-89

BASIC INFORMATION

y Date stamp received
y Extension received timely
 (not prior to 6 month before proof due date or after reinstatement period)
y Fee received and receipted
y Name and signature same as permit
N Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

y Has adequate work been completed to demonstrate due diligence?
y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

N/A Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN

Recommend approval based on due diligence for 3 years

Special conditions or remarks:

N/A Reinstatement Date extension received _____ = _____
 Proof due date _____ = _____
 No. of days late _____ = _____
 Priority date _____ = + _____
 ADJUSTED PRIORITY DATE _____

MICROFILMED

- Prepare coding sheet
- Change rolodex card

JUL 18 1989

FRANK ARRAMBARRI
LORENE ARRAMBARRI
7024 HILL RD.
BOISE, ID 83703

April 30, 1989

138/80

PROOF DUE NOTICE

RE: PERMIT NO. 63-10244

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUL 18 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-10244
Name(s) of Permit Holder(s): FRANK + LORENE A RAMBAIDRI
Post Office Address: 2024 HILL ROAD
BOISE IDAHO Tel. No. 942-3994

☐ I hereby certify that construction of diversion works for the above referenced permit began on JULY 20 - 1984 (date). I understand that I must comply with the permit system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diverting works on the above referenced project was not begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

ARAM RRI
7029 H. H. Rd
Boise 83703



RECEIVED
689 87 101
OCT 18 1984

IDENTIFICATION

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

July 16, 1984

RE: Permit No. 63-10244

Frank &/or Lorene Arrambarri
7024 Hill Rd.
Boise, ID 83705

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

MAILED
JUL 17 1984

STATE OF IDAHO)

) 55.

Jeannine A. Sims, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the
issue of June 21, 1984, and ending with the
issue of June 28, 1984.

Jeannine A. Sims
Subscribed and sworn to before me this 28th
day of June, 1984.

Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED
JUL 3 1984

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION
FOR WATER RIGHT
(The following application(s) have been filed to appropriate the public waters of the State of Idaho: 63-10243
HOLLAND, RUTH J.
RT. 7, BOX 598, CALDWELL, ID 83605
Source: GROUNDWATER
Date Filed: 07/06/1983
Diversion Point: SENE Sec 19 T 04N R 02E
Use: DOMESTIC (0.06 CFS)
In: SENE Sec 19 T 04N R 02E
63-10244
ARRAMBARRI, FRANK &/or LORENE
7024 HILL RD., BOISE, ID 83703
Source: GROUNDWATER
Date Filed: 06/12/1984
Diversion Point: NWNW Sec 18 T 04N R 02E
Use: IRRIGATION (0.20 CFS)
DOMESTIC (0.04 CFS)
In: NWNW Sec 18 T 04N R 02E FOR 10 ACRES
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Department of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before July 9, 1984.
A. KENNETH DUNN
Director
Pub. June 21, 28, 1984

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

63-10244

ARRAMBARRI, FRANK &/or LORENE

7024 HILL RD., BOISE, ID 83703

Source: GROUNDWATER

Date Filed: 06/12/1984

Diversion Pt: NWNW Sec 18 T 04N R 02E

Use: IRRIGATION	(0.20 CFS)
DOMESTIC	(0.04 CFS)

In: NWNW Sec 18 T 04N R 02E FOR 10 ACRES

RECORDED