


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Henry Vander Stelt
(Applicant)

RECORDED


RECORDED

Appraiser's Initials _____

PLAT OF FARM

No. _____

Use Standard Legend. Indicate roads and show direction and distance to nearest town. Indicate points of compass—show scale of map.
Designate section numbers at section centers. If more than one source of irrigation supply, indicate area served by each.



LICENSE # G-25292 FOR 2.0 CFS
WATER RIGHT 103 ACRES
PRIORITY DATE 11-29-1954

SW 1/4 SW 1/4

SE 1/4 SW 1/4

SW 1/4 SE 1/4

YELLOW COLOR DESIGNATES PROPERTY IN LEGAL DESCRIPTION

NOTE: A SMALL PORTION IN THE NW 1/4 SE 1/4 IS FARMED ALONG WITH
THE REST OF THE PROPERTY BUT NOT INCLUDED IN LEGAL DESCRIPTION

141.5 AC CULTIVATED FROM AERIAL PHOTO

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 13 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10228

1. Owner: HENRY AND/OR THERESSA VANDERSTELT

Phone No. _____

Current Address: 2452 SWAN FALLS RD. KUNA, ID 83634

2. Accompanied by: HENRY VANDERSTELT

EXAM. DATE: 9-14-89

Address: _____

Phone No. _____

Relationship to Permit Holder: OWNER

3. Source: GROUND WATER

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-3009

☐ Copies Attached


2. Other water rights with same point of diversion: 63-3009

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

- ☐ Aerial Photo Attached

(required for irrigation of 10 acres or more).

NOT PREVIOUSLY LICENSED

CEMENT DITCH

10" LINE

8" LINE

FOUND THIS
QQ.
20 ADDITIONAL
ACRES

35 TOTAL ACRES IRR.

FOUND THIS
QQ.
10 ADDITIONAL
ACRES

30 TOTAL ACRES IRR.


PICTURE # 2 & 3
LOCATION

MICROFILMED

JUN 04 1990

C12

NOT TO SCALE



4816

4815

4814

660 000
FEET

4813

T. 2 N.

4812

27' 30"

T. 1 N.

4811

4810

T2
T11

REFILMED

JUN 04 1990

THIS PICTURE IS LOOKING NORTH TOWARD THE P/D AND SHOWS THE
8" GATED PIPE USED TO IRRIGATE THE P/U. PICTURE # 2



THIS PICTURE WAS TAKEN FROM THE SAME SPOT AS PICTURE # 3
LOOKING EAST TOWARD THE JOG IN THE SOUTH BORDER
OF THE P/U.



JUN 04 1990

MICROFILMED

PICTURE # 1

THIS PICTURE IS LOOKING EAST AND SHOWS THE WELL AND THE PIPELINE THAT RUNS SOUTH.

THIS SIDE OF THE TREE IS THE BEGINNING OF A CEMENT DITCH THAT RUNS EAST. ALSO SHOWN IS THE PUMP USED FOR LAWN IRRIGATION.



MICROFILMED

JUN 04 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10228

Priority: April 11, 1984

Maximum Diversion Rate: 0.53 CFS
Maximum Diversion Volume:¹ 166.5 AF

This is to certify, that HENRY VANDERSTELT
THERESSA VANDERSTELT

2452 SWAN FALLS RD.
KUNA, ID 83634

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 11, 1984; and has submitted Proof of Beneficial Use on April 4, 1989. An examination indicates that the works have a diversion capacity of 2.000 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.53 CFS	166.5 AF

LOCATION OF POINT(S) OF DIVERSION: SWNW , Sec. 36, Township 02N, Range 01W
ADA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	01W	36	NENW 3	NWNW 3	SENW 1	
			NESW 10	NWSW 20		37
Total number of acres irrigated:						37

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

JUN 0 - 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10228

CONDITIONS/REMARKS:

6. The maximum combined rate of diversion under this right & Right 63-3009 shall not exceed 2.0 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of MAY, 1990.

Acting for

Norman C. Gung
R. Keith Higginson, Director

RECEIVED

JUN 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho,

APPROVED

1. Name of applicant Henry &/or Theresa VanderStelt Phone 922-4634

Post office address Rt. 2, Kuna, ID 83634

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 36 Township 2N

Range 1W B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .80 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .80 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well with pump, pipeline
into gravity ditch

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	1W	36					3	3	38	31	35	30							140

Total number of acres to be irrigated 140

c. Describe any other water rights used for the same purposes as described above. _____

63-3009


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Henry Vander Stoep
(Applicant)

APPROVED

Proposed Priority 4/11/84

Received by BLS Date 4/11/84 Time 10:31

Preliminary check by [Signature] Fee \$ 45.00

Receipted by BLS Date 4/11/84 # 32593

Publication prepared by JP Date 4/19/84

Published in Idaho Statesman

Publication dates 4/26 & 5/3/84

Publication approved JP Date 5/9/84

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10228, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 6th day of June, 1984.


[Signature]
Chief, Operations Bureau

Appraiser's Initials _____

PLAT OF FARM

No. _____

Use Standard Legend. Indicate roads and show direction and distance to nearest town. Indicate points of compass—show scale of map.
Designate section numbers at section centers. If more than one source of irrigation supply, indicate area served by each.



COUNTY, OF ADA)

two insertions, beginning with the
issue of April 26, 19⁸⁴, and ending with the
issue of May 3, 19⁸⁴.

day of May, 1984.

Notary Public for Idaho, Residing at Boise, Idaho

A. KENNETH DUNN
Director
Pub. April 26, May 3, 1984

4823

Department of Natural Resources
Wildlife Management Office

May 17, 1990

HENRY VANDERSTELT
THERESSA VANDERSTELT
2452 SWAN FALLS RD.
KUNA, ID 83634

RE: PERMIT NO. 63-10228

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUN 04 1990

April 9, 1990

HENRY VANDERSTELT
THERESSA VANDERSTELT
2452 SWAN FALLS RD.
KUNA, ID 83634

RE: PERMIT NO. 63-10228

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUN 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 13 1990

Department of Water Resources

Permit No. 63-10228

Phone No. _____

A. GENERAL INFORMATION

1. Owner: HENRY AND/OR THERESA VANDERSTELT

Current Address: 2452 SWAN FALLS RD. KUNA, ID 83634

2. Accompanied by: HENRY VANDERSTELT

EXAM. DATE: 9-14-89

Address: _____

Phone No. _____

Relationship to Permit Holder: OWNER

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-3009

☐ Copies Attached


2. Other water rights with same point of diversion: 63-3009

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE SYSTEM IS A WELL PUMPING INTO EITHER A CEMENT DITCH OR INTO AN 8" GATED PIPE LINE. FROM THE CEMENT DITCH THE FIELDS ARE IRRIGATED VIA 1" TUBES 110 IN OPERATION AT EXAM TIME. YARD IRRIGATION ALSO OCCURS FROM THIS WELL. OVER LAP WITH 63-3009 WAS FOUND.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	UNKNOWN	60	12MM13608 8199	PEERLESS	8"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	36	2N	1W	ADA	AERIAL PHOTO.

6. Place(s) of Use:

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	1W	36	3	3			1	10	20										37

MICROFILMED

JUN 04 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NO MEASUREMENT MADE. THE SYSTEM HAS THE SAME PUMP
AND SAME OPERATION AS THE EXAM FOR 63-3009. OWNER
AGREED THAT THIS MEASUREMENT WAS SUFFICIENT.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

FROM LICENSE 63-3009

CARRYING CAPACITY = 2.00 CFS

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 37 \times 4.5 = 166.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.53 \times 245 \times 1.9835 = 257.6$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 166.5$

2. Volume Calculations for Other Uses:

MICROFILMED

JUN 04 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

PERMIT IS FOR IRRIGATION OF 140 ACRES AND 0.80 CFS
 FEES PAID FOR 1.00 CFS MAX
 FOUND PER OVERLAP
 AVAILABLE FOR LICENSING 37 ACRES @ 0.0143 CFS = 0.529 CFS

OVER LAP 2.00 CFS / 103 ACRES = 0.0194 (OLD RATE) 63-3009
 FOUND 2.00 CFS / 140 ACRES = 0.0143 CFS/ACRE (CURRENT RATE)

OLD RATE > CURRENT RATE THEREFORE EXCLUDE ACRES LICENSED UNDER 63-3009

	NW 1/4				SW		TOTAL
	NE	NW	SW	SE	NE	NW	
PERMIT 63-10228	3	3	38	31	35	30	140
FOUND	3	3	38	31	35	30	140 (FOR CURRENT RATE)
LICENSED ACRES 63-3009			38	30	25	10	103 (FOR OLD RATE)
I. RECOMMENDATIONS	3	3		1	10	20	37 (TO BE LICENSED)

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	0.53	166.5
Totals:			0.53 CFS	166.5 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN

Signature Kelly K. Christensen RW 2/2/90

Certification Date _____


Field Report Preparation Date 10-19-89

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUN 04 1990



NOT PREVIOUSLY LICENSED

PICTURE # 1
LOCATION

CEMENT DITCH

10" LINE

8" LINE

FOUND THIS
QQ.

20 ADDITIONAL
ACRES

35 TOTAL ACRES IRR.


FOUND THIS
QQ.

10 ADDITIONAL
ACRES

30 TOTAL ACRES IRR.

PICTURE # 2 & 3
LOCATION

Not to Scale



4816

4815

4814

660 000
FEET

4813

T. 2 N.

4812

27' 30"

T. 1 N.

4811

FILMED

4 1990

4810

T2
T11

THIS PICTURE IS LOOKING NORTH TOWARD THE P/D AND SHOWS THE 8" GATED PIPE USED TO IRRIGATE THE P/U. PICTURE # 2



THIS PICTURE WAS TAKEN FROM THE SAME SPOT AS PICTURE # 3 LOOKING EAST TOWARD THE JOG IN THE SOUTH BORDER OF THE P/U. # 2 BUT IS



JUN 04 1950

MICROFILMED

PICTURE # 1

THIS PICTURE IS LOOKING EAST AND SHOWS THE WELL AND THE PIPELINE THAT RUNS SOUTH.

THIS SIDE OF THE TREE IS THE BEGINNING OF A CEMENT DITCH THAT RUNS EAST. ALSO SHOWN IS THE PUMP USED FOR LAWN IRRIGATION.



MICROFILMED

JUN 04 1990

State of Idaho

Department of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 9N, Rge. 1W,
Sec. 36, Qtr./Qtr. SW/NW or Lot _____
2. Owner HENRY VANDERSTELT
Address _____, City _____, State _____
3. Approx. date of well construction 1955
Well Driller Hosack & Sons
4. Casing: Diameter 12" Condition Good
5. Casing length above land surface 13"
6. Well depth (ft) 218 Flowing No Temp. 56'
Access port Yes B
7. Condition of piping and valving Good
8. Evidence of well seal —
9. Shut in pressure or static water level —
10. Evidence of leakage around the casing No
11. Does well need repair No
12. Comments PROB HELD UP AT APROX 130' AND WAS UNABLE TO OBTAIN A STATIC WATER LEVEL

(OVER)

JUN 04 1990

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

Inspected by _____ Date _____

MICROFILMED

JUN 04 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10228

Date: 4-6-89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
? Has one been installed?
N Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

APR 04 1989

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 100.00
Date 3/4/89
Receipt # C006163
Receipt by R. Young
Reviewed by DS
Sent to region 43

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10228

Name(s) of Permit Holder: Henry &/or Theresa VanderStelt

Post Office Address: 2452 Swan Falls Rd., Kuna, ID 83634

Telephone No. 922-4634

Source of Water: G. W.

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 140 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 80 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: prior to 1980

Measuring Device: Required? Yes X No
Installed? Yes No

Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? X Yes No
Installed? Yes No

well drilled in 1954 see 63-3009.

Person to contact to accompany the Department representative during the field examination:

same as above
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

4-4-89
Date

Henry VanderStelt
Signature of Permit Holder (and title, if appropriate)

JUN 14 1989

HENRY VANDERSTELT
THERESSA VANDERSTELT
RT. 2
KUNA, ID 83634

March 31, 1989

138093

PROOF DUE NOTICE

RE: PERMIT NO. 63-10228

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 14 1989

HENRY (ENDERSTADT)
Rt 2 SWAN FALLS RD
KUNA ID 83634

MICROFILMED



JUN 14 1989

RECEIVED

OCT 16 1984
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

LOVE
LOVE
LOVE
LOVE
LOVE
USA 20c

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-10228
Name(s) of Permit Holder(s): Henry & Theresa VANDENSTELT
Post Office Address: Rt 2 KUNA ID 83634
Tel. No. 922 4634

☐ I hereby certify that construction of diversion works on the above referenced permit began on _____ (date) _____ and that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

MICROFILMED

JUN 14 1989

10-15-84

Henry Vandenstelt

June 29, 1984

RE: Permit No. 63-10228

Henry &/or Theresa VanderStelt
Route 2
Kuna, ID 83634

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

RECEIVED
JUL 1 1984

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY:

Jan Glover

APPLICATION NUMBER:

63-10228

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. *63-3009 Val 103 acres - SENW-30, SUNW-30, NWSW-10 & NWSW-25 FOR 2.0 CFS FROM G.W. & SAME P.O.*
☒ Yes ☐ No* In form for advertising.
Final date for protests: *May 14, 1984*
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: *5/4/84*
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. *45132593*
☒ Publication dates and paper, recorded on application. *Idaho Statesman 4/26 & 5/3/84*
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☐ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
4/11/84 Date of priority recommended.
Special conditions of approval or cover letter. *I.P. 6w letter*

By: *D33*

Date: *5/14/84*

STATE OFFICE REVIEW:

105, 103, 117

26 OIC 05(63-10228)

RECEIVED

☐ See attached sheet for more information.

By: *kw*

Date: *5-16-84*

MAY 15 1984

6-1-84

Department of Water Resources

MCPOI 4711

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

APRIL 19, 1984

The Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 14, 1984.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before MAY 14, 1984.

KEN DUNN, Dir.

Published 04/26 & 05/03/84.

MICROFILMED

63-10228

VANDERSTELT, HENRY &/or THERESSA

RT. 2, KUNA, ID 83634

Source: GROUNDWATER

Date Filed: 04/11/1984

Diversion Pt: SWNW Sec 36 T 02N R 01W

Use: IRRIGATION (0.80 CFS)

In: NENW NWNW SWNW SENW NESW NWSW Sec 36 T 02N R 01W FOR 140 ACRES