


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bo Wilkins
(Applicant)



21	22
28	27

PERMIT 63-10219 INIT KKC
T. R. S. Q/Q
P/D 6N 5W 28 SE/SE 81
SCALE
PHOTO ID: B-3 FLIGHT

PICTURE # 3 & 2
LOCATION

PERMIT 63-10219

PERMIT 63-10278


LINE TO
IRRIGATE
CORNER

PICTURE # 1
LOCATION


LICENSE 63-9638

AUG 06 1991

MAINTAINED



PERMIT 63-10219 INIT KKC
T. R. S. Q/Q
P/D 61 SW 28 SCSE
SCALE
PHOTO ID. W-53 FARM



RECEIVED
AUG 06 1991

PERMIT 63-10219 and 63-10278

PICTURE # 2

This picture set overlaps with picture set # 3. Overlap is on the right side of set 2 with the left side of set # 3. Note the handlines to identify the extent of overlap. This set is looking east on the left side and south on the right. The center pivot stops at the shop shown on the right. That acreage is covered by Permit 63-10278.



PICTURE # 3

This picture set is looking south on the left side and west on the right side. This set shows the acres under Permit 63-10219.

P/D LOCATION



PERMIT 63-10219 and 63-10278

PICTURE # 1

This picture shows the well site and the two lines leading from the pump. One line goes to the center pivot and the other follows the access road east to the main highway where it turns south. This picture is looking northeast.

LINE GOING TO CENTER PIVOT

LINE GOING TO MAIN ROAD



MICROFILMED
AUG 06 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10219

Priority: March 12, 1984

Maximum Diversion Rate: 0.62 CFS
Maximum Diversion Volume:¹ 139.5 AF

This is to certify, that BO HILLIARD
27058 OLD FORT BOISE RD.
PARMA, ID 83660

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 12, 1984; and
has submitted Proof of Beneficial Use on March 30, 1989. An examination indicates
that the works have a diversion capacity of 2.240 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.62 CFS	139.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE, Sec. 28, Township 06N, Range 05W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06N	05W	28	NWSE	31		31

Total number of acres irrigated: 31

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. The combined rate of diversion of water under this right & Rights 63-9638 and 63-10278 shall not exceed 2.24 cfs.

MICROFILMED

AUG 06 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10219

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9th
day of JULY, 1991.

Acting for


R. Keith Higginson, Director

RECORDED

AUG 06 1991.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Bo Hilliard Phone 722-5159

Post office address Box 912 Parma, ID 83660

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 28 Township 6N

Range 5W B.M. Canyon County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .80 cfs for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .80 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well with pump and pipeline
into sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECORDED

MICROFILMED

Total number of acres to be irrigated 40

b. Who owns the land to be irrigated or place of use Ronald E. Smith

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This Indenture, made and entered into the 11th day of March, 1984 between Ronald E. Smith of Parma, Idaho as the first party, hereinafter referred to as the Lessor, and Bo Hilliard of Parma, Idaho as the second party, hereinafter referred to as the Lessee:

Witnesseth, that for and in consideration of the covenants herein contained and of the cents to be paid, the Lessee does hereby lease from the Lessor, all of the following described real property, to-wit:

40 AC of the North Half SE $\frac{1}{4}$ of section 28 TS 6N R5W
BM, Canyon County ID.

To have and to hold, the same from the 11th Day of March, 1984, to the First Day of Dec., 1984. Lessee agrees to pay as rental for said premises the sum of \$2000.00, which is to be paid before work begins.


Lessee hereby assumes all risk of loss for injuries to property on persons of all agents, employees, or other persons coming upon the leased premises at the instance of or with the consent or knowledge of Lessee, his agents, employees, and assigns, and said Lessee hereby agrees to indemnify and save harmless the Lessor for and from any and all claims, demands, suits, judgements, costs and expense on account of such loss or injury.

This lease shall be binding upon the heirs, executors, administrators, successors and assigns of all parties hereto.

Bo Hilliard
Ronald E. Smith

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



RECORDED

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bo Willard
(Applicant)

MICROFILMED

Proposed Priority 3/12/84
Received by GLS Date 3/12/84 Time 10:48
Preliminary check by JG Fee \$ 45.00 ~~#~~ 32571
Receipted by GLS Date 3/12/84
Publication prepared by SP Date 3/15/84
Published in Press-Tribune
Publication dates 3/22 & 3/29/84
Publication approved SP Date 4/3/84
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by no kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10219, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.
An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 11th day of April, 1984.

J. Glen Saxton
Chief, Operations Bureau

NOTICE OF APPLICATION
FOR WATER RIGHT
The following applications have
been filed to appropriate the public
waters of the State of Idaho:
63-10218
MOORE, WILLIAM L. 119 111
1824 IDAHO AVE., CALDWELL,
ID 83605
Source: GROUNDWATER
Date Filed: March 12, 1984
Diversion Pt: NWSW Sec 27 T 04N
R 03W
Use: IRRIGATION (0.06 CFS)
In: NWSW Sec 27 T 04N R 03W
FOR 2 ACRES
63-10219 118
HILLIARD, BO
P.O. BOX 912, PARMA, ID 83660
Source: GROUNDWATER
Date Filed: March 12, 1984
Diversion Pt: SESE Sec 28 T 06N R
05W
Use: IRRIGATION (0.80 CFS)
In: NWSE Sec 28 T 06N R 05W
FOR 40 ACRES
The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before APRIL 9, 1984.
KEN DUNN
Director
March 22, 29, 1984

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)
) ss.
County of Canyon)

Debra Martin del Campo
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of
America, and at all times hereinafter mentioned
was over the age of eighteen years, and not a party
to the above entitled action.

2. That I am the Principal Clerk of the Idaho
Press-Tribune, a daily, (except Saturday)
newspaper published in the City of Nampa and
Caldwell, in the County of Canyon, State of Idaho;
that the said newspaper is in general circulation
in the said County of Canyon, and in the vicinity of
Nampa and Caldwell, and has been uninterrupted-
ly published in said County during a period of
seventy-eight consecutive weeks prior to the first
publication of the notice, a copy of which is hereto
attached.

3. That the notice, of which the annexed is a prin-
ted copy, was published in said newspaper

Two times
in the regular and entire issue of said paper, and
was printed in the newspaper proper, and not in a
supplement.

4. That said notice was published the following
dates:

March 22, 29, 1984

Debra Martin del Campo

Subscribed and sworn to before me this 29th
day of March

19 84

James Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

RECEIVED
APR 3 1984

Department of Water Resources
Western Regional Office

MICROFILMED

July 18, 1991

BO HILLIARD
27058 OLD FORT BOISE RD.
PARMA, ID 83660

RE: WATER RIGHT NO. 63-10219

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
AUG 06 1991

June 25, 1991

BO HILLIARD
27058 OLD FORT BOISE RD.
PARMA, ID 83660

RE: WATER RIGHT NO. 63-10219

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

AUG 06 1991

LICENSE REVIEW CHECKLIST

Permit No. 63-10219

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance

Order to reinstate needed? yes no ☒

Total cfs Limited by fee ok

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac 45

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map permit

More than one per 44? Remember remark

Check p/d overlap

Uses Check irrigation period of use w/ chart 3/15-11/15

P/U Verify with map permit

> 5 acres irrigated, run overlap

Remarks More than one p/d in 44

Description of non-irrig uses

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof

Filed - needs amended

Add'l fee required

Not filed -

Not needed

NOT RECORDED

AUG 06 1991

Comments/Changes to Examiner's Recommendations:

Examiner indicates pld in SWSE w/ no amendments - in order for no amendment to be necessary & to match pld from 63-9638 for overlap - pld has to be SESE.

License 10-day 30-day

Back of field report signed?

Reviewed Date 6/17/91 Review time 12 min.

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	P P	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
~~L63-10219~~	HILLIARD	L	03/12/1984		GROUNDWATER	IRR	0.62	2.24	06N	05W	28	SESE	
L63-10278	HILLIARD	L	02/15/1985		GROUNDWATER	IRR	0.40	2.24	06N	05W	28	SESE	
63-09638	HILLIARD	L	10/31/1980		GROUNDWATER	IRR	1.44	2.24	06N	05W	28	SESE	
~~63-10219~~	~~HILLIARD~~	P	~~03/12/1984~~		~~GROUNDWATER~~	~~IRR~~	~~0.80~~		~~06N~~	~~05W~~	~~28~~	~~SESE~~	
~~63-10278~~	HILLIARD	P	02/15/1985		GROUNDWATER	IRR	0.40		06N	05W	28	SESE	

FILED
AUG 06 1991

WR5810NP
(OD-138)IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORTDATE: 06/18/91
PAGE: 3

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM						
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE							
L6310219	NO MATCHES FOR THIS POU IN AJ-POU-TEMP																												
6308633	S.W. IDAHO RESEARCH &	L	GROUNDWATER	06N	05W	28	:				21	:									21								
A6308633	REGENTS UNIVERSITY OF	L	GROUNDWATER	06N	05W	28	:				21	:									21								
6309306	SMITH	P	GROUNDWATER	06N	05W	28	:					:							40		80								
6309638	HILLIARD	L	GROUNDWATER	06N	05W	28	:					:								38 34	72								
~~6310219~~	~~HILLIARD~~	~~P~~	~~GROUNDWATER~~	06N	05W	28	:					:							40		~~40~~								
L6310219	HILLIARD	L	GROUNDWATER	06N	05W	28	:					:								31	31								
6310278	HILLIARD	P	GROUNDWATER	06N	05W	28	:					:							20		20								
L6310278	HILLIARD	L	GROUNDWATER	06N	05W	28	:					:							20		20								
6311226	DALE	P	GROUNDWATER	06N	05W	28	:					:						7			7								
	1986 MAPPING DATA ---	-	COUNTY 27 QUAD W	53	06N	05W	28	:	3	16	1	26	:	40	45	41	30	:	22	42	42	24	:	39	38	41	34	:	484
	1986 MAPPING DATA ---	-	COUNTY 75 QUAD W	53	06N	05W	28	:	3	16	1	26	:	40	45	41	30	:	22	42	42	24	:	39	38	41	34	:	484

RECEIVED
AUG 06 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with Conditions of Approval
yes Well Inspection Form (If Needed)
☒ Copy of U.S.G.S. Quad
none Check for Government Lots. If so, make a copy of government plat
Check of P/D index 7-5-90 (initial & date)
Overlap ☒ yes ☐ no If yes: copy of exam(s) attached?
Type of Overlap? ☒ Add acres or uses to existing system 43-10278
 Increase rate of flow or volume
☒ Other: other system same Q/Q
Check of P/U index 7-5-90 (initial & date)
Overlap? ☒ yes ☐ no If yes: copy of water right(s) attached?
Type of Overlap? Increase rate of flow or volume
 Add P/D's
 Increase number of acres within tracts
 Other: 63-9306 Diff owner same Q/Q
☒ SRBA Attachment A Submitted to Adjudication Section
☒ Aerial Photo Required? ☒ yes ☐ no If yes: copy attached
☒ Scheduling Letter Sent? 7-2-90 KKC (initial & date)
☒ Appointment Made and Telephone Conversation Memo Attached
☒ SRBA Claim Check Received (initial & date)
 Applicable, See Attachment A N/A

B. After Conducting the Exam, the File Contains:

- ☒ Fully Completed and Signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☒ Copy of SRBA Claim Verification Sheet / 1/1 Original Returned to
Adjudication Section

C. Review and Processing:

Exam Completed Kelly K. Christensen 8-22-90 (signature of examiner & date)
Exam Reviewed by Senior Water Resource Agent 1.0 4/16/91 (initial & date)
Exam Reviewed by Manager of Regional Office DM 4/19/91 (initial & date)
Exam Sent to State Office 4-24-91 ST (initial & date)

RECEIVED
APR 25 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION

PERMIT NO: [REDACTED]
and 63-10278
DATE EXAM
CONDUCTED: 07-21-90

1. OWNER LISTED ON PERMIT

Name: Bo Hilliard
Address: 27058 Old Fort Boise RD.
City, State: Parma, ID Zip 83660
Phone No. (208) 722-6324

2. PERSON ACCOMPANYING EXAMINER OR NEW OWNERS NAME AND ADDRESS

Name: Same
Relationship to Permit holder: Owner

3. SOURCE: groundwater

B. DOCUMENTS INCLUDED WITH THIS REPORT

- | | |
|--|---|
| 1. ☒ Copy of U.S.G.S Quadrangle | 5. ☒ Aerial Photo (if required) |
| 2. ☒ No. of Photo Pages Attached | 6. ☐ Overlap Sheet (form) |
| 3. ☒ Well Inspection Form | 7. ☐ Pump Efficiency form |
| 4. ☐ P/D Overlap Field Exams Copy | 8. ☐ Ground Water Irrigation Ck |
- * (found in file 63-10219)

C. OVERLAP REVIEW

1. P/D overlap found, (relating to the same source only)

HILLIARD
63-9638, 63-10219, and 63-10278 are all from the same P/D.
Each new right is to add new acres to the well. NO P/D OVERLAP

63-9306 is a permit from the same P/D but the owner of the well and surrounding land has not given the permit holder access rights to the well and therefore the permit cannot be examined or licensed. Overlap with this permit has been disregarded for this licensing recommendation.

- THE PERMIT HOLDER'S NAME IS SMITH. HE WOULD LIKE TO USE HILLIARD'S WELL TO IRRIGATE ACRES NORTH OF THESE BUT HILLIARD WILL NOT ALLOW IT. SMITH WILL HAVE TO DRILL OWN WELL OR PERMIT WILL LAPSE. PER 63-10278 REVIEW NOTES CONV. W/ EXAMINER 12/28/90
2. Overlap Analysis Narrative

The first right from this P/D is 63-9638. This system was a pipeline supplying water to laterals and a sprinkler system. The acres irrigated are in the South half of the southeast quarter.

The next right is 63-10219. This is new acres located in the northwest of the southeast quarter, new acres same P/D. These acres and the acres under 63-9638 are now irrigated by the center pivot.

INDEXED
FILMED

AUG 06 1991

7/90.

2. Overlap Analysis Narrative (continued)

The last right is 63-10278. This permit is for lands leased by the owner of the well. These acres are in the northeast of the southeast quarter. The corner outside the center pivot and the acres blocked by the buildings are not irrigated by any other method therefore they are excluded from the licensing recommendation.

3. No P/U overlap found. (relating to the same permit acres only)**D. SYSTEM DESCRIPTION (General system description)****1. Diagram found on;**

a. Aerial Photo	--	--	--	--	--	--	--	☒
b. Hand Sketch	--	--	--	--	--	--	--	☐

2. Narrative

The system is a well located beside the pivot point for a center pivot irrigation system. There is also a 6" line running east from the well to the road where the line then turns south. This line is used to carry water to the southeast corner of the Q/Q where hand lines irrigate the acreage that the center pivot misses.

A home and related buildings was found in the NE/SE quarter which stops the center pivot from completing a full circle. The well was measured on 09-01-83. Using this measurement and a theoretical calculation, it was determined that the system is capable of providing the required AFA for the original license and the two permits covered by this field examination, therefore the licensing recommendation will be for AFA only.* No measurement was made during this exam.

SEE COMMENTS

E. FLOW MEASUREMENT DESCRIPTION

Well Id. #	Hp	Motor Make	Serial #	Pump Make	Discharge Dia.
------------	----	------------	----------	-----------	----------------

100	GE	FMJ623403	JOHNSTON	8"
-----	----	-----------	----------	----

1. Diagram N/A

2. Narrative N/A

3. Alternate method for checking purposes

$$\frac{100 \text{ Hp} \times 8.8 \times .7 \text{ Eff}}{(187) \text{ Dyn Level} + (2.3 \times 60 \text{ PSI})} = 1.895 \text{ cfs}$$

$$\frac{1.90 \text{ cfs}}{\text{Div. Rate}} \times \frac{215}{\text{Days in Season}} \times \frac{1.9835}{\text{Factor}} = 810.3 \text{ AFA (the system capability)}$$

STATIC
WATER
LEVELMICROFILMED
AUG 06 1991

4. Measurement Equipment Used During Field Exam

None, the previous measurement and a theoretical calculation indicates that the system is capable of supplying the AFA requirement for all of the acres covered from all rights from this P/D.

5. Point of Diversion Legal Description

Ident. No.	Twp	Rng	Sec	1/4	1/4	1/4	Gov't Lot	County	Remarks and Method of Determination
	6N	5W	28	SW	SE			CANYON	AERIAL PHOTO
(for both permits)									

F. PLACE OF USE (if acres, show acres recommended for the license)

METHOD OF DETERMINATION Aerial photo

	TWP	RGE	SEC	NE				NW				SW				SE				TOTAL
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
For permit 63-10219	6N	5W	28																31	31
For permit 63-10278	6N	5W	28																20	20

G. VOLUME CALCULATIONS (for irrigation, use the acres and the diversion rate recommended for licensing)

1. Volume Calculations for irrigation for permit 63-10219

$$V(i.r.) = \frac{31}{\text{acres irrigated}} * \frac{4.5}{\text{irrigation requirement}} = 139.5 \text{ AFA}$$

2. Volume Calculations for irrigation for permit 63-10278

$$V(i.r.) = \frac{20}{\text{acres irrigated}} * \frac{4.5}{\text{irrigation requirement}} = 90.0 \text{ AFA}$$

3. Volume requirements for all previous rights from this P/D

Right	Acres	AF Factor	
63-9638	72	4.5	= 324.0 AFA

4. System AFA requirements -- -- -- -- -- 553.5 AFA

(value indicates the sum of items 1, 2, and 3)

2.24 CFS MEASURED IN 63-09638 EXAM

63-10219 31 ACRES
63-10278 20 ACRES
63-09638 72 ACRES
123

SYSTEM LIMITED TO 2.24 MEASURED CFS

2.24/123 = .0182 CFS PER ACRE pp 3

RECOMMENDED CFS FOR 63-10219 = 31 X .018 = 56 CFS

CAPACITY EXCEEDS
REQUIREMENTS. SEE
PS 2
FILED
AUG 06 1991

H. RECOMMENDATIONS

1. Permit Summary

For permit 63-10219

Irrigation -- -- -- -- -- 40 Acres 0.80 Rate

Fees Paid for -- -- -- -- -- 1.00 CFS Max.

Found during field exam

Irrigation -- -- -- -- -- 31 Acres ^{.62} ~~N/A~~ Rate

For permit 63-10278

Irrigation -- -- -- -- -- 20 Acres 0.40 Rate

Fees Paid for -- -- -- -- -- 1.00 CFS Max.

Found during field exam

Irrigation -- -- -- -- -- 21 Acres ^{.40} ~~N/A~~ Rate
(the permitted acres are the limiting factor)

2. Recommended Amounts *CANT MAKE VOLUMETRIC RECOMMENDATIONS ONLY*

Beneficial use	Period of Use From To	Q-- Rate of Diversion	V-- Annual Volume
----------------	--------------------------	--------------------------	----------------------

For permit 63-10219

Irrigation -- --	4-1 11-1	^{.56} ~~N/A~~ Cfs <i>Der Sec computation previous page</i>	139.5 Afa
------------------	----------	--	-----------

For permit 63-10278

Irrigation -- --	4-1 11-1	^{.40} ~~N/A~~ Cfs	90.0 Afa
------------------	----------	-----------------------------------	----------

TOTAL RATE FOR PERMITS 63-10219, 63-10278 AND LICENSE 63-09638
MAY NOT EXCEED 2.24 CFS WHEN OPERATING TOGETHER.

3. Recommended Amendments

None

(MEASURED SYSTEM CAPACITY IN
63-09638 FIELD EXAM ATTACHED)
[x]

I. AUTHENTICATION

Field Examiner Kelly R. Christensen

Signature

Kelly R. Christensen

Field Report

Preparation Date

08-22-90

Reviewed by

Cor White


Signature

lw

Date

4-16-91

Certification Date



AUG 06 1991

CONSULTANT SEAL

5



PERMIT 63-10219 INIT KKS
T. R. S. 0/0
P/D 6N 28 50/50
SCALE
PHOTO ID. 0-53 FARM

63-10219 28
P/U
P/D
63-10278 2
Well

Well
2297

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10219
10278

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____1/4____1/4
or Lot_____.
2. Owner: _____
Address_____, City_____, St_____
3. Casing $\geq$ 12 inches above ground: Yes_____ No_____
4. Access Port: Yes ☒ No____ Static Water Level: _____
Pressure Gauge: Yes ☒ No____ Casing Diameter: _____
Flowing: Yes____ No ☒ Temperature: _____
5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes____ No_____

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: A CEMENT PAD (GROUND LEVEL) HAS BEEN
POURED AROUND THE CASING AND THE PUMP
RESTS UPON THIS PAD. THE PAD IS ON A
SLIGHT SLOPE AND EXCESS IRR. WATER CAN
FLOW ACROSS THE PAD TOWARD THE CASING

NOT REFILED

AUG 06 1991

PERMIT 63-10219 and 63-10278

PICTURE # 2

This picture set overlaps with picture set # 3. Overlap is on the right side of set 2 with the left side of set # 3. Note the handlines to identify the extent of overlap. This set is looking east on the left side and south on the right. The center pivot stops at the shop shown on the right. That acreage is covered by Permit 63-10278.



PICTURE # 3

This picture set is looking south on the left side and west on the right side. This set shows the acres under Permit 63-10219.

P/D LOCATION




PERMIT 63-10219 and 63-10278

PICTURE # 1

This picture shows the well site and the two lines leading from the pump. One line goes to the center pivot and the other follows the access road east to the main highway where it turns south. This picture is looking northeast.

LINE GOING TO CENTER PIVOT

LINE GOING TO MAIN ROAD



MICROFILMED
AUG 06 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10219

Date: 4.6.89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

 Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ~~ENTRY~~ AND THEN TO MICROFILM

RECEIVED

MAR 30 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received 100.00

Date 3/31/89

Receipt # COB114

Receipt by B. L. King

Reviewed by JS

Sent to region 3

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10219

Name(s) of Permit Holder: Bo Hilliard

Post Office Address: 27058 Old Fort Boise Rd -

Telephone No. 722-6324

Source of Water: Well

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 40 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .80 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: MAY 1984

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Bo Hilliard Home 722-6324 Work 722-5158
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2-29-89
Date

Bo Hilliard
Signature of Permit Holder (and title, if appropriate)

JUN 14 1989

FILED

CONV ATION MEMORANDUM

Date 3-7-1989 File # 63-10219

NAME OF PARTY Bo Hilliard

EMPLOYEE Ray Walker

RE address change

Bo Hilliard
27058 Old Fort Boise Rd.
Parma, Id. 83660

will be residing
P/U to his own
land. JUN 14 1989

BO HILLIARD
P.O. BOX 912
PARMA, ID 83660

January 31, 1989

138915

PROOF DUE NOTICE

RE: PERMIT NO. 63-10219

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 14 1989

(STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES ()
COMMENCEMENT OF WORKS

Permit No. 63-10219
Name(s) of Permit Holder(s): Bo Hilliard
Post Office Address: Box 912 Pomeroy, Ida 83660
Tel. No. 208-6324

☒ I hereby certify that construction of diversion works on the above referenced permit began on 4/24/84 (date) I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

4/25/84
Date

Bo Hilliard
Signature of Permit Holder

Bo H. Gifford
Box 912
Pocatello Idaho 83460

MICROFILMED

JUN 14 1989



ALWAYS USE
ZIP CODE
RECEIVED
APR 27 1984
USA 20c

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

April 16, 1984

RE: Permit No. 63-10219

Bo Hilliard
Box 912
Parma, ID 83660

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or an access port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the access port.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed instructions entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Grover APPLICATION NUMBER: 63-10219

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 4/9/84
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/3/84
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45/32571
☒ Publication dates and paper, recorded on application. Idaho Tribune
☒ Protests, dates, withdrawal, etc., recorded on application. 3/22 & 3/29/84
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
☒ 3/12/84 Date of priority recommended.
Special conditions of approval or cover letter. I.P. Gw letter
(26) Right-of-way condition.

By: DES

Date: 4/9/84

STATE OFFICE REVIEW:


L03, L17

26 04 OIC

- ☐ See attached sheet for more information.

By: kw

Date: 4-10-84



Department of Water Resources

MICROFILMED

63-10219

HILLIARD, BO

P.O. BOX 912, PARMA, ID 83660

Source: GROUNDWATER

Date Filed: 03/12/1984

Diversion Pt: SESE Sec 28 T 06N R 05W

Use: IRRIGATION (0.80 CFS)

In: NWSE Sec 28 T 06N R 05W FOR 40 ACRES

MICROFILM

3/83

IDENT. NO. 63-10219

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT DATA ENTRY LOG

[illegible]