





11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T. 4N, R. 1E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Monroe Inc. By W. K. Lane
(Applicant) Div. Mgr.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

KEYPUNCHED

A. GENERAL INFORMATION


Permit No. 63-10189
1. Owner: Monroc Inc Phone No. 939-6831
Current Address: P.O. Box 8388 Boise, Idaho 83707
2. Accompanied by: Tom Watson EXAM. DATE: 7-8-86
Address: Monroc P.O. Box 8388 Boise, Idaho Phone No. 939-6831
Relationship to Permit Holder: Employee
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-0263 Surface water Boise River ~~63-2406~~
Drainage water. Not used by Monroc ☒ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

MAY 12 1987

Scale: 1" = 50'


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



MICROFILMED

MAY 12 1961





NWSE 15 4N 1E

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USEPAGE 1118
01/04/1986

TNSHP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER	TNSHP
04N	01E	14	NENE	03	01.04		63-5347	LLEWELLYN	C	S	01-10-1879	GROUNDWATER	04N
			NENE	01	43		63-5348	LLEWELLYN	C	S	05-21-1891	GROUNDWATER	
			NENE		01.43		63-0165E	BOISE CITY CANAL C	C	D	06-01-1866	BOISE RIVER	
			NENE		01.43		63-0165H	LEATHERMAN	C	D	08-01-1866	BOISE RIVER	
			NENE	20	01		63-2406	BOISE CITY CANAL C	C	D	07-05-1965	WASTE WATER	
			NENE	04	01.43		63-3463	DRAINAGE DIST. NO.	C	L	08-16-1965	GROUNDWATER	
			NENE		01.43		63-0165H	SPRINGER	C	D	08-01-1866	BOISE RIVER	
			NENE	37	01		63-2406	BOISE CITY CANAL C	C	L	07-05-1965	WASTE WATER	
			NENE		01.43		63-0165H	DRAINAGE DIST. NO.	C	D	08-01-1866	BOISE RIVER	
			NENE	38	01		63-2406	BOISE CITY CANAL C	C	L	07-05-1965	WASTE WATER	
			NENE	07	01.04		63-5347	DRAINAGE DIST. NO.	C	S	01-10-1879	GROUNDWATER	
			NENE				63-2406	LLEWELLYN	C	L	07-05-1965	WASTE WATER	
			NENE	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE		43		63-4419	STARR	C	S	10-01-1944	GROUNDWATER	
			NENE	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	02	01		63-7216	HURLEY	C	L	04-18-1969	GROUNDWATER	
			NENE	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	31	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	33	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE		43		63-4615	ARNOLD	C	S	06-01-1905	GROUNDWATER	
			NENE		43		63-7783	POWELL	C	L	04-23-1973	GROUNDWATER	
			NENE	34	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	03	01		63-10123	HITTE	C	P	07-13-1983	GROUNDWATER	
			NENE	44	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE		43		63-7537	RHODES	C	L	07-05-1965	WASTE WATER	
			NENE	01	01.04		63-9211	SCHWARTZ	C	L	01-06-1972	GROUNDWATER	
			NENE		01.43		63-0165H	BOISE CITY CANAL C	C	D	02-12-1979	GROUNDWATER	
			NENE	38	01		63-2406	BOISE CITY CANAL C	C	D	08-01-1866	BOISE RIVER	
			NENE	36	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	04	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	04	01		63-0147A	BOISE VALLEY IRR.	C	D	06-01-1865	BOISE R.	
			NENE	04	01		63-0147C	BOISE VALLEY IRRIG	C	D	06-01-1865	BOISE RIVER	
			NENE	38	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	10	01.43		63-7605	THOMSEN	C	L	05-16-1972	GROUNDWATER	
			NENE		01		63-0263	THOMSEN	C	D	06-01-1880	BOISE RIVER	
			NENE				63-2406	FRANK	C	L	07-05-1965	WASTE WATER	
			NENE	40	01		63-0263	FRANK	C	D	06-01-1880	BOISE RIVER	
			NENE		01		63-2406	FRANK	C	L	07-05-1965	WASTE WATER	
			NENE	38	01		63-2406	FRANK	C	D	06-01-1880	BOISE RIVER	
			NENE	38	01		63-2406	FRANK	C	L	07-05-1965	WASTE WATER	
			NENE	40	01		63-2406	FRANK	C	L	07-05-1965	WASTE WATER	

M 3

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USEPAGE 1119
01/04/1986

TNSHP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER	TNSHP
04N	01E	15	NENH	05	01.43		63-5349	DALTON	C	S	01-01-1962	GROUNDWATER	04N
			NENH	33	01		63-2406	DALTON	C	L	07-05-1965	WASTE WATER	
			NENH	38	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH	37	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH		43		63-7451	COFFELT	C	L	07-05-1965	WASTE WATER	
			NENH	20	01		63-2406	DRAINAGE DIST. NO.	C	L	06-18-1971	GROUNDWATER	
			NENH	14	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH		01		63-0270	SIMONSON	C	L	07-05-1965	WASTE WATER	
			NENH		01		63-0270	SIMONSON	C	D	04-01-1865	BOISE RIVER	
			NENH	37	01		63-2406	DRAINAGE DIST. NO.	C	D	04-01-1865	BOISE RIVER	
			NENH		01		63-0263	FRANK	C	L	07-05-1965	WASTE WATER	
			NENH				63-10189	FRANK	C	D	06-01-1880	BOISE RIVER	
			NENH	30	01		63-2406	MONROE INC.	C	P	06-29-1983	GROUNDWATER	
			NENH		01		63-0263	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH				63-2406	FRANK	C	D	06-01-1880	BOISE RIVER	
			NENH				63-2406	FRANK	C	L	07-05-1965	WASTE WATER	
			NENH	08	01		63-2406	FRANK	C	L	07-05-1965	WASTE WATER	
			NENH	35	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH	38	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH		01.43		63-5206	HERRILLS EGG FARM	C	S	07-01-1952	GROUNDWATER	
			NENH	04	01		63-10115	HERRILLS EGG FARM	C	P	06-30-1983	GROUNDWATER	
			NENH	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH		04		63-5170	HERRILLS EGG FARMS	C	S	07-01-1962	GROUNDWATER	
			NENH		01		63-0285	WIMER	C	D	05-01-1906	BOISE RIVER	
			NENH	03	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH	34	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH		01		63-0195	AIKEN	C	D	06-01-1891	BOISE RIVER	
			NENH		01		63-0258B	CHARTERS	C	D	05-01-1893	BOISE RIVER	
			NENH		01		63-0260B	SCHMELZER	C	D	05-01-1883	BOISE RIVER	
			NENH	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH	14	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH	04	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	

MICROFILMED

MAY 12 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10189

Priority: June 29, 1983 Amount: .18 CFS 30.9 AFA

This is to certify, that MONROC INC.

P.O. BOX 8388

BOISE, ID 83707

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated June 29, 1983, and has submitted proof to the Department of Water Resources on October 4, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .18 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Industrial	01/01 to 12/31	.18 cfs	30.9 afa

LOCATION OF POINT OF DIVERSION(S): NWSE , Sec. 15, Township 4N, Range 1E
Ada County

PLACE OF USE: Industrial

TWN RGE SEC

4N 1E 15 NWSE

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Industrial use is for ready-mix concrete batch plant, prestress-precast production facility & washing of ready-mix trucks.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22nd day of April, 1987.

MICROFILMED

MAY 12 1987

Acting for the

Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant MONROC INC Phone 939-6831
Post office address P.O. Box 8388 Boise Idaho 83707
2. Source of water supply GROUND WATER which is a tributary of —
3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township T 4 N
Range 1 E B.M. ADA County, additional points of diversion if any: —

4. Water will be used for the following purposes:

- Amount 80 gpm OR 0.19 CFS for INDUSTRIAL purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
- Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
- Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.18 cubic feet per second and/or b. — acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Submergible Pump

- b. Height of storage dam NONE feet, active reservoir capacity NONE acre-feet; total reservoir capacity NONE acre-feet, materials used in storage dam: NONE

Period of year when water will be diverted to storage NONE to NONE inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 12" inches; proposed depth of well is 310' feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is in use now (ALLOW 1YR) years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 15 Township T 4 N
Range 1 E B.M.

(2) Amount of power to be generated: NONE horsepower under NONE feet of head.

(3) List number of each kind of livestock to be watered NONE

(4) Name of municipality to be served NONE, or number of families to be supplied with domestic water NONE.

(5) If water is to be used for other purposes describe: Ready mix concrete batch plant, Prestress-Precast Production Facility AND office buildings


That certain tract lying in the $W\frac{1}{2}$ of the $E\frac{1}{2}$ of Section 15, T. 4 N., R. 1 E. B.M., in Ada County, Idaho, more specifically described as follows:

Beginning at the Quarter Section corner common to Sections 15 and 22, T. 4 N., R. 1 E. B.M., Ada County, Idaho; thence North $0^{\circ}10'$ West 3026 feet to a point in the Southwest R/W fence line of State Highway 44; Thence South $63^{\circ}00'$ East 1220 feet to a point in the fence which is a property corner; Thence South $27^{\circ}00'$ West 270 feet to a point; Thence South $61^{\circ}00'$ East 418 feet to a point in a fence line which is the East line of the $NW\frac{1}{4}SE\frac{1}{4}$ of said Section 15; Thence South $0^{\circ}20'$ West along a fence line 2024 feet to the South boundary line of said section; thence North $89^{\circ}50'$ West 1315 feet to the point of beginning.



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T. 4N, R. 1E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Monroe Inc. By W. K. Lane
(Applicant) Div. Mgr.

Proposed 6/29/83 9-21-83 1200 am
6-30-83 9:00 am

Received by SAC Date 6/29/83 Time 1:57

Preliminary check by JS Fee \$ 30.00

Receipted by JS Date 6-30-83 # 32290

Publication prepared by JP Date 10/6/83

Published in Idaho Statesman

Publication dates 10/13 & 10/20/83

Publication approved JP Date 10/28/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10189, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 3rd day of November, 1983.

J. Glen Saylor
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO)
) ss.
COUNTY OF ADA)

**NOTICE OF APPLICATION
FOR WATER RIGHT**
The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:
63-10188
**BOISE PARK SYSTEM HEWETT
PARK**
1104 ROYAL BLVD., BOISE, ID 83706
Source: GROUNDWATER
Date Filed: 09/16/1983
Diversion Point: NENW Sec 34 T 04N
R 01E
Use: IRRIGATION (0.60 CFS)
In: NENW Sec 34 T 04N R 01E FOR 5
ACRES
63-10189 ✓ 18
MONROC INC.
P.O. BOX 8388, BOISE, ID 83707
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Point: NWSE Sec 15 T 04N
R 01E
Use: INDUSTRIAL (0.18 CFS)
In: NWSE Sec 15 T 04N R 01E
The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Department of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on or
before OCTOBER 31, 1983.
A. KENNETH DUNN
Director
Pub. Oct. 13, 20, 1983
3295

Susan K. Mayer, being duly sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in the regular edition of The Idaho Statesman for

two insertions, beginning with the
issue of October 13, 1983, and ending with the
issue of October 20, 1983.

Susan K. Meyer,

Subscribed and sworn to before me this 20th
day of October, 19 83.

Verdeby Eugene
y Public for Idaho, Residing at B

Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED
OCT 24

Page: 11 of 11
Date: 11/11/2013

MICROFILM

1. DRILLING PERMIT NO. 63-95-W-0262-200
Other IDWR No. 63-10189

11. WELL TESTS:

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
400			4

Water Temp. _____ Bottom hole temp. _____

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Water

[illegible]

Completed Depth 167 (Measurable)
Date: Started 5-1-95 Completed 5-15-95

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Dennis Phillips Firm No. 332

Firm Official [Signature] Date 6-1-95

and

Supervisor or Operator _____ Date _____

(Sign once if Firm Official & Operator)

1. DRILLING PERMIT NO. 63-95-W-0262-200
Other IDWR No. 63-10189

2. OWNER:

Name Monroe Concrete
Address 2755 E. State St.
City Eagle State TX Zip 73616

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.


 Twp. 4 North ☒ or South ☐
 Rge. 1 East ☒ or West ☐
 Sec. 15 $\frac{1}{4}$ SF $\frac{1}{4}$ NW
 Gov't Lot _____ County AD

Address of Well Site Same.

(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other Industrial

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☒ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☒ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sealant Pounds	
Bentonite	0	20	1100	Bur

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) _____

Was drive shoe seal tested? Y ☐ N ☒ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
10	±1	136	250	Steel	☐	☐	☒	☐
6	105	130	250	Steel	☐	☐	☒	☐
6	140	143	250	Steel	☐	☐	☒	☐

Length of Headpipe 158 102 250 Length of Tailpipe 4' 5"

9. PERFORATIONS/SCREENS

□ Perforations	Method
----------------	--------

*Screens Screen Type 304 Stainless

From	To	Slot Size	Number	Diameter	Material	Casing	Line
13C	140	.020		6		☐	☐
143	158	.025		6		☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

8 ft. below ground Artesian pressure lb.

Depth flow encountered _____ ft. Describe access port or

control devices: Well Seal

April 23, 1987

MONROC INC.
P.O. BOX 8388
BOISE, ID 83707

RE: Permit No. 63-10189

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAY 12 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No.

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

*examiner recommends
allowing capacity of 0.18 cfs -*

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: *none -* _____

c) Analysis:


RECORDED
MAY 12 1987

License

- Date 4-2-87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

KEY INDEXED

A. GENERAL INFORMATIONPermit No. 63-101891. Owner: Monroc IncPhone No. 939-6831Current Address: P.O. Box 8388 Boise, Idaho 837072. Accompanied by: Tom WatsonEXAM. DATE: 7-8-86Address: Monroc P.O. Box 8388 Boise, Idaho Phone No. 939-6831Relationship to Permit Holder: Employee3. Source: Groundwater tributary to _____**B. OVERLAP REVIEW**1. Other water rights with same place of use: 63-0243 Surface water Boise River ~~63-2406~~Drainage water. Not used by Monroc ☒ Copies Attached2. Other water rights with same point of diversion: None☐ Copies Attached ☐ Copies of Field Exam's Attached**C. SYSTEM DESCRIPTION**1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

MICROFILMED

Scale: 1" = 50'

MAY 12 1987

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Describe (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

System has a 7 1/2 H.P. Submersible pump set at 60' in a 12" cased well. No ~~storage~~ storage tank in system. Plant ~~now~~ operates on average 260 days (8 hour shifts) per year. ~~the~~ Static water level is within a few feet of the surface.

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	7 1/2	11-0036	Berkelley Berkelley	B-56829 1289706

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	15	4N	1E	Ada	Topographic Map

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1E	15									X								

MICROFILMED

MAY 12 1981

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						
Stopwatch						

2. Measurements:

Fills 5 gal bucket ~~in 3 to 4 seconds~~ in 3 to 4 ~~seconds~~ seconds*
* turbulence created during filling made exact replication of times impossible.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{5 \text{ gal}}{4 \text{ sec.}} \cdot \frac{60 \text{ sec}}{1 \text{ min}} = 75 \text{ gpm} \quad \frac{75 \text{ gpm}}{448.8} = .17 \text{ cfs}$$

2. Alternate Method for Checking Purposes: Est 60 psi and 30' pumping level

$$\frac{7.5 \times 8.8 \cdot 8}{30 + 2.31(60)} = \frac{52.8}{168.6} = .31 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$.18 \times 260 \times \frac{1}{3} \times 1.9835 = 30.9 \text{ afa}$$


MICROFILMED

MAY 12 1987



MICROFILMED

MAY 12 1961



H. REMARKS AND OVERLAP REVIEW ANALYSIS

The measurement was taken at a wash rack approx. 250' from the well. This would not give an ~~total~~ accurate measurement of the systems total capacity. Water is used in mixing concrete for delivery as ready mix and making precast concrete structures. It is also used in washing of ready mix trucks.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Industrial	1-1	12-31	.18	30.9
Totals:			.18	30.9

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Carter Fritschle

Signature Carter Fritschle

Certification Date _____


Field Report Preparation Date 7-8-86

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

MAY 12 1987



NWSE 15 4N 1E

IDAHO DEPARTMENT OF WATER RESOURCES
 WATER RIGHTS BY PLACE OF USE

 PAGE 1118
 01/04/1986

TOWNSHIP	RANGE	SECTION	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER	TOWNSHIP
04N	01E	14	NENE	03	01.04		63-5347	LLEWELLYN	C	S	01-10-1879	GROUNDWATER	04N
			NENE	01	.43		63-5348	LLEWELLYN	C	S	05-21-1891	GROUNDWATER	
			NENE		01.43		63-0165E	BOISE CITY CANAL C	D	D	06-01-1866	BOISE RIVER	
			NENE		01.43		63-0165H	BOISE CITY CANAL C	D	D	08-01-1866	BOISE RIVER	
			NENE	20	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	04	01.43		63-3463	SPRINGER	C	L	08-16-1965	GROUNDWATER	
			SHNE		01.43		63-0165H	BOISE CITY CANAL C	D	D	08-01-1866	BOISE RIVER	
			SHNE	37	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SENE		01.43		63-0165H	BOISE CITY CANAL C	D	D	08-01-1866	BOISE RIVER	
			SENE	38	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SENE	07	01.04		63-5347	LLEWELLYN	C	S	01-10-1879	GROUNDWATER	
			NENH	33	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH		.43		63-4419	STARR	C	S	10-01-1944	GROUNDWATER	
			SHNH	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SHNH	02	01		63-7216	HURLEY	C	L	04-18-1969	GROUNDWATER	
			SENH	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SENH	31	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NHSH	33	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NHSH		.43		63-4615	ARNOLD	C	S	06-01-1905	GROUNDWATER	
			NHSH		.43		63-7783	POWELL	C	L	04-23-1973	GROUNDWATER	
			SHSH	34	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SESH	03	01		63-10123	WITTE	C	P	07-13-1983	GROUNDWATER	
			SESH	44	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NESE	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NESE		.43		63-7537	KODDES	C	L	01-06-1972	GROUNDWATER	
			NESE	01	01.04		63-921	SCHWARTZ	C	L	02-12-1979	GROUNDWATER	
			NHSE		01.43		63-0165H	BOISE CITY CANAL C	D	D	08-01-1866	BOISE RIVER	
			NHSE	38	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SHSE	36	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SESE	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	04	01		63-0147A	BOISE VALLEY IRR.	C	D	06-01-1865	BOISE R.	
			NENE	04	01		63-0147C	BOISE VALLEY IRRIG	C	D	06-01-1865	BOISE RIVER	
			NENE	38	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	10	01.43		63-7605	THOMSEN	C	L	05-16-1972	GROUNDWATER	
			NHNE		01		63-0263	FRANK	C	D	06-01-1880	BOISE RIVER	
			NHNE		01		63-0263	FRANK	C	D	06-01-1880	BOISE RIVER	
			SHNE	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SHNE		01		63-0263	FRANK	C	D	06-01-1880	BOISE RIVER	
			SHNE		01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SENE	38	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	

M 3

 IDAHO DEPARTMENT OF WATER RESOURCES
 WATER RIGHTS BY PLACE OF USE

 PAGE 1119
 01/04/1986

TOWNSHIP	RANGE	SECTION	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER	TOWNSHIP
04N	01E	15	NENH	05	01.43		63-5349	DALTON	C	S	01-01-1962	GROUNDWATER	04N
			NENH	33	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SHNH	38	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SENH	37	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SENH		.43		63-7451	COFFELT	C	L	06-18-1971	GROUNDWATER	
			SESH	20	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NHSH	14	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SHSH	05	01		63-0270	SIMONSEN	C	D	04-01-1865	BOISE RIVER	
			SESH	06	01		63-0270	SIMONSEN	C	D	04-01-1865	BOISE RIVER	
			NESE	37	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NHSE		01		63-0263	FRANK	C	D	06-01-1880	BOISE RIVER	
			NHSE		07		63-10189	MONROC INC.	C	P	06-29-1983	GROUNDWATER	
			NHSE	30	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SHSE		01		63-0263	FRANK	C	D	06-01-1880	BOISE RIVER	
			SHSE		01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SESE	35	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE	38	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENE		01.43		63-5206	MERRILLS EGG FARM	C	S	07-01-1952	GROUNDWATER	
			NHNE		04		63-0115	MERRILLS EGG FARM	C	P	06-30-1983	GROUNDWATER	
			NHNE	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NHNE		04		63-5170	MERRILLS EGG FARMS	C	S	07-01-1952	GROUNDWATER	
			NHNE		01		63-0285	WIMER	C	D	05-01-1936	BOISE RIVER	
			SHNE	23	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SENE	24	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH	40	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			NENH		01		63-0195	AIKEN	C	D	06-01-1891	BOISE RIVER	
			NENH		01		63-0258B	CHARTERS	C	D	05-01-1893	BOISE RIVER	
			NENH		01		63-0260B	SCHMELZER	C	D	05-01-1883	BOISE RIVER	
			NENH	39	01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SHNH		01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	
			SENE		01		63-2406	DRAINAGE DIST. NO.	C	L	07-05-1965	WASTE WATER	

 MICROFILMED
 MAY 12 1987

PD NW SE 15 4N 1E
- pr same

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-10189
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

☒ Copies of any Amendments/Orders with conditions of approval

☒ Computer Data Proof Report

☒ Copy of U.S.G.S. Quad

☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index CTJ 7-2-86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index CTJ 7-2-86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? 6/28/86 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

MICROFILMED

MAY 12 1987

C. Review and Processing:

Exam Completed Carte Intelle 7-8-86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent Q 8/7/86 (Initial and date)

Exam Reviewed by Manager of Regional Office Q 12/9/86 (Initial and date)

Exam Date Entered in Computer Q 12-10-86 (Initial and date)

Exam sent to State Office Q 12-18-86 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Réfiled in White File Q 12-16-86 (Initial and date)

Boise \$50.00
4/86

RECEIVED
JUN 11 1986

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

KEYPUNCH

For Office Use Only
Fee Received \$50.00
Date 6-11-86
Receipt # 40353
Receipt by an
Sent to S.O. 6/18/86

1. Permit No. 63-10189

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Monroe

3. Post Office Address: Bx1221 IDAHO FALL ID

Telephone No. 522-9190

4. Source of Water: GROUNDWATER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark 18 CFS INDUSTRIAL

6. Total rate &/or volume for which proof is submitted 0.18 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1971

8. Person to contact to accompany the department _____ during the field examination:

JOHN GRUNWALD

(Name)

MAY 12 1987

EAGLE ROAD, HWY 44, BOISE

(Address)

939-6831

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

6/4/86

Signature of Permit Holder (and title, if appropriate)

Monroe Inc By Don Rolfe Sec M.G.R.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

63-10189
MONROC INC.
P.O. BOX 8388
BOISE, ID 83707

Mailing address:
Storehouse
Boise, Idaho 83720

138059

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination. You may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

MAY 12 1987

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

MAY 12 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

DECEMBER 17, 1984

MONROC INC.
P.O. BOX 8388
BOISE ID 83707

RE: Permit No. 63-10189

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

MAY 12 1987

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-10189.

Name(s) of Permit Holder: MONROC INC.

Post Office Address: P.O. Box 8388 Boise, Idaho 83707

Tel. No. 939-6831

Source of Water: GROUND WATER (well)
Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other INDUSTRIAL

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10-2-84
Date

MICROFILMED

Monroe Inc. by [Signature]
Signature of Permit Holder

MONROE, IDAHO
P. O. BOX 8388
BOISE, IDAHO 83707



OCT 4 1984
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

NOT RECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138294

MONROC INC.
P.O. BOX 8388
BOISE, ID 83707

PROOF DUE NOTICE

SEPTEMBER 30, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-10189 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

MONROC INC.
P.O. BOX 8388
BOISE, ID 83707

NOVEMBER 22, 1983

RE: PERMIT NO. 63-10189

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

100

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Glover

APPLICATION NUMBER: 63-10189

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 10/31/83

- ☐ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/24/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30/32290
☒ Publication dates and paper, recorded on application. Idaho Statesman 10/13 & 10/20/83
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/29/83 Date of priority recommended.
Special conditions of approval or cover letter. I.P. GW letter

RECEIVED

By: DBS

Date: 10/31/83

STATE OFFICE REVIEW:

11/2/83

- ☐ See attached sheet for more information...

By: KW

Date: 11/2/83

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

63-10189

MONROC INC.

P.O. BOX 8388, BOISE, ID 83707

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversion Pt: NWSE Sec 15 T 04N R 01E

Use: INDUSTRIAL (0.18 CFS)

In: NWSE Sec 15 T 04N R 01E

RECEIVED



MEMORANDUM

P. O. BOX 8388
BOISE, IDAHO 83707

Date 9/19/83

TO G. L. Sisco

FROM: Doil Lane

SUBJECT: Changing Item #4 from acreft to gpm.

Item #4 60 acreft has been changed
to read 80 gpm.

RECEIVED
SEP 22 1983

Department of Water Resources
Boise Field Office

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]