

NOTICE OF APPLICATION
FOR WATER RIGHT
The following applications have
been filed to appropriate the public
waters of the State of Idaho:
63-10182 *VSP*
CANYON SCHOOL DIST. NO. 139
RT. 8 BOX 474, CALDWELL, ID
83605
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversion Pt: SWNW Sec 10 T 03N
R 03W
Use: IRRIGATION (1.25 CFS)
DOMESTIC (0.64 CFS)
In: SWNW Sec 10 T 03N R 03W
FOR 20 ACRES
63-10183
NAMPA SCHOOL DIST. NO. 131
SUNNY RIDGE SCHOOL
619 S. CANYON ST., NAMPA, ID
83651
Source: GROUNDWATER
Date Filed: 05/19/1983
Diversion Pt: SENW Sec 10 T 02N
R 02W
Use: IRRIGATION (0.60 CFS)
DOMESTIC (0.40 CFS)
In: NENW SENW Sec 10 T 02N R
02W FOR 20 ACRES
63-10185
SOUTH EAST STECKER SUBD.
c/o DONALD F. GUSMAN, BOX
90 RT. 10, CALDWELL, ID 83605
Source: GROUNDWATER
Date Filed: 06/17/1983
Diversion Pt: SESE Sec 09 T 03N R
03W
Use: IRRIGATION (0.05 CFS)
DOMESTIC (0.15 CFS)
In: SESE Sec 09 T 03N R 03W FOR
6 ACRES
The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before OCTOBER 10, 1983.
KEN DUNN
Director
September 22, 29, 1983

AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)
) ss.
County of Canyon)

Connie Cutberth
of Nampa, Canyon County, Idaho, being first duly
sworn, deposes and says:

1. That I am a citizen of the United States of
America, and at all times hereinafter mentioned
was over the age of eighteen years, and not a party
to the above entitled action.

2. That I am the Principal Clerk of the Idaho
Press-Tribune, a daily, (except Saturday)
newspaper published in the City of Nampa and
Caldwell, in the County of Canyon, State of Idaho;
that the said newspaper is in general circulation
in the said County of Canyon, and in the vicinity of
Nampa and Caldwell, and has been uninterrupted-
ly published in said County during a period of
seventy-eight consecutive weeks prior to the first
publication of the notice, a copy of which is hereto
attached.

3. That the notice, of which the annexed is a prin-
ted copy, was published in said newspaper

Two times
in the regular and entire issue of said paper, and
was printed in the newspaper proper, and not in a
supplement.

4. That said notice was published the following
dates:

September 22, 29, 1983

Connie Cutberth

Subscribed and sworn to before me this 29th
day of September
19 83

James Lusk
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 12th, 1985

RECEIVED
OCT 11 1983

Department of Water Resources
Western Regional Office

RECEIVED

4DA PIECE

3m 3w 10 SWNW

ACRES:

64925
5 12900
92500
34225
29925
105525
900
2550
2650
846,100

19.38 ACRES

Buildings: (off of PIAT)

5


66628
22298
10528
1029
9038
109521


2.5 acre.



MAY 25 1993

RECEIVED





PERMIT 63-9853 INIT RS
T. 3n R. 3w S. 10 Q/Q
P/D 3n 3w 10 RS
SCALE _____
PHOTO ID. _____

MAY 25 1993

CONTINUED

T4051

T2579

T2580

14
7.9

15
4.3

2
4.5

3
30.6

4 N
4.2

5
26.4

2
9.0

4
13.1

2
6.7

1
13.9
2
2.5

3
17.2

4
4.0

5
15.3

3
32.2

5
22.8

7
13.2

6
4.2

4
27.2


11.7

N

K-9



Domestic Well



Irr. Well

THE Two wells that you see in this PHOTO ARE USED BY THE
 CARRON SCHOOL DISTRICT FOR Domestic Purposes AS WELL AS FOR IRR.
 USES. Both are located in THE MIDDLE OF THE PROPERTY.

RECEIVED

MAY 25 1993

62-10182

View of the western
edge of the school.




View to the East.



MICROFILMED
MAY 25 1993

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Caldwell, this 8 day of February, 1991.

Dr. Roy Ruppel
(Signature)
Superintendent of Schools

FOR DEPARTMENT USE ONLY

Preliminary check by JL Fee \$20.00

Received by LH Date 2/15/91 # W013010

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, _____, of the Department of Water Resources hereby

Witness my hand this _____ day of _____, 19

MAY 25 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 63-10182

Priority: June 16, 1983

Maximum Diversion Rate: 0.62 CFS
Maximum Diversion Volume: 116.1 AF

This is to certify, that SCHOOL DISTRICT NO 139
RT 8 BOX 474

CALDWELL ID 83605 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 16, 1983; and has submitted Proof of Beneficial Use on September 19, 1988. An examination indicates that the works have a diversion capacity of .620 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.47 CFS	87.3 AF
DOMESTIC	01/01 to 12/31	0.15 CFS	28.8 AF
	Totals	0.62 CFS	116.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 10, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N 03W 10	NWSW 19.4			19.4
	Total number of acres irrigated:			19.4

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

RECORDED

MAY 25 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10182

CONDITIONS/REMARKS:

6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Domestic use is for a school.
8. Two points of diversion are located within NWSW, S10, T03N, R03W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28TH day of April, 1993.

Acting for R. Keith Higginson, Director

RECEIVED

MAY 25 1993

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10182

RECEIVED

APR 19 1993

Department of Water Resources

Date of Priority: June 16, 1983

Maximum Diversion Rate:

0.62 CFS

Maximum Diversion Volume:

116.1 AF

Comes now

SCHOOL DISTRICT NO 139

RT 8 BOX 474

CALDWELL ID 83605

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10182, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.47 CFS	87.3 AF
DOMESTIC	01/01 to 12/31	0.15 CFS	28.8 AF
	Totals	0.62 CFS	116.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 10, Township 03N, Range 03W
CANYON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	03W	10	NWSW	19.4		19.4

Total number of acres irrigated: 19.4

PLACE OF USE: DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Caldwell, Idaho, this 31 day of March, 1993.

Zen Brocke
(Signature)

MAY 25 1993

RECEIVED

APR 19 1993

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10182

FOR DEPARTMENT USE ONLY

Preliminary check by CA Fee = 20⁰⁰ Received by CA # C027261 Date 4-20-93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-10182 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.
6. The right holder shall fully use all surface water rights appurtenant to the lands identified above prior to using water under this right.
7. Domestic use is for a school.
8. Two points of diversion are located within NWSW, S10, T03N, R03W.

Witness my hand this 28TH day of April, 1993.Acting for R. Keith Higginson, Director

MAY 25 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Canyon School District #139 Phone 459-1621

Post office address Rt 8 Box 474 Caldwell, ID 83605

2. Source of water supply ground water which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 10 Township 3 N

Range 3 W B.M. _____ Canyon _____ County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .64 cf for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.25 cf for Irrigation purposes from April 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.4 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. drilled well, pump, motor, pipe
(One irrigation well and one domestic well)

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
Dom 8 (Month/Day) 300 (Month/Day)

c. Proposed well diameter is Irr 12 inches; proposed depth of well is 165 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 10 Township 3 N
Range 3 W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served Vallivue Jr & Sr Hi School, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

[illegible]

Total number of acres to be irrigated 20

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks There are (2) wells on this site. One is used for irrigation and
the other is for domestic use.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ben Buckendal, Clerk
(Applicant)

11-10-10

Proposed Priority 6/16/83

Received by mm Date 6-16-83 Time 9:00 am
Preliminary check by 6h5 Fee \$ \$65.00
Receipted by AP Date 6/16/83 ^{444p.} _{1 claim} 31880
Publication prepared by JP Date 9/15/83
Published in Idaho Tribune
Publication dates 9/22 9/27/83
Publication approved 4p Date 10/11/83
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10182, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. **SUBJECT TO ALL PRIOR WATER RIGHTS.**

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 25th day of October, 1983.

A. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)

) ss.

County of Canyon)

Connie Cutberth

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily, (except Saturday) newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Two times

in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:

September 22, 29, 1983

Connie Cutberth

Subscribed and sworn to before me this 29th
day of September

19 83

Janne Gust
Notary Public, Residing at Nampa, Idaho

MY COMMISSION EXPIRES
JULY 14, 1985

RECEIVED

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 30, 1993

SCHOOL DISTRICT NO 139
RT 8 BOX 474
CALDWELL ID 83605


RE: WATER RIGHT NO. 63-10182

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:cz

Enclosure

FILMED
MAY 25 1993

File 63-10182

3/30/93

I received a telephone call from Linda McCoy of Vallivue School District requesting address update & more time to submit the amendment and fee. New address is as follows:

Vallivue School District #139
2423 S Georgia
Caldwell ID 83605

MAILED

MAY 25 1993

Please hold for callup until 4/26/93.

Cindy Zimmerman



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 16, 1993

SCHOOL DISTRICT NO 139
RT 8 BOX 474
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-10182

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

MAY 25 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 8 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10182

1. Owner: Canyon School Dist #139 Phone No. 459-1621

Current Address: Rt. 8 Box 474 Caldwell Id 83605

2. Accompanied by: Ken Brocke EXAM DATE: 7-30-92

Address: same Phone No. same

Relationship to Permit Holder: employee

3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-02851

2. Other water rights with the same point of diversion: 63-02851

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	10	3n	3w	Canyon	Quad; Field Exam
			SW	NW					


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3n	3w	10							15.38				19.4						19.4

MAINTAINED
MAY 25 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____



Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).



Aerial Photo Attached (required for irrigation of 10+ acres)



Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
IRRIGATION	HOLLOSHAFY	30	2877935	—	—
Domestic	submersible	7 1/2	—	—	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage	old	-NA-	—	—	small	

2. Measurements: 48 heads, 9/16" nozzle @ 55 psi = $48 \times 4.37 / 448.8 = .47 \text{ cfs}$ Irrigation
 Theoretical = $30 \times 8.8 \times .70 = 184.8$
 $220 + (2.3 \times 55) 346.5 = .53 \text{ cfs}$

RECEIVED

MAY 25 1966

E. NARRATIVE/REMARKS/COMMENTS

This system makes use of two wells. One well is used for domestic purposes. It is 280' deep; has a 8" casing. The irrigation well is 12" and 240' deep. The static water level is 90' for the area and the pumping level is 220'. The domestic well is used in the building locations while the irrigation system is used for 20 acres. All piping is underground.

Calculations "cont.";

$$\text{Domestic well: } 7.5 \times 8.8 \times .70 = 46.2 = \frac{46.2}{220 + (2.3 \times 40)} = \frac{46.2}{312} = .15 \text{ cfs (DOM)}$$

* Please note that the utility calculations have come from the fixture verification sheet; personal count. Also the map is NOT TO SCALE. THE SCHEMATIC IS A COMBINATION OF THE PIAT: THE FIELD EXAMINATION.

Have conditions of permit approval been met? ☒ yes ☐ no

NOT FILMED
MAY 25 1993

F. FLOW CALCULATIONS

Measured Method:

IRRIGATION well = .47 cfs via Sprinkler Head.

Domestic well = .15 cfs via Theoretical
.62 cfs Capacity

19.4
need 19.4 x .02 = .4 cfs
allow .4 cfs

Allow .47 cfs (ERR) higher rate of application allowed for schools, parks etc.

125 fixtures x .5 gpm/fixture / 448.8 = .14 cfs
Exhibit 14
Allow .15 cfs (DOM)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 19.4 \times 4.5 = 87.3 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .47 \times 214 \times 1.9835 = 199.5 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 87.3 \text{ AFA (IRR)}$$

Allow Standard Season $V_{DR} > V_{IR}$

2. Volume Calculations for Other Uses:

Domestic = 125 fixtures @ 62.5 gpm = Demand for year
see attachment
* see remarks *
10 hrs/day
250 days yr
 $62.5 \text{ gpm} \times 2500 \text{ hrs/yr} \times 60 \text{ sec} = 9375000 / 325850 = 28.8 \text{ AFA (DOM)}$

H. RECOMMENDATIONS

Remarks - DOM/school, 2 P/Ds in NWSW, WB3/GW Supplemental Conditions-R27

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	.15 .14 cfs	28.8 AFA
IRRIGATION	3-15-11	11-15	.47 .4 cfs	87.3 AFA
Totals:			.62 .54 cfs	116.1 AFA


2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name [Signature] Date 9-3-92

Reviewer Sam Skaggs Date 03-02-93



REPROFILMED

MAY 25 1993





RECEIVED
AUG 04 1992

Department of Water Resources
Western Regional Office

VERIFICATION

Student Count / Toilet Facilities

School District Valliyue School District #139

Elementary YES NO Secondary X YES NO

Number of male students 387

Number of male water closets 11 provided (3.87 required)

Number of urinals 22 provided (11.06 required)

Number of male lavatories 21

Number of female students 387

Number of female water closets 29 provided (8.5 required)

Number of female lavatories 17

100 fixtures
+ 15 drinking fountain
+ 10 sinks
(various)
labs
janitor closets
etc

125 fixtures

Authorized Signature:

Ken Brocke
Ken Brocke

Title:

Director of Operations

TOTAL TOILET FIXTURES

	BOYS			GIRLS		
	LAV	WC	URINALS	LAV	WC	URINALS
High School	2	1	1	2	1	1
VO-ART	1	1	1	1	1	1
VO-TECH	1	1	1	1	1	1
VO-GEN	1	1	1	1	1	1
Total	5	4	4	5	4	4

TOTAL REQ'D PER USC SECTION 806

	BOYS		GIRLS	
	WATER CLOSETS	LAVS	WATER CLOSETS	LAVS
BOYS	3.87	11.06	3.87	11.06
GIRLS	8.5	22.12	8.5	22.12

TOTAL TOILET FIXTURES

PROJECTED ENROLLMENT 1992-93 HS 113	
11375 - 3865 BOYS + 3865 GIRLS	
GIRLS 3865 - 85 WATER CLOSETS REQ'D 29 PROVIDED	
BOYS 3865 - 321 WATER CLOSETS REQ'D 11 PROVIDED	
3865 - 226 URINALS REQ'D 22 PROVIDED	

---END---

RECEIVED

MAY 25 1993

irrigation
well

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-9852

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 3w, Sec. 10, 3w 1/4 nw 1/4 or Lot _____.

2. Owner: Canyon School District

Address Rt. B Box 474, City Calwell, St. Ida

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: 10'
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 12"
Flowing: Yes _____ No ☒ Temperature: NA

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

UNPROCESSED

MAY 25 1993

Domestic Well

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-985-3

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3n, Rge 3w, Sec. 10, sw 1/4 nw 1/4 or Lot .
2. Owner: Canyon School Dist
Address Rt. 6 Box 474, City Colby, St. Id.
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: 90'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 8"
Flowing: Yes ☐ No ☒ Temperature: 74
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

RECEIVED

MAY 25 1993



Domestic Well




Irr. Well

THE Two wells that you see in this PHOTO ARE USED BY THE
Canton School DISTRICT FOR Domestic Purposes AS WELL AS FOR IRR.
USES. Both are located in THE MIDDLE OF THE PROPERTY.

MA 25 1993

62-10182



View of the western
edge of THE school.



View to the East.

RECEIVED
MAY 25 1993

*Please note:
Plat is not consistent.
Building size; dimensions are
gentle.*

Ken Brocke
VALLIVUE SCHOOL DISTRICT 139
16412 SOUTH 10TH
CALDWELL, IDAHO 83605-9096

to: Department of Water Resources
2735 Airport Way
Boise, ID 83705

MAY 25 1993

MEMORANDUM

TO: NANCY HANDZEL

FROM: STEVE LESTER

DATE: AUGUST 8, 1991

SUBJ: REFUND FOR APPLICATION

An application for amendment of permit 63-10182 in the name of the Vallivue School District #139 was receipted 2/15/91, #W013010. The application was withdrawn per letter dated 2/22/91 from the consultant, Stan McHutchison of Briggs Engineering, Inc. (cc of letter was sent by consultant to Roy Rumler, Sup't. of Schools). The application was not advertised, and a \$20 refund can be issued.

Based on the above, please send a \$20 refund to:

Vallivue School District #139
16412 S. 10 th.
Caldwell, ID. 83605-9096

(telephone 454-0445)

Thanks,



Steve Lester
Sr. Water Resource Agent

CC: Permit 63-10182, SO & Region Files

MICROFILMED
MAY 25 1993

RECEIPT
For Monies Paid
to the
IDAHO DEPARTMENT OF WATER RESOURCES

Receipt No: W013010

Date: 2/15/1991
Time: 14:12:53

Received

From: VALLIVUE SCHOOL DIST.

Type of Payment	Program Acct Class	Amount
PERMIT AMENDMENT	520199 1238 6390	20.00
Total		\$20.00
CHECK	11015	

Region: WESTERN

Signature: Lori Harris

MICROFILMED
MAY 25 1993

FEB 11 1991

STATE OF IDAHO

Department of Water Resources
Western Regional Office

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now Vallivue School District #139 Phone 454-0445
(formerly Canyon School Dist. #139)
of (address) 16412 S. 10th Caldwell, ID. 83605-9096, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 63-10182, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SW 1/4 NW 1/4, Section 10, Township 3N, Range 3W, B.M.,
County of Canyon. Other points of diversion: _____

(2 existing points in SW 1/4)

NW 1/4 S. 10 T. 3N R. 3W (1 new point)

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.) NO change

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated: NO change

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	


Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

RECORDED
MAY 25 1993

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Coldwell, this 8 day of February, 1991.

Dr. Roy Ruppel
(Signature)
Superintendent of Schools

FOR DEPARTMENT USE ONLY

Preliminary check by JZ Fee \$20.00

Received by LH Date 2/15/91 # W013010

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, _____, of the Department of Water Resources hereby

Witness my hand this _____ day of _____, 19 _____

MAY 25 1993



RECEIVED

FEB 27 1991

Department of Water Resources
Western Regional Office

Mr. Steve Lester
Idaho Department of Water Resources
1301 N. Orchard
Boise, Idaho 83706

February 22, 1991

Re: ~~Vallivue School District #139~~

Dear Steve:

This letter is meant to confirm our phone conversation on 2-22-91 when I told you that the School District will not be drilling a new well at the High School. Therefore, please refund the \$20.00 water rights permit fee to the School District.

When we are ready to begin drilling at the Elementary School site, I will send in the appropriate drilling permits.

Sincerely,

BRIGGS ENGINEERING, Inc.

Stan McHughison

~~Stan McHughison, P.E.~~

cc: Roy Rumler - Vallivue School District #139

BRIGGS ENGINEERING

MAY 25 1993

CONVERSATION MEMORANDUM

DATE 2-22-91

FILE 63-10182

NAME OF PARTY Star McHutchison

63-11451

EMPLOYEE Steve Lister

RE: Mr. McHutchison is the consultant for
Uallivua Sch. dist. # 139

Applicant wants to withdraw appl. for
amendment of 63-10182 since discovery
will not need a new well after all.

He will send a letter confirming this.

Upon receiving letter, issue \$20 to
school dist.

OK to proceed with appl. for permit
63-11451

RECEIVED
MAY 25 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

January 29, 1991

CECIL D. ANDRUS

Mr. Stan McHutchison, P.E.
Briggs Engineering, Inc.
1111 S. Orchard, Suite 600
Boise, ID. 83705

GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

RE: Applications for Permit for Vallivue School District No. 139

Dear Mr. McHutchison:

The following information results from our telephone conversation on 1/28/91. Two applications for permit to appropriate water and two applications for drilling permits relating to the existing high school and proposed elementary school were received from your firm. Enclosed is the receipt for \$460 and the necessary documents to allow revision of the two water right applications.

In the course of establishing a new water right, an application fee is paid at the initial stage and a license fee is paid later in the licensing or proof of beneficial use stage.

Water rights for fire protection are not necessarily required in Idaho. Water under an established right can be used for fire uses when needed whether that use is recorded on the right or not. While a water user can apply for and receive a right for fire protection, this is not needed in many cases.

High School Site

The water right application and well drilling application for the high school are returned. A new well, but not additional water, can be added to existing water right permit 63-10182, which provides 1.40 cfs of irrigation and domestic water for that site. Fire protection is an assumed use in permit 63-10182.

A new well can be added to permit 63-10182 by signing and returning the enclosed "~~Application for Amendment of a Permit~~". It should be signed by a representative (include title with signature) of the district. Upon approval of the amendment, a well drilling permit can be approved prior to drilling the well. The drilling permit should be submitted after the amendment is approved and within 60 days prior to drilling.

The amendment alternative provides an additional well, recognizes but does not record fire protection as a beneficial use, and saves the district \$305 (\$20 for the amendment v. \$125 to apply for and \$200 to license 4.5 cfs).

Elementary School Site

The proposed elementary school is a different ~~type~~. No existing rights are found for such use at the proposed site. The application to appropriate water is the correct step. However, the large flow for fire protection may not be advisable. Again, fire protection is assumed under any right. By combining the domestic and irrigation parts of the application, 1289 cfs is available for

RECEIVED
MAY 12 1991
1993

S. McHutchison, 1/29/91, Page 2

fire needs. To apply for 6.7 cfs, a \$165 application fee, and subsequently a \$250 license fee, would be required. The application and subsequent license fee for 1.89 cfs is \$190, a \$225 savings compared to the fees associated with 6.7 cfs.

I suggest that the application be modified to allow up to 1.89 cfs for fire protection. The domestic and irrigation parts do not need to be adjusted. Alternatively, fire protection could be deleted since it will be assumed, and the application could total 1.25 cfs or 1.89 cfs for irrigation and domestic. The excessive irrigation flows (greater than one miner's inch per acre) can be requested for schools. Fees for 1.25 cfs or 1.89 cfs are identical.

Please review the copy of the elementary school water right application and note the changes that I made. Also, please clarify the proposed points of diversion. The legal description in item 3 does not agree with the map in item 13. The corrections or clarifications can be made on the copy, and it can be returned to me with an original signature below the map on application page 3. (The water right applications were received with a photocopy signature. The drilling permits show original signatures.)


The second drilling permit application applies to the elementary school. Three possible new wells are mentioned for the site. Each well would require a \$200 drilling permit. This drilling permit form is also returned and can be activated after approval of the water right application. Contact this office at the appropriate time for approval of well drilling permits.

Response Requested

A response within 30 days is requested. Return the signed "Application for Amendment" to add a well to permit 63-10182 for the high school (or contact me if this is not the preferred alternative). Return the signed "Application for Permit to Appropriate Water" for the elementary school. All signatures must be originals. The two applications require \$65 in fees, but \$60 was already paid in the \$460 payment (the other \$400 applies to the drilling permits). Please submit \$5 with the returned documents.

Feel free to call contact me if additional information is needed.

Sincerely,



Steve Lester
Sr. Water Resource Agent

Enclosure: Applications

*Should be \$85, called to get
\$20 after received \$5 is response
to this letter.*

RECEIVED
MAY 25 1993



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

November 19, 1988

63-10182
Vallivue School Dist. #139
Rt. 8 Box 474
Caldwell, ID 83605

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

RECEIVED

MAY 25 1993

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10182

Date: 10/4/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
Y 1. well log in file
Y 2. drilling permit
Y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
? Has one been installed?
N Waiver or modification of measuring device requested

Remarks:

Proof acceptable.

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

SEP 19 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
 Fee Received \$ 125.00
 Date 9/20/88
 Receipt # 0922632
 Receipt by CP
 Reviewed by JS
 Sent to region

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10182Name(s) of Permit Holder: Canyon Vallivue School District # 139 (Jr.-Sr. High Schools)Post Office Address: Rt. 8 Box 474Caldwell, Id 83605 Telephone No. 208-454-0445Source of Water: ground well

Extent of Use:

N/A
 Domestic XX (number of households) Stockwater (number and type of stock)
 Irrigation XX (acres) Other/Remark

Total rate and/or volume for which proof is submitted 1.4 cfs acre-feetShow the date water was first diverted and beneficially used under this permit: 10/83

Measuring Device: Required? Yes X No
 Installed? Yes No

Fee enclosed \$ 125.00
 (See License Examination Fee Schedule)

Flow Measurement Port: Required? X Yes No
 Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Ken Brocke Director of Operations208-454-0445

(Name)

(Telephone Number)

Rt. 8 Box 474 Caldwell, ID 83605

(Address)

OCT 11 1988

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8/12/88

Date

Ken Brocke - Director of Operations
 Signature of Permit Holder (and title, if appropriate)

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
Certified Mail
July 31, 1988

138209

CANYON SCHOOL DIST. NO. 139
RT. 8 BOX 474
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-10182

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

OCT 11 1988

Form 235-1
6/87

Drilling Permit No. 63-87-2-058
Water Permit No. 63-10182
Injection Permit No. _____

RECEIVED
AUG 20 1987
No. 1 and 2.

Department of Water Resources
Western Regional Office

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED
SEP 29 1987

APPROVED
Department of Water Resources

1. Applicant Vallivue School District # 139

2. Address Rt. 8 Box 474

Caldwell, Id. 83605

(☒ Well Owner () Well Operator () Other, specify _____

3. Water right permit no. 63-10182; Injection well permit no. _____

4. Proposed well location 1/4 SW 1/4 NW 1/4, or Gov't lot No. _____,

Sec. 10, Twp. 3N, Rge. 3W, County Canyon,

Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

(☒ Domestic () Stockwater () Monitoring

() Irrigation () Industrial () Municipal

() Injection (☒ Other, Specify Public school

6. Well construction information:

(☒ New well () Deepen (☒ Replace

Proposed surface diameter 12" Proposed depth 280'

Anticipated bottom hole temperature:

(☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

7. Anticipated construction start date 08/06/87

8. Well Driller (if known) Bill Doty Drilling Co. Inc. # 42

Address Rt. 7 Box 311 Caldwell, Id. 83605

Date 08/07/87 Applicant's signature Ken Burck

Title Director of Operations, Vallivue School District # 139

* After other pre-requisite approvals have been obtained.

ACTION OF IDWR

(X) Approved () Denied

63-87-2-058

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

7. Water from this well shall be used in accordance with conditions specified for water permit 63-10182

Dated this 29th day of September, 1987.

Signed John E. Beal

Title

SECTION MANAGER
GROUNDWATER PROTECTIONReceived by mg Fee \$100 Date 9-29-87Receipt No. 45277 Construction start date**NOT RECORDED**Construction start extension to OCT 11 1988

Extension approved by _____



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

September 17, 1987

Attn: John Carlson

Vallivue School Dist. #139
Route #8, Box 474
Caldwell, ID 83605

Dear Ladies and Gentlemen:

We have received the well drilling permit for the well to be drilled in Section 10, Twp. 3N, Rge. 3W.

However, there is a fee for filing a well drilling permit. This fee for single family domestic wells is \$10 and for all other uses a \$100 fee. Since your proposed use is greater than a single family domestic use, the fee for the well drilling permit is \$100.

Please remit this fee at your earliest convenience so that the permit can be approved as soon as Application for Permit No. 63-10182 is approved. If you have any questions concerning this fee, please feel free to contact us.

Sincerely,

Jan Shurte

JAN SHURTE
Sr. Water Resource Agent

JS:j

RECEIVED

OCT 11 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 63-10182
Name(s) of Permit Holder(s): CANYON SCHOOL DISTRICT 139
Post Office Address: Rt 8 Box 474
Caldwell ID 83605 Tel. No. 459-621

☒ I hereby certify that construction of diversion works for the above referenced permit began on 7-1-62 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

11-15-83
Date

Bernie Dickendorf
Signature of Permit Holder

Canyon School Dist. No. 139
Rt. 8, Box 474
Caldwell, Idaho 83605

PLACE
STAMP
HERE



MISSILE

OCT 11 1988



NOV 16 1988

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

November 10, 1983

RE: Permit No. 63-10182

Canyon School Dist. No. 139
Rt. 8, Box 474
Caldwell, ID 83605

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or an access port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the access port.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed instructions entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CLS

APPLICATION NUMBER: 63-10182

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: Excess water for irrigation, but because of the nature of the irrigation only at night, we have allowed 2 or 3 times the normal rate of application for schools in the past, checked with water right section they seemed to think there would be no problem.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: JP

Date: 9/10/83

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: October 10, 1983
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/11/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application. Idaho Tribune 30/31050
☒ Protests, dates, withdrawal, etc., recorded on application. 7/22 9/29/83
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/16/83 Date of priority recommended.
Special conditions of approval or cover letter. I.P. GW letter
(26)

By: DBS

Date: 10/12/83

STATE OFFICE REVIEW:

AN, 203, 117

OLC 26

- ☐ See attached sheet for more information.

By: KW

Date: 10/19/83

(see Lee's note above regarding excessive amt. for irrigation)

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

Division of Environment - 801 Reserve Street, Boise, Idaho

DIVISION OF ENVIRONMENT

Statehouse
Boise, Idaho 83720

83712

October 6, 1983

Mr. David B. Shaw
Western Region Supervisor
Department of Lands
Room 121
Statehouse
Boise, Idaho 83720

RE: 63-10182, Canyon School
63-10183, Nampa School

Dear Mr. Shaw:

This office has reviewed the above referenced applications and has no objections or comments.

Sincerely,

George Virin
Sr. Environmental Specialist

GV/bg

cc: Craig Shepard, IDHW/DOE

RECEIVED
OCT 07 1983

Department of Water Resources
Western Regional Office

63-10182

CANYON SCHOOL DIST. NO. 139

RT. 8 BOX 474, CALDWELL, ID 83605

Source: GROUNDWATER

Date Filed: 06/16/1983

Diversion Pt: SWNW Sec 10 T 03N R 03W

Use: IRRIGATION	(1.25 CFS)
DOMESTIC	(0.64 CFS)

In: SWNW Sec 10 T 03N R 03W FOR 20 ACRES



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

September 16, 1983

George Varin
Sr. Environmental Specialist
State of Idaho
Department of Health & Welfare
Division of Environment
Statehouse

Re: 63-10182/Canyon School & 63-101083/Nampa School

Dear Mr. Varin:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application, your written protest must be received in this office by October 10, 1983.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Regional Supervisor

DBS:jp

Enclosure