

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 4E

RGE. 4E

TWP. 5N

28

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

2711 SE
(SHAHER BUTTE)


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

116°00' 581000m.E. 582 583 57°30' 584
43°45'

Source-Unnamed
Stream
Tributary- Clear
Creek

P/D & P/U
per F.E. Map

T 05N
R 04E



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 1 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Blakeslee, Roy V. Permit No. 63-10143
Current Address: 4817 Emerald BOISE ID 83706 Phone No. 342-3401
2. Accompanied by: Roy Blakeslee EXAM. DATE: 4-29-91
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: Big Springs Cr. tributary to Boise River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 03-7187, 03-7807
☐ Copies Attached
2. Other water rights with same point of diversion: 03-7187, 03-7807
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = 100'

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
FEB 9 1992

63-10143



#1

Pond that holds water for fire protection.



#2

1,000 gallon concrete tank and pump for fire protection. Water is pumped from pond in picture #1 to this tank as needed.

UNRECORDED

DEC 09 1992

63-10143



Picture of pump + motor used to pump water from storage for fire protection. Fire hose attached to pump. Picture taken looking south east.

MICROFILMED
DEC 09 1992

63-10143



#3

Cabin that fire
protection water is
provided for.

NOTED
DEC 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10143

Priority: July 15, 1983

Maximum Storage Volume:

0.1 AF

This is to certify, that REX V BLAKESLEE

4817 EMERALD

BOISE ID 83706

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 15, 1983; and has submitted Proof of Beneficial Use on September 12, 1988. An examination indicates that the works have a storage capacity of .100 af of water from:

UNNAMED STREAM

tributary to CLEAR CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FIRE PROTECTION STORAGE	01/01 to 12/31		0.1 AF
FIRE PROTECT. FROM STOR	01/01 to 12/31		0.1 AF
	Totals		0.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 28, Township 05N, Range 04E
BOISE County

PLACE OF USE: FIRE PROTECTION STORAGE
TWN RGE SEC

PLACE OF USE: FIRE PROTECT. FROM STOR, same as FIRE PROTECTION STORAGE use

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
5. Total system volume equals 1,760 gallons.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of NOVEMBER, 1992.

Acting for  R. Keith Higginson, Director

RECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant REX V. BLAKESLEE Phone 342-3401

Post office address 4817 Emerald, Boise, Idaho 83706

2. Source of water supply Big Springs Creek which is a tributary of Clear Creek

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 28 Township 5N

Range 4E B.M. Boise County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

* Amount 1 AF for Storage for Fire Protection purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1 AF for Fire Protection from Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. _____ cubic feet per second and/or b. 1.0 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. This creek is about 15" wide
and runs til midsummer. I plan to construct small reservoirs to contain the
water then used incase of a fire.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 28 Township 5N
Range 4E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

* PER PHONE CONVERSATION W/ MRS. BLAKESLEE GLS
8/12/83

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority 7/15/83

Received by tw Date 7/15/83 Time 2:15 pm
Preliminary check by JG Fee \$ 30⁰⁰ 32392
Receipted by JP Date 7/18/83
Publication prepared by JP Date 8/25/83
Published in The Idaho Miner
Publication dates 3/31 2 9/11/83
Publication approved KD Date 9/13/83
Protests filed by: 9/17/83 none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS tw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10143, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
Use of water under this permit is subject to control by the watermaster of State Water District No. 63, Boise River.

Witness my hand this 13th day of October, 1983.

J. Glen Sayton
Chief, Operations Bureau

September 7, 1983

LEGAL NOTICES

KB

NOTICE OF APPLICATION —FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

~~63-10143~~ ✓ KB
BLAKESLEE, REX V.
4817 EMERALD, BOISE, ID 83706
Source: BIG SPRINGS CREEK trib. to CLEAR CREEK

Date Filed: 07/15/1983
Diversion Pt: SWNW Sec 28 T 05N R 04E
Use: FIRE PROT. STORAGE (1.0 AF)
FIRE PROT. FROM STORAGE (1.0 AF)
In: SWNW Sec 28 T 05N R 04E
~~63-10146~~

METTLER, MARVIN E.
GEN. DEL., IDAHO CITY, ID 83631
Source: MORES CREEK trib. to BOISE RIVER
Date Filed: 08/04/1983
Diversion Pt: SWSE SESE NESE Sec 25 T 06N R 05E
Use: MINING (0.10 CFS)
In: SWSE SESE NESE Sec 25 T 06N R 05E
~~63-10148~~

U.S. DEPT. OF AGR.
FOREST SERVICE, FEDERAL BLDG., 324
25TH ST., OGDEN, UT 84401
Source: GROUNDWATER
Date Filed: 06/06/1983
Diversion Pt: NWNE Sec 04 T 05N R 05E
Use: DOMESTIC (0.01 CFS)
In: NWNE Sec 04 T 05N R 05E

~~63-10164~~
DIAMOND HILL MINING CORP.
4333 ULYSSES WAY, GOLDEN, CO 80403
Source: MILLERS GULCH CREEK trib. to GRIMES CREEK

Date Filed: 06/27/1983
Diversion Pt: SWNW Sec 25 T 08N R 05E
Use: MINING (0.99 CFS)
DOMESTIC (0.01 CFS)
In: SENE Sec 26 T 08N R 05E

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before SEPTEMBER 19, 1983. (49)

KEN DUNN, Dir.
Published in the Idaho World in Idaho City, Idaho on August 31 and September 7, 1983.

STATE OF IDAHO,
County of Boise }

Candace Jennings being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

.....8-31....., 19 83. and ending with the issue of 9-7.....

19 83.

Candace Jennings
Subscribed and sworn to before me this 9. day of Sept. 1983.

.....*O. Arneson*.....



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 24, 1992

REX V BLAKESLEE
4817 EMERALD
BOISE ID 83706

RE: WATER RIGHT NO. 63-10143

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
DEC 09 1992

LICENSE REVIEW CHECKLIST

Permit # 63-10143

Date 09-22-92

28

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u>NA</u>	Disagree with Actual Measurement?
	<u>NA</u>	<u>NA</u>	Disagree with Theoretical?
	<u>NA</u>	<u>NA</u>	Limited by Capacity? <u>late</u> (Minimum Allowable)
TOTAL VOLUME			Rate/ac <u>NA</u> AFA Irr. Season <u>NA</u>
			Standard Irr. Season
			Season Recommended
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations?
	<u>NA</u>	<u>NA</u>	<u>760 gal (pond) + 1000 gal (storage tank) = 1760 gal = 0.00542 cfs late (STOR)</u>
	<u>NA</u>	<u>NA</u>	Limited by Flow? <u>325.850</u>
SOURCE	<u>Yes</u>	<u>No</u>	Changes? <u>Clarification</u> of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended source to Unnamed Stream/Clear Creek</u>
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.
P/D	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
P/U	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other Total system volume = 1760 gal
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Device
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>Yes</u>	<u>No</u>	Overlap
	<u>Yes</u>	<u>No</u>	Water Quality
	<u>Yes</u>	<u>No</u>	DATES/MISC
	<u>Yes</u>	<u>No</u>	Water Dist.
	<u>Yes</u>	<u>No</u>	App Rec'd
	<u>Yes</u>	<u>No</u>	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Volume</u>		
	<u>No Div. rate per J. Johnson & G. Spackman/Diminimus</u>		
	<u>Big Springs Creek not listed on USGS map</u>		
License	<u>10-Day</u>	<u>15-Day</u>	<u>Special Correspondence</u>

WR0749NP
No. 163 10143

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 09/23/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	REX V BLAKESLEE 4817 EMERALD BOISE ID 83706 (208) 342-3401	07/15/1983	FIRE PROTECTION STORAGE FIRE PROTECT. FROM STOR	01-01 12-31 01-01 12-31		0.1 AFA 0.1 AFA ----- 0.1 AFA
TOTAL DIVERSION:						

Water Source: UNNAMED STREAM

Tributary to: CLEAR CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.10 CFS AFA

Point(s) of Diversion: T05N R04E S28 SW NW

Place of use Legal Description for: FIRE PROTECTION STORAGE

				NE				NW				SW				SE																			
				NENE	NWNE	SWNE	SENE	:				NENW	NWNW	SWNW	SENW	:				NESW	NWSW	SWSW	SESW	:				NESE	NWSE	SWSE	SESE	:			
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:		
05N	04E	28	:									:							:							:							:		
			:									:							:							:							:		
			:									:							:							:							:		

Place of use location for FIRE PROTECT. FROM STOR is the same location as described for: FIRE PROTECTION STORAGE

Pou County: BOISE

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the
- watermaster of State Water District No. 63.

Remarks: Total system volume equals 1,760 gallons.

Dates:	App. Received:	07/15/1983	Priority Date:	07/15/1983
	Proof Due Date:	10/01/1988	Proof Made Date:	09/12/1988
	Exam Made Date:	04/29/1991	Exam Sent to S.O.:	02/03/1992
	Licensed Date:			

Misc: Water District Number: 63 Field Exam Fee: N (Not Required)

Audit: 09/23/92 SKAGGS

2771 SE
(SHAFFER BUTTE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY


116°00' 581000m E 582 583 57°30" 584

43°45'

Source-Unnamed
Stream
Tributary- Clear
Creek

P/D + P/U
per F.E. Map

T 05N
R 04E



APPROVED

DEC 09 1992

4839

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 1 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Blakeslee, Roy V. Permit No. 63-10143
Current Address: 4817 Emerald Boise ID 83706 Phone No. 342-3401
2. Accompanied by: Roy Blakeslee EXAM. DATE: 4-29-91
Address: same Phone No. same
Relationship to Permit Holder: same
3. Source: Big Springs Cr. tributary to Boise River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 03-7187, 03-7807 ☐ Copies Attached
2. Other water rights with same point of diversion: 03-7187, 03-7807 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
FEB 9 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Consists of a small 22 ft circular pond that averages 2 ft deep. The pond is located approx. 100' from a 1,000 gallon concrete tank and water is pumped from the pond to the tank and used for fire protection. Water is pumped from Big Springs Creek approx 150' to the pond. The creek is dry from mid-summer until the following spring. The 5 Hp pump is used to pump from the creek to the pond and from the pond to the storage tank

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Briggs & Stratton	5	Unknown	JACOZZI	1.5"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SU	NW	28	5N	4E	Boise	On the photo quad map

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	4E	28							X										

MICROFILMED

DEC 09 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{5 \times 8.8 \times 7}{150 + (2.3 \times 20)} = .10 \text{ cfs} \quad \frac{5 \times 8.8 \times 7}{40 + (2.3 \times 30)} = .28 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$AF = \pi r^2 \times 2 \text{ ft av. depth} \div 43,560$$

$$= 3.14 \times (11)^2 \times 2 = 759.88 \div 43,560 = .017 \text{ or } .10 \text{ AF}$$

DEC 09 1992

RECEIVED

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Other rights in same QQ do not affect this permit
 Diversion to storage required but limited to .04 cfs due to
 fee limitation.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Storage for Fire Protection	1-1	12-31		.1
Fire Protection from Storage	1-1	12-31		.1
Diversion to Storage	1-1	12-31	.04 cfs	
Totals:			.04 cfs	.1

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above


J. AUTHENTICATION

Field Examiner's Name Melvin T. Schulte

Signature Melvin T. Schulte

CJH 1/24/92 Certification Date

Field Report Preparation Date 5-29-91



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILM

DEC 09 1992


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

PHOTO ID.

PERMIT 63-10143 INIT

T. R. S. Q/Q
P/D 5N 4E 28 SW NW
SCALE

DEC



63-10143



#1

Pond that holds
water for fire
protection.




#2

1,000 gallon concrete
tank and pump for
fire protection. Water
is pumped from
pond in picture #1
to this tank as needed.

RECEIVED

DEC 09 1966

63-10143



Picture of pump + motor used to
pump water from storage for
fire protection. Fire hose attached
to pump. Picture taken looking
south east.

MICROFILMED

DEC 09 1992

63-10143



#3

Cabin that fire
protection water is
provided for.

DEC 09 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 19, 1988

63-10143
Rex V. Blakeslee
4817 Emerald
Boise, ID 83706

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

A handwritten signature in cursive script, appearing to read "Judy Pense", is written above the typed name.

Judy Pense
Secretary

/jdp

DEC 09 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10143

Date: 10/13/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

REC-111

SEP 12 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by gs

Sent to region _____

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10143

Name(s) of Permit Holder: REX V. BLAKESLEE

Post Office Address: 4817 Emerald

Boise, ID

Telephone No. 342-3401

Source of Water: Big Springs Creek

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remark non-consumptive

fire protection storage

Total rate and/or volume for which proof is submitted _____ cfs 1.0 acre-feet

Show the date water was first diverted and beneficially used under this permit: June 1988

Measuring Device: Required? ☐ Yes ☒ No

Fee enclosed \$ -0-

Installed? ☐ Yes ☒ No

(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No

Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Rex V. Blakeslee

342-3401

(Name)

(Telephone Number)

4817 Emerald, Boise, ID 83706

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed. I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

OCT 14 1988

8/15/88

Date

Rex V. Blakeslee
Signature of Permit Holder (and title, if appropriate)

To Rita

Date 9/8 Time 11:18

WHILE YOU WERE OUT

Rex Blakselce

of _____

Phone 342-3401

Telephoned	☒	Please call	☒
Called to see you	☐	Will call again	☐
Wants to see you	☐	Returned your call	☐

Message Permit: 63-10143

Operator

~~Call Blakselce~~

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
Certified Mail
July 31, 1988

138197

REX V. BLAKESLEE
4817 EMERALD
BOISE, ID 83706

P R O O F D U E N O T I C E

RE: PERMIT NO. 63-10143

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAILED

OCT 14 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BLAKESLEE, REX V.
4817 EMERALD
BOISE, ID 83706

OCTOBER 25, 1983

RE: PERMIT NO. 63-10143

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Glover APPLICATION NUMBER: 63-10143
CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☐ Place of use or acres irrigated.
☐ Map.
☒ Signature.
☒ Fee.
☐ Yes ☐ No Field check required.
☒ Yes ☐ No Critical groundwater area. surface water
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

changed from irrigation to fire
protection storage

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 9/19/83
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/12/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. the Idaho World
☒ Publication dates and paper, recorded on application. 301 32392
☒ Protests, dates, withdrawal, etc., recorded on application. 8/31 & 9/1/83
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 63
7/15/83 Date of priority recommended.
Special conditions of approval or cover letter. _____
(26)

By: DGS Date: 9/19/83
STATE OFFICE REVIEW: 417 26 05 (63, Boise R.)

- ☐ See attached sheet for more information.
By: lu Date: 10/12/83

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

See
Me
Lee

August 4, 1983

Rex W. Blakeslee
4817 Emerlad
Boise, ID 83706

Dear Mr. Blakeslee:

We have received your recent application for permit for water use from Big Springs Creek. However, there is a problem with the filing which you need to consider.

In July, 1977, the Upper Boise River and Tributaries were closed to any further appropriation of water. On July 22, 1980, the Director issued another memorandum stating that water could be appropriated for a non-consumptive use. However, as you can see from this memo (a copy is enclosed), ~~for irrigation~~ considered a consumptive use. Therefore, if your application were to be processed, it would be denied by the Director based on this memo.

Since the application has not been advertised, we can refund your \$30.00 filing fee, ~~However~~, the application can be processed if you prefer not to withdraw it at this time. Unfortunately, the \$30.00 filing fee will not be refundable if the application is denied.

Please notify us as to whether or not you wish to withdraw this application. Upon receiving word from you we can then take proper action.

Sincerely,

Jan Grover
Sr. Water Resource Agent

JG:ma

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

AUGUST 25, 1983

The Idaho World
Box 220
Idaho City, ID 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 19, 1983.

Yours truly,

JUDY PENSE
Secretary

Encl.

63-10143

BLAKESLEE, REX V.

4817 EMERALD, BOISE, ID 83706

Source: BIG SPRINGS CREEK trib. to CLEAR CREEK

Date Filed: 07/15/1983

Diversion Pt: SMNW Sec 28 T 05N R 04E

Use: FIRE PROT. STORAGE (1.0 AF)
FIRE PROT. FROM STORAGE (1.0 AF)

In: SMNW Sec 28 T 05N R 04E

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before SEPTEMBER 19, 1983.

KEN DUNN, Dir.

Published 08/31 & 09/07/83.