


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

J. D. Aldecoa & Son, Inc.
(Applicant)
By: Dorothy Aldecoa, Sec.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 09 1987

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10120

1. Owner: J.D. ALDECOA + SON INC.

Phone No. 342-1339

Current Address: 12 MESA VISTA DRIVE, BOISE ID, 83705

2. Accompanied by: BASIL ALDECOA

EXAM. DATE: 8-12-86 ⁽¹³⁾

Address: 1012 MESA VISTA DRIVE - BOISE Phone No. 342-1339

Relationship to Permit Holder: _____

3. Source: GROUND WATER tributary to _____

KEYPUNCHED
7/1-6-87

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
MAY 12 1987

T2N R2E

TO
COWEN
RD.


31 32

6 5

D488
T1682

32 33

5 4



6 5

7 8

3 4

8 9



WINTER LOTS
9 TANKS
FOR CATTLE

ALDECOA

MICROFILMED

MAY 12 1961

PLEASANT VALLEY RD.


7 8

18 1

8 9

17 16

Valley



21 T 2N R 2E



MICROFILMED

MAY 12 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-10120

Priority: September 2, 1983 Amount: .24 CFS 45.8 AFA

This is to certify, that J. D. ALDECOA & SON, INC.

#12 MESA VISTA DR.

BOISE, ID 83705

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated June 29, 1983, and has submitted proof to the Department of Water Resources on November 6, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .24 cfs of water from a **GROUNDWATER** source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.18 cfs	40.5 afa
Stockwater	01/01 to 12/31	.08 cfs	4.7 afa
Domestic	01/01 to 12/31	.02 cfs	.6 afa
Totals		.24 CFS	45.8 AFA

LOCATION OF POINT OF DIVERSION(S): NWNW , Sec. 9, Township 2N, Range 2E
Ada County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
2N	2E	9	NWNW	9			9

Total number of acres irrigated: 9

PLACE OF USE: Stockwater, same as Irrigation use

PLACE OF USE: Domestic, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22nd day of April, 1987.

MICROFILMED

Acting for the

Director

Norman Olney

MAY 12 1987

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-10120 IN THE
NAME OF J. D. ALDECOA & SON, INC.

ORDER OF REINSTATEMENT

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before September 1, 1984; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on November 6, 1984;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-10120 be REINSTATED and the priority advanced to September 2, 1983.

Dated this 19th day of November, 1984.



L. GLEN SAXTON
Chief, Operations Bureau

RECEIVED

State of Idaho
Department of Water Resources

RECEIVED

APR 08 1987

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10120

Department of Water Resources

Date of Priority: September 2, 1983

Comes now J. D. ALDECOA & SON, INC.
#12 MESA VISTA DR.
BOISE, ID 83705

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-10120, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.18 cfs	40.5 af
Stockwater	01/01 to 12/31	.08 cfs	4.7 af
Domestic	01/01 to 12/31	.02 cfs	.6 af
	Totals	.24 CFS	45.8 AF

LOCATION OF POINT OF DIVERSION(S):

NWNW, Sec. 9, Township 2N, Range 2E
Ada County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
2N	2E	9	NWNW	9			9

Total number of acres irrigated: 9

PLACE OF USE: Stockwater, same as Irrigation use

PLACE OF USE: Domestic, same as Irrigation use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Dorothy Aldecoa, this 23 day of March, 1987.

Boise, Idaho

MICROFILMED

MAY 12 1987

Dorothy Aldecoa
(Signature)

Secretary - per permit.
kw

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10120

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = \$20.00 ✓ Received by lf Date 4-8-87 # 44652

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. Kenneth Dunn, of the Department of Water Resources hereby approve the above
Application for Amendment for Permit No. 63-10120 with the following;

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

Witness my hand this 22nd day of April, 1987.

Norman Cling
Acting for the (Director)

MICROFILMED

MAY 12 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources

Phone Southern District Office
(208) 342-1339

1. Name of applicant J. D. Aldecoa & Son, Inc.

Post office address 12 Mesa Vista Drive, Boise, Idaho 83705

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 9 Township 2N

Range 3E B.M. ADA County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 80 cfs for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 08 for stock purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5 Total quantity to be appropriated:

a. 92 cfs. cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 15 hp SMG; submersible pump set at
200 feet

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6" inches; proposed depth of well is 400 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year - maximum 5 years). Project is complete.

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 9 Township 2N

Range 3E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 350 Herfords

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water one.

(5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	3E	9						40											40

Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion J. D. Aldecoa & Son, Inc.

b. Who owns the land to be irrigated or place of use J. D. Aldecoa & Son, Inc.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing NA

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

J. D. Alderco & Son, Inc.
(Applicant)
By: Dorothy Alderco, Sec.

Proposed Priority 6/29/1983

7-11-83

1:00 pm

7/5/83

11:30 a

Received by Jim Date 6-29-83 Time 4:45 P.M.

Preliminary check by jc Fee \$ 45.00 # 29174

Receipted by mayra Date 7/5/83

Publication prepared by JP Date 7/28/83

Published in Statesman

Publication dates 8/4 & 8/11/83

Publication approved see Date 8/18/83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10120, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 84.
- The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- Other:

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 26th day of August, 1983.

J. Glen Saxton
Chief, Operations Bureau

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public water of the State of Idaho.

63-10105

CITY OF MERIDIAN
728 MERIDIAN ST.
MERIDIAN, ID 83642

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversior Pt: NWSE Sec. 06 T 03N
R 01E

Use: MUNICIPAL (2.80 CFS)

P/U: Within the city limits of
Meridian

63-10106

CONESCO OF IDAHO
P.O. BOX 5275, 2600 S. LIBERTY,
BOISE, ID 83705

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversior Pt: SWSE Sec 19 T 03N
R 02E

Use: DOMESTIC (0.04 CFS)

In: SWSE Sec 19 T 03N R 02E

63-10108

MATTHEWS, DALE C. &/or MARY J.
609 E. BERGESON, BOISE, ID 83706

Source: GROUNDWATER

Date Filed: 06/27/1983

Diversior Pt: NESE Sec 26 T 03N
R 02E

Use: IRRIGATION (0.06 CFS)

DOMESTIC (0.04 CFS)

In: NESE Sec 26 T 03N R 02E

FOR 2 ACRES

63-10110

DISOTELL, DON &/or JO MARIE
RT. 1, P.O. BOX 388, EAGLE, ID 83616

Source: GROUNDWATER

Date Filed: 06/24/1983

Diversior Pt: SWSE Sec 30 T 05N
R 01E

Use: IRRIGATION (0.09 CFS)

DOMESTIC (0.04 CFS)

In: SWSE Sec 30 T 05N R 01E

FOR 3 ACRES

63-10114

ALLEN, KENNETH &/or NEVA
2906 HAVEN DR., EAGLE ID 83616

Source: GROUNDWATER

Date Filed: 06/30/1983

Diversior Pt: NENW Sec 31 T 04N
R 01W

Use: IRRIGATION (0.10 CFS)

DOMESTIC (0.04 CFS)

In: NENW Sec 31 T 04N R 01W

FOR 5 ACRES

63-10115

MERRILLS EGG FARM INC.
1125 E. STATE, EAGLE, ID 83616

Source: GROUNDWATER

Date Filed: 06/30/1983

Diversior Pt: NWNE Sec 16 T 04N
R 01E

Use: STOCKWATER (0.31 CFS)

In: NWNE Sec 16 T 04N R 01E

63-10116

**LEADBETTER, DONALD &/or
MILDRED**
7766 GREEN ACRES DR.,
BOISE, ID 83709

Source: GROUNDWATER

Date Filed: 06/30/1983

Diversior Pt: SWSW Sec 03 T 02N
R 01E

Use: IRRIGATION (0.03 CFS)

DOMESTIC (0.04 CFS)

In: SWSW Sec 03 T 02N R 01E

FOR 1 ACRES

63-10119

WARE, RONALD &/or PATRICIA
7901 APACHE WAY, BOISE, ID 83703

Source: UNNAMED SLOUGH trib. to
BOISE RIVER

Date Filed: 07/11/1983

Diversior Pt: NESW Sec 24 T 04N
R 01E

Use: IRRIGATION (0.03 CFS)

In: NESW Sec 24 T 04N R 01E

FOR 1 ACRES

63-10120

J.D. ALDECOA & SON INC.
12 MESA VISTA DR., BOISE, ID 83705

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversior Pt: NWNW Sec 09 T 02N
R 03E

Use: IRRIGATION (0.80 CFS)

STOCKWATER (0.08 CFS)

DOMESTIC (0.04 CFS)

In: NWNW Sec 09 T 02N R 03E

FOR 40 ACRES

63-10122

**BRUSH, HAROLD R. &/or
PATRICIA R.**
RT. 1, BOISE, ID 83703

Source: GROUNDWATER

Date Filed: 06/27/1983

Diversior Pt: SENW Sec 29 T 05N R
02E NESE Sec 30 T 05N
R 02E

Use: IRRIGATION (2.00 CFS)

DOMESTIC (0.16 CFS)

In: SWNE SENW SWSW Sec 29 T 05N
R 02E NESE SESE Sec 30 T 05N R
02E FOR 110 ACRES

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, State-
house, Boise, Idaho 83720 on or before
AUGUST 22, 1983.

KEN DUNN

Director

Pub. August 4, 11, 1983

2000

STATE OF IDAHO)

) ss.

COUNTY OF ADA)

Susan K. Mayer

, being duly
sworn, deposes and says: That she is the Principal
Clerk of The Idaho Statesman, a daily newspaper
printed and published at Boise, Ada County, State
of Idaho, and having a general circulation therein
and which said newspaper has been continuously and
uninterruptedly published in said County during a
period of twelve consecutive months prior to the
first publication of the notice, a copy of which
is attached hereto; that said notice was published
in the regular edition of The Idaho Statesman for

two

insertions, beginning with the

issue of August 4, 1983, and ending with the

issue of August 11, 1983.

Susan K. Mayer

Subscribed and sworn to before me this 11th

day of August, 1983.

Shirley Eguren

Notary Public for Idaho, Residing at Boise, Idaho

RECEIVED

RECEIVED

AUG 12 1983

Department of Water Resources

Boise, Idaho 83720

WINDMILL WFN

April 23, 1987

J. D. ALDECOA & SON, INC.
#12 MESA VISTA DR.
BOISE, ID 83705

RE: Permit No. 63-10120

Dear Permit Holder(s):

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

MAY 12 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 09 1987

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-10120

1. Owner: J.D. ALDECOA + SON INC.

Phone No. 342-1339

Current Address: 12 MESA VISTA DRIVE, BOISE ID, 83705

2. Accompanied by: BASIL ALDECOA

EXAM. DATE: 8-12-86

Address: 1012 MESA VISTA DRIVE - BOISE Phone No. 342-1339

Relationship to Permit Holder: _____

3. Source: GROUND WATER tributary to _____

KEY
1-6-87

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

MAY 12 1987

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

WELL IS ABOUT 350 FT DEEP - WELL PUMPS DRY IF LEFT ON ALL THE TIME, THEY USE IT 4 HRS IN MORNING AND 4 HRS IN EVENING. 4" LINE GOES TO SPRINKLERS, AND A 1 1/4" GOES TO HOUSE, AND 2" AND 1" TO STOCK TANKS 7 OF THEM. 6 OF THEM THE WATER IS PIPED TO UNDERGROUND, AND 3 OF THEM THEY HAUL WATER TO WITH A TRUCK

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERSIBLE		15		JACUZZI	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	N4	9	2N	2E	ADA	USGS QUAD

6. Place(s) of Use:

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	2E 2E	9								9.3									9.3

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
COX HALL METER	2-5/8	CW, COX		20381	2-5/8	
MANOMETER		NEW ONE (BRADS)				

2. Measurements:

DIFF. ON MANOMETER 3.5, LOOK AT CHART FOR COX HALL METER
GET 8.6 TO USE WITH SLIDE RULE - 4" PIPE ID. = 109 G.P.M.
WHICH EQUALS .24 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

COX HALL METER AND MANOMETER = .24 cfs

2. Alternate Method for Checking Purposes: THEORETICAL

$$\frac{15 \text{ HP} \times 8.8 \times .8}{200 + (50 \times 2.31)} = \frac{105.6}{315.5} = .33 \text{ cfs} > .24 \text{ cfs}$$

50 OK.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 50 psi x 2.31 = 115.5 ft (1); Dynamic pumping level: 200 ft (2)

Total Head: (1) + (2) = 315.5 (3)

METER WENT AROUND ONE 15.5 MIN. : Flow rate: .24 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 8.6 (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 9.3 \approx 9 \times 4.5 = 40.5 \text{ a-fa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .18 \times 1.98 \times 245 = 87.3$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 40.5 \text{ a-fa}$$

2. Volume Calculations for Other Uses:

STOCK WATER 400 HEAD WINTER AND SPRING AND SOME CATTLE
ALL YEAR AROUND. BUT PERMIT ONLY FOR 350 HEAD

$$350 \times 12 \text{ g.p.d.} \times 365 = 1533000 \text{ GAL/YEAR} \times 1 \text{ AC. FT.} / 325,850 \text{ GAL} = 4.7 \text{ a-fa}$$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

LEGAL DESCRIPTION ON PERMIT IS WRONG SHOULD BE 2N 2E
INSTEAD OF 2N SE. THIS WILL NEED AN AMENDMENT

SINCE I MEASURED .24 cfs AND THE PERMIT IS FOR .3 cfs (WHEN FIGURED 9 ACRES)
I WOULD RECOMMEND LICENCING EACH USE FOR THE
APPLIED AMT. OF CFS, BUT AT ANY ONE TIME NOT
TO ADD UP TO MORE THAN .24 CFS.

SINCE I FIGURED THE OWN OF THE HOUSE IN
ON THE ACREAGE I WILL GIVE THE HOUSE ONLY .02 CFS
AND .02 CFS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afs)
	From	To		
IRRIGATION	3/15	11/15	.18	40.5
DOMESTIC	1/1	12/31	.04 .02	1.2 .6
STOCKWATER	1/1	12/31	.08	4.7
Totals:			.24 cfs	46.4 45.8

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name QUENTIN NESBITT
Signature Quentin Nesbitt
Certification Date _____
Field Report Preparation Date 8/15/86

BD
12/10/86

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

MAY 12 1986

March 18, 1987

J. D. ALDECOA & SON, INC.
#12 MESA VISTA DR.
BOISE, ID 83705

RE: Permit No. 63-10120

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAY 12 1987

T 2 N R 2 E

TO GARDEN

RD



3 32

6 5

DIST
TILE

32 32

5 4




MICROFILM

MAY 12

PLEASANT VALLEY RD

Valley



T 2N R 2E

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{9 \times 4.5 = 40.5} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{87.5} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none



c) Analysis:

MICROFILMED

MAY 12 1987

30 day
P/D & P/U - see
range

- Date 3/16/87



MICROFILMED

MAY 12 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

63-10120
Permit No.

RECEIVED

FEB 09 1987

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index DN 8-11-86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index DN 8-11-86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

MICROFILMED

MAY 12 1987

C. Review and Processing:

Exam Completed Arventer, Robert 8-13-86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent AD 8-15-86 (Initial and date)

Exam Reviewed by Manager of Regional Office DR 12/9/86 (Initial and date)

Exam Date Entered in Computer AD 1-6-87 (Initial and date)

Exam sent to State Office AD 1-87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File AD 12-13-86 (Initial and date)

CH 2/4/87

4/86

KEYPUNCHED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 100.00
Date 6/20/1986
Receipt # 40384
Receipt by ACK
Sent to S.O. 7/1/86

RECEIVED
JUN 20 1986

1. Permit No. 63-10120

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources
Boise Western Regional Office

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: J.D. Aldecoa & Son, Inc.

3. Post Office Address: #12 Mesa Vista Dr.

Boise, ID 83705

Telephone No. 208-342-1339

4. Source of Water: Groundwater

5. Extent of Use:

Domestic 1 (No. of households) Stockwater 350 Beef (No. and type of stock)

Irrigation 40 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .92 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

3/15/1979

8. Person to contact to accompany the department representative during the field examination:

Basil Aldecoa

(Name) MAY 12 1987

Same as Above

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

6/20/1986
Date

Dorothy Aldecoa Sec.
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

Mailing address:

Statehouse

Boise, Idaho 83720

A. KENNETH DUNN

Director

63-10120

J. D. Aldecoa & Sons, Inc.

12 Mesa Vista Dr.

Boise, ID

83705

MAY 5
~~April 30~~, 1986

CERTIFIED MAIL

#138438

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may elect to have the examination conducted by another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

MAY 10 1986



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

Mailing address:
Statehouse
Boise, Idaho 83720

A. KENNETH DUNN
Director

63-10120
J. D. ALDECOA & SON INC.
12 MESA VISTA DR.
BOISE, ID 83705

138045

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative. **MICROFILMED** If you submit the fee needed for the department to conduct the field examination, you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

MAY 12 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

DECEMBER 17, 1984

J.D. ALDECOA AND SON INC.
12 MESA VISTA DR.
BOISE ID 83705

RE: Permit No. 63-10120

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of a measuring device which, according to the proof card submitted by you, has not been installed. A measuring device must be installed and operating at the time the field examination is made. If a measuring device is not installed your permit may be subject to cancellation.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

Enclosure

MICROFILMED

MAY 12 1987

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 63-10120

DATE: 11-14-84

Date proof received

309

Nov 6, 1984

Proof due

-244

Sept 1

Number of day proof late

65

Priority date

+180

Jan 29, 1985

New priority date

245

Sept 2, 1983

Remarks:

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of permit No. 63-10120.

Name(s) of Permit Holder: J.D. Aldecoa & Son, Inc.

Post Office Address: 12 MESA VISTA Dr.
BOISE 83705 Tel. No. 342-1339

Source of Water: Ground-water NW¹/₄ NW¹/₄ Sec. 9 2 N. 3 E Ada County


Extent of Use: ☒ Domestic one (number of households)
☒ Stockwater Herefords 380 (number and type of stock)
☒ Irrigation 40 (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Nov. 2, 1984 Date **MICROFILMED** Aldecoa & Son, Inc.
Dorothy Aldecoa Signature of Permit Holder V. P. & Sec.

J.D. Aldridge & Son, Inc.
12 Mesa Vista Dr
Boise, Id. 83705



RECEIVED



1984 IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
Department of Water Resources BOISE, IDAHO 83720

MAIL ROOM

October 10, 1984

J. D. Aldecoa & Sons, Inc.
12 Mesa Vista Drive
Boise, ID 83705

Gentlemen:

Re: Permit No. 63-10120

LAPSE NOTICE

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 63-10120 has lapsed. This office did not receive either an acceptable notice that you have completed the project (proof of beneficial use) by the date required on your permit or an acceptable request for an extension of time. You were provided the proper forms in our proof due notice to you dated June 30, 1984.

Your permit cannot be reinstated unless you submit the statement of beneficial use postcard or submit an extension of time request showing reasonable cause for delay. Either the completed postcard or the extension request must be received by this office within sixty days of the date of this lapse notice or the permit will no longer be of any force or effect.

A statement of beneficial use postcard and a request for extension of time form are again enclosed for your use. Please note that a fee of \$15.00 must accompany an extension of time request and that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation.

L. GLEN SAXTON
Chief, Operations Bureau

10-10-84

Enclosures

LGS:rf





State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 9, 1984

Main Pump Company
Attn: Mr. Steve Caron
110 West 31st St.
Boise, ID 83704

Dear Steve:

Enclosed per our conversation please find a copy of Instructions for Installation of a Flow Measurement Port.

It is my understanding that you seek to assist the Aldecoa family in satisfying the conditions of approval for Permit No. 63-10120. Please be advised that proof of construction of works and application of water to beneficial use was due for the permit on September 1, 1984, and currently the permit is lapsing, so compliance with the condition of approval should be concluded as quickly as possible.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT/lis

Enclosure

MAILED 10/10/84

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

135741

J. D. ALDECOA & SON INC.
12 MESA VISTA DR.
BOISE, ID 83705

PROOF DUE NOTICE

JUNE 30, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 63-10120 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

J. D. ALDECOA & SON INC.
12 MESA VISTA DR.
BOISE, ID 83705

SEPTEMBER 14, 1983

RE: PERMIT NO. 63-10120

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

PLEASE BE ADVISED THAT NUMEROUS PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE, TO BE USED ON DESERT LAND ENTRY AND/OR CAREY ACT LANDS. DEVELOPMENT OF THESE WATER RIGHTS IS CURRENTLY PREVENTED BY THE U.S. BUREAU OF LAND MANAGEMENT. HOWEVER, IF THE LANDS ARE RELEASED FOR DEVELOPMENT, THE ASSOCIATED WATER RIGHTS WILL RECEIVE WATER PRIOR TO YOUR WATER RIGHT ENCLOSED. THEREFORE BE SURE TO ANALYZE THE FUTURE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT IN A WATER SUPPLY SYSTEM.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

ENCLOSURE

RE: PERMIT 63-1012

PAGE 01
SEPTEMBER 14, 1983

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MIDDLETOWN

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Graver

APPLICATION NUMBER: 603-10120

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: August 22, 1983 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/12/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45' 29174
☒ Publication dates and paper, recorded on application. the Idaho Waterman
☒ Protests, dates, withdrawal, etc., recorded on application. 8/4-7/11-83
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/29/83 Date of priority recommended.
Special conditions of approval or cover letter. I.P. GW letter

By: D35

Date: 8/22/83

STATE OFFICE REVIEW:

SLW/LII, LII, L03

oic

- ☐ See attached sheet for more information.

By: teep

Date: 8/24/83

RECEIVED
AUG 23 1983

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

63-10120

J. D. ALDECOR & SON INC.

12 MESA VISTA DR., BOISE, ID 83705

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversion Pt: NWNW Sec 09 T 02N R 03E

Use: IRRIGATION	(0.80 CFS)
STOCKWATER	(0.08 CFS)
DOMESTIC	(0.04 CFS)

In: NWNW Sec 09 T 02N R 03E FOR 40 ACRES

3/83

IDENT. NO. 63-10120

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]